

Legend 圖例

ALUM. FINS	= ALUMINIUM FINS	= 鋁質裝飾線
A.F.	= ARCHITECTURAL FEATURE	= 建築裝飾
A/C HOOD	= AIR CONDITIONER HOOD	= 空調機遮簷
A/C PLATFORM	= AIR CONDITIONER PLATFORM	= 空調機平台
A.D.	= AIR DUCT	= 風管槽
ALUM. CLADDING	= ALUMINIUM CLADDING	= 鋁質飾面板
B.	= BATHROOM	= 浴室
BAL.	= BALCONY	= 露台
B.R.	= BEDROOM	= 睡房
CD	= CABLE DUCT	= 電線管道
DIN.	= DINING ROOM	= 飯廳
DN	= DOWN	= 落
ELE ROOM	= ELECTRIC ROOM	= 電線房
EL. D.	= ELECTRICAL DUCT	= 電線槽
ELV	= EXTRA LOW VOLTAGE CABLE DUCT	= 特低壓電線槽
EMR	= ELECTRICAL METER ROOM	= 電錶房
H.R.	= HOSE REEL	= 消防喉轆

H/L	= HIGH LEVEL	= 高位
KIT.	= KITCHEN	= 廚房
LAV.	= LAVATORY	= 洗手間
LIV.	= LIVING ROOM	= 客廳
M.B.	= MASTER BATHROOM	= 主人浴室
M.B.R.	= MASTER BEDROOM	= 主人睡房
OPEN KIT.	= OPEN KITCHEN	= 開放式廚房
OPEN KIT.*	= OPEN KITCHEN (*INDUCTION HOBS ONLY)	= 開放式廚房 (*只供電磁爐)
P.D.	= PIPE DUCT	= 管道
PA.	= PLANTER	= 花槽
R.C. PLINTH	= REINFORCED CONCRETE PLINTH	= 混凝土底座
RS & MRR	= REFUSE STORAGE AND MATERIAL RECOVERY ROOM	= 垃圾及物料回收室
STONE CLADDING	= STONE CLADDING	= 石製飾面板
U.P.	= UTILITY PLATFORM	= 工作平台
UTIL.	= UTILITY ROOM	= 工作間
WMC	= WATER METER CABINET	= 水錶櫃


Notes applicable to the floor plans of this section:

1. There are architectural features, metal grilles and/or exposed pipes on the external walls of some of the floors. For details, please refer to the latest approved building plans.
2. Common pipes exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or utility platform and/or roof and/or flat roof and/or air conditioner platform and/or external wall of some residential units. For details, please refer to the latest approved building plans and/or approved drainage plans.
3. There are sunken slabs (for mechanical & electrical services of units above) and/or ceiling bulkheads for the air-conditioning fittings and/or mechanical & electrical services at some residential units.
4. Balconies, utility platforms and air-conditioner platforms are non-enclosed areas.
5. The indications of fittings and fitments such as sinks, hobs, toilet bowls, wash basins, bathtubs etc. shown on the floor plans are indications of their approximate locations only and not indications of their actual size, designs and shapes.
6. Some air conditioner platform(s) outside the residential unit will be placed with air conditioner belonging to the unit. The location of these air conditioner may emit heat and/ or sound. The location of air conditioner of the Phase may be revised, subject to the approval of the relevant government authority. For details, please refer to the latest approved building plans.

適用於本章節所有平面圖的備註：

1. 部份樓層外牆設有建築裝飾、金屬格柵及/或外露喉管。詳細資料請參考最新批准的建築圖則。
2. 部份單位的露台及/或工作平台及/或天台及/或平台及/或空調機平台及/或外牆或其鄰近地方設有外露及/或內藏於飾板的公用喉管。詳細資料請參考最新批准的建築圖則及/或排水設施圖。
3. 部分住宅單位天花板有跌級樓板（用以安裝樓上單位之機電設備）及/或天花假陣內裝置空調裝備及/或其他機電設備。
4. 露台、工作平台及空調機平台為不可封閉的地方。
5. 樓面平面圖所示之裝置及設備如洗滌盤、煮食爐、坐廁、面盆、浴缸等只供展示其大約位置而非展示其實際大小、設計及形狀。
6. 部份住宅單位外的空調機平台將會放置該單位的一部或多部空調機室外機。該等空調機室外機的位置可能發出熱力及/或聲音。期數之空調機室外機的位置可能修改，並受制於相關政府部門之批准。詳細資料請參考最新批准的建築圖則。

Tower 5 1/F 第5座 1樓



Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位					
			A	B	E	F	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 5 第5座	1/F 1樓	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）(毫米)			3350, 3450, 3650, 3700,	3350, 3450, 3650, 3700	3350, 3450, 3650, 3700	3350, 3450, 3650, 3700	3350, 3400, 3450, 3650, 3700	3350, 3650, 3700


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 5 **2/F**
第5座 **2樓**



Scale: 0M/米 5M/米
 比例:



	Tower 座數	Floor 樓層	Flat 單位									
			A	B	C	D	E	F	G	H	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 5 第5座	2/F 2樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）(毫米)			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 5 3/F, 5/F-12/F, 15/F-23/F & 25/F-30/F
第5座 3樓、5樓至12樓、15樓至23樓及25樓至30樓



Tower 5 28/F Part Plan
第5座 28樓 局部平面圖

Tower 5 30/F Part Plan
第5座 30樓 局部平面圖

Scale: 0M/米 5M/米
 比例:

	Tower 座數	Floor 樓層	Flat 單位									
			A	B	C	D	E	F	G	H	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 5 第5座	3/F, 5/F-12/F, 15/F-23/F & 25/F-29/F 3樓、5樓至12樓、 15樓至23樓及25樓至29樓	150	150	150	150	150	150	150	150	150	150
		30/F 30樓	200, 450	200	200	200	200	200, 450	200	200	200	200
3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F 3樓、5樓至12樓、 15樓至23樓及25樓至28樓		3150	3150	3150	3150	3150	3150	3150	3150	3150	3150	
29/F 29樓		3400	3400	3400	3400	3400	3400	3400	3400	3400	3400	
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）		30/F 30樓	3400, 3450, 3650, 3750	3400, 3450, 3650, 3750	3400, 3450, 3650, 3700, 3800	3400, 3450, 3650, 3750	3400, 3450, 3650, 3750	3400, 3650, 3700, 3900, 4000	3400, 3650, 3700, 3900, 4000	3400, 3450, 3650, 3700, 3750	3400, 3450, 3650, 3700, 3750	3400, 3450, 3750

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

Notes:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 5 **Roof**
第5座 天台



Scale: 0M/米 5M/米

比例: 

	Tower 座數	Floor 樓層	Flat 單位		
			A	B	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 5 第5座	Roof 天台	Not applicable 不適用		
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）					


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 1/F
第6座 1樓



Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位			
			J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	1/F 1樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3350, 3450, 3650, 3700	3350, 3450, 3650, 3700	3350, 3400, 3450, 3700	3350, 3650, 3700


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 **2/F**
第6座 **2樓**



Scale: 0M/米 5M/米
 比例:

	Tower 座數	Floor 樓層	Flat 單位									
			C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	2/F 2樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 3/F
第6座 3樓



Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位									
			C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	3/F 3樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 5/F
第6座 5樓



Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位									
			C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	5/F 5樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 6/F
第6座 6樓



Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位									
			C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	6/F 6樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 7/F
第6座 7樓



Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位									
			C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	7/F 7樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 8/F-12/F, 15/F-23/F & 25/F-29/F
第6座 8樓至12樓、15樓至23樓及25樓至29樓



Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	8/F-12/F, 15/F-23/F & 25/F-28/F 8樓至12樓、 15樓至23樓及25樓至28樓	150	150	150	150	150	150	150	150	150	150	150	150
		29/F 29樓	200, 500	200, 500	150	150	150	150	150	150	150	200, 500	150, 200, 500	150, 200, 500
8/F-12/F, 15/F-23/F & 25/F-28/F 8樓至12樓、 15樓至23樓及25樓至28樓		3150	3150	3150	3150	3150	3150	3150	3150	3150	3150	3150	3150	3150
29/F 29樓		3100, 3150, 3400, 3650	2800, 3100, 3150, 3400, 3650, 3750	3400	3400	3400	3400	3400	3400	3400	3400	2850, 2900, 3100, 3150, 3200, 3400, 3450, 3650	2700, 2850, 2950, 3050, 3100, 3300, 3400, 3650, 3700	3100, 3150, 3400, 3450, 3750

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

Notes:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 6 30/F
第6座 30樓



Scale: 0M/米 5M/米
比例:



	Tower 座數	Floor 樓層	Flat 單位							
			A	C	D	E	F	G	H	J
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	30/F 30樓	150, 200, 300	200	200, 450	200	200	200	200	200, 450
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3400, 3700, 3750, 4000, 4050, 4100	3400, 3800, 3850, 4150	3400, 3700, 4000	3400	3400	3400	3400	3400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。



Scale: 0M/米 5M/米

比例： 

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 6 第6座	Roof 天台	Not applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

Notes:


1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 8 1/F
第8座 1樓



Scale: 0M/米 5M/米
比例: 

	Tower 座數	Floor 樓層	Flat 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 8 第8座	1/F 1樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3350, 3450, 3650, 3700	3350, 3400, 3450, 3650, 3700	3350, 3400, 3450, 3650, 3700	3350, 3400, 3450, 3650, 3700	3350, 3450, 3650, 3700



The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 8 2/F-3/F
第8座 2樓至3樓



Tower 8 3/F Part Plan
第8座 3樓 局部平面圖

Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 8 第8座	2/F-3/F 2樓至3樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）			3150	3150	3150	3150	3150



The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 8 5/F-6/F
第8座 5樓至6樓



Tower 8 6/F Part Plan
第8座 6樓 局部平面圖

Scale: 0M/米 5M/米
比例:

	Tower 座數	Floor 樓層	Flat 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 8 第8座	5/F 5樓	150	150	150	150	150
		6/F 6樓	200	200	200	200	200
5/F 5樓		3150	3150	3150	3150	3150	
6/F 6樓		3200, 3250, 3450, 3550	3200, 3250, 3450, 3500, 3550	3200, 3250, 3450, 3500, 3550	3200, 3250, 3450, 3500, 3550	3200, 3250, 3450, 3550	


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable to the Phase)

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（註：不適用於期數）

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。

Tower 8 **Roof**
第8座 天台



Scale: 0M/米 5M/米
比例：



	Tower 座數	Floor 樓層	Flat 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Tower 8 第8座	Roof 天台	Not applicable 不適用				
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）							

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable to the Phase)

- Notes:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. Please refer to the first page of the section "Floor Plans of Residential Properties in the Phase" for legend for the terms and abbreviations shown on the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
（註：不適用於期數）

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 樓面平面圖中顯示之名詞及簡稱之圖例請參閱「期數的住宅物業的樓面平面圖」一節的首頁。