

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend of the terms and abbreviations used on the Floor Plans:

樓面平面圖上使用之名詞及簡稱的圖例：

A/C PLATFORM = Air-conditioning Platform = 冷氣機平台

ARCHITECTURAL FEATURE = 建築裝飾

ARCHITECTURAL FINS = 建築裝飾鰭

ALUM. CLADDING = Aluminium Cladding = 鋁質蓋板

ALUM. ARCHITECTURAL FINS AT */F AND */F = Aluminium Architectural fins = 鋁質建築裝飾鰭於*樓及*樓

BAL = Balcony = 露台

BATH = Bathroom = 浴室

B.R.1 = Bedroom 1 = 睡房1

B.R.2 = Bedroom 2 = 睡房2

DIN. = Dining Room = 飯廳

DN = Down = 落

ELV. CABINET = Extra-low Voltage Cabinet = 特低壓電線櫃

ELV. DUCT/ELV DUCT = Extra-low Voltage Duct = 特低壓電線櫃管

FLAT ROOF = 平台

FLAT = 單位

HALL = 大堂

KIT. = Kitchen = 廚房

LAV. = Lavatory = 洗手間

LIV. = Living Room = 客廳

LIFT = 升降機

LIFT HALL = 升降機大堂

L.W. = Light Well = 天井

M.B.R. = Master Bedroom = 主人睡房

M.BATH = Master Bathroom = 主人浴室

P.D. = Pipe Duct = 管道槽

RC PLINTH = 鋼筋混凝土

SER. ROOM = Servant Room = 傭人房


UTILITY = 工作間

UP = 上

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

BLOCK A 2ND – 11TH FLOOR PLAN A座 2樓至11樓樓面平面圖



Remarks:
The dimensions of floor plans are all in millimeters.

備註：
樓面平面圖所列之尺寸為以毫米標示。

Scale 比例 : 0 5 10M(米)

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

2ND – 11TH FLOOR PLAN
2樓至11樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	2/F - 11/F 2樓至11樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

12TH – 13TH FLOOR PLAN
12樓至13樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	12/F - 13/F 12樓至13樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

14TH FLOOR PLAN
14樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	14/F 14樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

15TH FLOOR PLAN
15樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	15/F 15樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

16TH – 17TH FLOOR PLAN
16樓至17樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	16/F - 17/F 16樓至17樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

18TH – 19TH FLOOR PLAN
18樓至19樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	18/F - 19/F 18樓至19樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

20TH – 21ST FLOOR PLAN
20樓至21樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	20/F - 21/F 20樓至21樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

BLOCK A
A座

22ND – 23RD FLOOR PLAN
22樓至23樓樓面平面圖

	Block 座數	Floor 樓層	Flat 單位	
			1	2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block A A座	22/F - 23/F 22樓至23樓	100, 125, 150	100, 125, 150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)			2800	2800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. Please refer to page 19 of this sales brochure for the terms and abbreviations in studying the floor plans.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 請參閱本售樓說明書第19頁之圖例以協助閱讀樓面平面圖之名稱和簡稱。

