



CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



House = 獨立屋

1. --- Dotted line denotes the lowest residential floor of the building in the Phase.
--- 虛線代表期數建築物之最低住宅樓層水平。
2. The part of Chung Hau Street adjacent to the building is 43.13 metres to 46.59 metres above the Hong Kong Principal Datum.
毗連建築物的一段忠孝街為香港主水平基準以上43.13米至46.59米。
3. The part of Emergency Vehicular Access (EVA) adjacent to the building is 58.48 metres to 59.48 metres above the Hong Kong Principal Datum.
毗連建築物的一段緊急車輛通道為香港主水平基準以上58.48米至59.48米。
4. The part of Fat Kwong Street adjacent to the building is 46.59 metres to 61.80 metres above the Hong Kong Principal Datum.
毗連建築物的一段佛光街為香港主水平基準以上46.59至61.80米。
5. ▽ or △ denotes height (in metres) above the Hong Kong Principal Datum.
▽ 或 △ 代表香港主水平基準以上的高度 (米)。






- * The level of the Footpath in relation to the level of the lowest residential floor of the building is 0.48m.
行人徑與建築物最低一層住宅樓層的水平相對的水平為0.48米。
- # The level of the Maintenance Corridor in relation to the level of the lowest residential floor of the building is 0.09m.
維修通道與建築物最低一層住宅樓層的水平相對的水平為0.09米。

Cross - Section Plan A
橫截面圖A


CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖




House = 獨立屋


1. --- Dotted line denotes the lowest residential floor of the building in the Phase.
虛線代表期數建築物之最低住宅樓層水平。
2. The part of Chung Hau Street adjacent to the building is 43.13 metres to 46.59 metres above the Hong Kong Principal Datum.
毗連建築物的一段忠孝街為香港主水平基準以上43.13米至46.59米。
3. The part of Emergency Vehicular Access (EVA) adjacent to the building is 58.48 metres to 59.48 metres above the Hong Kong Principal Datum.
毗連建築物的一段緊急車輛通道為香港主水平基準以上58.48米至59.48米。
4. ▽ or ▲ denotes height (in metres) above the Hong Kong Principal Datum.
▽ 或 ▲ 代表香港主水平基準以上的高度 (米)。



Cross - Section Plan D
橫截面圖D



Cross - Section Plan E
橫截面圖E






House = 獨立屋

- Dotted line denotes the lowest residential floor of the building in the Phase.
 --- 虛線代表期數建築物之最低住宅樓層水平。
- The part of Chung Hau Street adjacent to the building is 43.13 metres to 46.59 metres above the Hong Kong Principal Datum.
 毗連建築物的一段忠孝街為香港主水平基準以上43.13米至46.59米。
- The part of Emergency Vehicular Access (EVA) adjacent to the building is 58.48 metres to 59.48 metres above the Hong Kong Principal Datum.
 毗連建築物的一段緊急車輛通道為香港主水平基準以上58.48米至59.48米。
- The part of Fat Kwong Street adjacent to the building is 46.59 metres to 61.80 metres above the Hong Kong Principal Datum.
 毗連建築物的一段佛光街為香港主水平基準以上46.59米至61.80米。
- ▽ or ▲ denotes height (in metres) above the Hong Kong Principal Datum.
 ▽ 或 ▲ 代表香港主水平基準以上的高度 (米)。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖




House = 獨立屋

1. --- Dotted line denotes the lowest residential floor of the building in the Phase.
--- 虛線代表期數建築物之最低住宅樓層水平。
2. The part of Emergency Vehicular Access (EVA) adjacent to the building is 58.48 metres to 59.48 metres above the Hong Kong Principal Datum.
毗連建築物的一段緊急車輛通道為香港主水平基準以上58.48米至59.48米。
3. The part of Fat Kwong Street adjacent to the building is 46.59 metres to 61.80 metres above the Hong Kong Principal Datum.
毗連建築物的一段佛光街為香港主水平基準以上46.59米至61.80米。
4. ▽ or ▲ denotes height (in metres) above the Hong Kong Principal Datum.
▽ 或 ▲ 代表香港主水平基準以上的高度 (米)。



The level of the Maintenance Corridor in relation to the level of the lowest residential floor of the building is 0.25m.
維修通道與建築物最低一層住宅樓層的水平相對的水平為0.25米。


Cross - Section Plan H
橫截面圖H




House = 獨立屋

1. --- Dotted line denotes the lowest residential floor of the building in the Phase.
--- 虛線代表期數建築物之最低住宅樓層水平。
2. The part of Emergency Vehicular Access (EVA) adjacent to the building is 58.48 metres to 59.48 metres above the Hong Kong Principal Datum.
毗連建築物的一段緊急車輛通道為香港主水平基準以上58.48米至59.48米。
3. The part of Fat Kwong Street adjacent to the building is 46.59 metres to 61.80 metres above the Hong Kong Principal Datum.
毗連建築物的一段佛光街為香港主水平基準以上46.59米至61.80米。
4. ▽ or △ denotes height (in metres) above the Hong Kong Principal Datum.
▽ 或 △ 代表香港主水平基準以上的高度 (米)。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖





Cross - Section Plan I
橫截面圖I



House = 獨立屋



- 1. Dotted line denotes the lowest residential floor of the building in the Phase.
虛線代表期數建築物之最低住宅樓層水平。
- 2. The part of footbridge / footpath adjacent to the building is 65.10 metres to 67.74 metres above the Hong Kong Principal Datum.
毗連建築物的一段行人天橋/行人徑為香港主水平基準以上65.10米至67.74米。
- 3. Since the Footbridge/Footpath is under construction, its actual final height(s) when completed may differ from the height(s) indicated on the cross section plan.
由於行人天橋/行人徑仍在興建中，落成後其最終高度可能會與橫截面圖所標示之高度有所差異。
- 4. The part of Emergency Vehicular Access (EVA) adjacent to the building is 58.48 metres to 59.48 metres above the Hong Kong Principal Datum.
毗連建築物的一段緊急車輛通道為香港主水平基準以上58.48米至59.48米。
- 5. The part of Fat Kwong Street adjacent to the building is 46.59 metres to 61.80 metres above the Hong Kong Principal Datum.
毗連建築物的一段佛光街為香港主水平基準以上46.59米至61.80米。
- 6. or denotes height (in metres) above the Hong Kong Principal Datum.
或 代表香港主水平基準以上的高度 (米)。





House = 獨立屋

1. --- Dotted line denotes the lowest residential floor of the building in the Phase.
--- 虛線代表期數建築物之最低住宅樓層水平。
2. The part of footbridge / footpath adjacent to the building is 65.10 metres to 67.74 metres above the Hong Kong Principal Datum.
毗連建築物的一段行人天橋/行人徑為香港主水平基準以上65.10米至67.74米。
3. Since the Footbridge/Footpath is under construction, its actual final height(s) when completed may differ from the height(s) indicated on the cross section plan.
由於行人天橋/行人徑仍在興建中，落成後其最終高度可能會與橫截面圖所標示之高度有所差異。
4. The part of Fat Kwong Street adjacent to the building is 46.59 metres to 61.80 metres above the Hong Kong Principal Datum.
毗連建築物的一段佛光街為香港主水平基準以上46.59米至61.80米。
5. ▽ or △ denotes height (in metres) above the Hong Kong Principal Datum.
▽ 或 △ 代表香港主水平基準以上的高度 (米)。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



- House = 獨立屋
- Dotted line denotes the lowest residential floor of the building in the Phase.
虛線代表期數建築物之最低住宅樓層水平。
 - The part of footbridge / footpath adjacent to the building is 65.10 metres to 67.74 metres above the Hong Kong Principal Datum.
毗連建築物的一段行人天橋/行人徑為香港主水平基準以上65.10米至67.74米。
 - Since the Footbridge/Footpath is under construction, its actual final height(s) when completed may differ from the height(s) indicated on the cross section plan.
由於行人天橋/行人徑仍在興建中，落成後其最終高度可能會與橫截面圖所標示之高度有所差異。
 - The part of Fat Kwong Street adjacent to the building is 46.59 metres to 61.80 metres above the Hong Kong Principal Datum.
毗連建築物的一段佛光街為香港主水平基準以上46.59米至61.80米。
 - ▽ or △ denotes height (in metres) above the Hong Kong Principal Datum.
▽ 或 △ 代表香港主水平基準以上的高度 (米)。



House = 獨立屋

- Dotted line denotes the lowest residential floor of the building in the Phase.

虛線代表期數建築物之最低住宅樓層水平。
- The part of footbridge / footpath adjacent to the building is 65.10 metres to 67.74 metres above the Hong Kong Principal Datum.

毗連建築物的一段行人天橋/行人徑為香港主水平基準以上65.10米至67.74米。
- Since the Footbridge/Footpath is under construction, its actual final height(s) when completed may differ from the height(s) indicated on the cross section plan.

由於行人天橋/行人徑仍在興建中，落成後其最終高度可能會與橫截面圖所標示之高度有所差異。
- ▽ or △ denotes height (in metres) above the Hong Kong Principal Datum.

▽ 或 △ 代表香港主水平基準以上的高度 (米)。

Cross - Section Plan L
橫截面圖L