



Notes :

- There are architectural features, metal grilles and/or exposed pipes on the external walls of some of the floors. For details, please refer to the latest approved building plans.
- Common pipes exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or flat roof and/or air-conditioner platform and/or external wall of some residential units. For details, please refer to the latest approved building plans and/or approved drainage plans.
- There are sunken slabs (for mechanical & electrical services of units above) and/or ceiling bulkheads for the air-conditioning fittings and/or mechanical & electrical services at some residential units.
- There are exposed pipes installed in some stores and toilets.
- There are exposed pipes located at the upper part of some utility platforms.
- There are exposed pipes mounted at part of flat roof and roof of each tower, only a portion of the exposed pipes are covered with aluminium cladding.
- For some residential units, the air conditioner platform(s) outside the residential unit will be placed with outdoor air conditioner unit(s) belonging to that unit and/or other units. The placement of these air-conditioner unit(s) may emit heat and/or sounds.
- Balconies and utility platforms are non-enclosed areas.
- Symbols of fittings and fitments such as bath tub, sink, water closet, shower, sink counter, etc. shown on the floor plans are prepared based on the latest approved building plans and are for general indication only.

備註：

- 部分樓層外牆範圍設有建築裝飾、金屬格柵及/或外露喉管，詳細資料請參考最新批准的建築圖則。
- 部分住宅單位的露台及/或平台及/或空調機平台及/或外牆上/附近設有外露及/或外牆裝飾板內藏之公用喉管，詳細資料請參考最新批准的建築圖則及/或排水設施圖。
- 部分住宅單位有跌級樓板(用以安裝樓上單位之機電設備)及/或天花板隔板內裝有空調裝置及/或其他機電設備。
- 部分儲物房及洗手間內裝有外露喉管。
- 部分工作平台上方裝有外露喉管。
- 每座的平台及天台上裝設有外露喉管，只有部分外露喉管被鋁質飾板所覆蓋。
- 部份住宅單位外的冷氣機平台將會放置該單位及/或其他單位的一部或多部冷氣戶外機。該等冷氣機的位置可能發出熱力及/或聲音。
- 露台及工作平台為不可封閉的地方。
- 樓面平面圖上所顯示的裝置及設備符號，如浴缸、洗滌盆、座廁、花灑、洗滌盆櫃等乃按最新的經批准的建築圖則繪製，只作一般示意用途。

LEGEND OF TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

A.F. = ARCHITECTURAL FEATURE = 建築裝飾	BOUNDARY LINE = 界線
A/C PLATFORM FOR UNIT ... = AIR CONDITIONER PLATFORM FOR UNIT ... = ... 單位的冷氣機平台	BR = BEDROOM = 睡房
ABOVE = 上方為 ...	BR1 = BEDROOM 1 = 睡房 1
ADJOINING BLOCK ... = 毗鄰的 ... 號別墅	BR2 = BEDROOM 2 = 睡房 2
ADJOINING BUILDING TOWER ... = 毗鄰的第 ... 座大廈	BR3 = BEDROOM 3 = 睡房 3
ADJOINING HOUSE ... = 毗鄰的 ... 號洋房	C.L. = CAT LADDER = 維修梯
ALUMINIUM CLADDING = 鋁質飾板	CARPARK = 停車場
ALUMINIUM FEATURE = ALUMINIUM A.F. = ALUMINIUM ARCHITECTURAL FEATURE = 鋁質建築裝飾	COMMON FLAT ROOF = 公用平台
AT H/L = AT HIGH LEVEL = 位於高位的...	COMMON GREENERY = 公用綠化
AT L/L = AT LOW LEVEL = 位於低位的...	COMMON ROOF = 公用天台
B1 EL RM. = B1/F ELECTRICAL ROOM = 地庫1樓電錶房	DIN. = DINING ROOM = 飯廳
BAL. = BALCONY = 露台	DN = DOWN = 落
BATH = BATHROOM = 浴室	DOG HOUSE = MECHANICAL AND ELECTRICAL SERVICES DUCT CONNECTING TO THE FLOOR BELOW AND / OR ABOVE = 連接下及/或上層的機電設施管道
BATH1 = BATH 1 = BATHROOM 1 = 浴室 1	DRIVEWAY / EMERGENCY VEHICULAR ACCESS = 行車通道/緊急車輛通道
BATH2 = BATH 2 = BATHROOM 2 = 浴室 2	DRIVEWAY = 行車通道
BATH3 = BATH 3 = BATHROOM 3 = 浴室 3	DROPPED KERB = 下斜路緣
BELOW = 下方為...	DUCT ROOM = 管道室



LEGEND OF TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

E.V.A. & L/UL ACCESS = EMERGENCY VEHICULAR ACCESS & LOADING / UNLOADING ACCESS = 緊急車輛通道及上落貨通道	GUARD HOUSE = 看更亭
EAD = EXHAUST AIR DUCT = 排氣管	HOUSE EL RM. = HOUSE ELECTRICAL ROOM = 洋房電錶房
EL = ELECTRICAL RISER DUCT = 電線管道	HR = HOSE REEL = 消防喉轆
ELV / ELV RM = EXTRA-LOW VOLTAGE ROOM = 弱電房	KIT. = KITCHEN = 廚房
EMC = ELECTRIC METER CABINET = 電錶櫃	L/UL-2 = LOADING / UNLOADING -2 = 上落貨2號停車位
EMR = ELECTRIC METER ROOM = 電錶房	L/UL-6 = LOADING / UNLOADING -6 = 上落貨6號停車位
FAMILY ROOM = 家庭廳	LANDSCAPE AREA = 園林區
FAN RM. = FAN ROOM = 風機房	LIFT = 升降機
FLAT ROOF = 平台	LIFT LOBBY = 升降機大堂
FLUSHING WATER TANK & PUMP RM. = FLUSHING WATER TANK & PUMP ROOM = 沖廁水水缸及泵房	LIFT MACHINE RM. = LIFT MACHINE ROOM = 升降機機房
FLUSHING, CLEANSING WATER TANK & PUMP RM. = FLUSHING, CLEANSING WATER TANK & PUMP ROOM = 沖廁、清潔水水缸及泵房	LIFT SHAFT = 升降機槽
FRESH WATER TANK & PUMP RM. = FRESH WATER TANK & PUMP ROOM = 食用水水缸及泵房	LIV. = LIVING ROOM = 客廳
FRESH, CLEANSING WATER TANK & PUMP RM. = FRESH WATER, CLEANSING WATER TANK & PUMP ROOM = 食用、清潔水水缸及泵房	LOT 114 RP = LOT 114 REMAINING PORTION = THE REMAINING PORTION OF LOT NO. 114 IN DEMARCATION DISTRICT NO. 379 = 丈量約份第379約地段第114號餘段
FRESH, FLUSHING & CLEANSING WATER TANK & PUMP RM. = FRESH, FLUSHING & CLEANSING WATER TANK & PUMP ROOM = 食用、沖廁及清潔水水缸及泵房	M.BATH / M. BATH = MASTER BATHROOM = 主人浴室
FSI EMERGENCY GENERATOR RM. = FIRE SERVICES INSTALLATION EMERGENCY GENERATOR ROOM = 消防設備緊急發電機機房	M.BATH 1 = MASTER BATHROOM 1 = 主人浴室 1
GLASS BALUSTRADE = 玻璃圍欄	MBR = MASTER BEDROOM = 主人睡房
GLASS CLADDING = 玻璃飾面	METAL LOUVER = 金屬百葉

LEGEND OF TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

NON-FSI EMERGENCY GENERATOR RM. = NON-FIRE SERVICES INSTALLATION EMERGENCY GENERATOR ROOM = 非消防設備緊急發電機機房	ROOF = 天台
OPEN KIT. = OPEN KITCHEN = 開放式廚房	RS/MRC = REFUSE STORAGE AND MATERIAL RECOVERY CHAMBER = 垃圾收集及物料回收房
PANTRY = 茶水間	RS/MRR = REFUSE STORAGE AND MATERIAL RECOVERY ROOM = 垃圾收集及物料回收室
PAVEMENT = 行人路	RS/MRR FAN RM. = REFUSE STORAGE AND MATERIAL RECOVERY CHAMBER FAN ROOM = 垃圾收集及物料回收房風櫃房
PD = PIPE DUCT = 管道槽	SKYLIGHT = 天窗
PEDESTRIAN WALKWAY TO THE LANDLOCKED LOT 114 = PEDESTRIAN WALKWAY TO THE REMAINING PORTION OF LOT NO. 114 IN DEMARCATION DISTRICT NO. 379 = 通往丈量約份第379約地段第114號餘段的行人通道	SMOKE VENT = 排煙口
PLANTER = 花槽	STONE A.F. = STONE ARCHITECTURAL FEATURE = 石材建築裝飾
PODIUM WATER TANK & PUMP RM. = PODIUM WATER TANK & PUMP ROOM = 平台水缸及水泵房	STONE CLADDING = 石材飾面
POWDER ROOM = 化妝間	STORE = 儲物房
PRIVATE GARDEN = 私人花園	T. = TOILET = 洗手間
R.C. A.F. = REINFORCED CONCRETE ARCHITECTURAL FEATURE = 鋼筋混凝土建築裝飾	T.O. WALL = TOP OF WALL = 牆頂水平高度
R.C. COVER FOR BAL. BELOW = REINFORCED CONCRETE COVER FOR BALCONY BELOW = 露台上方的混凝土頂蓋	TOP ROOF = 頂層天台
R.C. COVER FOR U.P. BELOW = REINFORCED CONCRETE COVER FOR UTILITY PLATFORM BELOW = 工作平台上方的混凝土頂蓋	TRS = TEMPORARY REFUGE SPACE = 臨時庇護處
R.C. PLINTH = REINFORCED CONCRETE PLINTH = 混凝土平台	U.P. = UTILITY PLATFORM = 工作平台
R.C. PLINTH FOR UNIT ... = REINFORCED CONCRETE PLINTH FOR UNIT ... = ... 單位的混凝土平台	UNCOVERED AREA = 露天範圍
RAMP DN = RAMP DOWN = 向下斜道	UP = 上
RAMP UP = 向上斜道	UT. = UTILITY ROOM = 工作間



LEGEND OF TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

VERTICAL GREEN FACING DIRECTION = 垂直綠化面向方向
VOID = 空隙
WATER METER RM. = WATER METER ROOM = 水錶房
WINDOW = 窗
WMC = WATER METER CABINET = 水錶櫃
* = COMMON AREA WITHIN RESIDENTIAL UNIT = 住宅單位內公用地方


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1
第1座

1/F Floor Plan
1樓樓面平面圖

Scale :  METRE (米)
比例 : 0 5



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	1/F 1樓	150, 175, 200	150, 175	150, 175	150, 175	150, 175	150	150, 175	150, 175	150, 175	150, 175
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2800, 3050, 3150, 3500	2800, 3050, 3150	2800, 3050, 3150, 3500	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
3. Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
3. 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。


Tower 1
第1座

2/F, 3/F, 5/F - 12/F & 15/F - 20/F Floor Plan

2樓、3樓、5樓至12樓及15樓至20樓樓面平面圖



Tower 1 20/F Part Plan
第1座20樓局部平面圖



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	2/F, 3/F, 5/F - 12/F & 15/F - 19/F 2樓、3樓、 5樓至12樓及 15樓至19樓	150, 175, 200	150, 175	150, 175	150, 175	150, 175	150	150, 175	150, 175	150, 175	150, 175
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		20/F 20樓	150, 175, 200	150, 200	150, 200	150, 175	150, 200	150	150, 200	150, 200	150, 175	150, 175
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :



- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
- Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
- 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

Tower 1
第1座

Roof Floor Plan 天台樓面平面圖



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	Roof 天台	Not applicable 不適用									
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)												

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
- Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
- 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2
第2座

1/F Floor Plan
1樓樓面平面圖



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	1/F 1樓	150, 175, 225	150, 225	150, 225	150, 225	150, 200, 225
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3050, 3300, 3400, 3750	3050, 3300, 3400, 3750	3050, 3300, 3400	3050, 3300, 3400	3050, 3300, 3400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
3. Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：



1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
3. 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2
第2座

2/F, 3/F, 5/F - 12/F & 15/F - 18/F Floor Plan
2樓、3樓、5樓至12樓及15樓至18樓樓面平面圖



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	2/F, 3/F, 5/F - 12/F & 15/F - 18/F 2樓、3樓、 5樓至12樓及 15樓至18樓	150, 175, 225	150, 225	150, 225	150, 225	150, 200, 225
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3050, 3300, 3400	3050, 3300, 3400	3050, 3300, 3400	3050, 3300, 3400	3050, 3300, 3400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
3. Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：



1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
3. 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2
第2座

19/F Floor Plan
19樓樓面平面圖



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	19/F 19樓	150, 175, 225	150, 200, 225	150, 175, 225	150, 175, 225	150, 200, 225
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3400, 3500, 3750	3400, 3500, 3750	3400, 3500, 3750	3400, 3500, 3750	3400, 3500, 3750

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
3. Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
3. 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2
第2座

Roof Floor Plan
天台樓面平面圖

Scale : METRE (米)
比例 : 0 5



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	Roof 天台	200	200	200	200
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2550	2550	2550	2550
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		Top Roof 頂層天台	-	-	-	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			-	-	-	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
3. Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
3. 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Tower 3
第3座

1/F Floor Plan
1樓樓面平面圖

N

Scale :  METRE (米)
比例 : 0 5



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	1/F 1樓	150, 175	150	150, 175	150, 175	150, 175	150, 175	150	150, 175	150, 175	150, 175	150, 175	150, 175	150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2650, 2800, 3050, 3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
3. Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
3. 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 3
第3座

2/F, 3/F, 5/F - 12/F & 15/F - 20/F Floor Plan
2樓、3樓、5樓至12樓及15樓至20樓樓面平面圖

N
Scale : METRE (米)
比例 : 0 5



Tower 3 20/F Part Plan
第3座20樓局部平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	2/F, 3/F, 5/F - 12/F & 15/F - 19/F 2樓、3樓、 5樓至12樓及 15樓至19樓	150, 175	150	150, 175	150, 175	150, 175	150, 175	150	150, 175	150, 175	150, 175	150, 175	150, 175	150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2650, 2800, 3050, 3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		20/F 20樓	150, 175	150	150, 200	150, 175	150, 200	150	150	150, 175	150, 175	150, 200	150, 200	150, 175	150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850, 4000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
- Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
- 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 3
第3座

Roof Floor Plan
天台樓面平面圖

N
Scale : METRE (米)
比例 : 0 5



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	Roof 天台	Not applicable 不適用											
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)														

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
- Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
- 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 5
第5座

1/F Floor Plan
1樓樓面平面圖

Scale :  METRE (米)
比例 : 0 5



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	1/F 1樓	150	150, 175	150, 175	150, 175	150, 175	150, 175	150, 175	150	150, 200	150, 200	150, 175	150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
3. Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
3. 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Tower 5
第5座

2/F, 3/F, 5/F - 12/F & 15/F - 20/F Floor Plan
2樓、3樓、5樓至12樓及15樓至20樓樓面平面圖

Tower 5 20/F Part Plan
第5座20樓局部平面圖

Scale : METRE (米)
比例 : 0 5



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	2/F, 3/F, 5/F - 12/F & 15/F - 19/F 2樓、3樓、 5樓至12樓及 15樓至19樓	150	150, 175	150, 175	150, 175	150, 175	150, 175	150, 175	150	150, 200	150, 200	150, 175	150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150	2800, 3050, 3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		20/F 20樓	150	150, 200	150, 200	150, 175	150, 200	150, 175	150, 175	150	150, 200	150, 200	150, 200	150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850	3500, 3600, 3850

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :


- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
- Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
- 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

Tower 5
第5座

Roof Floor Plan 天台樓面平面圖



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



	Tower 座	Floor 樓層	Units 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	Roof 天台	Not applicable 不適用											
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)														

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.
- Residential floors start from 1/F. 4/F, 13/F and 14/F are omitted in each Tower.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。
- 住宅樓層由1樓開始。每座不設4樓、13樓及14樓。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT



發展項目的住宅物業的樓面平面圖

House 1
1號洋房


Floor Plan
樓面平面圖

G/F Floor Plan
地下樓面平面圖

B1/F Floor Plan
地庫一樓樓面平面圖



1/F Floor Plan
1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 1 1號洋房

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 1 1號洋房	150, 200	150, 200, 250	150, 200	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		4800	4020, 4100, 4200, 4550	3200, 3400, 3500, 3600, 3680	3500, 3600, 3800	2875	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

House 2 2號洋房


Floor Plan 樓面平面圖




G/F Floor Plan 地下樓面平面圖



B1/F Floor Plan 地庫一樓樓面平面圖



1/F Floor Plan 1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 2 2號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

Roof Floor Plan 天台樓面平面圖



Top Roof Floor Plan 頂層天台樓面平面圖

備註 :

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		150	150, 200	150, 200	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)	House 2 2號洋房	4800	3970, 4100, 4200, 4450, 4550	3200, 3300, 3400, 3430, 3500, 3600, 3730	3500, 3600, 3800	2925	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 3 3號洋房

Floor Plan 樓面平面圖

G/F Floor Plan 地下樓面平面圖



1/F Floor Plan 1樓樓面平面圖



Scale : METRE (米)
比例 : 0 5


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 3 3號洋房

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層				
		G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 3 3號洋房	150, 175, 200	150, 175, 200	175, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		4100, 4150, 4200	3050, 3400, 3500, 3550, 3600	3500, 3600, 3800	3685	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。



Architectural floor plan of a building with dimensions and labels. The plan shows a central area with rooms labeled BR1, BR2, BR3, BATH, and a FLAT ROOF. Dimensions are provided in millimeters (mm) and meters (m). Labels include STONE A.F. AT L/L, STONE A.F. ABOVE, STONE A.F., STONE CLADDING, ALUMINIUM CLADDING, ALUMINIUM A.F. BELOW, and STONE A.F. AT H/L. The plan also indicates an ADJOINING HOUSE 6 to the right.

Dimensions (mm):

- Overall width: 5950
- Overall height: 12325
- Room dimensions: BR1 (3300 x 3350), BR2 (4200 x 2450), BR3 (4200 x 3025), BATH (1620 x 1000), FLAT ROOF (5550 x 2075).
- Staircase dimensions: 1000 UP, 1000 DN, 1050 x 1050.
- Other dimensions: 150, 2800, 150, 150, 800, 150, 200, 5875, 150, 685, 990, 2400, 1525, 150, 550, 150, 1550, 150, 3950, 150, 5950.

Labels:

- STONE A.F. AT L/L
- STONE A.F. ABOVE
- STONE A.F.
- STONE CLADDING
- ALUMINIUM CLADDING
- ALUMINIUM A.F. BELOW
- STONE A.F. AT H/L
- ADJOINING HOUSE 6


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 5 5號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Top Roof Floor Plan 頂層天台樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 5 5號洋房	200	150, 175	150, 175	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		4450, 4800	4100, 4200, 4550	3150, 3400, 3500, 3600	3500, 3600, 3850	2775	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 6
6號洋房




Floor Plan
樓面平面圖



G/F Floor Plan
地下樓面平面圖

1/F Floor Plan
1樓樓面平面圖

B1/F Floor Plan
地庫一樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 6 6號洋房

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Top Roof Floor Plan 頂層天台樓面平面圖

Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 6 6 號洋房	200	150, 175	150, 175	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		4800	4100, 4200, 4550	3150, 3400, 3500, 3600	3500, 3600, 3850	2775	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 7 7號洋房




Floor Plan 樓面平面圖

Scale : 0 5
比例 : 0 5
METRE (米)

G/F Floor Plan 地下樓面平面圖

1/F Floor Plan 1樓樓面平面圖

B1/F Floor Plan 地庫一樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 7 7號洋房

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Top Roof Floor Plan 頂層天台樓面平面圖

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 7 7 號洋房	200	150, 175	150, 175	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		4975	4100, 4200, 4550	3200, 3400, 3500, 3600	3500, 3600, 3800	2775	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。




House 8
8號洋房



G/F Floor Plan
地下樓面平面圖

1/F Floor Plan
1樓樓面平面圖

B1/F Floor Plan
地庫一樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖



House 8 8號洋房

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 8 8 號洋房	175, 200	150, 175	150, 175	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5100	4100, 4200, 4550	3200, 3400, 3500, 3600	3500, 3600, 3800	2775	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 9
9號洋房

Floor Plan
樓面平面圖


B1/F Floor Plan
地庫一樓樓面平面圖



G/F Floor Plan
地下樓面平面圖



1/F Floor Plan
1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 9 9號洋房

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Top Roof Floor Plan 頂層天台樓面平面圖

Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 9 9號洋房	200	150, 175	150, 175	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5100	4100, 4200, 4550	3200, 3400, 3500, 3600	3500, 3600, 3800	2775	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

House 10
10號洋房




Floor Plan
樓面平面圖



5

1/F Floor Plan
1樓樓面平面圖

G/F Floor Plan
地下樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 10 10號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

Roof Floor Plan 天台樓面平面圖



Top Roof Floor Plan 頂層天台樓面平面圖

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 10 10號洋房	200	150, 175	150, 175	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5100	4100, 4200, 4550	3200, 3400, 3500, 3600	3500, 3600, 3800	2775	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。



House 11
11號洋房

Floor Plan
樓面平面圖




1/F Floor Plan
1樓樓面平面圖

G/F Floor Plan
地下樓面平面圖



B1/F Floor Plan
地庫一樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 11 11號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Top Roof Floor Plan 頂層天台樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層					
		B1/F 地庫一樓	G/F 地下	1/F 1樓	2/F 2樓	Roof 天台	Top Roof 頂層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 11 11號洋房	200	150, 175, 200	150, 175, 200	150, 200	200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		4750, 5100	4020, 4100, 4200, 4370, 4550	3200, 3400, 3500, 3600, 3680	3500, 3600, 3800	2775	-


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

House 12 Floor Plan
12號洋房 樓面平面圖

G/F Floor Plan
地下樓面平面圖



1/F Floor Plan
1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 12 12號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

Roof Floor Plan 天台樓面平面圖



備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層			
		G/F 地下	1/F 1樓	2/F 2樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 12 12號洋房	150, 175, 200	150, 175	175, 200, 225	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		3270, 3400, 3500	3200, 3400, 3500, 3600, 3730	3500, 3600, 3800	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 15
15號洋房

Floor Plan
樓面平面圖

G/F Floor Plan
地下樓面平面圖



1/F Floor Plan
1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 15 15號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

Roof Floor Plan 天台樓面平面圖




備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層			
		G/F 地下	1/F 1樓	2/F 2樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 15 15號洋房	150, 175, 200	150, 175	150, 175, 200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		3270, 3400, 3500	3200, 3400, 3500, 3600, 3730	3500, 3600, 3800	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

House 16 **Floor Plan**
16號洋房 **樓面平面圖**

G/F Floor Plan
地下樓面平面圖



1/F Floor Plan
1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 16 16號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

Roof Floor Plan 天台樓面平面圖



備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層			
		G/F 地下	1/F 1樓	2/F 2樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 16 16號洋房	150, 175, 200	150, 175, 200	150, 175, 200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		3270, 3400, 3500	3200, 3400, 3500, 3600, 3730	3500, 3600, 3800	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 17 17號洋房

Floor Plan 樓面平面圖

G/F Floor Plan 地下樓面平面圖



1/F Floor Plan 1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 17 17號洋房

Floor Plan 樓面平面圖


2/F Floor Plan 2樓樓面平面圖



Notes :

1. The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
2. Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

Roof Floor Plan 天台樓面平面圖




備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	House 洋房	Floor 樓層			
		G/F 地下	1/F 1樓	2/F 2樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	House 17 17號洋房	150, 175, 200	150, 175, 200	150, 175, 200	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		3270, 3400, 3500	3200, 3400, 3500, 3600, 3730	3500, 3600, 3800	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

 Scale : 0 5
 比例 : 0 5
 METRE (米)

[illegible]


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


Block 1 1號別墅

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.


備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。


	Block 別墅	Unit 單位	Floor 樓層			
			G/F 地下	1/F 1樓	2/F 2樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block 1 1號別墅	Garden Villa A	150, 175, 200	150, 200	-	-
		Sky Villa B	150, 175	150, 175, 200	200, 225	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		Garden Villa A	3200, 3400, 3500, 3750, 3850	3120, 3150, 3400, 3500, 3600, 3730, 3850	-	-
		Sky Villa B	3150, 3500	3500, 3850	3500, 3600, 3850, 3880, 3950	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

G/F Floor Plan
地下樓面平面圖



1/F Floor Plan
1樓樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


Block 2 2號別墅

Floor Plan 樓面平面圖

2/F Floor Plan 2樓樓面平面圖



Roof Floor Plan 天台樓面平面圖



Notes :

- The dimensions in the floor plans are all structural dimensions in millimeters and rounded off to the nearest integer.
- Please refer to Page 24 to Page 27 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至最接近整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第24頁至第27頁。

	Block 別墅	Unit 單位	Floor 樓層			
			G/F 地下	1/F 1樓	2/F 2樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Block 2 2號別墅	Garden Villa A	150, 175, 200	150, 200	-	-
		Sky Villa B	150, 175	150, 175, 200	200, 225	-
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		Garden Villa A	3200, 3400, 3500, 3750, 3850	3120, 3150, 3400, 3500, 3600, 3730, 3850	-	-
		Sky Villa B	3150, 3500	3500, 3850	3500, 3600, 3850, 3880, 3950	-

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。