

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend for Floor Plan

平面圖圖例

9000L FS TANK & PUMP ROOM	= 9000 Litres Fire Services Tank And Pump Room	= 9000公升消防水缸及泵房
ACOUSTIC DOOR (BAFFLE TYPE)	= Acoustic Door (Baffle Type)	= 減音門(擋音式)
ACOUSTIC DOOR (BAFFLE TYPE)(5/F-12/F)	= Acoustic Door (Baffle Type)(5/F-12/F)	= 減音門(擋音式)(5樓至12樓)
ACOUSTIC DOOR (BAFFLE TYPE)(21/F-23/F)	= Acoustic Door (Baffle Type)(21/F-23/F)	= 減音門(擋音式)(21樓至23樓)
ACOUSTIC DOOR (BAFFLE TYPE)(21/F-23/F & 25/F-31/F)	= Acoustic Door (Baffle Type)(21/F-23/F & 25/F-31/F)	= 減音門(擋音式)(21樓至23樓及25樓至31樓)
ACOUSTIC WINDOW (BAFFLE TYPE)	= Acoustic Window (Baffle Type)	= 減音窗(擋音式)
ACOUSTIC WINDOW (BAFFLE TYPE)(5/F-12/F & 15/F)	= Acoustic Window (Baffle Type)(5/F-12/F & 15/F)	= 減音窗(擋音式)(5樓至12樓及15樓)
ACOUSTIC WINDOW (BAFFLE TYPE)(5/F-12/F & 15/F-16/F)	= Acoustic Window (Baffle Type)(5/F-12/F & 15/F-16/F)	= 減音窗(擋音式)(5樓至12樓及15樓至16樓)
ACOUSTIC WINDOW (BAFFLE TYPE)(21/F-23/F & 25/F)	= Acoustic Window (Baffle Type)(21/F-23/F & 25/F)	= 減音窗(擋音式)(21樓至23樓及25樓)
ACOUSTIC WINDOW (BAFFLE TYPE)(21/F-23/F & 25/F-30/F)	= Acoustic Window (Baffle Type)(21/F-23/F & 25/F-30/F)	= 減音窗(擋音式)(21樓至23樓及25樓至30樓)
ACOUSTIC WINDOW (BAFFLE TYPE)(21/F-23/F & 25/F-31/F)	= Acoustic Window (Baffle Type)(21/F-23/F & 25/F-31/F)	= 減音窗(擋音式)(21樓至23樓及25樓至31樓)
A/C	= Air-Conditioner	= 空調機
A/C P.F.	= Air-Conditioner Platform	= 空調機平台
A/C PLANT RM	= Air-Conditioning Plant Room	= 空調機房
A/C PLANT RM. (FLAT A)	= Air-Conditioning Plant Room (Flat A)	= 空調機房(A單位)
A/C PLANT RM. (FLAT B)	= Air-Conditioning Plant Room (Flat B)	= 空調機房(B單位)
A.D.	= Air Duct	= 氣槽
A.D. AT H/L	= Air Duct At High Level	= 位於高位的氣槽
A.D. FOR R.S.M.R.R.	= Air Duct For Refuse Storage And Material Recovery Room	= 垃圾及物料回收房氣槽
A.F.	= Architectural Feature	= 建築裝飾
A.F. ENCLOSING PIPEWORK W/ CCTV	= Architectural Feature Enclosing Pipework With Closed-Circuit Television (CCTV)	= 建築裝飾內藏管槽連閉路電視
ALUM. FINS BALUSTRADE	= Aluminium Fins Balustrade	= 鋁質鰭片欄桿
AUTO-CLOSING DOOR	= Auto-Closing Door	= 自動關閉門
BAL.	= Balcony	= 露台
BAL. ABOVE	= Balcony Above	= 露台在上方
BATH	= Bathroom	= 浴室
BATH 1	= Bathroom 1	= 浴室1
BATH 2	= Bathroom 2	= 浴室2

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend for Floor Plan

平面圖圖例

B.R.1	= Bedroom 1	= 睡房1
B.R.2	= Bedroom 2	= 睡房2
CANOPY	= Canopy	= 簷篷
CANOPY ABOVE	= Canopy Above	= 簷篷在上方
C.L.	= Cat Ladder	= 豎梯
CLD.	= Cladding	= 飾面蓋層
COMMON AREA	= Common Area	= 公用範圍
COMMON FLAT ROOF	= Common Flat Roof	= 公用平台
COMMON FLAT ROOF (ACCESSIBLE BY GONDOLA)	= Common Flat Roof (Accessible By Gondola)	= 公用平台(可供吊船到達)
C.R.	= Cable Riser Duct	= 電纜管道
C.W.	= Curtain Wall	= 玻璃幕牆
DOG HOUSE	= Dog House	= 室外管道檢修井
DOGHOUSE AT L/L	= Dog House At Low Level	= 位於低位的室外管道檢修井
DN	= Down	= 落
E.L. / E.D.	= Electric Duct	= 電線管道
E.L. RM. / E.L. RM	= Electric Room	= 電力房
E.M.R.	= Electric Meter Room	= 電錶房
E.L.V.	= Extra-low Voltage Cable Room	= 特低壓電掣房
ENS. 1	= Ensuite 1	= 套房1
ENS. 2	= Ensuite 2	= 套房2
ENS. 3	= Ensuite 3	= 套房3
ENS. BATH 1	= Ensuite Bathroom 1	= 套房浴室1
ENS. BATH 2	= Ensuite Bathroom 2	= 套房浴室2
ENS. BATH 3	= Ensuite Bathroom 3	= 套房浴室3
EXHAUST FAN ROOM FOR R.S.M.R.R.	= Exhaust Fan Room For Refuse Storage And Material Recovery Room	= 垃圾及物料回收房的排氣風機房
FENCE WALL	= Fence Wall	= 圍牆
FIXED GLAZING (WITH OR WITHOUT MAINTENANCE WINDOW)	= Fixed Glazing (With Or Without Maintenance Window)	= 固定窗戶(連或不連維修窗)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend for Floor Plan

平面圖圖例

FIXED GLAZING (WITH OR WITHOUT MAINTENANCE WINDOW) (5/F-8/F)	= Fixed Glazing (With Or Without Maintenance Window)(5/F-8/F)	= 固定窗戶(連或不連維修窗)(5樓至8樓)
FIXED GLAZING (WITH OR WITHOUT MAINTENANCE WINDOW) (21/F-23/F & 25/F-29/F)	= Fixed Glazing (With Or Without Maintenance Window)(21/F-23/F & 25/F-29/F)	= 固定窗戶(連或不連維修窗)(21樓至23樓及25樓至29樓)
FIXED GLAZING (WITH OR WITHOUT MAINTENANCE WINDOW) (21/F-23/F & 25/F-30/F)	= Fixed Glazing (With Or Without Maintenance Window)(21/F-23/F & 25/F-30/F)	= 固定窗戶(連或不連維修窗)(21樓至23樓及25樓至30樓)
FIXED GLAZING (WITH OR WITHOUT MAINTENANCE WINDOW) (21/F-23/F, 25/F-33/F & 35/F-36/F)	= Fixed Glazing (With Or Without Maintenance Window)(21/F-23/F, 25/F-33/F & 35/F-36/F)	= 固定窗戶(連或不連維修窗)(21樓至23樓、25樓至33樓及35樓至36樓)
FLAT ROOF	= Flat Roof	= 平台
FLUSHING WATER PUMP ROOM	= Flushing Water Pump Room	= 沖廁水泵房
FOYER	= Foyer	= 前廳
G.B.	= Glass Balustrade	= 玻璃欄桿
GLASS FINS BALUSTRADE	= Glass Fins Balustrade	= 玻璃鰭片欄桿
GLASS WALL	= Glass Wall	= 玻璃牆
GREEN ROOF	= Green Roof	= 綠化天台
GREEN ROOF (REFUGE ROOF)	= Green Roof (Refuge Roof)	= 綠化天台(避難天台)
H.R./ HR	= Hose Reel	= 消防喉轆
HR AT H/L	= Hose Reel At High Level	= 位於高位的消防喉轆
JACUZZI	= Jacuzzi	= 按摩池
KIT.	= Kitchen	= 廚房
LAV.	= Lavatory	= 洗手間
LAWN	= Lawn	= 草地
LIFT	= Lift	= 升降機
LIFT CONTROL PANEL	= Lift Control Panel	= 升降機控制板
LIFT LOBBY	= Lift Lobby	= 升降機大堂
LIFT SHAFT	= Lift Shaft	= 升降機槽
LIV. /DIN.	= Living Room And Dining Room	= 客廳及飯廳
M.B.R.	= Master Bedroom	= 主人睡房
M.BATH	= Master Bathroom	= 主人浴室
METAL BALUSTRADE	= Metal Balustrade	= 金屬欄桿
METAL FENCE WALL	= Metal Fence Wall	= 金屬圍牆
METAL HATCH DOOR	= Metal Hatch Door	= 金屬艙口門
METAL HATCH DOOR W/. CL AT H/L	= Metal Hatch Door With Cat Ladder At High Level	= 位於高位的金屬艙口門配豎梯

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend for Floor Plan

平面圖圖例

M.L. AT H/L	= Metal Louvres At High Level	= 位於高位的金屬百葉
M.L AT L/L & H/L	= Metal Louvre At Low Level And High Level	= 位於低位及高位的金屬百葉
O. KIT.	= Open Kitchen	= 開放式廚房
P./ PLANTER	= Planter	= 花槽
P.D.	= Pipe Duct	= 管槽
POW. R.	= Powder Room	= 化妝間
PRPW.	= Parapet Wall	= 圍牆
POTABLE & FLUSHING WATER PUMP ROOM	= Potable And Flushing Water Pump Room	= 食水及沖廁水泵房
POTABLE & FLUSHING WATER PUMP & TANK ROOM	= Potable And Flushing Water Pump And Tank Room	= 食水及沖廁水泵及水缸房
POTABLE & FLUSHING WATER TANK ROOM	= Potable And Flushing Water Tank Room	= 食水及沖廁水缸房
POTABLE WATER PUMP & TANK ROOM	= Potable Water Pump And Tank Room	= 食水泵及水缸房
PRIVATE FLAT ROOF	= Private Flat Roof	= 私人平台
PRIVATE GARDEN	= Private Garden	= 私人花園
PRIVATE LIFT LOBBY	= Private Lift Lobby	= 私人升降機大堂
PRIVATE ROOF	= Private Roof	= 私人天台
RAMP UP	= Ramp Up	= 斜道上升
R.C. COVER FOR U.P. BELOW	= Reinforced Concrete Cover For Utility Platform Below	= 工作平台鋼筋混凝土上蓋在下方
R.C. CURB	= Reinforced Concrete Curb	= 鋼筋混凝土壘
R.C. PARAPET / R.C. PARAPET WALL	= Reinforced Concrete Parapet Wall	= 鋼筋混凝土矮牆
RC PLINTH	= Reinforced Concrete Plinth	= 鋼筋混凝土基座
REFUGE ROOF	= Refuge Roof	= 避難天台
R.S.M.R.R.	= Refuse Storage And Material Recovery Room	= 垃圾及物料回收房
SKYLIGHT	= Skylight	= 天窗
SKYLIGHT ABOVE	= Skylight Above	= 天窗在上方
SUMP PIT AT BELOW	= Sump Pit At Below	= 集水井在下方
SWIMMING POOL	= Swimming Pool	= 游泳池
STO.	= Store Room	= 儲物房
STO.1	= Store Room 1	= 儲物房1
STO.2	= Store Room 2	= 儲物房2
S.T.V.	= Staircase Top Vent	= 樓梯頂部通風口
T.B.E. RM	= Telecommunications And Broadcasting Equipment Room	= 電訊及廣播設備房

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend for Floor Plan

平面圖圖例


TOP OF A.F.	= Top Of Architectural Features	= 建築裝飾頂部
TOP OF BAL. BELOW	= Top Of Balcony Below	= 露台頂部在下方
TOP OF STRUCTURE BELOW	= Top Of Structure Below	= 結構頂部在下方
TOWER 1	= Tower 1	= 第1座
TOWER 1 & TOWER 2	= Tower 1 And Tower 2	= 第1座及第2座
TOWER 2	= Tower 2	= 第2座
TOWER 3B	= Tower 3B	= 第3B座
TOWER 5	= Tower 5	= 第5座
TOWER 6	= Tower 6	= 第6座
TOWER 8	= Tower 8	= 第8座
TRS	= Temporary Refuge Space	= 臨時庇護處
T/C.W.	= Top Of Curtain Wall	= 玻璃幕牆頂部
UP	= Up	= 上
U.P.	= Utility Platform	= 工作平台
U.P. ABOVE	= Utility Platform Above	= 工作平台在上方
U.P. WITH AUTO-CLOSING DOOR	= Utility Platform With Auto-Closing Door	= 工作平台連自動關閉門
U.P. WITH AUTO-CLOSING DOOR (5/F-12/F & 15/F-19/F)	= Utility Platform With Auto-Closing Door (5/F-12/F & 15/F-19/F)	= 工作平台連自動關閉門(5樓至12樓及15樓至19樓)
U.P. WITH AUTO-CLOSING DOOR (21/F-23/F & 25/F)	= Utility Platform With Auto-Closing Door (21/F-23/F & 25/F)	= 工作平台連自動關閉門(21樓至23樓及25樓)
U.P. WITH AUTO-CLOSING DOOR (21/F-23/F, 25/F-33/F & 35/F)	= Utility Platform With Auto-Closing Door (21/F-23/F, 25/F-33/F & 35/F)	= 工作平台連自動關閉門(21樓至23樓、25樓至33樓及35樓)
U.T.R./ U.T.R.	= Utility Room	= 工作間
VERANDAH	= Verandah	= 陽台
VOID	= Void	= 中空
VOID ABOVE	= Void Above	= 中空在上方
VRV	= Variable Refrigerant Volume Air-conditioner	= 可變冷媒流量空調機
WALK-IN CLOSET	= Walk-in Closet	= 衣帽間
WATER PUMP AND TANK ROOM	= Water Pump And Tank Room	= 水泵及水缸房
WATER TANK	= Water Tank	= 水缸
W.M.C.	= Water Meter Cabinet	= 水錶櫃

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


Mansion A (HARBOUR LIGHT)

Villa 1




Basement 1 Floor Plan
地庫1層樓面平面圖

地庫1層樓面平面圖




Ground Floor Plan
地下樓面平面圖

地下樓面平面圖



1/F Floor Plan
1樓樓面平面圖

1樓樓面平面圖



2/F Floor Plan
2樓樓面平面圖

2樓樓面平面圖

Scale : 0M/米

比例：

5M/米





FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Mansion A (HARBOUR LIGHT)

Villa 1



Scale : 0M/米

比例 :


5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion A (HARBOUR LIGHT)


Villa 1



6/F Floor Plan
6樓樓面平面圖



Roof Floor Plan
天台樓面平面圖



Upper Roof Floor Plan
上層天台樓面平面圖

Top Roof Floor Plan
頂層天台樓面平面圖

Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Mansion	Mansion Unit 低座單位	Floor 樓層								
			Basement 1 Floor 地庫1層	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	5/F 5樓	6/F 6樓	Roof 天台	Upper Roof 上層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Mansion A (HARBOUR LIGHT)	Villa 1	200	200	Not Applicable 不適用	650, 1500	150, 200, 650, 1000	150, 200	200, 250	150	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			5030, 5500, 6200	4050	Not Applicable 不適用	4150, 4700, 5000	4150, 4400, 4500, 4750, 4800, 7620, 7970	3150, 3200, 3400, 3470, 3500, 3600, 3800	3500, 3530, 3600, 3750, 3850, 4400	2500, 3150	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
 - 4/F is omitted.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。
 - 不設4樓。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Mansion A (HARBOUR LIGHT)

Villa 2




Scale : 0M/米 5M/米
比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion A (HARBOUR LIGHT)

Villa 2



3/F Floor Plan
3樓樓面平面圖



5/F Floor Plan
5樓樓面平面圖

Scale : 0M/米

比例 :




5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Mansion A (HARBOUR LIGHT)

Villa 2



Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Mansion	Mansion Unit 低座單位	Floor 樓層								
			Basement 1 Floor 地庫1層	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	5/F 5樓	6/F 6樓	Roof 天台	Upper Roof 上層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Mansion A (HARBOUR LIGHT)	Villa 2	200	200	Not Applicable 不適用	1500	150, 200	150, 200	150, 200, 250	150	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			5050, 6200	4050	Not Applicable 不適用	4700, 5000	4150, 4200, 4400, 4500, 4750, 4800, 6050	3150, 3200, 3400, 3470, 3500, 3600, 3800	3500, 3530, 3600, 3650, 3700, 3750, 3850	3150	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
 - 4/F is omitted.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。
 - 不設4樓。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


Mansion B (HARBOUR BREEZE)

Villa 3




Basement 1 Floor Plan

地庫1層樓面平面圖




Ground Floor Plan

地下樓面平面圖



1/F Floor Plan

1樓樓面平面圖



2/F Floor Plan

2樓樓面平面圖

Scale : 0M/米

比例 :




5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion B (HARBOUR BREEZE)

Villa 3



3/F Floor Plan
3樓樓面平面圖



5/F Floor Plan
5樓樓面平面圖

Scale : 0M/米

比例 :


5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion B (HARBOUR BREEZE)


Villa 3



6/F Floor Plan
6樓樓面平面圖



Roof Floor Plan
天台樓面平面圖



Upper Roof Floor Plan
上層天台樓面平面圖

Top Roof Floor Plan
頂層天台樓面平面圖

Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Mansion	Mansion Unit 低座單位	Floor 樓層								
			Basement 1 Floor 地庫1層	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	5/F 5樓	6/F 6樓	Roof 天台	Upper Roof 上層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Mansion B (HARBOUR BREEZE)	Villa 3	200	200	Not Applicable 不適用	1500	150, 200	150, 200	200, 250	150	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			5800, 6200	3850, 4050	Not Applicable 不適用	4700, 5000, 5400	4150, 4200, 4400, 4500, 4800, 6050	3150, 3200, 3400, 3470, 3500, 3600, 3850	3500, 3530, 3600, 3700, 3750, 3850, 4000	2900, 3150	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
 - 4/F is omitted.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。
 - 不設4樓。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


Mansion B (HARBOUR BREEZE)
Villa 5




Basement 1 Floor Plan
地庫1層樓面平面圖



Ground Floor Plan
地下樓面平面圖



1/F Floor Plan
1樓樓面平面圖



2/F Floor Plan
2樓樓面平面圖


Scale : 0M/米 5M/米
比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion B (HARBOUR BREEZE)

Villa 5



3/F Floor Plan
3樓樓面平面圖



5/F Floor Plan
5樓樓面平面圖

Scale : 0M/米

比例 :




5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion B (HARBOUR BREEZE)


Villa 5



6/F Floor Plan
6樓樓面平面圖



Roof Floor Plan
天台樓面平面圖



Upper Roof Floor Plan
上層天台樓面平面圖

Top Roof Floor Plan
頂層天台樓面平面圖

Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Mansion	Mansion Unit 低座單位	Floor 樓層								
			Basement 1 Floor 地庫1層	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	5/F 5樓	6/F 6樓	Roof 天台	Upper Roof 上層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Mansion B (HARBOUR BREEZE)	Villa 5	200	200	Not Applicable 不適用	1500	150, 200	150, 200	200, 250	150	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			5700, 5950, 6200	4050	Not Applicable 不適用	4700, 5000	4150, 4200, 4400, 4500, 4800, 6050	3150, 3200, 3400, 3470, 3500, 3600, 3800	3500, 3530, 3600, 3700, 3750, 3850, 4000	2900, 3150	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
 - 4/F is omitted.
- 備註：





 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。
 - 不設4樓。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Mansion C (HARBOUR WAVE)

Villa 6



Scale : 0M/米

比例 :




5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion C (HARBOUR WAVE)

Villa 6



3/F Floor Plan
3樓樓面平面圖



5/F Floor Plan
5樓樓面平面圖

Scale : 0M/米

比例 :


5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion C (HARBOUR WAVE)


Villa 6



6/F Floor Plan
6樓樓面平面圖



Roof Floor Plan
天台樓面平面圖



Upper Roof Floor Plan
上層天台樓面平面圖

Top Roof Floor Plan
頂層天台樓面平面圖

Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Mansion	Mansion Unit 低座單位	Floor 樓層								
			Basement 1 Floor 地庫1層	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	5/F 5樓	6/F 6樓	Roof 天台	Upper Roof 上層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Mansion C (HARBOUR WAVE)	Villa 6	200	200	Not Applicable 不適用	1500	150, 200	150, 200	200, 250	150	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			5050, 6200	4050	Not Applicable 不適用	4700, 5000	4150, 4200, 4400, 4500, 4800, 6050	3150, 3200, 3400, 3470, 3500, 3600, 3850	3500, 3530, 3600, 3700, 3750, 3850, 4000	2900, 3150	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
 - 4/F is omitted.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。
 - 不設4樓。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Mansion C (HARBOUR WAVE)

Villa 8



Basement 1 Floor Plan

地庫1層樓面平面圖

Ground Floor Plan

地下樓面平面圖

1/F Floor Plan

1樓樓面平面圖

2/F Floor Plan

2樓樓面平面圖

Scale : 0M/米

比例 :


5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion C (HARBOUR WAVE)

Villa 8



3/F Floor Plan
3樓樓面平面圖



5/F Floor Plan
5樓樓面平面圖

Scale : 0M/米

比例 :




5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Mansion C (HARBOUR WAVE)


Villa 8



6/F Floor Plan
6樓樓面平面圖



Roof Floor Plan
天台樓面平面圖



Upper Roof Floor Plan
上層天台樓面平面圖

Top Roof Floor Plan
頂層天台樓面平面圖

Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Mansion	Mansion Unit 低座單位	Floor 樓層								
			Basement 1 Floor 地庫1層	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	5/F 5樓	6/F 6樓	Roof 天台	Upper Roof 上層天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Mansion C (HARBOUR WAVE)	Villa 8	200	200	Not Applicable 不適用	1500	150, 200	150, 200	200, 250	150	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			5050, 5150, 6200	4050	Not Applicable 不適用	4700, 5000, 5400	4150, 4200, 4400, 4500, 4750, 4800	3150, 3200, 3400, 3470, 3500, 3600, 3850	3500, 3530, 3600, 3700, 3750, 3850, 4000	2900, 3150	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
 - 4/F is omitted.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。
 - 不設4樓。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1
第1座

2/F Floor Plan
2樓樓面平面圖



Scale : 0M/米

比例 : 

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	2/F 2樓	150, 200	150, 175, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2870, 2920, 2970, 3020, 3035, 3095, 3170, 3220, 3245, 3270	2920, 2970, 3020, 3035, 3085, 3170, 3220, 3245, 3270

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:
1. The dimensions in the floor plans are all in millimetre.
2. Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：
1. 樓面平面圖所列之尺寸為以毫米標示。
2. 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1
第1座

3/F, 5/F-12/F & 15/F-21/F Floor Plan

3樓、5樓至12樓及15樓至21樓樓面平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	3/F, 5/F-12/F & 15/F-21/F 3樓、5樓至12樓及15樓至21樓	150, 200	150, 175, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3270	3270

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1
第1座

22/F-23/F, 25/F-33/F & 35/F Floor Plan
22樓至23樓、25樓至33樓及35樓樓面平面圖



Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	22/F-23/F & 25/F-31/F 22樓至23樓及25樓至31樓	150, 200	150, 175, 200
		32/F 32樓	150, 200	150, 175, 200
		33/F 33樓	150, 200	150, 175, 200
		35/F 35樓	150, 200, 250, 550	150, 200, 500
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		22/F-23/F & 25/F-31/F 22樓至23樓及25樓至31樓	3270	3270
		32/F 32樓	3270, 3490	3270, 3490
		33/F 33樓	3270	3270
		35/F 35樓	2990, 3090, 3140, 3190, 3240, 3325, 3390, 3410, 3425, 3440, 3490, 3515, 3590, 3740, 3790, 3840, 3890	2990, 3040, 3090, 3140, 3190, 3240, 3325, 3410, 3425, 3440, 3490, 3515, 3540, 3590, 3740, 3790, 3840

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes:

- The dimensions in the floor plans are all in millimetre.
- Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.

備註：

- 樓面平面圖所列之尺寸為以毫米標示。
- 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	36/F 36樓	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150, 3200, 3400, 3475, 3420, 3500, 3600, 3650, 3750, 3800, 3850, 3900	3100, 3150, 3200, 3400, 3475, 3420, 3450, 3500, 3750, 3800, 3850, 3900, 3950, 4000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1 **37/F Floor Plan**
第1座 **37樓樓面平面圖**



Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	37/F 37樓	150, 200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			4000, 4025, 4100, 4300, 4350	4000, 4025, 4100, 4300, 4350, 4400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1 **Roof Floor Plan**
第1座 **天台樓面平面圖**



Scale : 0M/米 5M/米
 比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	Roof 天台	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2
第2座

2/F Floor Plan
2樓樓面平面圖



Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	2/F 2樓	150, 175, 200	150, 175, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2870, 2920, 2970, 3020, 3035, 3095, 3170, 3220, 3245, 3270	2920, 2970, 3020, 3035, 3085, 3170, 3220, 3245, 3270

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

Tower 2

第2座

3/F, 5/F-12/F & 15/F-21/F Floor Plan

3樓、5樓至12樓及15樓至21樓樓面平面圖



Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	3/F, 5/F-12/F & 15/F-21/F 3樓、5樓至12樓及15樓至21樓	150, 175, 200	150, 175, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3270	3270

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:
- The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.


- 備註：
- 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2
第2座

22/F-23/F, 25/F-33/F & 35/F Floor Plan
22樓至23樓、25樓至33樓及35樓樓面平面圖



Scale : 0M/米

比例 :



5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	22/F-23/F & 25/F-31/F 22樓至23樓及25樓至31樓	150, 175, 200	150, 175, 200
		32/F 32樓	150, 175, 200	150, 175, 200
		33/F 33樓	150, 175, 200	150, 175, 200
		35/F 35樓	150, 200, 500	150, 200, 500
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		22/F-23/F & 25/F-31/F 22樓至23樓及25樓至31樓	3270	3270
		32/F 32樓	3270, 3490	3270, 3490
		33/F 33樓	3270	3270
		35/F 35樓	3090, 3140, 3190, 3240, 3325, 3410, 3425, 3440, 3490, 3515, 3590, 3740, 3790, 3840, 3890	2990, 3040, 3090, 3140, 3190, 3240, 3325, 3410, 3425, 3440, 3490, 3515, 3540, 3590, 3740, 3790, 3840

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes:

1. The dimensions in the floor plans are all in millimetre.
2. Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.


備註：

1. 樓面平面圖所列之尺寸為以毫米標示。
2. 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2 **36/F Floor Plan**
第2座 **36樓樓面平面圖**



Scale : 0M/米

比例 :

5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	36/F 36樓	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150, 3200, 3400, 3420, 3475, 3500, 3750, 3800, 3850, 3900	3100, 3150, 3200, 3400, 3420, 3450, 3475, 3500, 3750, 3800, 3850, 3900, 3950, 4000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- Notes:
- The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.

- 備註：
- 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2 **37/F Floor Plan**
第2座 **37樓樓面平面圖**



Scale : 0M/米

比例 :



5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	37/F 37樓	150, 200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			4000, 4025, 4100, 4300, 4350	4000, 4025, 4100, 4300, 4350, 4400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 2 **Roof Floor Plan**
第2座 **天台樓面平面圖**



Scale : 0M/米 5M/米
 比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 第2座	Roof 天台	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 3A & 3B
第3A及3B座

3/F Floor Plan
3樓樓面平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3A 第3A座	3/F 3樓	150, 200	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2850, 2965, 3150	2850, 2965, 3050, 3150	2750, 2800, 2850, 2965, 3150	2850, 2900, 2965, 3050, 3150
	Tower 座數	Floor 樓層	Flat 單位			
			A	B	C	
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3B 第3B座	3/F 3樓	150	150	150, 200	
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2800, 2850, 2900, 2965, 3150	2800, 2850, 2900, 2965, 3050, 3150	2850, 2965, 3150	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 3A & 3B
第3A及3B座

5/F-12/F & 15/F-20/F Floor Plan
5樓至12樓及15樓至20樓樓面平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3A 第3A座	5/F-12/F & 15/F-20/F 5樓至12樓及15樓至20樓	150, 200	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150
	Tower 座數	Floor 樓層	Flat 單位			
			A	B	C	
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3B 第3B座	5/F-12/F & 15/F-20/F 5樓至12樓及15樓至20樓	150	150	150, 200	
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 3A & 3B
第3A及3B座

21/F-23/F, 25/F-33/F & 35/F-37/F Floor Plan
21樓至23樓、25樓至33樓及35樓至37樓樓面平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	150,200	150	150	150
		32/F 32樓	150, 200	150	150	150
		33/F, 35/F-36/F 33樓及35樓至36樓	150, 200	150	150	150
		37/F 37樓	150, 200	150	150, 200	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)	Tower 3A 第3A座	21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	3150	3150	3150	3150
		32/F 32樓	3150, 3255	3150	3150	3150
		33/F, 35/F-36/F 33樓及35樓至36樓	3150	3150	3150	3150
		37/F 37樓	3200, 3250, 3450, 3500, 3800	3100, 3150, 3200, 3250, 3400, 3475, 3500, 3600, 3800	3100, 3150, 3250, 3450, 3500, 3800, 3850	3200, 3400, 3500, 3600, 3700, 3750, 3800
	Tower 座數	Floor 樓層	Flat 單位			
			A	B	C	
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	150	150	150, 200	
		32/F 32樓	150	150	150, 200	
		33/F, 35/F-36/F 33樓及35樓至36樓	150	150	150, 200	
		37/F 37樓	150	150	150, 200	
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)	Tower 3B 第3B座	21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	3150	3150	3150	
		32/F 32樓	3150, 3255	3150, 3255	3150, 3255	
		33/F, 35/F-36/F 33樓及35樓至36樓	3150	3150	3150	
		37/F 37樓	3100, 3150, 3200, 3250, 3400, 3475, 3500, 3600, 3800, 3850	3150, 3200, 3250, 3400, 3500, 3550, 3600, 3650, 3750, 3800, 3850	3150, 3200, 3400, 3475, 3500, 3800	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions in the floor plans are all in millimetre.
- Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

- 樓面平面圖所列之尺寸為以毫米標示。
- 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 3A & 3B
第3A及3B座

38/F Floor Plan
38樓樓面平面圖

第3B座
TOWER 3B

S



Scale : 0M/米

5M/米

比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3A 第3A座	38/F 38樓	200, 250	200, 300
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3525, 3600, 3750, 3800, 3850	3500, 3525, 3600, 3750, 3800, 3850, 3900, 4250
	Tower 座數	Floor 樓層	Flat 單位	
			A	
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3B 第3B座	38/F 38樓	200, 250	
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3525, 3600, 3750, 3800, 3850, 3900	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

發展項目的住宅物業的樓面平面圖

Roof Floor Plan
天台樓面平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3A 第3A座	Roof 天台	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			Not Applicable 不適用
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3B 第3B座	Roof 天台	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes:

1. The dimensions in the floor plans are all in millimetre.
2. Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.

備註：

1. 樓面平面圖所列之尺寸為以毫米標示。
2. 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

發展項目的住宅物業的樓面平面圖

S



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	3/F 3樓	150, 200	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2700, 2800, 2850, 2965, 3050, 3100, 3150	2850, 2965, 3150	2800, 2850, 2900, 2965, 3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	5/F-12/F & 15/F-20/F 5樓至12樓及15樓至20樓	150, 200	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:
1. The dimensions in the floor plans are all in millimetre.
2. Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：
1. 樓面平面圖所列之尺寸為以毫米標示。
2. 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	5/F-12/F & 15/F-20/F 5至12樓及15樓至20樓	150, 200	150, 200	150, 200
		21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	150, 200	150, 200	150, 200
		32/F 32樓	150, 200	150, 200	150, 200
		33/F, 35/F-36/F 33樓及35樓至36樓	150, 200	150, 200	150, 200
		37/F 37樓	150, 200	150, 200	150, 200
5/F-12/F & 15/F-20/F 5至12樓及15樓至20樓		3150	3150	3150	
21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓		3150	3150	3150	
32/F 32樓		3150, 3255	3150, 3255	3150, 3255	
33/F, 35/F-36/F 33樓及35樓至36樓		3150	3150	3150	
37/F 37樓		3100, 3150, 3200, 3250, 3400, 3500, 3550, 3600, 3650, 3800, 3850	3250, 3500, 3800	3100, 3150, 3200, 3250, 3450, 3475, 3500, 3750, 3800, 3850	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The dimensions in the floor plans are all in millimetre.
2. Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：


1. 樓面平面圖所列之尺寸為以毫米標示。
2. 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 5
第5座

38/F Floor Plan
38樓樓面平面圖



Scale : 0M/米 5M/米
比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	38/F 38樓	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3525, 3750, 3800, 3850, 3900

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- Notes:
- The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.

- 備註：
- 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 5 **Roof Floor Plan**
第5座 天台樓面平面圖



Notes:

Green roof, Green roof (refuge roof) and refuge roof are common area.

備註：

綠化天台，綠化天台(避難天台)及避難天台均為公用範圍

Scale : 0M/米

5M/米

比例：

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	Roof 天台	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 第6座	3/F 3樓	150, 200	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2775, 2800, 2850, 2965, 3050, 3150	2850, 2965, 3150	2700, 2800, 2850, 2900, 2965, 3050, 3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

發展項目的住宅物業的樓面平面圖

5/F-12/F & 15/F-20/F Floor Plan
5樓至12樓及15樓至20樓樓面平面圖



5M/米

比例：

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 第6座	5/F-12/F & 15/F-20/F 5樓至12樓及15樓至20樓	150, 200	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 6 21/F-23/F, 25/F-33/F & 35/F-37/F Floor Plan
第6座 21樓至23樓、25樓至33樓及35樓至37樓樓面平面圖



Part plan of Tower 6 - 37/F
第6座37樓之部份平面圖



Scale : 0M/米

比例 :

5M/米



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位		
			A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 第6座	21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	150, 200	150, 200	150, 200
		32/F 32樓	150, 200	150, 200	150, 200
		33/F, 35/F-36/F 33樓及35樓至36樓	150, 200	150, 200	150, 200
		37/F 37樓	150, 200	150, 200	150, 250
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	3150	3150	3150
		32/F 32樓	3150, 3255	3150, 3255	3150, 3255
		33/F, 35/F-36/F 33樓及35樓至36樓	3150	3150	3150
		37/F 37樓	3200, 3250, 3500, 3550, 3600, 3800, 3850, 3875	3100, 3150, 3200, 3475, 3500, 3800	3100, 3150, 3200, 3250, 3400, 3450, 3500, 3550, 3600, 3750, 3800

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes:

- The dimensions in the floor plans are all in millimetre.
- Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.

備註：

- 樓面平面圖所列之尺寸為以毫米標示。
- 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 第6座	38/F 38樓	200, 250
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3525, 3600, 3750, 3800, 3850, 3900

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 6 **Roof Floor Plan**
第6座 天台樓面平面圖



Notes:

Green roof, Green roof (refuge roof) and refuge roof are common area.

備註：

綠化天台，綠化天台(避難天台)及避難天台均為公用範圍

Scale : 0M/米

5M/米

比例：

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 第6座	Roof 天台	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 8 **3/F Floor Plan**
第8座 **3樓樓面平面圖**



Scale : 0M/米

5M/米

比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	3/F 3樓	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2700, 2750, 2800, 2850, 2900, 2965, 3050, 3150	2700, 2750, 2800, 2850, 2965, 3050, 3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 8
第8座

5/F-12/F & 15/F-20/F Floor Plan
5樓至12樓及15樓至20樓樓面平面圖



Scale : 0M/米

比例 :



5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	5/F-12/F & 15/F-20/F 5樓至12樓及15樓至20樓	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：


 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 8
第8座

21/F-23/F, 25/F-33/F & 35/F-37/F Floor Plan
21樓至23樓、25樓至33樓及35樓至37樓樓面平面圖



Scale : 0M/米

比例 :



5M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位	
			A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	150, 200	150, 200
		32/F 32樓	150, 200	150, 200
		33/F, 35/F-36/F 33樓及35樓至36樓	150, 200	150, 200
		37/F 37樓	150, 200, 250	150, 200 ,250
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		21/F-23/F & 25/F-31/F 21樓至23樓及25樓至31樓	3150	3150
		32/F 32樓	3150	3150, 3255
		33/F, 35/F-36/F 33樓及35樓至36樓	3150	3150
		37/F 37樓	3050, 3100, 3150, 3200, 3250, 3400, 3450, 3475, 3500, 3700, 3750, 3800, 3850	2950, 3000, 3050, 3100, 3150, 3200, 3250, 3300, 3400, 3500, 3600, 3800, 3850, 3900, 3950

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes:

- The dimensions in the floor plans are all in millimetre.
- Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.


備註：

- 樓面平面圖所列之尺寸為以毫米標示。
- 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 8 **38/F Floor Plan**
第8座 38樓樓面平面圖



Scale : 0M/米 5M/米
比例 :

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	38/F 38樓	200, 250
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3525, 3600, 3750, 3800, 3850, 3900, 3950, 4050

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:


 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 8 **Roof Floor Plan**
 第8座 天台樓面平面圖



Notes:

Green roof, Green roof (refuge roof) and refuge roof are common area.

備註：

綠化天台，綠化天台(避難天台)及避難天台均為公用範圍

Scale : 0M/米

5M/米

比例：

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

	Tower 座數	Floor 樓層	Flat 單位
			A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 8 第8座	Roof 天台	Not Applicable 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- Notes:

 - The dimensions in the floor plans are all in millimetre.
 - Please refer to pages 27 to 31 of this sales brochure for legend of the terms and abbreviation shown on the floor plans and the explanatory notes that are applicable thereto.
- 備註：

 - 樓面平面圖所列之尺寸為以毫米標示。
 - 平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第27至31頁的圖例。