

樓面平面圖中的名詞及簡稱之圖例

LEGEND OF THE TERMS AND ABBREVIATIONS ON FLOOR PLANS

*	= Penthouse A	
^	= Penthouse B	
#	= Penthouse	
1.3M (H) PARAPET WALL ABOVE SFL	= 1.3m (Height) Parapet Wall Above Structural Floor Level	= 結構地台水平以上1.3米(高)護牆
1100 HIGH GLASS BALUSTRADE	= 1100 High Glass Balustrade	= 1100毫米高玻璃扶手
150MM (W) CURB	= 150mm (Width) Curb	= 150毫米(闊)路沿
300MM FINS ABOVE	= 300mm Fins Above	= 300毫米裝飾置上
500MM ARCHITECTURAL FEATURE ABOVE	= 500mm Architectural Feature Above	= 500毫米建築裝飾置上
500MM FINS	= 500mm Fins	= 500毫米裝飾
500MM FINS ABOVE	= 500mm Fins Above	= 500毫米裝飾置上
ACCESS DOOR ABOVE	= Access Door Above	= 生口門置上
ACOUSTIC BALCONY	= Acoustic Balcony	= 減音露台
ACOUSTIC FIN.	= Acoustic Fin	= 隔音鰭
ACOUSTIC WINDOW	= Acoustic Window	= 減音窗
A/C PLANT	= Air-conditioning Plant	= 空調機房
A/C PLANT FOR PENTHOUSE	= Air-conditioning Plant For Penthouse	= 空調機房供Penthouse單位
A/C PLANT FOR PENTHOUSE A	= Air-conditioning Plant For Penthouse A	= 空調機房供Penthouse A單位
A/C PLANT FOR PENTHOUSE B	= Air-conditioning Plant For Penthouse B	= 空調機房供Penthouse B單位
A/C PLATFORM	= Air-conditioning Platform	= 空調機平台
A.D.	= Air Duct	= 排氣管
AHU	= Air Handling Unit Room	= 空調機房
AHU RM.	= Air Handling Unit Room	= 空調機房
ALUM. CANOPY	= Aluminium Canopy	= 鋁質簷篷
ALUM. GRILLE WITH DOOR	= Aluminium Grille With Door	= 鋁質格柵連門
ARCHITECTURAL FEATURE	= Architectural Feature	= 建築裝飾
ARCHITECTURAL FEATURE ABOVE	= Architectural Feature Above	= 建築裝飾置上
ATRIUM	= Atrium	= 中庭
BAL.	= Balcony	= 露台
BATH	= Bathroom	= 浴室
BATH 1	= Bathroom 1	= 浴室1
BATH 2	= Bathroom 2	= 浴室2
BATH 3	= Bathroom 3	= 浴室3
BATH 4	= Bathroom 4	= 浴室4
BATHSUITE 1	= Bathsuite 1	= 套房浴室1
BATHSUITE 2	= Bathsuite 2	= 套房浴室2
BATHSUITE 3	= Bathsuite 3	= 套房浴室3
BED 1	= Bedroom 1	= 睡房1
BED 2	= Bedroom 2	= 睡房2
BED 3	= Bedroom 3	= 睡房3
BED 4	= Bedroom 4	= 睡房4
BUILDING LINE ABOVE	= Building Line Above	= 建築物界線置上
CANOPY	= Canopy	= 簷篷
CANOPY ABOVE	= Canopy Above	= 簷篷置上
CAT LADDER	= Cat Ladder	= 豎梯
CLOAK ROOM	= Cloak Room	= 衣櫥室
COMMON ROOF	= Common Roof	= 公用天台
CONCEALED LIFT CONTROL	= Concealed Lift Control	= 隱藏升降機控制
CONCEALED LIFT CONTROL PANEL	= Concealed Lift Control Panel	= 隱藏升降機控制板
CONCRETE BACKFILL	= Concrete Backfill	= 混凝土回填
CONCRETE PLINTH FOR BMU	= Concrete Plinth For Building Maintenance Unit	= 吊船混凝土基座
CLO. 1	= Closet 1	= 衣帽間1
CLO. 2	= Closet 2	= 衣帽間2

樓面平面圖中的名詞及簡稱之圖例

LEGEND OF THE TERMS AND ABBREVIATIONS ON FLOOR PLANS

CORR. 1	= Corridor 1	= 走廊1
CORR. 2	= Corridor 2	= 走廊2
CORR. 3	= Corridor 3	= 走廊3
CORR. 4	= Corridor 4	= 走廊4
CORR. 5	= Corridor 5	= 走廊5
COVERED AREA UNDERNEATH THE LOWEST BAL.	= Covered Area Underneath The Lowest Balcony	= 上層露台覆蓋部份
COVERED AREA UNDERNEATH THE LOWEST U.P.	= Covered Area Underneath The Lowest Utility Platform	= 上層工作平台覆蓋部份
COVERED LANDSCAPE AND PLAY AREA	= Covered Landscape And Play Area	= 有上蓋的園林地方及遊樂場
DRESSING ROOM	= Dressing Room	= 衣帽間
DINING ROOM	= Dining Room	= 飯廳
DN	= Down	= 往下
DOG HOUSE	= Dog House	= 室外管道房
DOG HOUSE ABOVE	= Dog House Above	= 室外管道房置上
DOG HOUSE FOR TOWN GAS	= Dog House For Town Gas	= 煤氣專用室外管道房
E&M	= Electrical & Mechanical Room	= 機電房
ELECT ROOM	= Electrical Room	= 電錶房
ELECT. DUCT	= Electrical Duct	= 電線槽
ELV.	= Extra Low Voltage Room	= 弱電房
E.M.C	= Electrical Meter Cabinet	= 電錶櫃
EMERGENCY DOOR	= Emergency Door	= 太平門
EMERGENCY DOOR AT 3/F ONLY	= Emergency Door At 3/F only	= 太平門位於3樓
ENSUITE 1	= Ensuite 1	= 套房1
ENSUITE 2	= Ensuite 2	= 套房2
ENSUITE 3	= Ensuite 3	= 套房3
ENTERTAINMENT ROOM	= Entertainment Room	= 娛樂室
F.S. INLET	= F.S. Inlet	= 消防入水掣
FAN R.M.	= Fan Room	= 風扇房
FAMILY HALL	= Family Hall	= 家庭廳
FAMILY RM. / FAMILY ROOM	= Family Room	= 家庭廳
FEATURE ABOVE	= Feature Above	= 裝飾置上
FIXED GLAZING	= Fixed Glazing	= 固定玻璃
FLAT ROOF	= Flat Roof	= 平台
FRENCH DOOR	= French Door	= 玻璃掩門
FULL HEIGHT GLASS WALL	= Full Height Glass Wall	= 全高玻璃牆
FOYER	= Foyer	= 門廳
GATE	= Gate	= 鐵閘
GALLERY	= Gallery	= 長廊
GARDEN	= Garden	= 花園
GREAT BATHSUITE	= Great Bathsuite	= 主人廂房浴室
GRILLE OF 1.6M HIGH AFFL	= Grille of 1.6m High Above Finished Floor Level	= 完成地台水平以上1.6米高格柵
GRILLE OF 1.8M HIGH AFFL	= Grille of 1.8m High Above Finished Floor Level	= 完成地台水平以上1.8米高格柵
GYMNASIUM	= Gymnasium	= 健身房
H.R.	= Hose Reel	= 消防喉轆
H.R. ABOVE	= Hose Reel Above	= 消防喉轆置上
H.R. AT HIGH LEVEL	= Hose Reel At High Level	= 設於高處的消防喉轆
H.R. TANK & PUMP ROOM	= Hose Reel Tank And Pump Room	= 消防喉轆水箱及泵房
H.R. WATER TANK	= Hose Reel Water Tank	= 消防喉轆水箱
HER DRESSING ROOM	= Her Dressing Room	= 女主人衣帽間
HIS DRESSING ROOM	= His Dressing Room	= 男主人衣帽間
INVERTED BEAM	= Inverted Beam	= 反陣
JACUZZI	= Jacuzzi	= 按摩池
KIT.	= Kitchen	= 廚房

樓面平面圖中的名詞及簡稱之圖例

LEGEND OF THE TERMS AND ABBREVIATIONS ON FLOOR PLANS

LIBRARY	= Library	= 藏書庫
LIFT	= Lift	= 升降機
LIFT LOBBY	= Lift Lobby	= 升降機大堂
LIFT OVERRUN	= Lift Overrun	= 升降機槽頂部
LIFT VENT	= Lift Vent	= 升降機通風
LIVING ROOM	= Living Room	= 客廳
LOUVRE	= Louvre	= 百葉
LOUVRES ON TOP	= Louvres On Top	= 百葉置上
M. BATH	= Master Bathroom	= 主人浴室
M. BED	= Master Bedroom	= 主人睡房
MAID BATH	= Maid Bathroom	= 工人浴室
MAID BATH 1	= Maid Bathroom 1	= 工人浴室1
MAID BATH 2	= Maid Bathroom 2	= 工人浴室2
MAID HALL	= Maid Hall	= 工人工作間
MAID ROOM 1	= Maid Room 1	= 工人房1
MAID ROOM 2	= Maid Room 2	= 工人房2
MAID ROOM 3	= Maid Room 3	= 工人房3
MAID ROOM 4	= Maid Room 4	= 工人房4
MAID ROOM 5	= Maid Room 5	= 工人房5
MAID TOILET	= Maid Toilet	= 工人廁
MAINTENANCE WINDOW	= Maintenance Window	= 維修窗戶
MANSION	= Mansion	= 院墅
MASTER BATHSUITE	= Master Bathsuite	= 主人浴室
MASTER ENSUITE	= Master Ensuite	= 主人套房
METAL BALUSTRADE ON TOP OF UPSTAND BEAM	= Metal Balustrade On Top Of Upstand Beam	= 金屬圍欄置於反陣上
METAL CANOPY	= Metal Canopy	= 金屬簷篷
METAL ROOF	= Metal Roof	= 金屬簷篷
MOVABLE PLATFORM PLANT PIT	= Movable Platform Plant Pit	= 活動平台槽
NOTIONAL DEMARCATION AREA FOR WORKING PLATFORM / BMU RESTING AREA	= Notional Demarcation Area For Working Platform / Building Maintenance Unit Resting Area	= 概念上劃分界線供工作平台 / 吊船停留之地方
OWNERS' COMMITTEE OFFICE	= Owners' Committee Office	= 業主委員會辦公室
P.D.	= Pipe Duct	= 管道槽
P.L.	= Protected Lobby	= 保護門廊
P. RM	= Powder Room	= 客廁
P. RM 1	= Powder Room 1	= 客廁1
P. RM 2	= Powder Room 2	= 客廁2
PANTRY	= Pantry	= 茶水間
# PENTHOUSE LIFT	= Penthouse Lift	= Penthouse單位的升降機
* PENTHOUSE LIFT	= Penthouse Lift Of Penthouse A	= Penthouse A單位的升降機
^ PENTHOUSE LIFT	= Penthouse Lift Of Penthouse B	= Penthouse B單位的升降機
PENTHOUSE A LIFT LOBBY	= Penthouse A Lift Lobby	= Penthouse A單位升降機大堂
PENTHOUSE B LIFT LOBBY	= Penthouse B Lift Lobby	= Penthouse B單位升降機大堂
PENTHOUSE LIFT OVERRUN	= Penthouse Lift Overrun	= Penthouse升降機槽頂部
PLANTER	= Planter	= 花槽
PRIVATE LIFT LOBBY	= Private Lift Lobby	= 私人升降機大堂
PROPRIETARY ROOF MAINTENANCE A.P. W/ LADDER	= Proprietary Roof Maintenance Access Panel With Ladder	= 屋頂維修生口門連爬梯
PV PANEL	= Photovoltaic panel	= 太陽能面板
RAMP UP	= Ramp Up	= 斜道向上
R.S.M.R.R.	= Refuse Storage Material Recovery Room	= 垃圾及物料回收室
ROOF	= Roof	= 天台
ROOF ABOVE	= Roof Above	= 天台置上
SELF-CLOSING ACCESS DOOR	= Self-Closing Access Door	= 自動關閉門
SERVICE LIFT	= Service Lift	= 貨運升降機

樓面平面圖中的名詞及簡稱之圖例

LEGEND OF THE TERMS AND ABBREVIATIONS ON FLOOR PLANS

SERVICE LIFT OVERRUN	= Service Lift Overrun	= 貨運升降機槽頂部
SKYLIGHT	= Skylight	= 天窗
SLIDING DOOR	= Sliding Door	= 趟門
SLIDING PANEL	= Sliding Panel	= 趟門
STORE	= Store	= 儲物室
STORE 1	= Store 1	= 儲物室1
STORE 2	= Store 2	= 儲物室2
STORE 3	= Store 3	= 儲物室3
STORE ROOM	= Store Room	= 儲物室
SUN SHADING	= Sun Shading	= 遮陽板
SUN SHADING ABOVE	= Sun Shading Above	= 遮陽板置上
SWIMMING POOL	= Swimming Pool	= 游泳池
TEA ROOM	= Tea Room	= 茶藝室
TERRACE	= Terrace	= 前庭
TERRACE BELOW	= Terrace Below	= 前庭下層
THE BANQUET HALL	= The Banquet Hall	= 宴會廳
THE GREAT BATHSUITE	= The Great Bathsuite	= 主人廂房浴室
THE GREAT CHAMBER	= The Great Chamber	= 主人廂房
THE GREAT HALL	= The Great Hall	= 客廳
THEATRE	= Theatre	= 影院
TOP OF U.P.	= Top Of U.P.	= 工作平台頂
TOWER	= Tower	= 座
TRANSFER PLATE	= Transfer Plate	= 轉換層
TYP LIFT	= Typical Lift	= 標準層升降機
TYP LIFT (Over Run)	= Typical Lift (Over Run)	= 標準層升降機槽頂部
UNISEX ACCESSIBLE TOILET	= Unisex Accessible Toilet	= 無性別無障礙廁所
UPSTAND BEAM	= Upstand Beam	= 反陣
U.P.	= Utility Platform	= 工作平台
U.P. ABOVE	= Utility Platform Above	= 工作平台置上
UP	= Up	= 往上
V.D.	= Vent Duct	= 通風槽
VOID	= Void	= 中空
VOID ABOVE	= Void Above	= 中空置上
WALL ON TOP OF UPSTAND BEAM	= Wall On Top Of Upstand Beam	= 置於反陣上的牆
WATER FEATURE	= Water Feature	= 水景
WATER FEATURE 1 SUMP PIT	= Water Feature 1 Sump Pit	= 水景1之污水井
WATER FEATURE 2 SUMP PIT	= Water Feature 2 Sump Pit	= 水景2之污水井
WATER FEATURE 3 SUMP PIT	= Water Feature 3 Sump Pit	= 水景3之污水井
WATER FEATURE 4 SUMP PIT	= Water Feature 4 Sump Pit	= 水景4之污水井
WATER FEATURE 5 SUMP PIT	= Water Feature 5 Sump Pit	= 水景5之污水井
QUARTERS FOR WATCHMEN AND CARETAKERS	= Quarters For Watchmen And Caretakers	= 保安人員及管理員宿舍


備註：

1. 部分樓層外牆設有建築裝飾及/或外露喉管/管道。
2. 部分單位的露台及/或平台及/或工作平台及/或花園及/或空調機平台及/或外牆設有外及/或內藏的公用喉管及/或其他機電設備。
3. 部分單位之客廳、飯廳、睡房、士多房、儲物室、廚房、浴室及/或走廊，或設有假天花及/或跌級樓板，內裝有冷氣系統及/或其他機電設備。
4. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、淋浴間、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
5. 露台及工作平台為不可封閉的地方。

Notes：

1. There may be architectural features and/or exposed pipes/ductings on external walls of some floors.
2. Common pipes and/or mechanical and electrical services exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or flat roof and/or utility platform and/or garden and/or air-conditioning platform and/or external wall of some units.
3. There are ceiling bulkheads and/or sunken slabs at living room, dining room, bedrooms, store, store room, kitchen, bathroom and/or corridors of some units for the installation of the air-conditioning system and/or mechanical and electrical services.
4. Symbols of fittings and fitments shown on the floor plans, such as bath tubs, shower cubicle, sink, water closets, shower, sink counter etc. are architectural symbols retrieved from the latest approved building plans and are for general indication only.
5. Balconies and utility platforms are non-enclosed areas.

院墅 A Mansion A



地庫
Basement Floor

備註：


1. 本院墅之實用面積包括消防喉轆水箱及泵房、弱電房及活動平台槽面積(合共面積為41.660平方米/448平方呎)。
2. 本售樓說明書「發展項目中的住宅物業的面積」一節所列的本院墅的停車位之面積包括相關院墅之車庫之全部面積。批地文件指明車庫內用作停放車輛的地方之面積，請參閱本售樓說明書「發展項目中的停車位的樓面平面圖」一節之每個停車位面積。

Notes:


1. Saleable area of this Mansion includes the areas of the Hose Reel Tank and Pump Room (H.R. TANK & PUMP ROOM), Extra Low Voltage Room (ELV.) and Movable Platform Plant Pit (the total area is 41.660 sq.m. / 448 sq.ft).
2. The area of the Parking Space of this Mansion specified in the section "Area of Residential Properties in the Development" in this sales brochure includes the area of the entire carport of the Mansion. For the area inside the carport which is designated under the land grant for the parking purpose, please refer to the area of each parking space under the section "Floor Plans of Parking Spaces in the Development" in this sales brochure.

比例
Scale : 0米/M 5米/M


院 墅 A
Mansion A



院 墅 A
Mansion A



1 樓
1/F



天台
Roof

比例
Scale : 
0米/M 5米/M

院墅 A
Mansion A

院墅 Mansion	樓層 Floor	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
A	地庫 Basement Floor	4500	750
	地下 G/F	3925, 3980, 4075, 4100, 4120, 4220, 4250, 4380, 7200, 7750	150, 200, 250
	1樓 1/F	3500	150, 200, 250
	天台 Roof	不適用 Not applicable	不適用 Not applicable


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：


 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



院 墅 B

Mansion B



地庫
Basement Floor

備註：

1. 本院墅之實用面積包括消防喉轆水箱及泵房及活動平台槽面積(合共面積為38.950平方米/419平方呎)。
2. 本售樓說明書「發展項目中的住宅物業的面積」一節所列的本院墅的停車位之面積包括相關院墅之車庫之全部面積。批地文件指明車庫內用作停放車輛的地方之面積，請參閱本售樓說明書「發展項目中的停車位的樓面平面圖」一節之每個停車位面積。


Notes:

1. Saleable area of this Mansion includes the areas of the Hose Reel Tank and Pump Room (H.R. TANK & PUMP ROOM) and Movable Platform Plant Pit (the total area is 38.950 sq.m. / 419 sq.ft).
2. The area of the Parking Space of this Mansion specified in the section "Area of Residential Properties in the Development" in this sales brochure includes the area of the entire carport of the Mansion. For the area inside the carport which is designated under the land grant for the parking purpose, please refer to the area of each parking space under the section "Floor Plans of Parking Spaces in the Development" in this sales brochure.

比例
Scale : 
0米/M 5米/M


院墅B
Mansion B

比例
Scale : 0米/M 5米/M




地下
G/F

院墅 B
Mansion B



1 樓
1/F



天台
Roof

比例
Scale : 0米/M 5米/M

院墅 B
Mansion B

院墅 Mansion	樓層 Floor	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
B	地庫 Basement Floor	4500	750
	地下 G/F	3925, 3980, 4075, 4100, 4120, 4220, 4250, 4380, 7250, 7750	150, 200, 250
	1樓 1/F	3500	150, 200, 500
	天台 Roof	不適用 Not applicable	不適用 Not applicable


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



院 墅 C
Mansion C



地庫
Basement Floor

備註：


1. 本院墅之實用面積包括消防喉轆水箱及泵房及活動平台槽面積(合共面積為44.902平方米/483平方呎)。
2. 本售樓說明書「發展項目中的住宅物業的面積」一節所列的本院墅的停車位之面積包括相關院墅之車庫之全部面積。批地文件指明車庫內用作停放車輛的地方之面積，請參閱本售樓說明書「發展項目中的停車位的樓面平面圖」一節之每個停車位面積。

Notes:

1. Saleable area of this Mansion includes the areas of the Hose Reel Tank and Pump Room (H.R. TANK & PUMP ROOM) and Movable Platform Plant Pit (the total area is 44.902 sq.m. / 483 sq.ft).
2. The area of the Parking Space of this Mansion specified in the section "Area of Residential Properties in the Development" in this sales brochure includes the area of the entire carport of the Mansion. For the area inside the carport which is designated under the land grant for the parking purpose, please refer to the area of each parking space under the section "Floor Plans of Parking Spaces in the Development" in this sales brochure.

比例
Scale : 
0米/M 5米/M

院 墅 C
Mansion C



備註：

地下的院墜C已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的豁免工程。本頁的地下現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

- * (a). 遷移洗滌槽及燒烤枱面
- * (b). 一級梯級增加
- * (c). 兩塊墊腳石增加

Note:
Alteration works have been made to Mansion C on Ground Floor, and such alteration works are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of Ground Floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:


- * (a). Relocation of sink and BBQ
- * (b). Addition of 1 step
- * (c). Addition of 2 stepping stones

比例
Scale :




0米/M 5米/M

院墅 C
Mansion C



1 樓
1/F



天台
Roof

比例
Scale :  0米/M 5米/M

院墅 C
Mansion C

院墅 Mansion	樓層 Floor	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
C	地庫 Basement Floor	4500	750
	地下 G/F	3925, 3980, 4075, 4100, 4120, 4220, 4250, 4380, 7250, 7750	150, 200, 250, 400
	1樓 1/F	3500	150, 200, 250, 300
	天台 Roof	不適用 Not applicable	不適用 Not applicable


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第1座
Tower 1



地下
G/F

比例
Scale : 0米/M 5米/M

第 1 座
Tower 1

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	地下 G/F	A	2890, 2940, 2990, 3040, 3090, 3140, 3310, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第1座 Tower 1

備註：


第1座1樓A單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的小型工程。本頁的1樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 移除外部覆蓋層



Note:

Alteration works have been made to Flat A on 1st Floor of Tower 1, and such alteration works are minor works under the Buildings Ordinance (Cap. 123). The as-is part plan of 1st floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Removal of external cladding



1樓現狀部份平面圖
AS-IS PART PLAN OF 1/F



1樓現狀部份平面圖
AS-IS PART PLAN OF 1/F

1樓
1/F

比例
Scale : 0米/M 5米/M



第 1 座

Tower 1

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	1樓 1/F	A	2890, 2990, 3040, 3090, 3140, 3310, 3410, 3440, 3490	150, 175, 200

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：
- Notes：
1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。

2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.

2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

3. The dimensions in the floor plans are all structural dimensions in millimetre.
- 座向圖
Block Plan
- 39

第1座 Tower 1

備註：


第1座2樓B單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的小型工程。本頁的2樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 移除外部覆蓋層

Note:

Alteration works have been made to Flat B on 2nd Floor of Tower 1, and such alteration works are minor works under the Buildings Ordinance (Cap. 123). The as-is part plan of 2nd floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Removal of external cladding



第 1 座
Tower 1

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	2樓 2/F	A	2890, 2990, 3040, 3090, 3140, 3310, 3410, 3440	150, 175, 200
		B	2890, 2990, 3040, 3090, 3140, 3310, 3410, 3440, 3490	150, 175, 200

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：

- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.



第1座 Tower 1

備註：


第1座3樓B單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的豁免工程。本頁的3樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 擺門方向改動

Note:

Alteration works have been made to Flat B on 3rd Floor of Tower 1, and such alteration works are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 3rd floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Revised door swing direction



3樓
3/F

比例
Scale : 0米/M 5米/M

第 1 座
Tower 1

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	3樓 3/F	A	2890, 2990, 3040, 3090, 3140, 3310, 3410, 3440	150, 175, 200
		B	2890, 2990, 3040, 3090, 3140, 3310, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第1座
Tower 15樓
5/F

比例
Scale :  0米/M 5米/M

第 1 座
Tower 1

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	5樓 5/F	A	3040, 3140, 3390, 3410, 3440, 3490, 3640, 3940	150, 175, 200
		B	3040, 3140, 3390, 3410, 3440, 3940	150, 175, 200

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：

- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。


Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.




發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第 1 座
Tower 1




地庫局部平面圖

Part Plan of Basement Floor




地下局部平面圖

Part Plan of G/F




1樓局部平面圖

Part Plan of 1/F



2樓及5樓局部平面圖

Part Plan of 2/F & 5/F



3樓局部平面圖


Part Plan of 3/F

備註：

1. A單位包括6樓、7樓及天台，名為Penthouse A。
2. B單位包括6樓、7樓及天台，名為Penthouse B。
3. * Penthouse單位的升降機：為Penthouse A單位的升降機，構成Penthouse A一部分。Penthouse A單位的升降機由地庫至天台，其面積(55.462平方米/597平方呎)已包括Penthouse A的實用面積。
4. ^ Penthouse單位的升降機：為Penthouse B單位的升降機，構成Penthouse B一部分。Penthouse B單位的升降機由地庫至天台，其面積(55.993平方米/603平方呎)已包括Penthouse B的實用面積。

Notes:

1. Flat A including 6/F, 7/F and Roof which named as Penthouse A.
2. Flat B including 6/F, 7/F and Roof which named as Penthouse B.
3. * Penthouse Lift: is the lift of Penthouse A, which forms part of Penthouse A. The lift of Penthouse A is located from Basement floor to Roof and the saleable area of Penthouse A includes the area of lift (55.462 sq.m. / 597 sq.ft)
4. ^ Penthouse Lift: is the lift of Penthouse B, which forms part of Penthouse B. The lift of Penthouse B is located from Basement floor to Roof and the saleable area of Penthouse B includes the area of lift (55.993 sq.m. / 603 sq.ft)



6 樓

6/F

比例

Scale :



0米/M

5米/M


第 1 座
Tower 1

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	地庫 Basement Floor	Penthouse A	5150, 7150	170, 200
		Penthouse B	5150, 6750, 7150	170, 200, 1750
	地下 G/F	Penthouse A	3490	150
		Penthouse B	3490	150
	6樓 6/F	Penthouse A	3045, 3055, 3105, 3155, 3205, 3255, 3305, 3355, 3375, 3425, 3455, 6910	150, 200, 215, 250, 550, 580
		Penthouse B	3045, 3055, 3105, 3155, 3205, 3305, 3355, 3375, 3425, 3455, 6910	150, 200, 215, 250, 550, 580

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

備註：

- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。



The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.

第1座 Tower 1

備註：


第1座Penthouse B單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的豁免工程。本頁的7樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 遷移洗滌槽

Note:

Alteration works have been made to Penthouse B of Tower 1, and such alteration works are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 7th floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Relocation of sink



7樓
7/F

比例
Scale :  0米/M 5米/M

第 1 座
Tower 1


座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	7樓 7/F	Penthouse A	3155, 3455, 3755	150, 200, 410, 580
		Penthouse B	3155, 3455, 3755	150, 200, 410, 580


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

- 備註：
- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- Notes :
- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - 3. The dimensions in the floor plans are all structural dimensions in millimetre.





天台
Roof

比例
Scale :  0米/M 5米/M

第 1 座
Tower 1

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
1	天台 Roof	Penthouse A	不適用 Not applicable	不適用 Not applicable
		Penthouse B	不適用 Not applicable	不適用 Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：


- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.



第2座
Tower 2



地下
G/F

比例
Scale : 0米/M 5米/M

第 2 座
Tower 2

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
2	地下 G/F	A	2890, 2940, 3015, 3040, 3090, 3140, 3310, 3360, 3390, 3410, 3440, 3490	150, 175, 200
		B	2890, 2940, 2990, 3040, 3090, 3140, 3310, 3390, 3410, 3440, 3490	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第2座 Tower 2

備註：


第2座1樓A單位及B單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的小型工程。本頁的1樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 移除外部覆蓋層

Note:

Alteration works have been made to Flat A and Flat B on 1st Floor of Tower 2, and such alteration works are minor works under the Buildings Ordinance (Cap. 123). The as-is part plan of 1st floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Removal of external cladding



1 樓
1/F

比例
Scale : 0米/M 5米/M

第 2 座
Tower 2

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
2	1樓 1/F	A	2890, 2990, 3040, 3090, 3140, 3310, 3360, 3410, 3440, 3490	150, 175, 200
		B	2890, 2990, 3040, 3090, 3140, 3310, 3410, 3440, 3490	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第2座
Tower 2



2樓至3樓及5樓
2/F-3/F & 5/F

比例
Scale : 0米/M 5米/M

第 2 座
Tower 2

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
2	2樓至3樓 及5樓 2/F-3/F & 5/F	A	2890, 2990, 3040, 3090, 3140, 3310, 3360, 3410, 3440	150, 175, 200
		B	2890, 2990, 3040, 3090, 3140, 3310, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第2座
Tower 2

第2座
Tower 2

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
2	6樓 6/F	A	2905, 3005, 3055, 3105, 3155, 3205, 3305, 3325, 3355, 3425, 3455, 3605, 3955	150, 175, 200
		B	2855, 3105, 3155, 3255, 3405, 3425, 3455, 3605, 3955	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :


 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第2座 Tower 2




地庫局部平面圖
Part Plan of Basement Floor



地下局部平面圖
Part Plan of G/F



1樓至2樓及5樓至6樓局部平面圖
Part Plan of 1/F-2/F & 5/F-6/F




3樓局部平面圖
Part Plan of 3/F

備註：

- 單位包括7樓及天台，名為Penthouse。
- # Penthouse單位的升降機：為Penthouse單位的升降機，構成Penthouse一部分。Penthouse單位的升降機由地庫至天台，其面積(54.685平方米/589平方呎)已包括Penthouse的實用面積。

Notes:

- Flat including 7/F and Roof which named as Penthouse.
- # Penthouse Lift: is the lift of Penthouse, which forms part of Penthouse. The lift of Penthouse is located from Basement floor to Roof and the saleable area of Penthouse includes the area of lift (54.685 sq.m. / 589 sq.ft)



7樓
7/F

比例
Scale : 0米/M 5米/M

第 2 座
Tower 2

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
2	地庫 Basement Floor	Penthouse	5150, 7150	170, 200
	地下 G/F	Penthouse	3490	150
	7樓 7/F	Penthouse	3455, 3755	150, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第2座
Tower 2



天台
Roof

比例
Scale : 0米/M 5米/M

第 2 座
Tower 2

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
2	天台 Roof	Penthouse	不適用 Not applicable	不適用 Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：

- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.



第3座 Tower 3

備註：


第3座地下B單位已被作出改動工程，該改動工程*(a)、*(b)及*(c)屬於《建築物條例》(第123章)下的豁免工程。本頁的地下現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

- *(a). 移除捲門及新增趟門
- *(b). 移除部分間隔牆及新增趟門
- *(c). 移除捲門及新增趟門

Note:

Alteration works have been made to Flat B on Ground Floor of Tower 3, and such alteration works *(a), *(b) and *(c) are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of Ground floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

- *(a). Removal of swing door and addition of sliding door
- *(b). Removal of part of partition wall and addition of sliding door
- *(c). Removal of swing door and addition of sliding door



第 3 座
Tower 3

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
3	地下 G/F	A	2890, 2940, 3015, 3040, 3090, 3140, 3310, 3360, 3390, 3410, 3440, 3490	150, 175, 200
		B	2890, 2940, 3015, 3040, 3090, 3140, 3310, 3360, 3390, 3410, 3440, 3490	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第3座 Tower 3

備註：

第3座1樓A單位及B單位已被作出改動工程，第3座1樓A單位的改動工程屬於《建築物條例》(第123章)下的小型工程；第3座1樓B單位的改動工程屬於《建築物條例》(第123章)下的小型工程及豁免工程。本頁的1樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：


- * (a). 移除外部覆蓋層 (小型工程)
- * (b). 新增非結構牆 (豁免工程)

Note:

Alteration works have been made to Flat A and Flat B on 1st Floor of Tower 3, and such alteration works in Flat A on 1st Floor of Tower 3 are minor works under the Buildings Ordinance (Cap. 123); whereas in Flat B on 1st Floor of Tower 3 are minor works and exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 1st floor plan on this page shows the approximate location of the alteration.

Details of the relevant alteration are as follows:

- * (a). Removal of external cladding (minor works)
- * (b). Addition of non-structural wall (exempted works)



1 樓
1/F

比例
Scale : 0米/M 5米/M

第 3 座
Tower 3

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
3	1樓 1/F	A	2890, 2990, 3040, 3090, 3140, 3310, 3390, 3410, 3440, 3490	150, 175, 200
		B	2890, 3015, 3040, 3090, 3140, 3310, 3390, 3410, 3440, 3490	150, 175, 200

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (Note: Not applicable)

備註：

1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
3. The dimensions in the floor plans are all structural dimensions in millimetre.



第3座 Tower 3

備註：


第3座2樓至3樓及5樓B單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的豁免工程。本頁的2樓至3樓及5樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 新增非結構牆

Note:

Alteration works have been made to Flat B on 2nd to 3rd and 5th Floor of Tower 3, and such alteration works are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 2nd to 3rd and 5th floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Addition of non-structural wall



2樓至3樓及5樓
2/F-3/F & 5/F

比例
Scale : 0米/M 5米/M

第3座
Tower 3

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
3	2樓至3樓 及5樓 2/F-3/F & 5/F	A	2890, 2990, 3040, 3090, 3140, 3310, 3360, 3390, 3410, 3440	150, 175, 200
		B	2890, 3015, 3040, 3090, 3140, 3310, 3360, 3390, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第3座 Tower 3

備註：


第3座6樓B單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的豁免工程。本頁的6樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 新增非結構牆

Note:

Alteration works have been made to Flat B on 6th Floor of Tower 3, and such alteration works are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 6th floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Addition of non-structural wall



6樓
6/F

比例
Scale : 0米/M 5米/M

第3座
Tower 3

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
3	6樓 6/F	A	2855, 3105, 3155, 3255, 3305, 3405, 3425, 3455, 3605, 3955	150, 175, 200
		B	2905, 3005, 3055, 3105, 3155, 3305, 3325, 3355, 3375, 3425, 3455, 3605, 3955	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :


 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.




第3座 Tower 3




地庫局部平面圖
Part Plan of Basement Floor



地下局部平面圖
Part Plan of G/F



1樓至2樓及5樓至6樓局部平面圖
Part Plan of 1/F-2/F & 5/F-6/F




3樓局部平面圖
Part Plan of 3/F

備註：

1. 單位包括7樓及天台，名為Penthouse。
2. # Penthouse單位的升降機：為Penthouse單位的升降機，構成Penthouse一部分。Penthouse的升降機由地庫至天台，其面積(54.685平方米/589平方呎)已包括Penthouse的實用面積。

Notes:

1. Flat including 7/F and Roof which named as Penthouse.
2. # Penthouse Lift: is the lift of Penthouse, which forms part of Penthouse. The lift of Penthouse is located from Basement floor to Roof and the saleable area of Penthouse includes the area of lift (54.685 sq.m. / 589 sq.ft)



7樓
7/F

比例
Scale : 0米/M 5米/M

第 3 座
Tower 3

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
3	地庫 Basement Floor	Penthouse	5150, 6900, 7150	170, 200
	地下 G/F	Penthouse	3490	150
	7樓 7/F	Penthouse	3455, 3755	150, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第3座
Tower 3天台
Roof

比例
Scale : 0米/M 5米/M

第 3 座
Tower 3

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
3	天台 Roof	Penthouse	不適用 Not applicable	不適用 Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：


- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.



第 5 座
Tower 5



地下
G/F

比例
Scale : 
0米/M 5米/M

第 5 座
Tower 5

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
5	地下 G/F	A	2890, 2940, 2990, 3040, 3140, 3310, 3390, 3410, 3440, 3490	150, 175, 200
		B	2890, 2940, 3015, 3040, 3140, 3310, 3360, 3390, 3410, 3440, 3490	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第5座 Tower 5

備註：


第5座1樓A單位及B單位已被作出改動工程，該改動工程*(a)屬於《建築物條例》(第123章)下的小型工程；於第5座1樓A單位該改動工程*(b)及*(c)屬於《建築物條例》(第123章)下的豁免工程。本頁的1樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

- *(a). 移除外部覆蓋層
- *(b). 改動相關睡房的內部間隔
- *(c). 移除儲物室門


Note:

Alteration works have been made to Flat A and Flat B on 1st Floor of Tower 5, and such alteration works *(a) are minor works under the Buildings Ordinance (Cap. 123); such alteration works *(b) and *(c) at Flat A on 1st Floor of Tower 5 are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 1st floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

- *(a). Removal of external cladding
- *(b). Internal partitions of the relevant bedrooms are modified
- *(c). Removal of Store door



1樓現狀部份平面圖
AS-IS PART PLAN OF 1/F



1樓現狀部份平面圖
AS-IS PART PLAN OF 1/F

1樓現狀部份平面圖
AS-IS PART PLAN OF 1/F

1 樓
1/F

比例
Scale : 0米/M 5米/M

第 5 座
Tower 5

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
5	1樓 1/F	A	2890, 2990, 3040, 3140, 3310, 3410, 3440, 3490	150, 175, 200
		B	2890, 3015, 3040, 3090, 3140, 3310, 3410, 3440, 3490	150, 175, 200

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：

- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.



第5座 Tower 5



備註：


第5座2樓至3樓及5樓A單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的豁免工程。本頁的2樓至3樓及5樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

* (a). 新增非結構牆

Note:

Alteration works have been made to Flat A on 2nd to 3rd and 5th Floor of Tower 5, and such alteration works are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 2nd to 3rd and 5th floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

* (a). Addition of non-structural wall



2樓至3樓及5樓
2/F-3/F & 5/F

比例
Scale : 0米/M 5米/M

第 5 座
Tower 5

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
5	2樓至3樓 及5樓 2/F-3/F & 5/F	A	2890, 2990, 3040, 3140, 3310, 3410, 3440	150, 175, 200
		B	2890, 3015, 3040, 3090, 3140, 3310, 3410, 3440	150, 175, 200

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：

- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.



第5座 Tower 5



備註：


第5座6樓A單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的豁免工程。本頁的6樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 新增非結構牆

Note:

Alteration works have been made to Flat A on 6th Floor of Tower 5, and such alteration works are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of 6th floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Addition of non-structural wall



6樓
6/F

比例
Scale : 0米/M 5米/M

第 5 座
Tower 5

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
5	6樓 6/F	A	2905, 3005, 3055, 3105, 3155, 3305, 3325, 3425, 3455, 3605, 3955	150, 175, 200
		B	2855, 3105, 3155, 3255, 3405, 3455, 3605, 3955	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :


 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.




第5座 Tower 5




地庫局部平面圖
Part Plan of Basement Floor



地下局部平面圖
Part Plan of G/F



1樓至2樓及5樓至6樓局部平面圖
Part Plan of 1/F-2/F and 5/F-6/F




3樓局部平面圖
Part Plan of 3/F

備註：

- 單位包括7樓及天台，名為Penthouse。
- # Penthouse單位的升降機：為Penthouse單位的升降機，構成Penthouse單位的一部分。Penthouse單位的升降機由地庫至天台，其面積(54.685平方米/589平方呎)已包括Penthouse的實用面積。

Notes:

- Flat including 7/F and Roof which named as Penthouse.
- # Penthouse Lift: is the lift of Penthouse, which forms part of Penthouse. The lift of Penthouse is located from Basement floor to Roof and the saleable area of Penthouse includes the area of lift (54.685 sq.m. / 589 sq.ft)



7樓
7/F

比例
Scale : 0米/M 5米/M

第 5 座
Tower 5

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
5	地庫 Basement Floor	Penthouse	5150, 6900, 7150	170, 200
	地下 G/F	Penthouse	3490	150
	7樓 7/F	Penthouse	3455, 3755	150, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第5座
Tower 5



天台
Roof

比例
Scale : 0米/M 5米/M

第 5 座
Tower 5

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
5	天台 Roof	Penthouse	不適用 Not applicable	不適用 Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：
- Notes：
1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。


2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。

3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.

2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.

3. The dimensions in the floor plans are all structural dimensions in millimetre.



第6座 Tower 6

備註：

第6座地下A單位及B單位已被作出改動工程，該改動工程*(a) 屬於《建築物條例》(第123章)下的小型工程；於第6座地下A單位該改動工程*(b) 屬於《建築物條例》(第123章)下的豁免工程。本頁的地下現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 移除外部覆蓋層


*(b). 移除部分間隔牆及新增趟門

Note:

Alteration works have been made to Flat A and Flat B on Ground Floor of Tower 6, and such alteration works *(a) are minor works under the Buildings Ordinance (Cap. 123); such alteration works *(b) at Flat A on Ground Floor of Tower 6 are exempted works under the Buildings Ordinance (Cap. 123). The as-is part plan of ground floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Removal of external cladding

*(b). Removal of part of partition wall and addition of sliding door




地下現狀部份平面圖
AS-IS PART PLAN OF G/F

地下現狀部份平面圖
AS-IS PART PLAN OF G/F




地下
G/F

比例
Scale : 0米/M 5米/M



地下現狀部份平面圖
AS-IS PART PLAN OF G/F



地下現狀部份平面圖
AS-IS PART PLAN OF G/F

第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	地下 G/F	A	2940, 3040, 3140, 3310, 3410, 3440, 3490	150, 180, 200, 500
		B	2890, 2940, 2990, 3040, 3090, 3140, 3240, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第 6 座
Tower 6

備註：


第6座1樓A單位及B單位已被作出改動工程，該改動工程屬於《建築物條例》(第123章)下的小型工程。本頁的1樓現狀部分平面圖顯示改動的大約位置。有關改動的細節如下：

*(a). 移除外部覆蓋層

Note:

Alteration works have been made to Flat A and Flat B on 1st Floor of Tower 6, and such alteration works are minor works under the Buildings Ordinance (Cap. 123). The as-is part plan of 1st floor plan on this page shows the approximate location of the alteration. Details of the relevant alteration are as follows:

*(a). Removal of external cladding



第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	1樓 1/F	A	3040, 3140, 3310, 3410, 3440	150, 180, 200, 500
		B	2890, 2990, 3040, 3140, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	2樓 2/F	A	3040, 3140, 3310, 3410, 3440	150, 180, 200, 500
		B	2890, 2990, 3040, 3140, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.





比例
Scale : 
0米/M 5米/M

第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	3樓 3/F	A	3040, 3140, 3310, 3410, 3440	150, 180, 200, 500
		B	2890, 2990, 3040, 3140, 3410, 3440	150, 175, 200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第6座
Tower 6



5樓
5/F

比例
Scale : 0米/M 5米/M

第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	5樓 5/F	A	3090, 3140, 3190, 3410, 3440, 3940	150, 180, 200
		B	3040, 3140, 3390, 3410, 3440, 3940	150, 175, 200, 215


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.




第6座 Tower 6





地庫局部平面圖
Part Plan of Basement Floor

1樓至2樓及5樓局部平面圖
Part Plan of 1/F-2/F & 5/F



地下局部平面圖
Part Plan of G/F




3樓局部平面圖
Part Plan of 3/F

備註：

1. A單位包括6樓、7樓及天台，名為Penthouse A。
2. B單位包括6樓、7樓及天台，名為Penthouse B。
3. * Penthouse單位的升降機：為Penthouse A單位的升降機，構成Penthouse A一部分。Penthouse A的升降機由地庫至天台，其面積(54.576平方米/587平方呎)已包括Penthouse A的實用面積。
4. ^ Penthouse單位的升降機：為Penthouse B單位的升降機，構成Penthouse B一部分。Penthouse B的升降機由地庫至天台，其面積(55.535平方米/598平方呎)已包括Penthouse B的實用面積。

Notes:

1. Flat A including 6/F, 7/F and Roof which named as Penthouse A.
2. Flat B including 6/F, 7/F and Roof which named as Penthouse B.
3. * Penthouse Lift: is the lift of Penthouse A, which forms part of Penthouse A. The lift of Penthouse A is located from Basement floor to Roof and the saleable area of Penthouse A includes the area of lift (54.576 sq.m. / 587 sq.ft).
4. ^ Penthouse Lift: is the lift of Penthouse B, which forms part of Penthouse B. The lift of Penthouse B is located from Basement floor to Roof and the saleable area of Penthouse B includes the area of lift (55.535 sq.m. / 598 sq.ft).



6樓
6/F

比例
Scale : 0米/M 5米/M

第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	地庫 Basement Floor	Penthouse A	7150	1750
		Penthouse B	3900, 7150	170, 1750
	地下 G/F	Penthouse A	3190, 3490	150
		Penthouse B	3490	150
	6樓 6/F	Penthouse A	3055, 3105, 3155, 3305, 3425, 3455, 6910	150, 200, 215, 225, 480
		Penthouse B	3055, 3075, 3105, 3155, 3305, 3375, 3425, 3455, 6910	150, 175, 200, 215, 225


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)


- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第 6 座
Tower 6



7 樓
7/F

比例
Scale :  0米/M 5米/M

第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	7樓 7/F	Penthouse A	3455, 3755	150, 250, 410, 580
		Penthouse B	3455, 3755	150, 175, 200, 410


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

- 備註：

 - 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
 - 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
 - 平面圖所列之數字為以毫米標示之建築結構尺寸。
- Notes :

 - The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
 - The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



第6座
Tower 6天台
Roof

比例
Scale : 0米/M 5米/M

第 6 座
Tower 6

座 Tower	樓層 Floor	單位 Flat	住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (mm)	住宅物業的樓板(不包括灰泥)的厚度(毫米) The thickness of the floor slabs (excluding plaster) of the residential property (mm)
6	天台 Roof	Penthouse A	不適用 Not applicable	不適用 Not applicable
		Penthouse B	不適用 Not applicable	不適用 Not applicable

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
(備註：不適用)

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
(Note: Not applicable)

備註：

- 1. 樓面平面圖所示之裝置如洗滌盆、浴缸、坐廁及洗面盆等只供展示其大約位置而非展示其實際大小、設計及形狀。
- 2. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
- 3. 平面圖所列之數字為以毫米標示之建築結構尺寸。

Notes :

- 1. The indications of fittings such as sinks, bath tubs, toilet bowls and wash basins, etc shown on the floor plans are indications of their approximate locations only and not indications of their actual size, design and shapes.
- 2. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 3. The dimensions in the floor plans are all structural dimensions in millimetre.

