FLOOR PLANS OF PARKING SPACES IN THE PHASE
期數中的停車位的樓面平面圖



LEGEND 圖例

— - — Boundary Line of The Development 發展項目的地界線

CARPORT (AREAS OTHER THAN THOSE DESIGNATED FOR PARKING PURPOSE) 車房(指明用作停放車輛地方外之範圍)

RCV = REFUSE COLLECTION VEHICLE PARKING SPACE 垃圾車停車位

FLOOR PLANS OF PARKING SPACES IN THE PHASE
期數中的停車位的樓面平面圖

Location of Parking Space 停車位的位置 **Basement Floor 地庫**

Category of Parking Spaces 停車位類別	House No. 洋房編號	Number 數目	Dimensions (L X W) (m) 尺寸 (長 X 闊) (米)	Area of each Parking Space (sq.m.) 每個停車位面積 (平方米)
Residential Parking Space 住客停車位	House 洋房 1	2	5.0 X 2.5	12.5
	House 洋房 2	2	5.0 X 2.5	12.5
	House 洋房 3	2	5.0 X 2.5	12.5
	House 洋房 5	2	5.0 X 2.5	12.5
	House 洋房 6	2	5.0 X 2.5	12.5
	House 洋房 7	2	5.0 X 2.5	12.5
	House 洋房 8	2	5.0 X 2.5	12.5
	House 洋房 9	2	5.0 X 2.5	12.5
	House 洋房 10	2	5.0 X 2.5	12.5
	House 洋房 11	1	5.0 X 2.5	12.5
	House 洋房 12	2	5.0 X 2.5	12.5
	House 洋房 15	2	5.0 X 2.5	12.5
	House 洋房 16	1	5.0 X 2.5	12.5
	House 洋房 17	1	5.0 X 2.5	12.5
	House 洋房 18	1	5.0 X 2.5	12.5
	House 洋房 19	1	5.0 X 2.5	12.5
	House 洋房 20	1	5.0 X 2.5	12.5
	N/A (Individual Parking Spaces) 不適用(獨立停車位)	27	5.0 X 2.5	12.5
Motor Cycle Parking Space 電單車停車位	House 洋房 11	1	2.4 X 1.0	2.4
	House 洋房 16	1	2.4 X 1.0	2.4
	House 洋房 17	1	2.4 X 1.0	2.4
	House 洋房 18	1	2.4 X 1.0	2.4
	House 洋房 19	1	2.4 X 1.0	2.4
	House 洋房 20	1	2.4 X 1.0	2.4
	N/A (Individual Parking Spaces) 不適用(獨立停車位)	2	2.4 X 1.0	2.4
Refuse Collection Vehicle Parking Space 垃圾車停車位	N/A (Individual Parking Spaces) 不適用(獨立停車位)	1	12.0 X 5.0	60.0

SUMMARY OF PRELIMINARY AGREEMENT FOR SALE AND PURCHASE
臨時買賣合約的摘要

(a) A preliminary deposit of 5% is payable on the signing of the preliminary agreement for sale and purchase.

(b) The preliminary deposit paid by the purchaser on the signing of that preliminary agreement will be held by a firm of solicitors acting for the owner, as stakeholders.

(c) If the purchaser fails to execute the agreement for sale and purchase within 5 working days after the date on which the purchaser enters into that preliminary agreement—

(i) that preliminary agreement is terminated;

(ii) the preliminary deposit is forfeited; and

(iii) the owner does not have any further claim against the purchaser for the failure.

(a) 在簽署臨時買賣合約時須支付款額為5%的臨時訂金。

(b) 買方在簽署該臨時合約時支付的臨時訂金，會由代表擁有人行事的律師事務所以保證金保存人的身分持有。

(c) 如買方沒有於訂立該臨時合約的日期之後5個工作日內簽立買賣合約—

(i) 該臨時合約即告終止；

(ii) 有關的臨時訂金即予沒收；及

(iii) 擁有人不得就買方沒有簽立買賣合約而針對買方提出進一步申索。

(1) Common Parts of the Development

A Deed of Mutual Covenant and Management Agreement ("the DMC") of the Development provides for the following common areas and common facilities:-

1. "General Common Areas" are the Estate Common Areas, the Carpark Common Areas, the Residential Common Areas and the Towers Common Areas.
2. "General Common Facilities" are the Estate Common Facilities, the Carpark Common Facilities, the Residential Common Facilities and the Towers Common Facilities.
3. "Estate Common Areas" are such of the entrance lobby, electrical room, telecommunication and broadcasting equipment room, transformer room, cable chamber, High Voltage switch room, Low Voltage switch room, fan room, master meter room, portable water pump room, flushing water pump room, street fire hydrant pump room, street fire hydrant water tank, drainage chamber, flat roof of carpark passenger lift lobby, satellite equipment room, cleansing water pump room, parking space for WSD vehicle, FS control room, emergency generator set rooms, management office, caretakers' offices and quarters, passageways, emergency vehicular access, staircases, architectural fins and external walls and fences of the whole Estate (other than those of the Towers, the Club and the Villas Accommodation), refuse storage and material recovery chamber, parking space for refuse collection vehicle, office of the Owners' Committee/Owners' Corporation and other areas and spaces containing the Estate Common Facilities and other areas and spaces in any part or parts of the Estate which are designated as being for the common use and benefit of the Owners of the Estate, PROVIDED THAT, where appropriate, if (a) any parts of the Estate covered by paragraph (a) of the definition of "common parts" set out in section 2 of the Building Management Ordinance and/or (b) any parts specified in the Schedule 1 to the Building Management Ordinance and included under paragraph (b) of the definition of "common parts" set out in section 2 of the Building Management Ordinance, shall also be covered by the provisions hereinbefore provided, such parts shall be deemed to have been included as, and shall form part of, the Estate Common Areas and the Estate Common Areas which are shown for the purpose of identification on the plan(s) annexed to the DMC, the accuracy of such plan(s) has been certified by or on behalf of the Authorised Person, and thereon coloured Indigo, EXCLUDING those areas designated as being part of the Residential Common Areas, the Towers Common Areas, the Carpark Common Areas and the Units.
4. "Carpark Common Areas" are all spaces and areas in the Carpark intended for use in common by Owners of the Parking Spaces including (but not limited to) accessory areas, circulation passages, void spaces, driveways, ramps, entrances, exits and other spaces or areas containing the Carpark Common Facilities, PROVIDED THAT, where appropriate, if (a) any parts of the Estate covered by paragraph (a) of the definition of "common parts" set out in section 2 of the Building Management Ordinance and/or (b) any parts specified in the Schedule 1 to the Building Management Ordinance and included under paragraph (b) of the definition of "common parts" set out in section 2 of the Building Management Ordinance, shall also be covered by the provisions hereinbefore provided, such parts shall be deemed to have been included as, and shall form part of, the Carpark Common Areas and the Carpark Common Areas which are shown for the purpose of identification on the plan(s) annexed to the DMC, the accuracy of such plan(s) has been certified by or on behalf of the Authorised Person, and thereon coloured Yellow EXCLUDING those areas designated as being part of the Estate Common Areas, the Residential Common Areas, the Towers Common Areas and the Units.
5. "Residential Common Areas" are such of the Recreational Areas and Facilities, lift lobby, filtration plant room, FS pump room, FS water tank, sprinkler pump room, sprinkler water tank, sunken garden, passageways, staircases, planters, Visitors' Carparking Space, the loading and unloading bays and platforms designated as being for the common use of the Owners of the Residential Accommodation provided pursuant to Special Condition No.(21)(a) of the Conditions, such areas and spaces containing the Residential Common Facilities and other areas and spaces in any part or parts of the Estate which are designated as being for the common use and benefit of the Owners of the Residential Accommodation, PROVIDED THAT, where appropriate, if (a) any parts of the Estate covered by paragraph (a) of the definition of "common parts" set out in section 2 of the Building Management Ordinance and/or (b) any parts specified in the Schedule 1 to the Building Management Ordinance and included under paragraph (b) of the definition of "common parts" set out in section 2 of the Building Management Ordinance, shall also be covered by the provisions hereinbefore provided, such parts shall be deemed to have been included as, and shall form part of, the Residential Common Areas and the Residential Common Areas which are shown for the purpose of identification on the plan(s) annexed to the DMC, the accuracy of such plan(s) has been certified by or on behalf of the Authorised Person, and thereon coloured Red EXCLUDING those areas designated as being part of the Estate Common Areas, the Towers Common Areas and the Carpark Common Areas and the Units .
6. "Towers Common Areas" are such of the Roofs (unless otherwise specifically included in the premises assigned), Upper Roofs (unless otherwise specifically included in the premises assigned) and flat roofs (unless otherwise specifically included in the premises assigned); Mail Delivery Rooms, fire service pump room, FS upfeed pump room, FS upfeed water tank, Quarter for watchman, Quarter for care-taker, refuse room, A/C plant rooms, EMR (Electric meter rooms), Flat roof, FS tank and pump room, Emergency generator room, portable/flushing water pump room, top roof, lift machine room, refuse rooms, entrance lobbies, lift lobbies, halls, lift pits and lift shafts of the Towers, passageways, staircases, corridors, planters, external walls of the Towers, such areas and spaces containing the Towers Common Facilities and other areas and spaces in any part or parts of the Estate which are for the common use and benefit of the Owners of the Towers, PROVIDED THAT, where appropriate, if (a) any parts of the Estate covered by paragraph (a) of the definition of "common parts" set out in section 2 of the Building Management Ordinance and/or (b) any parts specified in the Schedule 1 to the Building Management Ordinance and included under paragraph (b) of the definition of "common parts" set out in section 2 of the Building Management Ordinance, shall also be covered by the provisions hereinbefore provided, such parts shall be deemed to have been included as, and shall form part of, the Towers Common Areas and for the purpose of identification the Towers Common Areas are shown on the plan(s) annexed to the DMC certified as to their accuracy by or on behalf of the Authorised Person and thereon coloured Green EXCLUDING those areas being part of the Estate Common Areas, the Carpark Common Areas, the Residential Common Areas and such areas within the Estate in respect of which the exclusive right and privilege to hold, use, occupy and enjoy the same belongs to any particular Owner.
7. "Estate Common Facilities" are all equipment, facilities and systems designated as being for the use, benefit or service of the Estate Common Areas and without limiting the generality of the foregoing, include :-
   (a) Such of the sewers, drains, water courses, pipes, gutters, wires and cables and other service facilities whether ducted or otherwise which are or at any time may be in, under or over or passing through the Estate through which water, sewage, gas, electricity and any other services are supplied to the Estate or any part or parts thereof;
   (b) Fire fighting installation and equipment;
   (c) Lamp posts, traffic lights and lighting within the Estate;
   (d) Lightning conductor of the Estate;
   (e) Lift installation and equipment; and
   (f) Other facilities and systems other than those facilities designated as being part of the Residential Common Facilities or the Towers Common Facilities or the Carpark Common Facilities for the use and benefit of the Estate and not for the use and benefit of any particular Owner.
8. "Carpark Common Facilities" are such facilities, equipment, machines, apparatus and installations in, under or above the Land and the Estate for the general benefit and service of the Parking Spaces only but no Owner of Parking Spaces has the exclusive right to use or enjoy, and shall include (but not limited to) lighting, security system, fire service installation system, air-conditioning and mechanical ventilation system (if any) and other electrical, mechanical and sanitary installations within the Carpark Common Areas and are for the common use and benefit of the Owners of the Parking Spaces EXCLUDING those being part of the Estate Common Facilities, the Residential Common Facilities, the Towers Common Facilities.
9. "Residential Common Facilities" are all those facilities, equipment, machines, apparatus and installations in, under or above the Land and the Estate designated as being for the general benefit and service of the Residential Accommodation only but to which no Owner of a Residential Unit has the exclusive right to use or enjoy the same including (but not limited to) lighting, communal television antennae, water tanks, satellite dishes, recreational facilities, security system, fire service installation system and such electrical, mechanical and sanitary installations which are designated as being for the common use and benefit of the Owners of the Residential Accommodation EXCLUDING those facilities designated as being part of the Estate Common Facilities, the Towers Common Facilities and the Carpark Common Facilities.
10. "Towers Common Facilities" are all those facilities, equipment, machines, apparatus and installations in, under or above the Land and the Estate for the general benefit and service of the Towers only but no Owner of Flat has the exclusive right to use or enjoy and shall include (but not limited to) lifts, lighting, communal television antennae (if any), water tanks, satellite dishes, gondola lightning pole, recreational facilities, security system, fire service installation system and other electrical, mechanical and sanitary installations which are for the common use and benefit of the Owners of the Towers EXCLUDING those being part of the Estate Common Facilities or the Residential Common Facilities or the Carpark Common Facilities.

(2) Number of Undivided Shares assigned to each residential property in the Phase

Please refer to the table below titled "Allocation of Undivided Shares of Residential Properties in the Phase" for Undivided Shares allocated to each residential property.

(3) Term of years for which the Manager of the Development is appointed

The Manager will be appointed for an initial term of two years from the date of the DMC. The appointment of the Manager may be terminated in accordance with the provisions of the DMC.

(4) Basis on which the Management Expenses are shared among the owners of residential properties in the Development

Each Owner shall contribute towards the Management Expenses (which shall be the costs, charges and expenses necessarily and reasonably incurred in the management and maintenance of the Development, and shall be based on the budget prepared by the Manager) (including the Manager's Remuneration) of the Development in such manner, amount and proportion as provided in the DMC by reference to the Management Shares (#) allocated to his Unit and the principles provided in the DMC. In general, each Owner of a unit shall contribute towards the Management Expenses relating to the Estate Common Areas and Estate Common Facilities in proportion to the Management Shares allocated to his unit, and each Owner of a residential property shall also contribute towards the Management Expenses relating to the Residential Common Areas and Residential Common Facilities (which is deemed to include 1/75 of the Management Expenses relating to the Carpark Common Areas and Carpark Common Facilities) in proportion to the Management Shares allocated to his residential property, each Owner of a House shall also contribute towards the Management Expenses relating to the Villas Accommodation in proportion to the Management Shares allocated to his House, and each Owner of a flat shall also contribute towards the Management Expenses relating to the Towers Common Areas and Towers Common Facilities in proportion to the Management Shares allocated to his flat.

Note (#): The number of Undivided Shares allocated to each of the residential properties is the same as the number of Management Shares allocated to each of the residential properties in the Development. However, the total number of Undivided Shares in the whole Development is different from the total number of Management Shares in the whole Development. The total number of Management Shares of all flats is 19,816, the total number of Management Shares of all houses is 12,187, the total number of Management Shares of all residential properties is 32,003 and the total number of Management Shares of the whole Development is 32,228.

(5) Basis on which the management fee deposit is fixed

The amount of management fees deposit is 3 months' monthly Management Fee.

(6) Area (if any) in the Development retained by the owner for its own use

There is no area in the Development which is retained by the owner (Market Prospect Limited) for that owner's own use as referred to in section 14(2)(f), Part 1, Schedule 1 of Residential Properties (First-hand Sales) Ordinance.

Note: 1. The Development is/will be governed under one deed of mutual covenant. There is/will be no separate sub-deed of mutual covenant for a phase in the Development.

2. Unless otherwise defined in the sales brochure, capitalized terms used in the above shall have the same meaning of such terms in the DMC.

3. For full details, please refer to the DMC which is free for inspection during opening hours at the sales office. Full script of the DMC is available for inspection upon request and copies of the DMC can be obtained upon paying necessary photocopying charges.

(1) 發展項目的公用部分

發展項目的大廈公契及管理協議(下稱「公契」)包括以下公用地方及公用設施：-

1. 「一般公用地方」指「屋苑公用地方」、「停車場公用地方」、「住宅公用地方」及「大廈公用地方」；

2. 「一般公用設施」指「屋苑公用設施」、「停車場公用設施」、「住宅公用設施」及「大廈公用設施」。

3. 「屋苑公用地方」指該等為屋苑業主的共同使用和利益而設的入口大堂、電力房、電訊廣播設備室、變壓房、電線間、高壓電掣室、低壓電掣室、通風機房、主儀錶室、食水泵房、沖廁水泵房、街上消防栓泵房、街上消防栓水箱、排水池、車場客用電梯大堂之平台、衛星設備房、清洗用水泵房、水務署車輛停車位、消防控制室、緊急發電機室、管理處、管理員辦公室及宿舍、通道、緊急車輛通道、樓梯、建築鰭及外牆及整個屋苑的圍欄(大廈、會所及洋房部分圍欄除外)、垃圾儲存及物料回收室、垃圾收集車輛停車位、業主委員會/業主立案法團辦公室及包含屋苑公用設施的其他地方及空間及屋苑中一個或多個部分的其他地方及空間，**但**(如適用)如(a)受《建築物管理條例》第2條所列「公用部分」定義中的(a)段涵蓋的屋苑任何一部分及/或(b)《建築物管理條例》附表一指明的及受《建築物管理條例》第2條所列「公用部分」定義中的(b)段涵蓋的任何地方，而該等部分亦受以上條文涵蓋，則該等部分將被視作納入及成為屋苑公用地方一部分；為識別目的，屋苑公用地方於公契附圖則(其準確性經認可人士核實)中以藍靛色標示；**但不包括**該等屬於住宅公用地方、大廈公用地方、停車場公用地方及單位的地方。

4. 「停車場公用地方」指於停車場內為停車位業主的共同使用而設的所有空間及地方，包括(但不限於)附屬地方、流通通道、空置空間、車道、坡道、入口、出口及包含停車場公用設施的其他地方及空間，**但**(如適用)如(a)受《建築物管理條例》第2條所列「公用部分」定義中的(a)段涵蓋的屋苑任何一部分及/或(b)《建築物管理條例》附表一指明的及受《建築物管理條例》第2條所列「公用部分」定義中的(b)段涵蓋的任何地方，而該等部分亦受以上條文涵蓋，則該等部分將被視作納入及成為停車場公用地方一部分；為識別目的，停車場公用地方於公契附圖則(其準確性經認可人士核實)中以黃色標示；**但不包括**該等屬於屋苑公用地方、住宅公用地方、大廈公用地方及單位的地方。

5. 「住宅公用地方」指該等為住宅部分業主的共同使用和利益而設的休憩地方及設施、電梯大堂、濾水機房、消防泵房、消防水箱、花灑泵房、花灑水箱、低窪花園、通道、樓梯、花槽、訪客停車位、根據批地文件特別條件第(21)(a)條為住宅部分業主的共同使用而設的裝卸貨物區及平台、包含住宅公用設施的其他地方及空間及屋苑中一個或多個部分的其他地方及空間，**但**(如適用)如(a)受《建築物管理條例》第2條所列「公用部分」定義中的(a)段涵蓋的屋苑任何一部分及/或(b)《建築物管理條例》附表一指明的及受《建築物管理條例》第2條所列「公用部分」定義中的(b)段涵蓋的任何地方，而該等部分亦受以上條文涵蓋，則該等部分將被視作納入及成為住宅公用地方一部分；為識別目的，住宅公用地方於公契附圖則(其準確性經認可人士核實)中以紅色標示；**但不包括**該等屬於屋苑公用地方、大廈公用地方、停車場公用地方及單位的地方。

6. 「大廈公用地方」指該等為大廈部分業主的共同使用和利益而設的天台(除明確納入及成為轉讓單位一部分的天台外)，上層天台(除明確納入及成為轉讓單位一部分的上層天台外)和平台(除明確納入及成為轉讓單位一部分的平台外)；郵件派遞室、消防泵房、消防上水泵房、消防上水水箱、看更宿舍、管理員宿舍、垃圾房、冷氣機房、EMR(電錶房)、平台、消防水箱及泵房、緊急發電機房、食水/沖廁水泵房、頂層天台、電梯機房、垃圾房、入口大堂、升降機大堂、大廳、大廈的升降機井底坑及升降機槽、通道、樓梯、走廊、花槽、大廈外牆、包含大廈公用設施的其他地方及空間及屋苑中一個或多個部分的其他地方及空間，**但**(如適用)如(a)受《建築物管理條例》第2條所列「公用部分」定義中的(a)段涵蓋的屋苑任何一部分及/或(b)《建築物管理條例》附表一指明的及受《建築物管理條例》第2條所列「公用部分」定義中的(b)段涵蓋的任何地方，而該等部分亦受以上條文涵蓋，則該等部分將被視作納入及成為大廈公用地方一部分；為識別目的，大廈公用地方於公契附圖則(其準確性經認可人士核實)中以綠色標示；**但不包括**屬於屋苑公用地方、停車場公用地方、住宅公用地方及屋苑內供任何個別業主擁有獨有權利持有、使用、佔用及享用的該等地方。

7. 「屋苑公用設施」指所有為屋苑公用地方的共同使用、利益或服務而設的設備、設施及系統。在不局限上文的一般性的原則下，包括：

   (a) 該等在屋苑之內、之下、之上或穿過屋苑，或在任何時間可能如此，而水、污水、氣體、電及任何其他服務透過前述項目供應到屋苑或其中任何一個或多個部分的污水渠、排水渠、水道、管道、雨水渠、電線及電纜及其他服務設施，不論是否在管道中；

   (b) 滅火裝置及設備；

   (c) 燈柱、交通燈及屋苑內照明設施；

   (d) 屋苑避雷針；

   (e) 升降機裝置及設備；及

   (f) 其他不屬於住宅公用設施或大廈公用設施或停車場公用設施一部分而為屋苑的共同使用和利益而設，亦非為個別業主的使用和利益而設的設施及系統。

8. 「停車場公用設施」指於該地段及屋苑之內、之下或之上，只為停車位的一般利益及服務而設亦非供停車位業主專門使用或享用的設施、設備、機器、器具及裝置，並包括(但不限於)在停車場公用地方內的及為停車位業主的共同使用和利益而設的照明設施、保安系統、消防裝置系統、空調及機械通風系統(如有)及其他電力、機械及衛生裝置，**但不包括**屬於屋苑公用設施、住宅公用設施及大廈公用設施一部分的設施、設備、機器、器具及裝置。

9. 「住宅公用設施」指所有於該地段及屋苑之內、之下或之上，只為住宅部分的一般利益及服務而設而非供住宅單位業主專門使用或享用的設施、設備、機器、器具及裝置，並包括(但不限於)為住宅部分業主的共同使用和利益而設的照明設施、公用電視天線、水箱、碟形衛星天線、康樂設施、保安系統、消防裝置系統及其他電力、機械及衛生裝置，**但不包括**屬於屋苑公用設施、大廈公用設施及停車場公用設施一部分的設施、設備、機器、器具及裝置。

10. 「大廈公用設施」指於該地段及屋苑之內、之下或之上，只為大廈的一般利益及服務而設而非供大廈單位業主專門使用或享用的設施、設備、機器、器具及裝置，並包括(但不限於)為大廈業主的共同使用和利益而設的升降機、照明設施、公用電視天線(如有)、水箱、碟形衛星天線、吊船避雷針、康樂設施、保安系統、消防裝置系統及其他電力、機械及衛生裝置，**但不包括**屬於屋苑公用設施或住宅公用設施或停車場公用設施一部分的設施、設備、機器、器具及裝置。

(2) 分配予期數中的每個住宅物業的不分割份數的數目

每個住宅物業獲分配的不分割份數，詳見下表(標題為「期數住宅物業不分割份數的分配」)。

(3) 發展項目的管理人的委任年期

管理人首屆任期將為公契日期起兩年。管理人的委任可按公契的條款終止。

(4) 在發展項目中的住宅物業的擁有人之間分擔管理開支的基準

每位業主須按公契列明的方式、款額及比例及根據其單位獲分配的管理份數(#)及公契列明之準則，分擔發展項目的管理開支(指管理及保養發展項目時必須及合理地招致的費用、收費及支出，及須以管理人編制的預算作根據)(包括管理人的酬金)。一般而言，每位單位業主須按其單位的管理份數分擔屋苑公用地方及屋苑公用設施的管理開支，每位住宅物業業主須按其所持有之住宅物業的管理份數分擔住宅公用地方及住宅公用設施的管理開支(其須被視作包括停車場公用地方及停車場公用設施的管理開支的七十五分之一)，每位洋房業主須按其所持有之洋房的管理份數分擔與洋房部分有關的管理開支，每位分層單位業主須按其所持有之分層單位的管理份數分擔大廈公用地方及大廈公用設施的管理開支。

附註(#)：每個住宅物業獲分配的不分割份數與每個發展項目住宅物業獲分配的管理份數相同，但整個發展項目之不分割份數總數與整個發展項目之管理份數總數不同。所有分層單位之管理份數總數為19,816，所有洋房之管理份數總數為12,187，所有住宅物業之管理份數總數為32,003，而整個發展項目之管理份數總數為32,228。

(5) 計算管理費按金的基準

管理費按金為三個月的每月管理費。

(6) 擁有人在發展項目中保留作自用的範圍(如有的話)

擁有人(顯領有限公司)在發展項目中並無《一手住宅物業銷售條例》附表1第1部第14(2)(f)條所述之保留作自用的範圍。

註：1. 發展項目由/將由一份公契規管。發展項目之期數並無/將並無各自之分公契。

2. 除非本售樓說明書另設定義，否則上述名詞具有公契中該等名詞的相同意義。

3. 請查閱公契了解全部詳情。完整公契文本現存於售樓處，於開放時間可應要求供免費查閱，並可在支付所需影印費後取得公契之複本。

SUMMARY OF DEED OF MUTUAL COVENANT
公契的摘要

Allocation of Undivided Shares of Residential Properties in the Phase
期數住宅物業不分割份數的分配

House No. 洋房編號	Undivided Shares 不分割份數
House 洋房 1	810
House 洋房 2	737
House 洋房 3	739
House 洋房 5	717
House 洋房 6	745
House 洋房 7	647
House 洋房 8	642
House 洋房 9	635
House 洋房 10	637
House 洋房 11	512
House 洋房 12	535
House 洋房 15	684
House 洋房 16	620
House 洋房 17	639
House 洋房 18	618
House 洋房 19	588
House 洋房 20	590

(1) The relevant land grant is Conditions of Sale No.20109 ("the Land Grant").

(2) The Development is constructed on Inland Lot No.9007 ("the lot").

(3) The lot is granted for a term of 50 years commencing from 28th July 2010.

(4) The lot or any part thereof or any building or part of any building erected or to be erected thereon shall not be used for any purpose other than for private residential purposes.

(5) Special Condition No.(2) provides that the Grantee acknowledges that as at the date of the Land Grant, there are some buildings, structures and foundations existing on the lot (hereinafter collectively referred to as "the Existing Structures"). The Grantee undertakes to demolish and remove at his own expense and in all respects to the satisfaction of the Director the Existing Structures from the lot. The Government will accept no responsibility or liability for any damage, nuisance or disturbance caused to or suffered by the Grantee by reason of the presence and the subsequent demolition and removal of the Existing Structures and the Grantee indemnifies and shall keep indemnified the Government from and against all liabilities, claims, costs, demands, actions or other proceedings whatsoever arising whether directly or indirectly out of or in connection with the presence and subsequent demolition and removal of the Existing Structures.

(6) Special Condition No.(3) provides that the Grantee shall develop the lot by the erection thereon of buildings complying in all respects with the Conditions and all Ordinances, byelaws and regulations relating to building, sanitation and planning which are or may at any time be in force in Hong Kong, such building or buildings to be completed and made fit for occupation on or before the 31st day of March, 2016. (Note: that date has been extended to 30th June 2016)

(7) Special Condition No.(7) provides that the Grantee expressly agrees and accepts that there is no guarantee that the maximum gross floor areas as stipulated in Special Condition No.(6)(c); the maximum numbers of storeys as stipulated in Special Condition No.(6)(d), and the maximum site coverages as stipulated in Special Condition No.(6)(e); or any of them, can be attained.

(8) Special Condition No.(8)(a) provides that except with the prior written consent of the Director, no building or structure or support for any building or structure, except such driveway, passageway, boundary walls or fences as may be approved by the Director of Lands ("Director"), may be erected or constructed within the areas shown coloured pink hatched black (hereinafter referred to as "the Pink Hatched Black Areas") and pink hatched black stippled black (hereinafter referred to as "the Pink Hatched Black Stippled Black Areas") on the plan annexed to the Land Grant.

(9) Special Condition No.(8)(b) provides that except with the prior written consent of the Director and subject to any terms and conditions he may impose (including payment of additional premium), no building or structure or support for any building or structure except boundary walls or fences or both may be erected or constructed within the areas shown coloured pink cross-hatched black (hereinafter referred to as "the Pink Cross-hatched Black Area") and pink cross-hatched black stippled black (hereinafter referred to as "the Pink Cross-hatched Black Stippled Black Area") on the plan annexed to the Land Grant.

(10) Special Condition No.(10)(a) provides that the Grantee may erect, construct and provide within the lot such recreational facilities and facilities ancillary thereto (hereinafter referred to as "the Facilities") as may be approved in writing by the Director.

(11) Special Condition No.(11) provides that no tree growing on the lot or adjacent thereto shall be removed, or interfered with without the prior written consent of the Director who may, in granting consent, impose such conditions as to transplanting, compensatory landscaping or replanting as he may deem appropriate.

(12) Special Condition No.(12)(a) provides that the Grantee shall submit or cause to be submitted to the Director for his approval a landscape master plan indicating the landscaping proposals for the lot.

(13) Special Condition No.(12)(b) provides that the landscape master plan shall be at a scale of 1:500 and shall contain information on the landscaping proposals including a survey and treatment of existing trees, site layout and formation levels, conceptual form of building development, illustrative layout of hard and soft landscaping areas and such other information as the Director may require.

(14) Special Condition No.(12)(c) provides that the Grantee shall at his own expense landscape the lot in accordance with the approved landscape master plan and no amendment, variation, alteration, modification or substitution shall be made without the prior written consent of the Director.

(15) Special Condition No.(12)(d) provides that the Grantee shall thereafter at his own expense keep and maintain the landscaped works in a safe, clean, neat, tidy, functional and healthy condition all to the satisfaction of the Director.

(16) Special Condition No.(13)(a) provides that office accommodation for watchmen or caretakers or both may be provided within the lot.

(17) Special Condition No.(14)(a) provides that quarters for watchmen or caretakers or both may be provided within the lot.

(18) Special Condition No.(15)(a) provides that one office for the use of the Owners' Corporation or the Owners' Committee may be provided within the lot.

(19) Special Condition No.(20)(a)(i) provides that spaces shall be provided within the lot to the satisfaction of the Director for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the residential units in the building or buildings erected or to be erected on the lot and their bona fide guests, visitors or invitees (hereinafter referred to as "the Residential Parking Spaces"). Special Condition No.(20)(a)(ii) provides that the total number of the Residential Parking Spaces to be provided shall be the aggregate of the respective number of the Residential Parking Spaces calculated by reference to the respective size of each residential unit. Special Condition No.(20)(a)(iv) provides that the spaces provided under sub-clauses (a)(i) and (a)(iii) of Special Condition No.(20) shall not be used for any purpose other than those respectively stipulated therein and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise.

(20) Special Condition No.(20)(b)(i) provides that out of the spaces provided under sub-clause (a) of Special Condition No.(20), the Grantee shall reserve and designate spaces for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation. Special Condition No.(20)(b)(iii) provides that the spaces provided under sub-clause (b)(i) of Special Condition No.(20) shall not be used for any purpose other than for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building or buildings erected or to be erected on the lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise.

(21) Special Condition No.(20)(c)(i) provides that spaces shall be provided within the lot to the satisfaction of the Director for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building or buildings erected or to be erected on the lot and their bona fide guests, visitors or invitees (hereinafter referred to as "the Motor Cycle Parking Spaces"). Special Condition No.(20)(c)(ii) provides that the space provided under sub-clause (c)(i) of Special Condition No.(20) shall not be used for any purpose other than for the purpose set out therein and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise.

(22) Special Condition No.(21)(a) provides that spaces shall be provided within the lot to the satisfaction of the Director for the loading and unloading of goods vehicles.

(23) Special Condition No.(24)(a) provides that notwithstanding that the Conditions shall have been observed and complied with to the satisfaction of the Director, the Residential Parking Spaces and the Motor Cycle Parking Spaces shall not be:

(i) assigned except (I) together with undivided shares in the lot giving the right of exclusive use and possession of a residential unit or units in the building or buildings erected or to be erected on the lot; and (II) to a person who is already the owner of undivided shares in the lot with the right of exclusive use and possession of a residential unit or units in the building or buildings erected or to be erected on the lot; or

(ii) underlet except to residents of the residential units in the building or buildings erected or to be erected on the lot.

Provided that in any event not more than three in number of the total of the Residential Parking Spaces and the Motor Cycle Parking Spaces shall be assigned to the owner or underlet to the resident of any one residential unit in the building or buildings erected or to be erected on the lot.

(24) Special Condition No.(26) provides that a plan approved by the Director indicating the layout of all the parking, loading and unloading spaces to be provided within the lot in accordance with Special Condition Nos. (20) and (21) (as may be varied under Special Condition No. (22)), or a copy of such plan certified by an Authorized Person (as defined in the Buildings Ordinance, any regulations made thereunder and any amending legislation) shall be deposited with the Director. The said parking and loading and unloading spaces indicated on the said approved plan shall not be used for any purpose other than for the purposes set out respectively in Special Condition Nos. (20) and (21). The Grantee shall maintain the parking, loading and unloading spaces and other spaces, including but not restricted to the lifts, landings, and manoeuvring and circulation areas, in accordance with the said approved plan and shall not alter the layout except with the prior written consent of the Director, who may in granting consent impose such terms and conditions including payment of administrative fee and premium as he may determine. Except for the parking spaces indicated on the said approved plan, no part of the lot or any building or structure thereon shall be used for parking purposes.

(25) Special Condition No.(29)(a) provides that where there is or has been any cutting away, removal or setting back of any land, or any building up or filling in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the lot or any part thereof or any other works required to be done by the Grantee under the Conditions, or for any other purpose, the Grantee shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Grantee shall at all times during the term agreed to be granted by the Land Grant maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director.

(26) Special Condition No.(29)(b) provides that nothing in sub-clause (a) of Special Condition No.(29) shall prejudice the Government's rights under the Conditions, in particular Special Condition No.(28).

(27) Special Condition No.(29)(c) provides that in the event that as a result of or arising out of any formation, levelling, development or other works done by the Grantee or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land, within the lot or from any adjacent or adjoining Government or leased land, the Grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify the Government its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, landslip or subsidence.

(28) Special Condition No.(29)(d) provides that in addition to any other rights or remedies provided in the Land Grant for breach of any of the Conditions, the Director shall be entitled by notice in writing to call upon the Grantee to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support, protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the Grantee shall neglect or fail to comply with the notice to the satisfaction of the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the Grantee shall on demand repay to the Government the cost thereof, together with any administrative or professional fees and charges.

(29) Special Condition No.(31) provides that where prestressed ground anchors have been installed, upon development or redevelopment of the lot or any part thereof, the Grantee shall at his own expense carry out regular maintenance and regular monitoring of the prestressed ground anchors throughout their service life to the satisfaction of the Director and shall supply to the Director such reports and information on all such monitoring works as the Director may from time to time in his absolute discretion require. If the Grantee shall neglect or fail to carry out the required monitoring works, the Director may forthwith execute and carry out the monitoring works and the Grantee shall on demand repay to the Government the cost thereof.

(30) Special Condition No.(32)(a) provides that the Grantee shall at his own expense carry out and complete to the satisfaction of the Director such geotechnical investigations and such slope treatment, landslide preventive, mitigation and remedial works on the areas shown coloured green hatched black and green hatched black stippled black on the plan annexed to the Land Grant (hereinafter referred to as the "Green Hatched Black Areas" and "the Green Hatched Black Stippled Black Areas" respectively) as the Director in his absolute discretion may require and shall, at all times during the term agreed to be granted by the Land Grant, at his own expense, maintain in good and substantial repair and condition to the satisfaction of the Director the Green Hatched Black Areas and the Green Hatched Black Stippled Black Areas including all land, slope treatment works, earth-retaining structures, drainage and any other works therein and thereon. In the event that any landslip, subsidence or falling away occurs within the Green Hatched Black Areas or the Green Hatched Black Stippled Black Areas at any time during the term agreed to be granted by the Land Grant, the Grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director together with any adjacent or adjoining areas which, in the opinion of the Director (whose decision shall be final and binding on the Grantee), have also been affected. The Grantee shall indemnify the Government, its agents and contractors against all claims, proceedings, costs, damages and expenses whatsoever incurred by reason of such landslip, subsidence or falling away. The Grantee shall ensure at all times that there shall be no illegal excavation or dumping on the Green Hatched Black Areas or the Green Hatched Black Stippled Black Areas and, subject to the prior written approval of the Director, the Grantee may erect fences or other barriers for the prevention of such illegal excavation or dumping. In addition to any other rights or remedies the Director may have in respect of any breach of the Conditions, the Director may at any time by notice in writing call upon the Grantee to carry out such geotechnical investigations, slope treatment, landslip preventive, mitigation and remedial works and to maintain, reinstate and make good any land, structure or works affected by such landslip, subsidence or falling away, and if the Grantee shall neglect or fail to comply with such notice to the satisfaction of the Director within the period specified therein, the Director may, after the expiry of such period, execute and carry out the required works and the Grantee shall on demand repay to the Government the cost thereof.

(31) Special Condition No.(32)(b) provides that notwithstanding sub-clause (a) of Special Condition No.(32), the obligations and rights of the Grantee thereunder shall absolutely determine upon the Government giving to the Grantee notice to that effect, and no claim for compensation shall be made against the Government or the Director or his or their duly authorized officers by the Grantee in respect of any loss, damage or disturbance suffered or any expense incurred as a result of such determination provided that such determination shall be without prejudice to any rights or remedies of the Government in respect of any antecedent breach, non-performance or non-observance of sub-clause (a) of Special Condition No.(32).

(32) Special Condition No.(33)(a) provides that there is reserved unto the Government and the Director, its or their officers, agents, contractors, workmen or other duly authorized personnel with or without tools, equipment, plant, machinery or motor vehicles the rights of unrestricted ingress, egress and regress to and from the lot or any part thereof for the purpose of installing, repairing, maintaining and renewing the water mains within those portions of Site A shown lying within the pecked orange lines on the plan annexed to the Land Grant (hereinafter referred to as "the Water Works Reserve Areas") and within such Government land as the Director may consider appropriate provided that the person or persons exercising the aforesaid rights shall take reasonable care and precaution to prevent damage or injury to land, persons or properties in the exercise of the aforesaid rights.

(33) Special Condition No.(33)(b) provides that the Government, the Director, its or their officers, agents, contractors, workmen and other duly authorized personnel shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee arising out of or incidental to the exercise by it or them of the rights reserved under Special Condition No.(33)(a). No claim shall be made by the Grantee against the Government, the Director, its or their officers, agents, contractors, workmen and other duly authorized personnel whether under any enactment or otherwise for any such loss, damage, nuisance or disturbance or for any compensation whatsoever in respect thereof.

(34) Special Condition No.(35) provides that upon development or redevelopment of the lot or any part thereof, the Grantee shall at his own expense carry out and complete to the satisfaction of the Director such geotechnical investigations and such landslide preventive, mitigation and remedial works, including boulder stabilization and/or boulder fall mitigation works in respect of any boulder on the lot and on such adjacent areas as the Director may in his absolute discretion require.

(35) Special Condition No.(36)(a) provides that in the event of earth, spoil or debris, construction waste or building materials (hereinafter referred to as "the waste") from the lot, or from other areas affected by any development of the lot being eroded, washed down or dumped onto public lanes or roads or into or onto road-culverts, foreshore or seabed, sewers, storm-water drains or nullahs or other Government properties (hereinafter collectively referred to as "the Government properties"), the Grantee shall be held responsible and shall at his own expense remove the waste from and make good any damage done to the Government properties. The Grantee shall indemnify the Government against all actions, claims and demands arising out of any damage or nuisance to private property caused by such erosion, washing down or dumping.

(36) Special Condition No.(36)(b) provides that notwithstanding sub-clause (a) of Special Condition No.(36) the Director may (but is not obliged to), at the request of the Grantee remove the waste from and make good any damage done to the Government properties and the Grantee shall pay to the Government on demand the cost thereof.

(37) Special Condition No.(37) provides that the Grantee shall take or cause to be taken all proper and adequate care, skill and precautions at all times, and particularly when carrying out construction, maintenance, renewal or repair work (hereinafter referred to as "the Works"), to avoid causing any damage, disturbance or obstruction to any Government or other existing drain, waterway or watercourse, water main, road, footpath, street furniture, sewer, nullah, pipe, cable, wire, utility service or any other works or installations being or running upon, over, under or adjacent to the lot or any part thereof, the Green Hatched Black Areas, the Green Hatched Black Stippled Black Areas, or any combination thereof (hereinafter collectively referred to as "the Services"). The Grantee shall, prior to carrying out any of the Works, make or cause to be made such proper search and enquiry as may be necessary to ascertain the present position and levels of the Services, and shall submit his proposals for dealing with any of the Services which may be affected by the Works in writing to the Director for his approval in all respects, and shall not carry out any work whatsoever until the Director shall have given his written approval to the Works and to such aforesaid proposals. The Grantee shall comply with and at his expense meet any requirements which may be imposed by the Director in respect of the Services in granting the aforesaid approval, including the cost of any necessary diversion, relaying or reinstatement. The Grantee shall at his own expense in all respects repair, make good and reinstate to the satisfaction of the Director any damage, disturbance or obstruction caused to the lot or any part thereof, the Green Hatched Black Areas, the Green Hatched Black Stippled Black Areas, or any combination thereof or any of the Services in any manner arising out of the Works (except for nullah, sewer, storm-water drain or water main, the making good of which shall be carried out by the Director, unless the Director elects otherwise, and the Grantee shall pay to the Government on demand the cost of such works). If the Grantee fails to carry out any such necessary diversion, relaying, repairing, making good and reinstatement of the lot or any part thereof, the Green Hatched Black Areas, the Green Hatched Black Stippled Black Areas, or any combination thereof, or of any of the Services, to the satisfaction of the Director, the Director may carry out any such diversion, relaying, repairing, making good or reinstatement as he considers necessary and the Grantee shall pay to the Government on demand the cost of such works.

(38) Special Condition No.(38)(a) provides that the Grantee shall construct and maintain at his own expense and to the satisfaction of the Director such drains, channels, debris basins and boulder straining structures, whether within the boundaries of the lot or on Government land, as the Director may at his sole discretion consider necessary to intercept, retain, convey, or do any combination of them, into the nearest stream-course, catchpits, channels or storm-water drain all storm-water, rain-water or soil or rock debris-laden storm-water falling or flowing on to the lot, and the Grantee shall be solely liable for and shall indemnify the Government and its officers from and against all actions, claims and demands arising out of any damage or nuisance caused by storm-water, rain-water or soil or rock debris-laden storm-water.

(39) Special Condition No.(38)(b) provides that the works of connecting any drains and sewers from the lot to the Government storm-water drains and sewers, when laid and commissioned, may be carried out by the Director who shall not be liable to the Grantee for any loss or damage thereby occasioned and the Grantee shall pay to the Government on demand the cost of such connection works. Alternatively, the connection works may be carried out by the Grantee at his own expense to the satisfaction of the Director and, in such case, any section of the connection works which is constructed within Government land shall be maintained by the Grantee at his own expense and upon demand be handed over by the Grantee to the Government for future maintenance thereof at the expense of the Government and the Grantee shall pay to the Government on demand the cost of the technical audit in respect of the connection works. The Director may, upon failure of the Grantee to maintain any section of the connection works which is constructed within Government land, carry out such maintenance works as he considers necessary and the Grantee shall pay to the Government on demand the cost of such works.

(40) Special Condition No.(39)(a) provides that the Grantee may use the two existing water tanks as shown edged brown and marked "WT" on the plan annexed to the Land Grant and the associated pipelines as delineated and shown in firm brown lines on the plan annexed to the Land Grant (hereinafter collectively referred to as "Existing Water Supply Facilities") for the purpose of supplying water to the lot.

(41) Special Condition No.(39)(b) provides that the Grantee expressly agrees and accepts that there is no guarantee for the suitability of the Existing Water Supply Facilities for the lot.

(42) Special Condition No.(39)(c) provides that the Grantee shall manage, repair and maintain the Existing Water Supply Facilities at his own expense to the satisfaction of the Director. The Grantee shall at his own expense alter and relocate such water tanks and divert such associated pipelines of the Existing Water Supply Facilities as the Director may require upon giving three calendar months' notice to the Grantee. Prior to the commencement of any such alteration, relocation and diversion works, the Grantee shall arrange an alternative water supply to serve the lot by constructing, managing, repairing and maintaining alternative water supply facilities (hereinafter referred to as "the Alternative Water Supply Facilities") at his own expense to the satisfaction of the Director. In the event that the Existing Water Supply Facilities or the Alternative Water Supply Facilities cease to serve the purpose of supplying water to the lot, the Grantee shall at his own expense demolish and remove the Existing Water Supply Facilities or the Alternative Water Supply Facilities, as the case may be, to the satisfaction of the Director.

(43) Special Condition No.(40)(a) provides that the Grantee shall at all times during the term of the Land Grant (including the time during relocation of the existing electricity transformer room and the development of the lot) permit the contractors, workmen and the duly authorized persons of HEC (as defined in Special Condition No.(5)(a)(vi)) the right of ingress, egress and regress to, from and through the lot and the existing electricity transformer room as shown edged green on the plan annexed to the Land Grant for the purposes of using, checking, inspecting, repairing, maintaining and replacing the existing electricity transformer room together with the existing equipment therein and the existing electricity cables as delineated and shown in a firm green line on the plan annexed to the Land Grant (hereinafter collectively referred to as "Electricity Supply Facilities") for the continuous supply of electricity to the pumphouse as shown and marked "PH" on the plan annexed to the Land Grant within Government Land Allocation No. G.L.A. - HK 1093 as shown and marked on the plan annexed to the Land Grant. In particular, the Grantee shall at all times provide and maintain a safe and free access to and from the lot and the existing electricity transformer room including an access route of not less than 2.0 metres wide with a clear headroom of 2.6 metres for the transportation of equipment to and from the lot and the existing electricity transformer room.

(44) Special Condition No.(40)(b) provides that subject to Special Condition No.(2), the Grantee shall at his own expense and in all respects to the satisfaction of the Director relocate the existing electricity transformer room to such location as shall be approved by the Director. The Purchaser shall permit HEC to lay new electricity cables connecting the relocated electricity transformer room and the pumphouse as referred to in sub-clause (a) of this Special Condition to such location and alignment as shown on the approved Master Layout Plan as referred to in Special Condition No. (5)(a)(vii) hereof. Prior to relocation of the existing electricity transformer room, the building structure of the existing electricity transformer room shall not be altered. In the event that the pumphouse referred to in sub-clause (a) of Special Condition No.(40) is relocated at any time at the sole discretion of the Director, the Grantee shall at his own expense and in all respects to the satisfaction of the Director connect the electricity cables or any part of the Electricity Supply Facilities to the relocated pumphouse for continuous supply of electricity to the relocated pumphouse.

(45) Special Condition No.(40)(c) provides that the obligations of the Grantee referred to in Special Condition No.(40)(a) shall apply to the relocated Electricity Supply Facilities or any part thereof referred to in Special Condition No.(40)(b).

(46) Special Condition No.(40)(d) provides that the Government and the Director shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any person whether by reason of the presence of the Electricity Supply Facilities or the relocated Electricity Supply Facilities or arising out of or incidental to the Grantee's obligations under sub-clauses (a), (b) and (c) of Special Conditions No.(40) and no claim for compensation or otherwise shall be made against the Government or the Director or its or their duly authorized officers by the Grantee in respect of any such loss, damage, nuisance or disturbance.

(47) Special Condition No.(41)(a) provides that the Grantee shall throughout the term of the Land Grant permit the Government, its officers, contractors and workmen and any other persons authorized by the Government with or without tools, equipment, plant, machinery or motor vehicles at all times and for all lawful purposes to pass and repass freely and without payment of any nature whatsoever on, along, over, by and through the lot for the purposes of carrying out the works in connection with the repair and maintenance of the Works and the Services as respectively defined in Special Condition No.(37), the Government or other existing drain, waterway or water course, water main, road, footpath, street furniture, sewer, nullah, pipe, cable, wire, utility service or any other works or installations being or running upon, over, under or adjacent to the lot or any part thereof, and the Government lands including but not limited to the Water Supplies Department's facilities under Government Land Allocation No. G.L.A. - HK 1093 as shown and marked on the plan annexed to the Land Grant adjoining the lot.

(48) Special Condition No.(41)(b) provides that the Government, its officers, contractors and workmen and any person authorized by the Government shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee arising out of or incidental to the exercise by the Government, its officers, contractors and workmen and any persons authorized by the Government of the rights conferred under Special Condition No.(41)(a), and no claim shall be made against it or them by the Grantee in respect of any such loss, damage, nuisance or disturbance.

(49) Special Condition No.(42)(a) provides that:

(i) There is excepted and reserved unto the Government for the purpose of constructing, operating and maintaining two road tunnels as marked "ABERDEEN TUNNEL" on the plan annexed to the Land Grant (hereinafter collectively referred to as "the Aberdeen Tunnel") the stratum of land between the levels at 13.00 metres above the Hong Kong Principal Datum and 40.00 metres above the Hong Kong Principal Datum within those areas of the lot shown coloured pink stippled black, the Pink Hatched Black Stippled Black Areas and the Pink Cross-hatched Black Stippled Black Area on the plan annexed to the Land Grant, which stratum of land between the said levels is hereinafter referred to as "the Aberdeen Tunnel Reserve Areas".

(ii) There is excepted and reserved unto the Government for the purpose of constructing, operating and maintaining a drainage tunnel as marked "HONG KONG WEST DRAINAGE TUNNEL" on the plan annexed to the Land Grant (hereinafter referred to as "the Drainage Tunnel") the stratum of land between the levels at 29.00 metres above the Hong Kong Principal Datum and 59.00 metres above the Hong Kong Principal Datum within the area of the lot shown lying within the two pecked blue lines on the plan annexed to the Land Grant, which stratum of land between the said levels is hereinafter referred to as "the Drainage Tunnel Reserve Area".

(50) Special Condition No.(42)(b) provides that the Grantee shall have no right of or title to the ownership, possession or use of the Aberdeen Tunnel Reserve Areas or the Drainage Tunnel Reserve Area except as may be provided for in the Conditions of the Land Grant.

(51) Special Condition No.(42)(c) provides that there are reserved unto the Government, its lessees, tenants, licensees and persons authorized by it or them and the owner and occupier for the time being of the Aberdeen Tunnel Reserve Areas and the Drainage Tunnel Reserve Area or any part thereof, the right of shelter, support and protection from the lot and the right of free passage of air to and from the lot for such parts of the Aberdeen Tunnel, the Aberdeen Tunnel Reserve Areas, the Drainage Tunnel and the Drainage Tunnel Reserve Area as shall be decided by the Director (as to which the decision of the Director shall be final and binding on the Grantee).

(52) Special Condition No.(42)(d) provides that the Government, its officers, contractors and workmen, its lessees, tenants, licensees and persons authorized by it or them and the owner and occupier for the time being of the Aberdeen Tunnel Reserve Areas and the Drainage Tunnel Reserve Area with or without tools, equipment, plant, machinery or motor vehicles shall, throughout the term of the Land Grant, have the right of free and unrestricted ingress, egress and regress at all times to, from and through the lot or any part thereof and any building or buildings erected or to be erected thereon for the purposes of constructing, operating and maintaining the Aberdeen Tunnel and the Drainage Tunnel and carrying out inspection, repair, alteration, replacement, maintenance or any other works in or in connection with the Aberdeen Tunnel Reserve Areas and the Drainage Tunnel Reserve Area as the Government, its lessees, tenants, licensees or the owner and occupier for the time being of the Aberdeen Tunnel Reserve Areas and the Drainage Tunnel Reserve Area may require.

(53) Special Condition No.(42)(e) provides that neither the Grantee nor any other person shall make any objection or have any right of claim to compensation whatsoever against the Government whether under any enactment or otherwise in respect of

(i) the rights reserved under sub-clause (a) and (c) Special Condition No.(42);

(ii) any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person arising out of or incidental to the exercise of the rights conferred under sub-clause (d) of Special Condition No.(42); or

(iii) any loss, damage, nuisance, annoyance or detriment of any kind whatsoever in respect of or as a consequence of the presence and use of the Aberdeen Tunnel, the Aberdeen Tunnel Reserve Areas, the Drainage Tunnel or the Drainage Tunnel Reserve Area.

(54) Special Condition No.(42)(f) provides that the Grantee shall not excavate, lay or maintain any footing or foundation, whether of concrete, steel, brick, stone or otherwise, in the lot except with the prior written approval of the Director and subject to such terms and conditions as the Director may in his absolute discretion impose, including the condition that the Director is satisfied that such works will not affect the Aberdeen Tunnel or the Drainage Tunnel or any installations or structures erected or to be erected therein or within the Aberdeen Tunnel Reserve Areas or the Drainage Tunnel Reserve Area.

(55) Special Condition No.(42)(g) provides that :

(i) Any damage and obstructions which in the opinion of the Director (whose opinion shall be final and binding on the Grantee) have been caused by the Grantee or the workmen, agents, contractors or sub-contractors of the Grantee, or their officers or workmen, to the Aberdeen Tunnel, the Aberdeen Tunnel Reserve Areas, any part thereof or any structures or installations or services thereof in carrying out works pursuant to sub-clause (f) of Special Condition No.(42) or otherwise shall be made good by the Government at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding on the Grantee.

(ii) Any damage and obstructions which in the opinion of the Director (whose opinion shall be final and binding on the Grantee) have been caused by the Grantee or the workmen, agents, contractors or sub-contractors of the Grantee, or their officers or workmen, to the Drainage Tunnel, the Drainage Tunnel Reserve Area, any part thereof or any structures or installations or services thereof in carrying out works pursuant to sub-clause (f) of Special Condition No.(42) or otherwise shall be made good by the Grantee at his own expense within the period specified by and in all respects to the satisfaction of the Director. If the Grantee shall fail to carry out the necessary works for making good any such damage or obstructions within the period specified by and in all respects to the satisfaction of the Director, or in case of emergency, the Government shall have the right to carry out the necessary works for the same at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding on the Grantee.

(56) Special Condition No.(42)(h) provides that the Grantee indemnifies and shall keep indemnified the Government, the Director, its or their officers, contractors and workmen and other duly authorized personnel from and against all liabilities, claims, costs, damages, demands, actions and proceedings whatsoever arising whether directly or indirectly out of or in connection with such damages or obstructions referred to in sub-clause (g) of Special Condition No.(42).

(57) Special Condition No.(43) provides that upon development or redevelopment (which term refers solely to redevelopment contemplated in General Condition No. 14) of the lot or any part thereof:

(a) the Grantee shall within such time as may be specified by the Director at his own expense submit or cause to be submitted to the Director for his approval such drawings, reports, calculations and method statements to demonstrate how the Aberdeen Tunnel is to be protected during the development or redevelopment of the lot or any part thereof and that no permanent structure of the development on the lot or pile driving or blasting shall affect the Aberdeen Tunnel or any installations or structures erected or to be erected therein or within the Aberdeen Tunnel Reserve Areas;

(b) the lot or any part thereof shall not be developed or redeveloped except in accordance with the drawings, reports, calculations and method statements approved by the Director under sub-clause (a) of Special Condition No.(43);

(c) all damages, loss, nuisance and disturbances which in the opinion of the Director (whose opinion shall be final and binding on the Grantee) have been caused by the Grantee or the employees, agents, contractors or sub-contractors of the Grantee, or their officers or workmen, to the Aberdeen Tunnel or any installations or structures erected or to be erected therein or within the Aberdeen Tunnel Reserve Areas, shall be made good by the Government at the cost of the Grantee, who shall pay to the Government on demand a sum equal to the cost of making good such damages, loss, nuisance and disturbances, such sum to be determined by the Director whose determination shall be final and binding on the Grantee; and

(d) the Grantee indemnifies and shall keep indemnified the Government, the Director, its or their officers, agents, contractors, workmen or other duly authorized personnel from and against all liabilities, claims, costs, demands, actions or other proceedings whatsoever arising whether directly or indirectly out of or in connection with the damages, loss, nuisance and disturbances referred to in sub-clause (c) of Special Condition No.(43).

(58) Special Condition No.(44) provides that upon development or redevelopment (which term refers solely to redevelopment contemplated in General Condition No. 14) of the lot or any part thereof:

(a) the Grantee shall within such time as may be specified by the Director at his own expense submit or cause to be submitted to the Director for his approval such drawings, reports, calculations and method statements to demonstrate how the Drainage Tunnel is to be protected during the development or redevelopment of the lot or any part thereof and that no permanent structure of the development on the lot or construction works shall affect the Drainage Tunnel or any installations or structures erected or to be erected therein or within the Drainage Tunnel Reserve Area;

(b) the lot or any part thereof shall not be developed or redeveloped except in accordance with the drawings, reports, calculations and method statements approved by the Director under sub-clause (a) of Special Condition No.(44);

(c) no building works shall be commenced on that portion of the lot lying between the two pecked purple lines on the plan annexed to the Land Grant (such portion of the lot is hereinafter referred to as "the Drainage Tunnel Protection Area") until the drawings, reports, calculations and method statements referred to in sub-clause (a) of Special Condition No.(44) have been approved in writing by the Director;

(d) the Grantee shall not demolish, excavate, lay or maintain any footing or foundation, whether of concrete, steel, brick, stone or otherwise in the Drainage Tunnel Protection Area except with the prior written approval of the Director and subject to such terms and conditions as the Director may in his absolute discretion impose provided that the Director is satisfied that such works will not affect the Drainage Tunnel, the Drainage Tunnel Reserve Area and any installations, structures or services erected or to be erected therein;

(e) all damages, loss, nuisance and disturbances which in the opinion of the Director (whose opinion shall be final and binding on the Grantee) have been caused by the Grantee or the workmen, agents, contractors or sub-contractors of the Grantee, or their officers or workmen, to the Drainage Tunnel, or any installations or structures erected or to be erected therein or within the Drainage Tunnel Reserve Area shall be made good by the Grantee at his own expense within the period specified by and in all respects to the satisfaction of the Director. If the Grantee shall fail to carry out the necessary works for making good such damages, loss, nuisance and disturbances within the period specified by and in all respects to the satisfaction of the Director, or in case of emergency, the Government shall have the right to carry out the necessary works for the same at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding on the Grantee; and

(f) the Grantee indemnifies and shall keep indemnified the Government, the Director, its or their officers, contractors and workmen and other duly authorized personnel from and against all liabilities, claims, costs, damages, demands, actions and proceedings whatsoever arising whether directly or indirectly out of or in connection with the damages, loss, nuisance and disturbances referred to in sub-clause (e) Special Condition No.(44).

(59) Special Condition No.(47) provides that no grave or columbarium shall be erected or made on the lot, nor shall any human remains or animal remains whether in earthenware jars, cinerary urns or otherwise be interred therein or deposited thereon.

(60) General Condition No. 18 provides that upon any failure or neglect by the Grantee to perform, observe or comply with the Land Grant the Government shall be entitled to re-enter upon and take back possession of the lot or any part thereof and all or any buildings or works on the lot or any part thereof, and that upon the re-entry: (i) the Grantee's rights on the part of the lot re-entered shall absolutely cease and determine; (ii) the Grantee shall not be entitled to any refund of premium, payment or compensation; and (iii) the Government's any other rights, remedies and claims are not to be thereby prejudiced.

(61) For the purpose of this summary and unless otherwise indicated, the expression "Grantee" includes its successor and assigns, the expression "the Conditions" means and includes the General and Special Conditions and "Director" refers to Director of Lands.

(1) 有關批地文件為賣地條款20109號「批地文件」。

(2) 發展項目興建於內地段9007號(「該地段」)。

(3) 該地段批地文件批出的年期為二零一零年七月二十八日起計五十年。

(4) 該地段或其任何部分或其上建設或將會建設的任何或部分建築物不得用作私人住宅以外之用途。

(5) 根據特別條款第(2)條，承授人確認知悉於批地文件日期當日，該地段存有若干建築物、構築物及地基(統稱「現存構築物」)。承授人承諾自費清拆及自該地段移除現存構築物，並達致署長滿意。因現存構築物之存在或其後之清拆及移除而起的對承授人所造成或承授人蒙受的損失、滋擾或干擾，政府概不承擔任何責任。承授人須就所有直接或間接由現存構築物之存在或其之後的清拆及移除或與之有關之所有各種責任、申索、費用、索求、法律行動或其他程序對政府作出彌償及確保其獲得彌償。

(6) 特別條款第(3)條規定承授人須履行批地文件的條款及遵守一切不時適用於香港有關建築物、衛生及規劃的條例、章程及規例，於該地段上興建建築物以發展該地段，該等建築物須於2016年3月31日(註：該日期已延至2016年6月30日)或之前建成並可以入伙。

(7) 特別條款第(7)條規定，承授人明確同意並接受特別條款第(6)(c)條規定的最高總樓面面積、特別條款第(6)(d)條規定的最大樓層數目以及特別條款第(6)(e)條規定的最高上蓋面積(或上述任何一項)不獲保證能否按上述條款規定達成。

(8) 特別條款第(8)(a)條規定，除獲地政總署署長(“署長”)事先書面同意外，不得在批地文件附圖以粉紅色間黑色斜線顯示之區域(下稱「粉紅色間黑色斜線區域」)及以粉紅色間黑色斜線加黑點顯示之區域(下稱「粉紅色間黑色斜線加黑點區域」)架設或建造任何建築物或構築物或任何建築物或構築物的承托物(除獲署長批准的行車道、通道、邊界牆或圍欄外)。

(9) 特別條款第(8)(b)條規定，除獲署長事先書面同意並受限於署長可施加之條款和條件(包括支付額外地價)外，不得在批地文件附圖以粉紅色間黑色交叉斜線顯示之區域(下稱「粉紅色間黑色交叉斜線區域」)及以粉紅色間黑色交叉斜線加黑點顯示之區域(下稱「粉紅色間黑色交叉斜線加黑點區域」)架設或建造除邊界牆、圍欄或該兩者以外的任何建築物或構築物或任何建築物或構築物的承托物。

(10) 特別條款第(10)(a)條規定，承授人可於該地段內豎立、建造及提供經署長批准的休憩設施及其附屬設施(「休憩設施」)。

(11) 特別條款第(11)條規定，除獲署長事先書面同意外(署長於簽發同意書時可施加其認為適當的移植、補償美化或重植條件)，承授人不得移除或干擾於該地段或鄰近地方生長的樹木。

(12) 特別條款第(12)(a)條規定，承授人須向署長呈交或安排呈交一份園景設計總圖説明有關該地段園景設計的方案，並就該園景設計總圖取得署長批准。

(13) 特別條款第(12)(b)條規定，園景設計總圖比例須為1:500及須載有關於該地段園景設計的資料包括進行測量和處理現有樹木，工地圖樣及平整水平，建築物發展的概念形式，園景建築工程和花卉樹林種植工程部分的布局説明，及其他署長所要求的資料。

(14) 特別條款第(12)(c)條規定，承授人須自費按照已獲批准的園景設計總圖在該地段進行園藝工程。除獲署長事先書面同意外，承授人不得對已獲批准的園景設計總圖作出任何修正、變動、修改、更新或取替。

(15) 特別條款第(12)(d)條規定，承授人須於其後自費保持及維持該園藝工程於安全、清潔、整齊、井然、實用及良好之狀況並達致署長滿意。

(16) 特別條款第(13)(a)條規定，該地段內可設有管理員或警衛員或兩者的辦公室。

(17) 特別條款第(14)(a)條規定，該地段內可設有管理員或警衛員或兩者的宿舍。

(18) 特別條款第(15)(a)條規定，該地段內可設有一個供業主立案法團或業主委員會使用的辦公室。

(19) 特別條款第(20)(a)(i)條規定，於該地段內提供車位，供該地段上已建或擬建建築物中的住宅單位住戶及其真實訪客或獲邀人士所擁有，並按《道路交通條例》、其任何附屬規例及任何修訂法例下獲發牌的車輛停泊(下稱「住戶車位」)。特別條款第(20)(a)(ii)條規定，將要提供的住戶車位的總數應為參照各住宅單位的相應尺寸計算的住戶車位的相應數目的總和。特別條款第(20)(a)(iv)條規定，按特別條款第(20)條第(a)(i)分段及(a)(iii)分段所提供的車位不可作當中所述以外之其它用途，尤其不得作存放、展示或展覽車輛以供出售或其他用途。

(20) 特別條款第(20)(b)(i)條規定，承授人須在按特別條款第(20)條第(a)分段所提供的車位內，預留及劃定為按《道路交通條例》、其任何附屬規例及任何修訂法例下定義為殘疾人士的車輛停泊。特別條款第(20)(b)(iii)條規定，以上按特別條款第(20)條第(b)(i)分段提供的車位除用作停泊該地段上已建或擬建建築物的住戶及其真實訪客或獲邀人士所擁有，並按《道路交通條例》、其任何附屬規例及任何修訂法例下定義為殘疾人士之車輛外，該等車位不得用作其他用途，尤其不得作存放、展示或展覽車輛以供出售或其他用途。

(21) 特別條款第(20)(c)(i)條規定，於該地段內為該地段上已建或擬建建築物的住戶及其真實訪客或獲邀人士提供車位，為按《道路交通條例》、其任何附屬規例及任何修訂法例下獲發牌的電單車停泊(下稱「住戶電單車車位」)，並達致署長滿意。特別條款第(20)(c)(ii)條規定，以上按特別條款第(20)條第(c)(i)分段提供的車位除用作以上所述用途外，不得用作其他用途，尤其不得作存放、展示或展覽車輛以供出售或其他用途。

(22) 特別條款第(21)(a)條規定，於該地段內提供車位為貨車上落貨物之用，並達致署長滿意。

(23) 特別條款第(24)(a)條規定，儘管條款已被遵守及遵從，並達致署長滿意，住戶車位及住戶電單車車位不得：

(i) 被轉讓，除(I)連同該地段的不分割份數給予該地段上已建或擬建建築物中的住宅單位的獨有使用和管有權；及(II)予一位已是該地段不分割份數連同該地段上已建或擬建建築物中的住宅單位的獨有使用和管有權的擁有人外；或

(ii)被轉租，除予該地段上已建或擬建建築物中的住宅單位的住戶外。

惟不論結果如何，不得多於住戶車位及住戶電單車車位的總數中的三個被轉讓予擁有人或轉租予該地段上已建或擬建建築物中的任何一個住宅單位的住戶。

(24) 特別條款第(26)條規定，一份獲署長核准的圖則並於並上顯示該地段內按照特別條款第(20)及(21)條提供的所有車位及上落貨位的布局(可按特別條款第(22)條改更)須存放於署長，或存放一份獲認可人士(根據《建築物條例》、其任何附屬規例及任何修訂法例下所定義)核證的該圖則副本。上述核准圖則中展示的車位及上落貨位不得用作除分別於特別條款第(20)及(21)條訂明以外的其他用途。承授人須根據上述的核准圖則維持上述車位、上落貨位及其他位，包括但不限於電梯、樓梯平台及運轉及通道地方。除非獲署長事先書面同意外，署長亦可以附加條款及條件於其批准內，包括其可決定須支付之行政費及保費，承授人不可改變上述車位的布局。除該核准圖則上顯示的車位外，該地段的任何部分或任何於其上的建築物或構築物不得作車輛停泊用途。

(25) 特別條款第(29)(a)條規定，倘若任何土地遭切去、拆除或重新設置，或倘若任何建造、填土或任何斜坡處理工程經進行，不論是否經署長事先書面同意，無論是在該地段內或任何政府土地上，為了或有關於開拓、平整或發展該地段或其任何部分或承授人須按條款所進行的任何其他工程，或為任何其他目的，承授人須自費進行和建設於當時或在其後任何時間有必要或可能需要的斜坡處理工程、擋土牆或其他承托、防護、排水、附屬或其他工程，以支持該地段或其毗鄰該地段的政府土地或租用土地內土地及確保該地段或其毗鄰該地段的政府土地或租用土地內土地的安全，及防止和避免任何其後出現山泥傾瀉或地陷的情況。承授人須於批地文件年期內時刻自費維持該土地、斜坡處理工程、擋土牆或其他承托、防護、排水、附屬或其他工程使其修葺良好堅固，並達致署長滿意。

(26) 特別條款第(29)(b)條規定，特別條款第(29)條第(a)分段並無規定損害政府條款下的權利，尤其是其特別條款第(28)條下的權利。

(27) 特別條款第(29)(c)條規定，倘若因承授人任何開拓、平整、發展或其他工程因此引起或招致的或其他原因於任何時候，無論是在或來自任何土地，於該地段內或來自任何相鄰或鄰近政府或租賃土地，造成的山泥傾瀉或地陷，承授人需自費修復，並達致署長滿意。承授人如因山泥傾瀉或地陷以致政府、其代理及承辦商招致任何費用，收費，賠償，索求及索償，承授人必須向彼等彌償。

(28) 特別條款第(29)(d)條規定，除了按批地文件規定因違反任何條款的任何其他權利或補救方法，署長有權書面要求承授人進行、建設及維持該土地、斜坡處理工程、擋土牆或其他承托、防護、及排水、附屬或其他工程，或修復任何山泥傾瀉或地陷。倘若承授人忽視或未能於指定的期限內遵守該要求，並達致署長滿意，署長可立即自行執行及進行任何所需工程，承授人需連同任何行政或專業費用及收費償還該等費用予政府。

(29) 特別條款第(31)條規定，如於該地段或其任何部分的發展或重建時有安裝預應力地錨，則承授人須在預應力地錨的整個使用壽命內，自費定期保養及監控預應力地錨，並達致署長滿意。還須向署長提供署長可不時依其絕對酌情權要求的、有關所有該等監控作業的報告和資料。倘若承授人忽視或未能於進行根據要求的監控作業，署長可立即自行執行及進行所需的監控作業，承授人須償還該等費用予政府。

(30) 特別條款第(32)(a)條規定，承授人須自費於批地文件附圖上顯示為綠色間黑色斜線及綠色間黑色斜線加黑點的部分(下稱「綠色間黑色斜線區域」和「綠色間黑色斜線加黑點區域」)進行和完成署長可依其絕對酌情權可要求的岩土工程勘察和斜坡整理、防止山泥傾瀉、緩解及補救性質的工程，並達致署長滿意，及須於批地文件年期內時刻自費維持綠色間黑色斜線區域和綠色間黑色斜線

加黑點區域包括在當中及其上的所有土地、斜坡整理工程、護土結構、排水和任何其他工程使其修葺良好堅固，並達致署長滿意。倘若綠色間黑色斜線區域和綠色間黑色斜線加黑點區域於批地文件年期內任何時間出現任何山泥傾瀉或地陷的情況，承授人須自費將此等連同任何署長認為(此決定為最終決定並對承授人具約束力)受影響的毗鄰部分修復，並達致署長滿意。承授人如因山泥傾瀉或地陷以致政府、其代理及承辦商招致任何申索、法律程序、訟費、損害及支出，承授人必須向彼等彌償。承授人須時刻確保綠色間黑色斜線區域或綠色間黑色斜線加黑點區域上不得有非法挖掘或棄置廢物。受制於署長的事先書面同意，承授人亦可豎立圍欄或其他柵欄以防止此等非法挖掘或棄置廢物。除了署長按關於違反任何條款享有的任何其他權利或補救方法，署長可於任何時候以書面方式要求承授人進行此等岩土工程勘察、斜坡整理、防止山泥傾瀉、緩解及補救性質的工程，和維持及修復受山泥傾瀉或地陷影響的任何土地、構築物或工程。倘若承授人忽視或未能於指定的期限內遵守該要求，並達致署長滿意，署長可在該期限屆滿後自行執行及進行所需工程，承授人須償還該等費用予政府。

(31) 特別條款第(32)(b)條規定，儘管特別條款第(32)條第(a)分段的規定，一經政府給予承授人的通知，承授人於其下的義務及權利將絕對終止。承授人亦不得針對政府或署長或由其妥為授權的官員人士就該等損失、破壞或干擾或因此決定而招致的支出，惟此決定將不損害政府有關任何先前違反、不履行或不遵守特別條款第(32)條第(a)分段的任何權利或補救方法的情況下，提出任何賠償申索。

(32) 特別條款第(33)(a)條規定，政府、署長、其官員、代理人、承辦商及工人及其他妥獲授權之人士均保留權利不受限制來回進出穿越該地段或其部分(不論是否攜同工具、設備、機器或車輛)，以安裝、維修、保養及更換位於地盤A於批地文件附圖中以橙色虛綫圍起的部分(下稱「水務工程保留區域」)內及署長認為合適的政府土地內的水管，但行使上述權利的人士須採取合理的謹慎及預防措施，避免上述權利的行使對土地、物品造成破壞或對人員造成傷害。

(33) 特別條款第(33)(b)條規定，政府、署長、其官員、代理人、承辦商及工人和其他妥獲授權之人員對因其行使特別條款第(33)(a)條項下保留之權利而起的或隨之而來的對承授人所造成或承授人蒙受的任何損失、破壞、滋擾或干擾一概不承擔任何責任。承授人亦不得針對政府、署長、其官員、代理人、承辦商及工人和其他妥獲授權之人員就該等損失、破壞、滋擾或干擾提出不論是否根據任何成文法則而提出的賠償或其他申索。

(34) 特別條款第(35)條規定，當發展或重建該地段或其任何部分時，承授人須自費進行和完成此等岩土工程勘察和防止山泥傾瀉、緩解及補救性質的工程，包括署長可依其絕對酌情權要求，有關於該地段和其毗鄰部分上的任何礫石的穩定礫石及/或礫石墜落緩解工程，並達致署長滿意。

(35) 特別條款第(36)(a)條規定，倘若來自該地段或來自其他受該地段任何發展影響部分的泥土、廢土或瓦礫，建築廢料或建築物料(下稱「廢料」)被侵蝕、沖刷或傾卸至公眾巷或道路上，或路旁暗渠、前濱或海牀，污水管、雨水渠或溝渠或其他政府物業(統稱「政府物業」)之中或之上，承授人須對此負責並自費從政府物業移除廢料及修復任何對政府物業造成的破壞。承授人如因此等侵蝕、沖刷或傾卸對私人財產造成破壞或滋擾以致政府招致任何法律行動、申索及索求，承授人必須向彼彌償。

(36) 特別條款第(36)(b)條規定，儘管特別條款第(36)條第(a)分段的規定，署長可以(但並無義務)在承授人的要求下從政府物業移除廢料及修復任何對政府物業造成的破壞，承授人須償還該等費用予政府。

(37) 特別條款第(37)條規定，承授人於所有時間須採取或安排採取一切適當和足夠的謹慎、技巧及防範措施，特別是進行建設、維護、更新或維修工程時(以下簡稱「該等工程」)，以避免造成任何損壞、干擾或阻礙任何屬於或於該地段或其任何部分、綠色間黑色斜線區域、綠色間黑色斜線加黑點區域、或其任何組合之上，之下或相鄰地方運作的政府或其他現有排水道、水道、水管、道路、人行道、街道設施、污水渠、明渠、管道、電纜、電線、公用事業服務或任何其他工程或裝置(以下統稱為「該等設施」)。承授人須在進行任何該等工程前，作出或安排作出以確定該等設施的當前位置和水平而必要的適當搜索及查詢，並應以書面形式向署長提交其處理可能會受該等工程影響的任何該等設施的建議，並達致署長在各方面批准，並不得於署長以書面形式批准該等工程及上述建議前開展任何工程。承授人應自費遵守署長於批准以上建議時可能施加的有關該等設施的任何要求，包括任何必要的改道、重鋪或修復的成本。承授人須在各方面自費維修、修理、修復任何因該等工程以任何形式引起的該地段或其任何部分、綠色間黑色斜線區域、綠色間黑色斜線加黑點區域或其任何組合或任何該等設施的損害、干擾或阻塞，達致署長滿意(除明渠、污水渠、雨水渠或水管的修理由署長進行(署長選擇不進行該修理除外)，而承授人須應要求支付有關工程的費用予政府)。若承授人未能進行該地段或其任何部分、綠色間黑色斜線區域、綠色間黑色斜線加黑點區域或其任何組合或該等設施的任何該等必要的改道、重鋪、維修、修理及修復，以達致署長滿意，署長可能進行任何其認為必要的改道、重鋪、維修、修理或修復，而承授人須應要求支付有關工程的費用予政府。

(38) 特別條款第(38)(a)條規定，承授人須自費建造及維護署長根據其絕對酌情權認為必要的水渠、渠道、泥石池、碎石過濾構築物(無論是否位於該地段範圍內或政府土地上)，以將落在該地段上的所有暴雨水、雨水或泥土或帶有碎石的暴雨水收集、保存、運送或其任何組合，並排去至就近的水道、水井、渠道或排水渠，達致署長滿意。承授人須獨自承擔並彌償政府及其官員因該暴雨水、雨水或泥土或帶有碎石的暴雨水而引起的的任何損壞或滋擾而導致的所有法律行動、申索及索求。

(39) 特別條款第(38)(b)條規定，署長可能進行由該地段連接任何水渠及污水渠至政府雨水渠及污水渠的工程。因有關工程而引起的任何損失或破壞，署長概不對承授人承擔任何責任，而承授人須應要求支付有關工程的費用予政府。或者，有關連接工程可能由承授人自費進行，達致署長滿意；在此情況下，承授人須自費維護任何於政府土地之內進行的連接工程的任何部分及應要求將該部分交還政府，並由政府自費作其日後維護，而承授人須應要求支付有關連接工程的技術審核的費用。若承授人未能維護於政府土地之內進行的連接工程的任何部分，署長可能進行其認為必要的維護工程，而承授人應要求支付有關工程的費用予政府。

(40) 特別條款第(39)(a)條規定，承授人可以使用於批地文件附圖中以棕色邊界線顯示並以"WT"標出之兩個現有水箱及於批地文件附圖中以棕色實線劃定及顯示之附連喉管(下文統稱「現有供水設施」)，向該地段供水。

(41) 特別條款第(39)(b)條規定，承授人明確同意並接受該地段現有供水設施的適用性不獲保證。

(42) 特別條款第(39)(c)條規定，承授人須自費管理、維修及維持現有供水設施，並達致署長滿意。在給予承授人三個月的通知，署長可要求承授人自費改動及遷移現有供水設施的該等水缸和改道現有供水設施的該等附連喉管。在任何此等改動、遷移及改道工程開始前，承授人須自費透過興建、管理、維修及維持替代供水設施(下稱「替代供水設施」)安排替代供水予該地段，並達致署長滿意。倘若現有供水設施或替代供水設施不再供水予該地段，承授人須自費拆卸及移除現有供水設施或替代供水設施(視屬何情況而定)，並達致署長滿意。

(43) 特別條款第(40)(a)條規定，承授人須於批地文件的年期內所有時間(包括於遷移現有電力變壓房及發展該地段期間)內允許港燈(按特別條款第(5)(a)(vi)條定義)之承辦商、工人及妥獲授權人士來回進出穿越該地段和於批地文件附圖中以綠色邊界線顯示之現有電力變壓房，以使用、檢查、視察、維修、保養及更換現有電力變壓房及其內之現有設備和於批地文件附圖中以綠色實線劃定及顯示之現有供電電纜(下文統稱「供電設施」)，以持續供電至位處政府撥地編號G.L.A. - HK 1093一地內於批地文件附圖以「PH」顯示和標出之泵房。特別是，承授人須於所有時間提供及維持往來該地段及現有電力變壓房之安全及自由出入，包括一不少於2.0米闊及有2.6米淨空高度之通道供運送設備至及離開現有電力變壓房。

(44) 特別條款第(40)(b)條規定，受制於特別條款第(2)條，承授人須自費重置現有電力變壓房至經署長批准的位置，並全面達致署長滿意。承授人須容許港燈按特別條款第(5)(a)(vii)條提及核准總綱發展藍圖上顯示的位置及座向鋪設新電纜以連接特別條款第(40)(a)條提及的重置電力變壓房及泵房。倘若特別條款第(40)條第(a)分段所指的泵房不時依署長全權酌情權被遷移，承授人須自費連接供電電纜或供電設施的任何部分至重置泵房，以為重置泵房提供不間斷的電力供應，全面達致署長滿意。

(45) 特別條款第(40)(c)條規定，特別條款第(40)(a)條所述的承授人的責任適用於特別條款第(40)(b)條所述的重置供電設施或其任何部分。

(46) 特別條款第(40)(d)條規定，就任何對承授人或任何其他人所造成或承授人或任何其他人蒙受的損失、破壞、滋擾或干擾，不論是因供電設施或重置供電設施之存在而導致，或因承授人特別條款第(40)(a)、(b)及(c)條的責任而起的或隨之而來的，政府及署長概不承擔任何責任，且承授人亦不得針對政府或署長或其妥獲授權官員就該等損失、破壞、滋擾或干擾提出賠償或其他申索。

(47) 特別條款第(41)(a)條規定，承授人須於批地文件的年期內允許政府、其官員、承辦商及工人及任何其他獲政府授權之人士(不論是否攜同工具、設備、機器或車輛)於所有時間及就所有合法目的自由來回進出穿越該地段且無須支付任何性質之費用，以進行與維修和保養於特別條款第(37)條分別定義之該等工程或該等設施、位於或行經該地段或其任何部分之上或之下或毗鄰該地段的地方的政府或其他現有排水渠、水路或水道、水管、道路、行人徑、街道設施、下水道、溝渠、管道、電纜、電線、公用事業服務或其他任何工程或裝置、和政府土地(包括但不限於毗鄰該地段並在批地文件附圖顯示和標出之政府撥地編號G.L.A. - HK 1093下之水務署設施)有關之工程。

(48) 特別條款第(41)(b)條規定，因政府、其官員、承辦商及工人和任何其他獲政府授權之人士行使特別條款第(41)(a)條賦予之權利因任何原因而起的或隨之而來的對承授人所造成或承授人蒙受的任何損失、

破壞、滋擾或干擾，政府、其官員、承辦商及工人和任何其他獲政府授權之人士概不承擔任何責任，且承授人亦不得針對政府、其官員、承辦商及工人或任何其他獲政府授權之人士就該等損失、破壞、滋擾或干擾提出任何申索。

(49) 特別條款第(42)(a)條規定：

(i) 政府保留批地文件附圖以粉紅色加黑點顯示之區域、粉紅色間黑色斜線加黑點區域及粉紅色間黑色交叉斜線加黑點區域內並處於香港主水平基準以上13.00米與香港主水平基準以上40.00米之間之地層以興建、營運及維持兩條於批地文件附圖以「ABERDEEN TUNNEL」標出之行車隧道(下文統稱「香港仔隧道」)。上述水平間之該地層下文稱為「香港仔隧道保留區域」。

(ii) 政府保留位於批地文件附圖兩條藍色虛線間區域內並處於香港主水平基準以上29.00米與香港主水平基準以上59.00米之間之地層以興建、營運及維持兩條於批地文件附圖以「HONG KONG WEST DRAINAGE TUNNEL」標出之雨水排放隧道(下稱「雨水排放隧道」)。上述水平間之該地層下文稱為「雨水排放隧道保留區域」。

(50) 特別條款第(42)(b)條規定承授人就香港仔隧道保留區域或雨水排放隧道保留區域均無擁有、管有或使用之權利或業權，除非批地文件有所規定。

(51) 特別條款第(42)(c)條規定政府、其承租人、租客、獲許可人、獲上述者授權之人士、及香港仔隧道保留區域或雨水排放隧道保留區域或其任何部分當其時之擁有人及佔用人保留獲該地段遮蓋、承托和保護之權利及就香港仔隧道、香港仔隧道保留區域、雨水排放隧道或雨水排放隧道保留區域由署長決定(該決定對承授人屬最終決定及具約束力)的部分自由往或自該地段通風之權利。

(52) 特別條款第(42)(d)條規定政府、其官員、承辦商及工人、其承租人、租客、獲許可人、獲上述者授權之人士及香港仔隧道保留區域或雨水排放隧道保留區域當其時之擁有人及佔用人(不論是否攜同工具、設備、機器、機械或車輛)於批地文件的年期內有權於所有時間自由且不受限制進出穿越該地段或其任何部分及任何於其上已或將興建之建築物，以興建、營運及維持香港仔隧道及雨水排放隧道，及於香港仔隧道保留區域及雨水排放隧道保留區域內或就該兩者進行政府、其承租人、租客、獲許可人或香港仔隧道保留區域及雨水排放隧道保留區域當其時之擁有人及佔用人要求之檢查、維修、改動、更換、保養或任何其他工程。

(53) 特別條款第(42)(e)條規定承授人或任何其他人士均不得按任何成文法則或其他方式向政府就以下事項提出任何反對或有權提出任何賠償申索：

(i) 特別條款第(42)(a)條和(c)條項下保留之權利；

(ii) 因行使特別條款第(42)(d)條賦予之權利而起的或隨之而來的對承授人或任何其他人所造成或承授人或任何其他人蒙受的任何損失、破壞、滋擾或干擾；或

(iii)就香港仔隧道、香港仔隧道保留區域、雨水排放隧道或雨水排放隧道保留區域之存在和使用或因其導致的任何種類之損失、破壞、滋擾、干擾或不利。

(54) 特別條款第(42)(f)條規定，除獲署長事先書面批准且在符合署長按其絕對酌情決定權決定施加之條款和條件(包括署長信納該工程不會影響香港仔隧道或雨水排放隧道或於其內或香港仔隧道保留區域或雨水排放隧道保留區域中架設或將架設之任何裝置或構築物的條件)的情況外，承授人不得於該地段內挖掘、設置或維持任何不論是混凝土、鋼材、磚材、石材或其他物料之底腳或地基。

(55) 特別條款第(42)(g)條規定：

(i) 按署長意見(該意見對承授人屬最終意見及具約束力)經由承授人或承授人之工人、代理人、承辦商或分判承辦商、或上述者之人員或工人按特別條款第(42)(f)條或他者進行工程時對香港仔隧道、香港仔隧道保留區域、其任何部分或其任何結構、裝置或設施所造成之所有破壞或阻塞，由政府修復，支出由承授人承擔，承授人須於政府要求時向政府支付款項，金額等於修復之成本，而該金額由署長決定(該決定對承授人屬最終決定及具約束力)。

(ii) 按署長意見(該意見對承授人屬最終意見及具約束力)經由承授人或承授人之工人、代理人、承辦商或分判承辦商、或上述者之人員或工人按特別條款第(42)(f)條或他者進行工程時對雨水排放隧道、雨水排放隧道保留區域、其任何部分或其結構、裝置或設施所造成之所有破壞或阻塞，由承授人自費於署長指明時間內修復，致使署長於所有方面滿意。如承授人未能於署長指明時間內修復該等破壞或阻塞，致使署長於所有方面滿意，或於緊急情況時，政府有權進行修復該等破壞或阻塞之必要工程，支出由承授人承擔，承授人須於政府要求時向政府支付款項，金額等於修復之成本，而該金額由署長決定(該決定對承授人屬最終決定及具約束力)。

(56) 特別條款第(42)(h)條規定，承授人須就因特別條款第(42)(g)所述的破壞或阻塞而起的(不論是否直接或間接)或與之有關連的所有任何性質的責任、申索、支出、損害賠償、索求、法律行動及程序向政府、署長、其官員、承辦商及工人及其他妥獲授權之人員作出彌償及使之獲得彌償。

(57) 特別條款第(43)條規定，於發展或重新發展(意僅指一般條款第14條所預期之重新發展)該地段或其任何部分時：

(a) 承授人須於署長指明之時間內自費提交或安排提交證明如何於發展或重新發展該地段或其任何部分時香港仔隧道將受保護且該地段上發展項目之永久結構、或打樁工程或爆破將不會影響香港仔隧道或任何於香港仔隧道內或香港仔隧道保留區域內架設或將架設之任何裝置或構築物之繪圖、報告、計算及方法說明予署長供其批准；

(b) 該地段或其任何部分只可按署長根據特別條款第(43)(a)條批准之繪圖、報告、計算及方法說明進行發展或重新發展；

(c) 按署長意見(該意見對承授人屬最終意見及具約束力)經由承授人或承授人之僱員、代理人、承辦商或分判承辦商、或上述者之人員或工人對香港仔隧道或任何於其內或香港仔隧道保留區域內架設或將架設之任何裝置或構築物所造成之所有破壞、損失、滋擾或干擾，由政府修復，支出由承授人承擔，承授人須於政府要求時向政府支付款項，金額等於修復該等破壞、損失、滋擾或干擾之成本，該金額由署長決定(該決定對承授人屬最終決定及具約束力)；及

(d) 承授人就因特別條款第(43)(c)條所述的破壞、損失、滋擾或干擾而起的(不論是否直接或間接)的或與之有關連的所有責任、申索、支出、損害賠償、索求、法律行動或其他程序向政府、署長、其官員、代理人、承辦商及工人及其他妥獲授權之人員作出彌償及使之獲得彌償。

(58) 特別條款第(44)條規定，於發展或重新發展(意僅指一般條款第14條所預期之重新發展)該地段或其任何部分時：

(a) 承授人須於署長指明之時間內自費提交或安排提交證明如何於發展或重新發展該地段或其任何部分時雨水排放隧道將受保護且該地段上發展項目之永久結構、或建築工程將不會影響雨水排放隧道或任何於其內或雨水排放隧道保留區域內架設或將架設之任何裝置或構築物之繪圖、報告、計算及方法說明予署長供其批准；

(b) 該地段或其任何部分只可按署長根據特別條款第(44)(a)條批准之繪圖、報告、計算及方法說明進行發展或重新發展；

(c) 直至署長以書面批准特別條款第(44)(a)條所述之繪圖、報告、計算及方法說明，不得於該地段於批地文件附圖兩條紫色虛線間區域內之部分(該地段部分下文稱為「雨水排放隧道保護區域」)展開建築工程。

(d) 除獲署長事先書面批准且在符合署長按其絕對酌情決定權決定施加之條款和條件(在署長信納該工程不會影響雨水排放隧道、雨水排放隧道保留區域及其中架設或將架設之任何裝置、構築物或設施的前提下)的情況外，承授人不得拆除、挖掘、設置或維持任何於雨水排放隧道保護區域內不論是混凝土、鋼材、磚材、石材或其他物料之底腳或地基；

(e) 按署長意見(該意見對承授人屬最終意見及具約束力)經由承授人或承授人之工人、代理人、承辦商或分判承辦商、或上述者之人員或工人對雨水排放隧道或於其內或雨水排放隧道保留區域內架設或將架設之任何裝置或構築物之所有破壞、損失、滋擾或干擾，須由承授人自費於署長指明時間內修復，致使署長於所有方面滿意。如承授人未能於署長指明時間內修復該等破壞、損失、滋擾或干擾，致使署長於所有方面滿意，或於緊急情況時，政府有權進行修復該等破壞、損失、滋擾或干擾之必要工程，支出由承授人承擔，承授人須於政府要求時向政府支付款項，金額等於修復之成本，該金額由署長決定(該決定對承授人屬最終決定及具約束力)；及

(f) 承授人就因特別條款第(44)(e)條所述的破壞、損失、滋擾或干擾而起(不論是否直接或間接)的所有任何性質的責任、申索、支出、損害賠償、索求、法律行動或程序向政府、署長、其官員、承辦商及工人及其他妥獲授權之人士作出彌償及使之獲得彌償。

(59) 特別條款第(47)條規定，該地段內不得興建或提供墳墓或靈灰安置所，亦不得於該地段上安葬或放置人類遺骸或動物遺骸(不論是否置於陶瓶或骨灰甕內或以其他方式安葬或放置)。

(60) 一般條款第18條規定，當承授人未能或忽略履行、遵守或符合批地文件，政府有權收回該地段或其任何部分以及在該地段或其任何部分矗立的建築物或工程及取回其管有權，且當該地段被收回時：(i)承授人在該地段被收回之部分的權利將完全地停止或終止；(ii)承授人無權獲得任何地價退款、款項或賠償；及(iii)政府之任何其他權利、濟助及申索將不受影響。

(61) 就本摘要及除非另有指明，「承授人」包括其繼任人和受讓人；「條款」一詞包括一般條款和特別條款和「署長」一詞所指的是地政總署署長。

INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES
公共設施及公眾休憩用地的資料

1. Description of any facilities that are required under the land grant to be constructed and provided for the Government, or for public use

The existing electricity transformer room together with the existing equipment therein and the existing electricity cables as delineated and shown in a firm green line on the plan annexed to the Land Grant for the continuous supply of electricity to the pumphouse as shown and marked "PH" on the plan annexed to the Land Grant within Government Land Allocation No. G.L.A. - HK 1093 as shown and marked on the plan annexed to the Land Grant.

The existing electricity transformer room has been relocated to such location as approved by the Director of Lands (the "Director").

2. Description of any facilities that are required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Phase

Not applicable.

3. Size of any open spaces that is required under the Land Grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Phase

Not applicable.

4. Description of any part of the land (on which the Phase is situated) that is dedicated to the public for the purposes of regulation 22(1) of the Building (Planning) Regulations (Cap. 123 sub. leg. F)

Not applicable.

5. Plans showing locations of the facilities in 1 and 2, the open spaces mentioned in 3 (if any) and those parts of the land mentioned in 4 (if any)

See the plans below in this section.

6. General public's right to use

Not applicable.

7. Management, operation and maintenance

Not applicable.

8. Provisions of the Land Grant and the deed of dedication (if applicable), and of the deed of mutual covenant in respect of the Phase that concern the facilities mentioned in 1 or 2, the open spaces mentioned in 3 (if any) and those parts of the land mentioned in 4 (if any):

Land Grant

Special Condition (40) of the Land Grant stipulates that:

"(a) The Purchaser shall at all times during the term hereby agreed to be granted (including the time during relocation of the existing electricity transformer room and the development of the lot) permit the contractors, workmen and the duly authorized persons of HEC (as defined in Special Condition No. (5)(a)(vi) hereof) the right of ingress, egress and regress to, from and through the lot and the existing electricity transformer room as shown edged green on the plan annexed hereto for the purposes of using, checking, inspecting, repairing, maintaining and replacing the existing electricity transformer room together with the existing equipment therein and the existing electricity cables as delineated and shown in a firm green line on the plan annexed hereto (hereinafter collectively referred to as "Electricity Supply Facilities") for the continuous supply of electricity to the pumphouse as shown and marked "PH" on the plan annexed hereto within Government Land Allocation No. G.L.A. - HK 1093 as shown and marked on the plan annexed hereto. In particular, the Purchaser shall at all times provide and maintain a safe and free access to and from the lot and the existing electricity transformer room including an access route of not less than 2.0 metres wide with a clear headroom of 2.6 metres for the transportation of equipment to and from the lot and the existing electricity transformer room.

(b) Subject to Special Condition No. (2) hereof, the Purchaser shall at his own expense and in all respects to the satisfaction of the Director relocate the existing electricity transformer room to such location as shall be approved by the Director. The Purchaser shall permit HEC to lay new electricity cables connecting the relocated electricity transformer room and the pumphouse as referred to in sub-clause (a) of this Special Condition to such location and alignment as shown on the approved Master Layout Plan as referred to in Special Condition No. (5)(a)(vii) hereof. Prior to relocation of the existing electricity transformer room, the building structure of the existing electricity transformer room shall not be altered. In the event that the pumphouse referred to in sub-clause (a) of this Special Condition is relocated at any time at the sole discretion of the Director, the Purchaser shall at his own expense and in all respects to the satisfaction of the Director connect the electricity cables or any part of the Electricity Supply Facilities to the relocated pumphouse for continuous supply of electricity to the relocated pumphouse.

(c) The obligations of the Purchaser referred to in sub-clause (a) of this Special Condition shall apply to the relocated Electricity Supply Facilities or any part thereof referred to in sub-clause (b) of this Special Condition.

(d) The Government and the Director shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Purchaser or any person whether by reason of the presence of the Electricity Supply Facilities or the relocated Electricity Supply Facilities or arising out of or incidental to the Purchaser's obligations under sub-clauses (a), (b) and (c) of this Special Condition and no claim for compensation or otherwise shall be made against the Government or the Director or its or their duly authorized officers by the Purchaser in respect of any such loss, damage, nuisance or disturbance."

Deed of Mutual Covenant

Clause 1 of the Deed of Mutual Covenant stipulates that:

"1.1 In this Deed the following words and expressions shall have the following meanings ascribed to them whenever the context so permits :-

…

"Electricity Supply Facilities" The Existing Electricity Transformer Room together with the existing equipment therein and the existing electricity cables as delineated and shown in a firm green line on the plan annexed to the Conditions and as more particularly defined in Special Condition No.(40)(a) of the Conditions for the continuous supply of electricity to the Existing Pumphouse.

…

"Existing Electricity Transformer Room" The existing electricity transformer room referred to in Special Conditions Nos.(40)(a) and (40)(b) of the Conditions as shown edged green on the plan annexed to the Conditions.

…

"Existing Pumphouse" The existing pumphouse referred to in Special Condition No.(40)(a) of the Conditions as shown and marked "PH" on the plan annexed to the Conditions.

…

"Relocated Electricity Transformer Room" The Existing Electricity Transformer Room as relocated pursuant to Special Condition No.(40)(b) of the Conditions.

…

"Relocated Pumphouse" The Existing Pumphouse as relocated pursuant to Special Condition No.(40)(b) of the Conditions."

Clause 4 of the Deed of Mutual Covenant stipulates that:

"4.1.1 The following are the easements, rights and privileges subject to which each Undivided Share and the exclusive right to hold, use, occupy and enjoy each House is held :-

…

(d) The Hong Kong Electric Company Limited its contractors workmen and any other persons authorized by it shall have the rights of ingress, egress and regress to, from and through the Land, the Existing Electricity Transformer Room and the Relocated Electricity Transformer Room for the purpose of using, checking, inspecting, repairing, maintaining and replacing the Electricity Supply Facilities for the continuous supply of electricity to the Existing Pumphouse and for the purpose of laying new electricity cable connecting the Relocated Electricity Transformer Room and the Existing Pumphouse.

…

4.2.1 The following are the easements, rights and privileges subject to which each Undivided Share and the exclusive right to hold, use, occupy and enjoy each Flat is held :-

…

(d) The Hong Kong Electric Company Limited its contractors workmen and any other persons authorized by it shall have full rights of ingress, egress and regress to, from and through the Land, the Existing Electricity Transformer Room and the Relocated Electricity Transformer Room for the purpose of using, checking, inspecting, repairing, maintaining and replacing the Electricity Supply Facilities for the continuous supply of electricity to the Existing Pumphouse and for the purpose of laying new electricity cable connecting the Relocated Electricity Transformer Room and the Existing Pumphouse.

…

4.3.1 The following are the easements, rights and privileges subject to which each Undivided Share and the exclusive right to hold, use, occupy and enjoy each Parking Space is held :-

…

(d) The Hong Kong Electric Company Limited its contractors workmen and any other persons authorized by it shall have the rights of ingress, egress and regress to, from and through the Land, the Existing Electricity Transformer Room and the Relocated Electricity Transformer Room for the purpose of using, checking, inspecting, repairing, maintaining and replacing the Electricity Supply Facilities for the continuous supply of electricity to the Existing Pumphouse and for the purpose of laying new electricity cable connecting the Relocated Electricity Transformer Room and the Existing Pumphouse."

Clause 5 of the Deed of Mutual Covenant stipulates that:

"5.1.47 In the event that the Existing Pumphouse is relocated at any time at the sole discretion of the Director of Lands, the Owners shall at their own costs and expenses and in all respects to the satisfaction of the Director of Lands connect the electricity cables or any part of the Electricity Supply Facilities to the Relocated Pumphouse for continuous supply of electricity to the Relocated Pumphouse."

Clause 6 of the Deed of Mutual Covenant stipulates that:

"6.2.1 … The Manager shall have the following powers and duties :-

…

(61) In the event that the Existing Pumphouse is relocated at any time at the sole discretion of the Director of Lands, to connect the electricity cables or any part of the Electricity Supply Facilities to the Relocated Pumphouse for continuous supply of electricity to the Relocated Pumphouse to the satisfaction of the Director of Lands.

…

6.4.1 The Owners of the Estate shall pay to the Manager monthly in advance in the manner hereinafter provided the Management Expenses which shall be made up of the following :-

…

(v) The expenses for the maintenance, repair, alteration and relocation of the Existing Water Supply Facilities and Relocated Electricity Transformer Room.

(w) In the event that the Existing Pumphouse is relocated at any time at the sole discretion of the Director of Lands, costs and expenses in connecting the electricity cables or any part of the Electricity Supply Facilities to the Relocated Pumphouse for continuous supply of electricity to the Relocated Pumphouse to the satisfaction of the Director of Lands."

INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES
公共設施及公眾休憩用地的資料

1. 對根據批地文件規定須興建並提供予政府或供公眾使用的任何設施的描述

於批地文件附圖中以綠色邊界線顯示之現有電力變壓房及其內之現有設備和於批地文件附圖中以綠色實線劃定及顯示之現有供電電纜(其作用為供電至位處政府撥地編號G.L.A. - HK 1093一地內於批地文件附圖以「PH」顯示和標出之泵房)。

現有電力變壓房已移往地政總署署長(「署長」)批准之位置重置。

2. 對根據批地文件規定須由期數中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何設施的描述

不適用。

3. 根據批地文件規定須由期數中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何休憩用地的大小

不適用。

4. 期數所位於的土地中為施行《建築物(規劃)規例》(第123章，附屬法例F)第22(1)條而撥供公眾用途的任何部分的描述

不適用。

5. 顯示第1及2段所提及之設施、第3段所提及之休憩用地(如有)及第4段所提及之土地中的該等部分(如有)之圖則

見本節內之圖則。

6. 公眾之使用權

不適用。

7. 管理、營運及維持

不適用。

8. 批地文件、撥出私人地方供公眾使用的契據及期數公契中關於第1及2段所提及之設施、第3段所提及之休憩用地(如有)及第4段所提及之土地中的該等部分(如有)的條文：

批地文件

特別條款第(40)條規定：

「(a) 承授人須於本批地文件的年期內所有時間(包括於遷移現有電力變壓房及發展該地段期間)內允許香港電燈有限公司(按特別條款第(5)(a)(vi)條定義)之承辦商、工人及妥獲授權人士來回進出穿越該地段和於附圖中以綠色邊界線顯示之現有電力變壓房，以使用、檢查、視察、維修、保養及更換現有電力變壓房及其內之現有設備和於附圖中以綠色實線劃定及顯示之現有供電電纜(下文統稱「供電設施」)，以持續供電至位處政府撥地編號G.L.A. - HK 1093一地內於批地文件附圖以「PH」顯示和標出之泵房。特別是，承授人須於所有時間提供及維持往來該地段及現有電力變壓房之安全及自由出入，包括一不少於2.0米闊及有2.6米淨空高度之通道供運送設備至及離開現有電力變壓房。

(b) 受制於特別條款第(2)條，承授人須自費重置現有電力變壓房至經署長批准的位置，並全面達致署長滿意。承授人須容許香港電燈有限公司按特別條款第(5)(a)(vii)條提及核准總綱發展藍圖上顯示的位置及座向鋪設新電纜以連接本特別條款第(a)分段提及的重置電力變壓房及泵房。於重置現存電力變壓房前，現存電力變壓房的建築結構不得更改。倘若本條第(a)分段所指的泵房不時依署長全權酌情權被遷移，承授人須自費連接供電電纜或供電設施的任何部分至重置泵房，以為遷移了的泵房提供不間斷的電力供應，全面達致署長滿意。

(c) 本條第(a)分段所述的承授人的責任適用於本條第(b)分段所述的重置供電設施或其任何部分。

(d) 就任何對承授人或任何其他人所造成或承授人或任何其他人蒙受的損失、破壞、滋擾或干擾，不論是因供電設施或重置供電設施之存在而導致，或因承授人於本條第(a)、(b)及(c)分段的責任而起的或隨之而來的，政府及署長概不承擔任何責任，且承授人亦不得針對政府或署長或其妥獲授權官員就該等損失、破壞、滋擾或干擾提出賠償或其他申索。」

公契

公契第1條規定：

「1.1 於本公契中，下列字詞如文意許將有以下之含意：

…

「供電設施」指現有供電變壓房連同其內之現有設備，及於批地文件附圖中以綠色實線劃定及顯示及按批地文件特別條款第(40)(a)條詳細定義的供現有泵房持續供電的現有電纜。

…

「現有電力變壓房」指批地文件特別條款第(40)(a)及(40)(b)條提及的現有電力變壓房，其於批地文件附圖中以綠色線圍起。

…

「現有泵房」指批地文件特別條款第(40)(a)條提及的現有泵房，其於批地文件附圖中以"PH"標示。

…

「重置電力變壓房」指按批地文件特別條款第(40)(b)條重置的現有變壓房。

…

「重置泵房」指按批地文件特別條款第(40)(b)條重置的現有泵房。」

公契第4條規定：

「4.1.1 每一不分割份數及持有、使用及享用每一洋房之專有權受下列為地役權、權利、特權限制：

…

(d) 香港電燈有限公司、其承判商、工人及其他獲其授權人士有權來回進出穿越該土地、現有電力變壓房及重置電力變壓房以使用、檢查、視察、維修、保養及更換供電設施以持續供電至現有泵房，和鋪設新供電電纜連接重置電力變壓房與現有泵房。

…

4.2.1 每一不分割份數及持有、使用及享用每一住宅單位之專有權受下列為地役權、權利、特權限制：

…

(d) 香港電燈有限公司、其承判商、工人及其他獲其授權人士有權來回進出穿越該土地、現有電力變壓房及重置電力變壓房以以使用、檢查、視察、維修、保養及更換供電設施以持續供電至現有泵房和以鋪設新供電電纜連接重置電力變壓房與現有泵房。…

…

4.3.1 每一不分割份數及持有、使用及享用每一停車位之專有權受下列為地役權、權利、特權限制：

…

(d) 香港電燈有限公司、其承判商、工人及其他獲其授權人士有權來回進出穿越該土地、現有電力變壓房及重置電力變壓房以以使用、檢查、視察、維修、保養及更換供電設施以持續供電至現有泵房和以鋪設新供電電纜連接重置電力變壓房與現有泵房。」

公契第5條規定：

「5.1.47 倘於任何時間現有泵房按地政總署署長專有酌情權重置，業主須自費將電纜或供電設施任何部分接駁至重置泵房以持續供電至重置泵房，使地政總署署長在所有方面滿意。」

公契第6條規定：

「6.2.1 …管理人有以下權力及責任：

…

(61) 倘於任何時間現有泵房按地政總署署長專有酌情權重置，將電纜或供電設施任何部分接駁至重置泵房以持續供電至重置泵房，使地政總署署長在所有方面滿意。

…


6.4.1 發展項目業主須按下述方式向管理人於每個月預先繳付管理開支，管理費由以下各項構成：

…

(v) 現有供水設施及重置電力變壓房之保養、維修、改動及重置開支。

(w) 倘於任何時間現有泵房按地政總署署長專有酌情權重置，將電纜或供電設施任何部分接駁至重置泵房以持續供電至重置泵房使地政總署署長滿意之支出和開支。」

Electricity Supply Facilities 供電設施



Legend 圖例

Existing Electricity Transformer Room 現有電力變壓房

Existing Electricity Cables 現有電纜


SCALE 比 例 0m/米 30m/米 60m/米

Remark:
This plan is for showing the location of the existing electricity transformer room and existing electricity cables only. Other matters shown in this plan may not reflect their latest conditions.

備註：
此圖僅作顯示現有電力變壓房及現有電纜的位置，圖中所示之其他事項未必能反映其最新狀況。


INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES
公共設施及公眾休憩用地的資料

Electricity Supply Facilities 供電設施



PART PLAN OF MEZZANINE
UTILITY FLOOR
閣樓公用設施層部分平面圖

SCALE 0m/米 15m/米 30m/米
比 例



Legend 圖例

Relocated Electricity Transformer Room
重置電力變壓房

SCALE 0m/米 30m/米 60m/米
比 例

Remark:
This plan is for showing the location of the relocated electricity transformer room only. Other matters shown in this plan may not reflect their latest conditions.

備註：
此圖僅作顯示重置電力變壓房的位置，圖中所示之其他事項未必能反映其最新狀況。

WARNING TO PURCHASERS
對買方的警告

(a) The purchaser is recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for the purchaser in relation to the transaction.

(b) If the purchaser instructs such separate firm of solicitors to act for the purchaser in relation to the transaction, that firm will be able to give independent advice to the purchaser.

(c) If the purchaser instructs the firm of solicitors acting for the owner to act for the purchaser as well, and a conflict of interest arises between the owner and the purchaser,

  (i) that firm may not be able to protect the purchaser's interests; and

  (ii) the purchaser may have to instruct a separate firm of solicitors; and

  (iii) in the case of paragraph (c)(ii), the total solicitors' fees payable by the purchaser may be higher than the fees that would have been payable if the purchaser had instructed a separate firm of solicitors in the first place.

(a) 現建議買方聘用一間獨立的律師事務所(代表擁有人行事者除外)，以在交易中代表買方行事。

(b) 如買方聘用上述的獨立的律師事務所，以在交易中代表買方行事，該律師事務所將會能夠向買方提供獨立意見。

(c) 如買方聘用代表擁有人行事的律師事務所同時代表買方行事，而擁有人與買方之間出現利益衝突－


  (i) 該律師事務所可能不能夠保障買方的利益；及


  (ii) 買方可能要聘用一間獨立的律師事務所；及

  (iii) 如屬(c)(ii)段的情況，買方須支付的律師費用總數，可能高於如買方自一開始即聘用一間獨立的律師事務所須支付的費用。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖

HOUSE 1
洋房 1





Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
***** Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 221.03 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 218.13 to 217.20 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 220.90 to 218.13 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
***** 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上221.03米。
毗連建築物的一段本洋房的車道為香港主水平基準以上218.13至217.20米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上220.90至218.13米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



HOUSE 2
洋房 2



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway of this House adjacent to the building is 220.80 to 219.10 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 222.80 to 221.03 metres above the Hong Kong Principal Datum.

Section B
The part of driveway of this House adjacent to the building is 222.80 to 220.80 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 220.90 to 217.20 metres above the Hong Kong Principal Datum.


B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段本洋房的車道為香港主水平基準以上220.80至219.10米。
毗連建築物的一段期數內的車道為香港主水平基準以上222.80至221.03米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上222.80至220.80米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上220.90至217.20米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖

HOUSE 3
洋房 3





Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway of this House adjacent to the building is 223.57 to 222.00 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 225.70 to 223.80 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 225.70 to 223.57 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段本洋房的車道為香港主水平基準以上223.57至222.00米。
毗連建築物的一段期數內的車道為香港主水平基準以上225.70至223.80米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上225.70至223.57米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



HOUSE 5
洋房 5



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.78 to 225.00 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.78 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.78至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.78米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.70 to 225.00 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.70 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.70至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.70米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



HOUSE 7
洋房 7



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.37 to 225.00 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.37 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.37至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.37米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.37 to 225.00 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.37 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.37至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.37米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



HOUSE 9
洋房 9



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.23 to 225.00 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.23 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.23至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.23米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.27 to 225.00 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.27 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 229.50 to 225.80 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.27至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.27米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上229.50至225.80米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



HOUSE 11
洋房 11



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway of the adjoining House adjacent to the building is 229.50 to 225.80 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 229.50 to 227.28 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 227.28 to 225.80 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 229.50 to 228.60 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段毗連洋房的車道為香港主水平基準以上229.50至225.80米。
毗連建築物的一段本洋房的車道為香港主水平基準以上229.50至227.28米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上227.28至225.80米。
毗連建築物的一段期數內的車道為香港主水平基準以上229.50至228.60米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway of the adjoining House adjacent to the building is 229.50 to 225.80 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 229.50 to 227.87 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 227.87 to 225.80 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 229.50 to 228.40 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段毗連洋房的車道為香港主水平基準以上229.50至225.80米。
毗連建築物的一段本洋房的車道為香港主水平基準以上229.50至227.87米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上227.87至225.80米。
毗連建築物的一段期數內的車道為香港主水平基準以上229.50至228.40米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway of this House adjacent to the building is 226.75 to 225.00 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.

Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.75 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 228.60 to 225.70 metres above the Hong Kong Principal Datum.


B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段本洋房的車道為香港主水平基準以上226.75至225.00米。
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.75米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。
毗連建築物的一段期數內的車道為香港主水平基準以上228.60至225.70米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖

HOUSE 16
洋房 16





Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.45 to 225.00 metres above the Hong Kong Principal Datum.

Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.45 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.70 to 225.00 metres above the Hong Kong Principal Datum.


B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.45至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.45米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.70至225.00米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖

HOUSE 17
洋房 17





Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.22 to 225.00 metres above the Hong Kong Principal Datum.

Section B
The part of driveway of this House adjacent to the building is 228.70 to 226.22 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.39 to 224.69 metres above the Hong Kong Principal Datum.


B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.22至225.00米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.70至226.22米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.39至224.69米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖

HOUSE 18
洋房 18





Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.36 to 224.69 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.39 to 226.36 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.39 to 224.69 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.36至224.69米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.39至226.36米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.39至224.69米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



HOUSE 19
洋房 19



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.19 to 224.69 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.39 to 226.19 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.39 to 224.69 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.19至224.69米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.39至226.19米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.39至224.69米。


CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



HOUSE 20
洋房 20



Section A 剖面圖A



Section B 剖面圖B

B.L. = Boundary Line of the Lot
B.H. = Boundary Line of this House
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section A
The part of driveway in the Phase adjacent to the building is 228.60 metres above the Hong Kong Principal Datum.
The part of driveway of this House adjacent to the building is 226.25 to 224.69 metres above the Hong Kong Principal Datum.


Section B
The part of driveway of this House adjacent to the building is 228.39 to 226.25 metres above the Hong Kong Principal Datum.
The part of driveway of the adjoining House adjacent to the building is 228.39 to 224.69 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
B.H. = 本洋房的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)


剖面圖A
毗連建築物的一段期數內的車道為香港主水平基準以上228.60米。
毗連建築物的一段本洋房的車道為香港主水平基準以上226.25至224.69米。

剖面圖B
毗連建築物的一段本洋房的車道為香港主水平基準以上228.39至226.25米。
毗連建築物的一段毗連洋房的車道為香港主水平基準以上228.39至224.69米。

ELEVATION PLAN
立面圖




Elevation 1 立面圖一




Elevation 2 立面圖二

See the page on the right for the elevation of this section.
此部分立面見右頁。



Elevation 3 立面圖三



Elevation 4 立面圖四

Authorized person for the development certified that the elevations shown on this plans:


1. are prepared on the basis of the approved building plans for the development as of 10 November 2015; and
2. are in general accordance with the outward appearance of the development.

發展項目期數的認可人士證明本圖顯示的立面：


1.以2015年11月10日的情況為準的發展項目的經批准的建築圖則為基礎擬備；及

2.大致上與該發展項目期數的外觀一致。


ELEVATION PLAN
立面圖



Elevation 1 立面圖一




Elevation 2 立面圖二




See the page on the left for the elevation of this section.
此部分立面見左頁。

Elevation 3 立面圖三



Elevation 4 立面圖四



SCALE 比 例 0m/米 20m/米

INFORMATION ON COMMON FACILITIES IN THE PHASE
期數中的公用設施的資料

Category of Common Facilities 公用設施的類別	Floor 樓層	Covered Area 有蓋範圍		Uncovered Area 無蓋範圍		Total Area 總面積	
		Area 面積 (sq. m. 平方米)	Area 面積 (sq. ft. 平方呎)	Area 面積 (sq. m. 平方米)	Area 面積 (sq. ft. 平方呎)	Area 面積 (sq. m. 平方米)	Area 面積 (sq. ft. 平方呎)
Residents' clubhouse (including any recreational facilities for residents' use) 住客會所(包括供住客使用的任何康樂設施)	Clubhouse Basement 會所地庫	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用
	Clubhouse G/F 會所地下	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用
Communal garden or play area for residents' use on the roof, or on any floor between the roof and the lowest residential floor, of a building in the Phase (whether known as a communal sky garden or otherwise) 位於期數中的建築物的天台或在天台和最低一層住宅樓層之間的任何一層的、供住客使用的公用花園或遊樂地方(不論是稱為公用空中花園或其他名稱)	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用
Communal garden or play area for residents' use below the lowest residential floor of a building in the Phase (whether known as a covered and landscaped play area or otherwise) 位於期數中的建築物的最低一層住宅樓層以下的、供住客使用的公用花園或遊樂地方(不論是稱為有蓋及園景的遊樂場或有其他名稱)	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用

Notes:

1. Areas in square metres as specified above are based on the latest approved building plans.
2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer.

備註：

1. 上述所列以平方米顯示之面積乃依據最近的經批准的建築圖則。
2. 以平方呎顯示之面積以1平方米=10.764平方呎換算，並四捨五入至整數。

INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT
閱覽圖則及公契

1. A copy of the Outline Zoning Plans relating to development is available at: http://www.ozp.tpb.gov.hk
2. (a) A copy of every deed of mutual covenant in respect of the specified residential properties that has been executed is available for inspection at the place at which the residential property is offered to be sold.

   (b) The inspection is free of charge.

1. 備有關乎本發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為：http://www.ozp.tpb.gov.hk
2. (a) 指明住宅物業每一已簽立的公契的文本存放在發售住宅物業的地方，以供閱覽。

   (b) 無須為閱覽付費。

1. Exterior Finishes 外部裝修物料

Item 細項	Description	描述
(a) External wall 外牆	External Wall of House - Finished with natural stone and aluminium cladding.	洋房的外牆 - 飾面為天然石和鋁包層。
(b) Window 窗	All window frames are made of aluminum with fluorocarbon coating fitted with insulated, glazed, tempered and heat strengthened clear glass.	所有窗框均為鋁製配以氟碳塗料，並配備隔熱、打光、強化並經熱硬化處理的透明玻璃。
(c) Bay window 窗台	Not applicable	不適用
(d) Planter 花槽	Not applicable	不適用
(e) Verandah or balcony 陽台或露台	Houses 2, 3, 8, 9, 11, 12, 16, 17, 19 and 20 - Balcony is uncovered and finished with metal framed tempered glass balustrade. - Floor and wall are finished with natural stone. Houses 7, 10, 15 and 18 - Balcony is uncovered and finished with tempered glass balustrade. - Floor and wall are finished with natural stone. There is no balcony for Houses 1, 5 and 6. There is no verandah for all houses.	洋房2、3、8、9、11、12、16、17、19及20 - 露台無蓋，並配有金屬框強化玻璃欄杆。 - 地面及牆的飾面為天然石。 洋房7、10、15及18 - 露台無蓋，並配有強化玻璃欄杆。 - 地面及牆的飾面為天然石。 洋房1、5及6並無露台。 所有洋房均無陽台。
(f) Drying facilities for clothing 乾衣設施	Not applicable	不適用

2. Interior Finishes 室內裝修物料

House 洋房 1

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skirting. - Textured plastering to exposed wall surfaces. - Ceilings (including false ceiling and bulkhead) are finished with emulsion paint and painted plaster timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 - 露出的牆壁表面飾以有紋理灰泥。 - 天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room are finished with textured plastering and painted plaster timber cornice. Internal walls of Dining Room, Family Dining Room, all Ensuites, His Chamber, Her Chamber, The Great Chamber are finished with wallpaper and painted plaster timber cornice. Internal walls of His Dressing Room and Her Dressing Room are finished with wood panel and wood cornice. Internal walls of Dressing Room in Ensuite 1, Dressing Room in Ensuite 2 and Dressing Room in Ensuite 3 are finished with painted wood panel and wallpaper. Ceilings (including false ceiling and bulkhead) of Living Room, Family Dining Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room, His Chamber, Her Chamber and The Great Chamber are finished with emulsion paint.	客廳的內牆飾以有紋理灰泥，並配備漆油石膏木天花線。 宴會飯廳、家庭飯廳、所有套房、男主人寢室、女主人寢室及主人廂房的內牆飾以牆紙，並配備漆油石膏木天花線。 男主人衣帽間及女主人衣帽間的內牆鋪木板及木天花線。 套房1裡的衣帽間，套房2裡的衣帽間及套房3裡的衣帽間的內牆鋪髹漆木板及牆紙。 客廳、家庭飯廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間、男主人寢室、女主人寢室及主人廂房的天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room, Family Dining Room and Dining Room - Natural stone to exposed surfaces for floor with natural stone skirting. Ensuite 1, Dressing Room in Ensuite 1 and Her Dressing Room - Carpet to exposed surfaces for flooring with timber skirting. Ensuite 2 and Ensuite 3, Dressing Room in Ensuite 2, Dressing Room in Ensuite 3, His Dressing Room, His Chamber, Her Chamber and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳、家庭飯廳及宴會飯廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 套房1、套房1裡的衣帽間及女主人衣帽間 - 露出的地板表面鋪地毯及木牆腳線。 套房2及套房3、套房2裡的衣帽間、套房3裡的衣帽間、男主人衣帽間、男主人寢室、女主人寢室及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor with natural stone skirting. Natural stone to exposed surfaces for wall with natural stone cornice. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石地板及天然石牆腳線。 露出的牆壁表面鋪天然石配天然石天花線。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface with timber skirting. Natural stone and wooden panels to exposed surfaces for wall with wood cornice. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石地板及木牆腳線。 露出的牆壁表面鋪天然石及木板，並配備木天花線。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 2

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skirting. - Internal walls are finished with painted wooden panel with natural stone skirting. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint and painted timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 - 內牆飾以髹漆木板及天然石牆腳線。 - 內部天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of the Living Room, Dining Room and The Great Chamber are finished with painted wood panel and wallpaper. Internal walls of all Ensuites, Dressing Rooms in Ensuite 2 & 3, Her Dressing Room and His Dressing Room are finished with wallpaper. Internal walls of Dressing Room on 1/F are finished with emulsion paint. Internal ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, Dressing Rooms in Ensuite 2 & 3, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint and painted timber cornice. Internal ceilings (including false ceiling and bulkhead) of Dressing Room on 1/F are finished with emulsion paint.	客廳、宴會飯廳及主人廂房的內牆鋪髹漆木板及牆紙。 所有套房、套房2及3裡的衣帽間、女主人衣帽間及男主人衣帽間的內牆飾以牆紙。 1樓衣帽間的內牆飾以乳膠漆。 客廳、宴會飯廳、所有套房、套房2及3裡的衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內部天花板（包括假天花及假陣）飾以乳膠漆，並配備髹漆木天花線。 1樓衣帽間的內部天花板（包括假天花及假陣）飾以乳膠漆。
(c) Internal floor 內部地板	Living Room, Dining Room, His Dressing Room, Her Dressing Room, all Ensuites, Dressing Rooms in Ensuite 2 & 3 and The Great Chamber - Timber flooring to exposed surfaces with timber skirting. Dressing Room on 1/F - Ceramic tile flooring to exposed surfaces with timber skirting.	客廳、宴會飯廳、男主人衣帽間、女主人衣帽間、所有套房、套房2和3裡的衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。 1樓的衣帽間 - 露出的地板表面鋪瓷磚及木牆腳線。
(d) Bathroom 浴室	1/F Bathsuites in Dressing Rooms - Ceramic tile flooring to exposed surfaces. - Emulsion paint and ceramic tile to exposed surfaces for wall. - Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. - Ceiling is finished by suspended gypsum board with emulsion paint. Bathsuite 2, Bathsuite 3, His Bathsuite and Her Bathsuite - Natural stone to exposed surfaces for floor. - Natural stone and emulsion paint to exposed surfaces for wall. - Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. - Ceiling is finished by suspended gypsum board with emulsion paint.	1樓衣帽間的浴室 - 露出的地板表面鋪瓷磚。 - 露出的牆壁表面飾以乳膠漆及瓷磚。 - 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 - 天花板裝修物料為石膏板假天花飾以乳膠漆。 浴室2、浴室3、男主人浴室及女主人浴室 - 露出的地板表面鋪天然石地板。 - 露出的牆壁表面鋪天然石及飾以乳膠漆。 - 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 - 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 3

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces. - Painted wood panel to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint with painted plaster timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板。 - 露出的牆壁表面鋪髹漆木板。 - 內部天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room, Sitting Room, Dining Room and Ensuite 1 are finished with painted wood panel and wallpaper. Internal walls of Ensuite 2 & 3, Dressing Room in Ensuite 3, The Great Chamber, His Dressing Room and Her Dressing Room are finished with wallpaper. Internal walls of Dressing Room in Ensuite 2 are finished with emulsion paint. Internal ceilings (including false ceiling and bulkhead) of Living Room, Sitting Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint with painted plaster timber cornice.	客廳、偏廳、宴會飯廳及套房1的內牆鋪髹漆木板及牆紙。 套房2及3、套房3裡的衣帽間、主人廂房、男主人衣帽間及女主人衣帽間的內牆飾以牆紙。 套房2裡的衣帽間的內牆飾以乳膠漆。 客廳、偏廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內部天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(c) Internal floor 內部地板	Living Room, Sitting Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳、偏廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor with timber skirting. Painted plastering and natural stone to exposed surfaces for wall with painted wood cornice. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石地板及木牆腳線。 露出的牆壁表面飾以髹漆灰泥及鋪天然石，並配備髹漆木天花線。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface with timber skirting. Natural stone and wooden panels to exposed surfaces for wall with wood cornice. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石地板及木牆腳線。 露出的牆壁表面鋪天然石及木板，並配備木天花線。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 5

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skirting. - Painted texture plastering to exposed wall surfaces. - Ceilings (including false ceiling and bulkhead) are finished with emulsion paint and painted plaster timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 - 露出的牆壁表面飾以髹漆紋理灰泥。 - 天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal wall of Living Room, Dining Room, Family Rooms on G/F, all Ensuites, all Dressing Rooms in Ensuites, The Great Chamber and Sitting Room are finished with emulsion paint and painted plaster timber cornice. Ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, Family Rooms, all Ensuites, all Dressing Rooms in Ensuites, His Dressing Room, Her Dressing Room, The Great Chamber and Sitting Room are finished with emulsion paint.	客廳、宴會飯廳、地下起居室、所有套房、所有套房裡的衣帽間、主人廂房及偏廳的內牆飾以乳膠漆，並配備髹漆石膏木天花線。 客廳、宴會飯廳、起居室、所有套房、所有套房裡的衣帽間、男主人衣帽間、女主人衣帽間、主人廂房及偏廳的天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room, Dining Room and Family Room on G/F - Natural stone to exposed surfaces for floor with natural stone skirting. Ensuites, Dressing Rooms, His Dressing Room, Her Dressing Room, The Great Chamber and Sitting Room - Timber flooring to exposed surfaces with timber skirting.	客廳、宴會飯廳及地下起居室 - 露出的地板表面鋪天然石地板及天然石牆腳線。 套房、衣帽間、男主人衣帽間、女主人衣帽間、主人廂房及偏廳 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor with natural stone skirting. Natural stone to exposed surfaces for wall with natural stone cornice. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board ceiling finished with emulsion paint.	露出的地板表面鋪天然石地板及天然石牆腳線。 露出的牆壁表面鋪天然石配天然石天花線。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface with natural stone skirting. Natural stone and wooden panels to exposed surfaces for wall with wood cornice. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board ceiling finished with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石地板及天然石牆腳線。 露出的牆壁表面鋪天然石及木板，並配備木天花線。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 6

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skirting. - Painted texture plastering to exposed wall surfaces. - Ceilings (including false ceiling and bulkhead) are finished with emulsion paint and painted plaster timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 - 露出的牆壁表面飾以髹漆紋理灰泥。 - 天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room, Dining Room, Family Room on G/F, all Ensuites, all Dressing Rooms in Ensuites, His Dressing Room, Her Dressing Room, The Great Chamber and Sitting Room are finished with emulsion paint and painted plaster timber cornice. Ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, Family Room on G/F, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room, The Great Chamber and Sitting Room are finished with emulsion paint.	客廳、宴會飯廳、地下起居室、所有套房、所有套房裡的衣帽間、男主人衣帽間、女主人衣帽間、主人廂房及偏廳的內牆飾以乳膠漆，並配備髹漆石膏木天花線。 客廳、宴會飯廳、地下起居室、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間、主人廂房及偏廳的天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room, Dining Room and Family Room on G/F - Natural stone to exposed surfaces for floor with natural stone skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room, The Great Chamber and Sitting Room - Timber flooring to exposed surfaces with timber skirting.	客廳、宴會飯廳及地下起居室 - 露出的地板表面鋪天然石地板及天然石牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間、主人廂房及偏廳 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor with natural stone skirting. Natural stone to exposed surfaces for wall with stone cornice. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board ceiling finished with emulsion paint.	露出的地板表面鋪天然石地板及天然石牆腳線。 露出的牆壁表面鋪天然石配石天花線。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface with natural stone skirting. Natural stone and wooden panels to exposed surfaces for wall with wood cornice. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board ceiling finished with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石地板及天然石牆腳線。 露出的牆壁表面鋪天然石及木板，並配備木天花線。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 7

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skirting. - Emulsion paint to exposed wall surfaces. - Ceilings (including false ceiling and bulkhead) are finished with emulsion paint and painted plaster timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 - 露出的牆壁表面飾以乳膠漆。 - 天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room and Dining Room are finished with emulsion paint. Internal walls of The Great Chamber are finished with painted wood panel and painted plaster timber cornice. Internal walls of all Ensuites are finished with wallpaper. Internal walls of all Dressing Rooms and Her Dressing Room are finished with wallpaper, painted wood panel and painted plaster timber cornice. Internal walls of His Dressing Room are finished with wood panel and wood timber cornice. Ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, His Dressing Room, Her Dressing Room, all Dressing Rooms and The Great Chamber are finished with emulsion paint.	客廳及宴會飯廳內牆飾以乳膠漆。 所有主人廂房的內牆鋪髹漆木板並配備髹漆石膏木天花線。 所有套房的內牆飾以牆紙。 所有衣帽間及女主人衣帽間的內牆飾以牆紙、鋪髹漆木板，並配備髹漆石膏木天花線。 男主人衣帽間的內牆鋪木板及木天花線。 客廳、宴會飯廳、所有套房、男主人衣帽間、女主人衣帽間、所有衣帽間及主人廂房的天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with natural stone skirting. His Dressing Room and Her Dressing Room - Carpet to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 男主人衣帽間及女主人衣帽間 - 露出的地板表面鋪地毯及木牆腳線。 所有套房、所有衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor with natural stone skirting. Natural stone to exposed surfaces for wall with natural stone cornice. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石地板及天然石牆腳線。 露出的牆壁表面鋪天然石配天然石天花線。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface with timber skirting. Natural stone and wooden panels to exposed surfaces for wall with wood cornice. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石地板及木牆腳線。 露出的牆壁表面鋪天然石及木板，並配備木天花線。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 8

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with timber skirting. - Emulsion paint, natural stone and wood panel to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint.	地下的前廳 - 露出的地板表面鋪天然石地板及木牆腳線。 - 露出的牆壁表面飾以乳膠漆、鋪天然石及木板。 - 內部天花板(包括假天花及假陣)飾以乳膠漆。
(b) Internal wall and ceiling 內牆及天花板	Internal walls and ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint.	客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內牆和天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石地板。 露出牆壁的表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 9

Item 細項	Description	描述
(a) Lobby 大堂	No wall, floor and ceiling finishes.	無牆壁、地板及天花裝修物料。
(b) Internal wall and ceiling 內牆及天花板	No wall and ceiling finishes for living room, dining room and bedroom.	客廳、飯廳及睡房無牆壁及天花裝修物料。
(c) Internal floor 內部地板	No floor finishes and no skirting for living room, dining room and bedroom.	客廳、飯廳及睡房無地板裝修物料及無牆腳線。
(d) Bathroom 浴室	No wall, floor and ceiling finishes.	無牆壁、地板及天花裝修物料。
(e) Kitchen 廚房	No wall, floor, ceiling and cooking bench finishes.	無牆壁、地板、天花及灶台裝修物料。

2. Interior Finishes 室內裝修物料

House 洋房 10

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with timber skirting. - Emulsion paint, natural stone and wood panel to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint.	地下的前廳 - 露出的地板表面鋪天然石地板及木牆腳線。 - 露出的牆壁表面飾以乳膠漆、鋪天然石及木板。 - 內部天花板(包括假天花及假陣)飾以乳膠漆。
(b) Internal wall and ceiling 內牆及天花板	Internal walls and ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint.	客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內牆和天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石地板。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 11

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with timber skirting. - Wood panel and metal trim to exposed wall surfaces. - Ceilings (including false ceiling and bulkhead) are finished with emulsion paint.	地下的前廳 - 露出的地板表面鋪天然石地板及木牆腳線。 - 露出的牆壁表面鋪木板及配金屬邊。 - 天花板(包括假天花及假陣)飾以乳膠漆。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room, Dining Room and The Great Chamber are finished with wood panel and metal trim. Internal walls of all Dressing Rooms, Ensuite 1, His Dressing Room and Her Dressing Room are finished with wood panel and emulsion paint. Internal walls of Ensuite 2 and Media Room are finished with fabric panel. Ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint.	客廳、宴會飯廳及主人廂房的內牆鋪木板及配金屬邊。 所有衣帽間、套房1、男主人衣帽間及女主人衣帽間的內牆鋪木板及飾以乳膠漆。 套房2及影音室的內牆飾以布板。 客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms and The Great Chamber - Timber flooring to exposed surfaces with timber skirting. His Dressing Room and Her Dressing Room - Carpet to exposed surfaces for flooring with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。 男主人衣帽間及女主人衣帽間 - 露出的地板表面鋪地毯及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 12

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skirting. - Plaster and natural stone to exposed wall surfaces. - Ceilings (including false ceiling and bulkhead) are finished with emulsion paint with painted plaster timber cornice.	地下的前廳 - 露出的地板表面舖天然石地板及天然石牆腳線。 - 露出的牆壁表面飾以灰泥及鋪天然石。 - 天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls and ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, Dressing Rooms in all Ensuites and The Great Chamber are finished with wallpaper and emulsion paint. Internal walls and ceilings (including false ceiling and bulkhead) of His Dressing Room and Her Dressing Room are finished with emulsion paint.	客廳、宴會飯廳、所有套房、所有套房內的衣帽間及主人廂房的內牆和天花板(包括假天花及假陣)飾以牆紙和乳膠漆。 男主人衣帽間及女主人衣帽間的內牆和天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for flooring and timber skirting. All Ensuites, all Dressing Room in Ensuites, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有套房裡的衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 15

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skirting. - Special paint and natural stone to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint with painted plaster timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 - 露出的牆壁表面飾以特式油漆及鋪天然石。 - 內部天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room and Dining Room are finished with painted wood panel, mirror panel, and painted plaster timber cornice. Internal walls of Ensuite 1 are finished with emulsion paint, wallpaper and fabric panel with painted plaster timber cornice. Internal walls of Ensuite 2 and Ensuite 3 are finished with wallpaper with painted plaster timber cornice. Internal walls of Dressing Rooms in Ensuite 1, 2 & 3 are finished with emulsion paint. Internal walls of The Great Chamber are finished with wallpaper, painted wood panel and fabric panel with painted plaster timber cornice. Internal walls of Her Dressing Room are finished with special paint finishes. Internal walls of His Dressing Room are finished with veneer wood panel. Internal ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, Ensuites and The Great Chamber are finished with emulsion paint with plaster timber cornice. Internal ceilings (including false ceiling and bulkhead) of all Dressing Rooms, His Dressing Room and Her Dressing Room are finished with emulsion paint.	客廳及宴會飯廳的內牆鋪髹漆木板、鏡板，並配備髹漆石膏木天花線。 套房1的內牆飾以乳膠漆、牆紙及布板，並配備髹漆石膏木天花線。 套房2及套房3的內牆飾以牆紙，並配備髹漆石膏木天花線。 套房1、2及3裡衣帽間的內牆飾以乳膠漆。 主人廂房的內牆飾以牆紙、鋪髹漆木板及布板，並配備髹漆石膏木天花線。 女主人衣帽間的內牆飾以特式油漆。 男主人衣帽間的內牆鋪木飾面木板。 客廳、宴會飯廳、套房及主人廂房的內部天花板(包括假天花及假陣)飾以乳膠漆，並配備石膏木天花線。 所有衣帽間、男主人衣帽間及女主人衣帽間的內部天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and painted wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及髹漆木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 16

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with timber skirting. - Emulsion paint and wood panel to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint.	地下的前廳 - 露出的地板表面鋪天然石地板及木牆腳線。 - 露出的牆壁表面飾以乳膠漆及木板。 - 內部天花板(包括假天花及假陣)飾以乳膠漆。
(b) Internal wall and ceiling 內牆及天花板	Internal walls and ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint.	客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內牆和天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 17

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Timber flooring to exposed floor surfaces with timber skirting. - Wood panel and metal trim to exposed wall surfaces. - Ceilings (including false ceiling and bulkhead) are finished with emulsion paint.	地下的前廳 - 露出的地板表面鋪木地板及木牆腳線。 - 露出的牆壁表面鋪木板及配金屬邊。 - 天花板(包括假天花及假陣)飾以乳膠漆。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room and Dining Room are finished with fabric panel and wood panel. Internal walls of Ensuite 1, Ensuite 2 and The Great Chamber are finished with wood panel with metal trim. Internal walls of all Dressing Rooms and His Dressing Room are finished with emulsion paint and wood panel. Internal ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint.	客廳及宴會飯廳的內牆飾以布板及鋪木板。 套房1、套房2及主人廂房的內牆鋪木板及配金屬邊。 所有衣帽間及男主人衣帽間的內牆飾以乳膠漆及木板。 客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內部天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting. Her Dressing Room - Carpet to exposed surfaces for floor with timber skirting.	客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。 女主人衣帽間 - 露出的地板表面鋪地毯及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 18

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with timber skirting. - Emulsion paint and wood panel to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint.	地下的前廳 - 露出的地板表面鋪天然石地板及木牆腳線。 - 露出的牆壁表面飾以乳膠漆及木板。 - 內部天花板(包括假天花及假陣)飾以乳膠漆。
(b) Internal wall and ceiling 內牆及天花板	Internal walls and ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint.	客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內牆和天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 19

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with timber skirting. - Emulsion paint and wood panel to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint.	地下的前廳 - 露出的地板表面鋪天然石地板及木牆腳線。 - 露出的牆壁表面飾以乳膠漆及木板。 - 內部天花板(包括假天花及假陣)飾以乳膠漆。
(b) Internal wall and ceiling 內牆及天花板	Internal walls and ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, all Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber are finished with emulsion paint.	客廳、宴會飯廳、所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房的內牆和天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for flooring and timber skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

2. Interior Finishes 室內裝修物料

House 洋房 20

Item 細項	Description	描述
(a) Lobby 大堂	Foyer on G/F - Natural stone to exposed floor surfaces with natural stone skiriting. - Emulsion paint and natural stone to exposed wall surfaces. - Internal ceilings (including false ceiling and bulkhead) are finished with emulsion paint with painted plaster timber cornice.	地下的前廳 - 露出的地板表面鋪天然石地板及天然石牆腳線。 - 露出的牆壁表面飾以乳膠漆及鋪天然石。 - 內部天花板(包括假天花及假陣)飾以乳膠漆，並配備髹漆石膏木天花線。
(b) Internal wall and ceiling 內牆及天花板	Internal walls of Living Room and Dining Room are finished with wallpaper, mirror panel, and painted plaster timber cornice. Internal walls of Ensuite 1 and Ensuite 3 are finished with wallpaper with painted plaster timber cornice. Internal walls of Ensuite 2 is finished with emulsion paint, wallpaper and fabric panel with painted plaster timber cornice. Internal walls of Dressing Rooms in Ensuite 1, 2 are finished with emulsion paint and mirror panel. Internal walls of The Great Chamber are finished with wallpaper, painted wood panel and fabric panel with painted plaster timber cornice. Internal walls of His Dressing Room and Her Dressing Room are finished with painted wood panel and emulsion paint. Internal ceilings (including false ceiling and bulkhead) of Living Room, Dining Room, Ensuites and The Great Chamber are finished with emulsion paint with plaster timber cornice. Internal ceilings (including false ceiling and bulkhead) of all Dressing Rooms, His Dressing Room and Her Dressing Room are finished with emulsion paint.	客廳及宴會飯廳的內牆鋪牆紙、鏡板，並配備髹漆石膏木天花線。 套房1及套房3的內牆飾以牆紙，並配備髹漆石膏木天花線。 套房2的內牆飾以乳膠漆、牆紙及布板，並配備髹漆石膏木天花線。 套房1、2裡衣帽間的內牆飾以乳膠漆及鏡板。 主人廂房的內牆飾以牆紙、鋪髹漆木板及布板，並配備髹漆石膏木天花線。 男主人衣帽間及女主人衣帽間的內牆鋪髹漆木板及飾以乳膠漆。 客廳、宴會飯廳、套房及主人廂房的內部天花板(包括假天花及假陣)飾以乳膠漆，並配備石膏木天花線。 所有衣帽間、男主人衣帽間及女主人衣帽間的內部天花板(包括假天花及假陣)飾以乳膠漆。
(c) Internal floor 內部地板	Living Room and Dining Room - Natural stone to exposed surfaces for floor with timber skirting. All Ensuites, all Dressing Rooms, His Dressing Room, Her Dressing Room and The Great Chamber - Timber flooring to exposed surfaces with timber skirting.	客廳及宴會飯廳 - 露出的地板表面鋪天然石地板及木牆腳線。 所有套房、所有衣帽間、男主人衣帽間、女主人衣帽間及主人廂房。 - 露出的地板表面鋪木地板及木牆腳線。
(d) Bathroom 浴室	Natural stone to exposed surfaces for floor. Natural stone to exposed surfaces for wall. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。
(e) Kitchen 廚房	Natural stone flooring to exposed surface. Natural stone and painted wooden panels to exposed surfaces for wall. Reconstituted stone finish to the back of kitchen cabinet. Wall finishes run up to false ceiling. No finishes to be provided above false ceiling. Ceiling is finished by suspended gypsum board with emulsion paint. Cooking bench is finished with natural stone.	露出的地板表面鋪天然石。 露出的牆壁表面鋪天然石及髹漆木板。 廚櫃後鋪再造石飾面。 牆壁的裝修物料鋪至假天花。假天花之上並無飾面。 天花板裝修物料為石膏板假天花飾以乳膠漆。 灶台的飾面為天然石。

3. Interior Fittings 室內裝置

House 洋房 1

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Filtration Plant Room, Potable & Flushing Water Pump Room, Sprinkler Pump Room, Air-Conditioning Plant Room and Door of Electrical Room - Metal door with paint. Doors of Filtration Plant Room, F.S. Pump Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides and fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door - Solid core timber door with metal cladding and wood veneer and fitted with timber door frame, architrave, lockset and door closer. Doors of Entry door at basement, Kitchen, Restroom, all Ensuites, all Bathsuites except Her Bathsuite to Her Dressing Room, Study, His Chamber, Her Chamber, The Great Chamber, all Dressing Rooms, His Dressing Room, Her Dressing Room, door of staircase from G/F to B/F and door of staircase from B/F to G/F - Solid core timber door with paint and fitted with timber door frame, architrave, lockset and door closer. Doors of Family Dining Room and Her Bathsuite to Her Dressing Room - Solid core timber sliding door with paint and fitted with timber door frame, architrave and lockset. Doors of Living Room, Dining Room and Study to Garden and doors of 1/F to Flat Roof - Glazed door with aluminium frame.	停車場通往泳池濾水泵房、食水和沖廁水泵房、消防花灑泵房、空調機房外走廊的門及電錶房的門 - 髹漆的鐵門。 泳池濾水泵房、消防泵房、消防花灑泵房、食水和沖廁水泵房及空調機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 -電動金屬閘。 大門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 地庫的入口、廚房、洗手間、所有套房、所有浴室(女主人浴室往女主人衣帽間的門除外)、書房、男主人寢室、女主人寢室、主人廂房、所有衣帽間、男主人衣帽間、女主人衣帽間的門、地下樓梯往地庫的門及地庫樓梯往地下的門 - 髹漆實心木門，配以木門框、封口線、門鎖和氣鼓。 家庭飯廳及女主人浴室往女主人衣帽間的門 - 髹漆實心木趟門，配以木門框、封口線和門鎖。 客廳、宴會飯廳及書房往花園的門及1樓往平台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴 室	Bathsuite 1 & 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1700mm(L) x 750mm(W) x 420mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite in Study - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1700mm(L) x 750mm(W) x 420mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. His Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixers, electroplated bath mixer, electroplated shower set, ceramic wash basins, enameled steel bathtub (1900mm(L) x 1000mm(W) x 450mm(D)), ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1及3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1700毫米(長)x750毫米(闊)x420毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 書房裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1700毫米(長)x750毫米(闊)x420毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 男主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1900毫米(長)x1000毫米(闊)x450毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 1

Item 細項	Description	描述
	Her Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixers, electroplated bath mixer, electroplated shower set, ceramic wash basins, enamelled steel bathtub (1727mm(L) x 813mm(W) x 559mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	女主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1727毫米(長)x 813毫米(闊)x 559毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Ensuite 1 and Ensuite 3 - Fitted with built-in painted wooden wardrobe and cabinetry. Ensuite 2 - Fitted with built-in painted wooden wardrobe. Pantry in The Great Chamber - Fitted with built-in wooden cabinet with painted door panels, copper sink and electroplated sink mixer. Her Dressing Room - Fitted with built-in wooden wardrobe with painted wooden door panels and wooden door frame mirror door panels. Free standing built-in painted wooden cabinetry His Dressing Room - Fitted with built-in wooden wardrobe and cabinetry with wood veneer door panels and wood veneer framed glass door panels	套房1及套房3 - 配有內置髹漆木製衣櫃及櫃子。 套房2 - 配有內置髹漆木製衣櫃。 主人廂房裡的茶水間 - 配有內置髹漆櫃門的木製櫃，銅洗滌盆配電鍍洗滌盆龍頭。 女主人衣帽間 - 配有內置髹漆木櫃門、木櫃門框鏡片櫃門的木製衣櫃。獨立式內置髹漆木櫃。 男主人衣帽間 - 配有內置木飾面櫃門及木飾面框玻璃櫃門的木製衣櫃及櫃子。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, Study, Family Dining Room, His Chamber, Her Chamber, all Ensuites and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、書房、家庭飯廳、男主人寢室、女主人寢室、所有套房及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Living Room, Dining Room, Study, Family Dining Room, His Chamber, Her Chamber, all Ensuites, some Bathsuites and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於客廳、宴會飯廳、書房、家庭飯廳、男主人寢室、女主人寢室、所有套房、浴室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 2

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room and F.S. Pump Room - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door and Entry door at basement - Solid core timber door with metal cladding and finished with paint, fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room, Dining Room and Bathsuite 2 - Solid core timber sliding door with paint and mirror fitted with timber door frame, architrave and lockset. Door of Living Room to Kitchen - Solid core timber door with paint and wallpaper fitted with timber door frame, architrave and lockset. Doors of Foyer to Kitchen, Restroom, Dressing Room, All Ensuites, The Great Chamber, Her Dressing Room and His Dressing Room, door of staircase from B/F to G/F and door of staircase from G/F to B/F - Solid core timber door with paint fitted with timber door frame, architrave and lockset. Doors of Family Room, Bathsuite 1 & 3, Dressing Room in Ensuite 3, The Great Chamber to His Dressing Room, Her Bathsuite and His Bathsuite - Solid core timber door with paint and mirror fitted with timber door frame, architrave and lockset. Door of Bathsuite in Dressing Room - Aluminum folding door with aluminum door frame and lockset. Doors of Kitchen, Living Room and Dining Room to Garden - Glazed door and glazed folding door with aluminum frame. Doors of Family Room to Garden, Ensuite 1 to Balcony, 1/F corridor to Flat Roof and Roof door - Glazed door with aluminum frame.	停車場通往電錶房、泳池濾水泵房及消防泵房外走廊的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、消防花灑泵房、食水和沖廁水泵房、消防泵房及空調機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門及地庫的入口門 - 實心木門配以金屬包層飾以漆油，再配以木門框、封口線、門鎖和氣鼓。 客廳及宴會飯廳、浴室2的門 - 髹漆及飾以鏡子的實心木趟門，配以木門框、封口線和門鎖。 客廳往廚房的門 - 髹漆及飾以牆紙的實心木門，配以木門框、封口線和門鎖。 前廳往廚房、洗手間、衣帽間、所有套房、主人廂房、女主人衣帽間、男主人衣帽間、地庫地下往樓梯的門及地下往地庫樓梯的門 - 髹漆實心木門，配以木門框、封口線和門鎖。 起居室、浴室1及3、套房3裡的衣帽間、主人廂房往男主人衣帽間、女主人浴室及男主人浴室的門 - 髹漆及飾以鏡子的實心木門，配以木門框、封口線和門鎖。 衣帽間裡浴室的門 - 鋁摺門配以鋁門框和門鎖。 廚房、客廳及宴會飯廳往花園的門 - 玻璃門及玻璃摺門配以鋁框。 起居室往花園、套房1往露台、1樓走廊往平台及天台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1600mm(L) x 700mm(W) x 450mm(D)), ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1600mm(L) x 700mm(W) x 450mm(D)), ceramic water closet, shower cubicle with glass door and metal handle, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1600毫米(長)x700毫米(闊)x450毫米(深))、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1600毫米(長)x700毫米(闊)x450毫米(深))、陶瓷坐廁、淋浴間設玻璃門及金屬手柄、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 2

Item 細項	Description	描述
	Bathsuite in Dressing Room - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, ceramic water closet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. His Bathsuite - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Her Bathsuite - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, resin quartz bathtub (1765mm(L) x 885mm(W) x 585mm(D)), shower cubicle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	衣帽間裡的浴室 - 配備衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、陶瓷坐廁和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 男主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 女主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、樹脂石英浴缸(1765毫米(長)x 885毫米(闊)x 585毫米(深))、淋浴間、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels and stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Not applicable	不適用
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board completed with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 3

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, F.S. Pump Room and Air-Conditioning Plant Room - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main Door and Entry door at basement - Solid core timber door with metal cladding and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Kitchen, Restroom on G/F and Ensuite 2 & 3 - Solid core timber door with paint and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room, Family Room, Multi-Purpose Room, Study and The Great Chamber, - Solid core timber sliding door with paint and wood veneer, fitted with timber door frame, architrave and lockset. Doors of Family Room to Multi-Purpose Room - Solid core timber sliding door with paint, fitted with timber door frame, architrave and lockset. Doors of Bathsuite 3, Her Dressing Room and Her Bathsuite - Solid core timber sliding door with paint and mirror fitted with timber door frame, architrave and lockset. Door of Kitchen to Dining Room - Solid core timber door with paint and wallpaper fitted with timber door frame, architrave and lockset. Doors of Bathsuite 2 and His Bathsuite - Solid core timber door with paint and mirror fitted with timber door frame, architrave and lockset. Doors of Dressing Room in Ensuite 3, His Dressing Room and B/F Lift Lobby to staircase - Solid core timber door with paint fitted with timber door frame, architrave and lockset. Doors of Restroom on 1/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Door of Bathsuite in Study - Solid core timber door folding door with paint, fitted with timber door frame, architrave and lockset. Door of G/F Foyer to B/F - Solid core timber door with paint, wallpaper and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room, Sitting Room, Dining Room and Ensuite 1 to Garden, Ensuite 2&3, Multi-Purpose Room and Family Room to Balconies and Flat Roofs - Glazed folding door with aluminium frame. Doors of Study on G/F to Garden, doors of 1/F at Foyer to Flat Roof and Roof door - Glazed door with aluminium frame. Doors of 2/F to Flat Roof - Glazed door and glazed folding door with aluminium frame.	停車場通往電錶房、泳池濾水泵房、消防泵房及空調機房外走廊的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、消防花灑泵房、食水和沖廁水泵房、消防泵房及空調機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 廚房、地下的洗手間及套房2和3的門 - 髹漆實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 客廳、起居室、多用途房間、書房及主人廂房的門 - 髹漆及木飾面實心木趟門，配以木門框、封口線和門鎖。 起居室往多用途房間的門 - 髹漆實心木趟門，配以木門框、封口線和門鎖。 浴室3、女主人衣帽間及女主人浴室的門 - 髹漆及飾以鏡子的實心木趟門，配以木門框、封口線和門鎖。 廚房往宴會飯廳的門 - 髹漆實心木門飾以牆紙，配以木門框、封口線和門鎖。 浴室2及男主人浴室的門 - 髹漆及飾以鏡子的實心木門，配以木門框、封口線和門鎖。 套房3裡的衣帽間、男主人衣帽間及地庫升降機大堂往樓梯的門 - 髹漆實心木門，配以木門框、封口線和門鎖。 1樓的洗手間的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 書房裡浴室的門 - 髹漆實心木摺門，配以木門框、封口線和門鎖。 地下前廳往地庫的門 - 髹漆實心木門配以木飾面及牆紙，再配以木門框、封口線、門鎖和氣鼓。 客廳、偏廳、宴會飯廳及套房1往花園的門，套房2和3、多用途房間及起居室往露台及平台的門 - 玻璃摺門配以鋁框。 地下書房往花園的門、1樓前廳往平台的門及天台的門 - 玻璃門配以鋁框。 2樓往平台的門 - 玻璃門及玻璃摺門配以鋁框。
(b) Bathroom 浴室	Bathsuite in Study - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1680mm(L) x 730mm(W) x 420mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	書房裡的浴室 - 配備衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1680毫米(長)x730毫米(闊)x420毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝檯和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 3

Item 細項	Description	描述
	Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1580mm(L) x 680mm(W) x 560mm(D)), shower cubicle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. His Bathsuite - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1600mm(L) x 700mm(W) x 590mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Her Bathsuite - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, resin quartz bathtub (1765mm(L) x 885mm(W) x 585mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1580毫米(長)x680毫米(闊)x560毫米(深))、淋浴間、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝檯和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 男主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1600毫米(長)x700毫米(闊)x590毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝檯和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 女主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、樹脂石英浴缸(1765毫米(長)x885毫米(闊)x585毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝台和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with wood veneer door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing Rooms in Ensuite 2, Ensuite 3 and His Dressing Room - Fitted with built-in lacquer wooden wardrobe. Her Dressing Room - Fitted with built-in painted wooden wardrobe and shelving.	套房2和套房3裡的衣帽間及男主人衣帽間 - 配有內置漆木衣櫃。 女主人衣帽間 - 配有內置髹漆木衣櫃及架子。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Study, Family Room, Multi-Purpose Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、書房、起居室、多用途房間及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Living Room, Dining Room, all Ensuites, Study, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於客廳、宴會飯廳、所有套房、書房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 5

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door of staircase from B/F to G/F Garden - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides and fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door - Solid core timber door with metal cladding and wood veneer and fitted with timber door frame, architrave, lockset and door closer. Doors of Entry door at basement, Living Room to Foyer, Foyer on 1/F, 2/F and 3/F, Kitchen, all Ensuites, all Bathsuites, all Restrooms, Multi-Purpose Room, Master Bathsuite, His Dressing Room, Her Dressing Room and door of staircase from B/F to G/F - Solid core timber door with paint and fitted with timber door frame, architrave, lockset and door closer. Door of The Great Chamber - Solid core timber sliding door with paint and fitted with timber door frame, architrave and lockset. Doors of Living Room, Dining Room and Family Room to Garden, door of staircase from G/F to B/F, doors of 1/F to Flat Roof, doors of 3/F to Flat Roof and Roof door - Glazed door with aluminium frame. Door of Store - Solid core timber door with paint and natural stone, fitted with timber door frame.	停車場通往電錶房、泳池濾水泵房、食水和沖廁水泵房、消防泵房外走廊的門及地庫往地下花園樓梯的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、消防花灑泵房、食水和沖廁水泵房、消防泵房及空調機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 地庫的入口、客廳往前廳、1樓、2樓及3樓前廳、廚房、所有套房、所有浴室、所有洗手間、多用途房間、主人浴室、男主人衣帽間、女主人衣帽間及地庫往地下樓梯的門 - 髹漆實心木門，配以木門框、封口線、門鎖和氣鼓。 主人廂房的門 - 髹漆實心木趟門，配以木門框、封口線和門鎖。 客廳、宴會飯廳及起居室往花園的門、地下往地庫樓梯的門、1樓往平台的門、3樓往平台的門及天台的門 - 玻璃門配以鋁框。 儲物室的門 - 髹漆及飾以天然石材的實心木門，配以木門框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, steel enamel bathtub (1600mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, steel enamel bathtub (1600mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, steel enamel bathtub (1700mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1600毫米(長)x 750毫米(闊)x 430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1600毫米(長)x 750毫米(闊)x 430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1700毫米(長)x 750毫米(闊)x 430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 5

Item 細項	Description	描述
	Bathsuite 4 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, steel enamel bathtub (1700mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite in Multi-Purpose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, copper wash basin, enamelled steel bathtub (1900mm(L) x 1000mm(W) x 450mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室4 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1700毫米(長)x750毫米(闊)x430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、銅製洗手盆、搪瓷鋼板浴缸(1900毫米(長)x1000毫米(闊)x450毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Not applicable	不適用
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room, Sitting Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室、偏廳及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Multi-Purpose Room, Family Room, Sitting Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房、多用途房間、起居室、偏廳及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 6

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Potable & Flushing Water Pump Room, F.S. Pump Room, Air-Conditioning Plant Room, door in corridor outside F.S. Pump Room and door of staircase from B/F to G/F Garden - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room, Air-Conditioning Plant Room and doors in corridor outside Potable & Flushing Water Pump Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door - Solid core timber door with metal cladding and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Entry door at basement, Living Room to Foyer, Foyer on 1/F, 2/F and 3/F, Kitchen, all Ensuites, all Bathsuites, all Restrooms, Multi-Purpose Room, Master Bathsuite, His Dressing Room, Her Dressing Room and door of staircase from B/F to G/F - Solid core timber door with paint, fitted with timber door frame, architrave, lockset and door closer. Door of The Great Chamber - Solid core timber door with paint sliding door, fitted with timber door frame, architrave and lockset. Doors of Living Room, Dining Room and Family Room to Garden, door of staircase from G/F to B/F, doors of 1/F to Flat Roof, doors of 3/F to Flat Roof and Roof door - Glazed door with aluminium frame. Door of Store - Solid core timber door with paint and natural stone, fitted with timber door frame.	停車場通往電錶房、泳池濾水泵房、食水和沖廁水泵房、消防泵房、空調機房外走廊的門、消防泵房外走廊的門及地庫往地下花園樓梯的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、消防花灑泵房、食水和沖廁水泵房、消防泵房、空調機房的門及食水和沖廁水泵房外走廊的門 - 實心木門兩面為塑料層壓板，再配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 地庫的入口、客廳往前廳、1樓、2樓及3樓前廳、廚房、所有套房、所有浴室、所有洗手間、多用途房間、主人浴室、男主人衣帽間、女主人衣帽間及地庫往地下樓梯的門 - 髹漆實心木門，配以木門框、封口線、門鎖和氣鼓。 主人廂房的門 - 實心木門配以髹漆趟門，再配以木門框、封口線和門鎖。 客廳、宴會飯廳及起居室往花園、地下往地庫樓梯的門、1樓往平台的門、3樓往平台的門及天台的門 - 玻璃門配以鋁框。 儲物室的門 - 髹漆及飾以天然石材的實心木門，配以木門框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, steel enamel bathtub (1600mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic stone wash basin, steel enamel bathtub (1600mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic stone wash basin, steel enamel bathtub (1700mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1600毫米(長)x 750毫米(闊)x 430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1600毫米(長)x 750毫米(闊)x 430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1700毫米(長)x 750毫米(闊)x 430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 6

Item 細項	Description	描述
	Bathsuite 4 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic stone wash basin, steel enamel bathtub (1700mm(L) x 750mm(W) x 430mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite in Multi-Purpose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, copper wash basin, enamelled steel bathtub (1900mm(L) x 1000mm(W) x 450mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室4 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1700毫米(長)x 750毫米(闊)x 430毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴室龍頭、電鍍淋浴器、銅製洗手盆、搪瓷鋼板浴缸(1900毫米(長)x 1000毫米(闊)x 450毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Not applicable	不適用
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Bathsuites, Multi-Purpose Room, Family Room, Sitting Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室、偏廳及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Multi-Purpose Room, Family Room, Sitting Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室、偏廳及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 7

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Potable & Flushing Water Pump Room and door of staircase from B/F to G/F Garden - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in corridor outside Sprinkler Pump Room - Solid core timber door with plastic laminate on both sides and fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door - Solid core timber door with metal cladding and wood veneer and fitted with timber door frame, architrave, lockset and door closer. Doors of Entry door at basement, Dressing Room in Ensuites 1, 2 & 4, Bathsuites 1 & 3, His Dressing Room, Her Dressing Room, Master Bathsuite and Restroom on 3/F - Solid core timber door with paint and fitted with timber door frame, architrave, lockset and door closer. Doors of Restroom on G/F, Ensuites 1, 2, 3 & 4, The Great Chamber and Family Room - Solid core timber door with wood veneer and paint and fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room to Foyer, Dining Room to Kitchen, Kitchen and door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Bathsuite 2 and Bathsuite 4 - Solid core timber sliding door with paint and fitted with timber door frame, architrave and lockset. Doors of Living Room and Dining Room to Garden and doors of 3/F to Flat Roof - Glazed swing door and glazed folding door with aluminium frame. Doors of 1/F to Flat Roof, doors of 2/F to Balcony, Roof door and door of staircase from G/F to B/F - Glazed door with aluminium frame.	停車場通往電錶房、泳池濾水泵房、空調機房、食水和沖廁水泵房外走廊的門及地庫往地下花園樓梯的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房的門及消防花灑泵房外走廊的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 地庫的入口、套房1、2和4裡的衣帽間、浴室1和3、男主人衣帽間、女主人衣帽間、主人浴室及3樓洗手間的門 - 髹漆實心木門，配以木門框、封口線、門鎖和氣鼓。 地下洗手間、套房1、2、3和4、主人套房及起居室的門 - 髹漆實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 客廳往前廳、宴會飯廳往廚房、廚房的門及地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 浴室2及浴室4的門 - 髹漆實心木趟門，配以木門框、封口線和門鎖。 客廳、宴會飯廳往花園的門及3樓往平台的門 - 玻璃擺門及玻璃摺門配以鋁框。 1樓往平台、2樓往露台的門、天台的門及地下往地庫樓梯的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, ceramic wash basin, ceramic water closet, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、陶瓷洗手盆、陶瓷坐廁、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 7

Item 細項	Description	描述
	Bathsuite 4 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, cast iron bathtub (1700mm(L) x 775mm(W) x 600mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixers, electroplated bath mixer, electroplated shower set, ceramic wash basins, cast iron bathtub (1700mm(L) x 775mm(W) x 600mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室4 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、鑄鐵浴缸(1700毫米(長)x775毫米(闊)x600毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、鑄鐵浴缸(1700毫米(長)x775毫米(闊)x600毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with timber veneer door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing Rooms in Ensuite 1 and Ensuite 2 - Fitted with built-in painted wooden wardrobe and cabinetry. Pantry in The Great Chamber - Fitted with built-in wooden cabinet with painted door panels, glass shelving, stainless steel sink and electroplated sink mixer. Her Dressing Room - Fitted with built-in wooden wardrobe and cabinetry with painted wooden door panels, wooden door frame glass door panels and fabric door panels with metal trimming. His Dressing Room - Fitted with built-in wood veneer wooden wardrobe and cabinetry. Dressing Room in Ensuite 4 - Fitted with built-in painted wooden wardrobe.	套房1及套房2裡的衣帽間 - 配有內置髹漆木製衣櫃及櫃子。 主人廂房裡的茶水間 - 配有內置髹漆櫃門的木製櫃、玻璃架、不銹鋼洗滌盆配電鍍洗滌盆龍頭。 女主人衣帽間 - 配有內置髹漆木櫃門、木門框玻璃櫃門及配以金屬邊布飾面櫃門的木製衣櫃及櫃子。 男主人衣帽間 - 配有內置木飾面的木製衣櫃及櫃子。 套房4裡的衣帽間 - 配有內置髹漆木製衣櫃。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Living Room, Dining Room, all Ensuites, Master Bathsuites, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於客廳、宴會飯廳、所有套房、主人浴室、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量說明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 8

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Potable & Flushing Water Pump Room and door of staircase from B/F to G/F Garden - Metal door with paint.	停車場通往電錶房、泳池濾水泵房、空調機房、食水和沖廁水泵房外走廊的門及地庫往地下花園樓梯的門 - 髹漆的鐵門。
	Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in corridor outside Sprinkler Pump Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer.	電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房及消防花灑泵房外走廊的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。
	Main Gate - Motorized metal gate.	大閘 - 電動金屬閘。
	Main door and Entry door at basement - Solid core timber door with metal cladding and wood veneer, fitted with timber door frame, architrave, lockset and door closer.	大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。
	Doors of Living Room to Foyer, Dining Room to Kitchen, Kitchen, all Restrooms, all Ensuites, Bathsuite 1, Master Bathsuite, Multi-Purpose Room, The Great Chamber, all Dressing Rooms, His Dressing Room, Her Dressing Room, Family Room and door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer.	客廳往前廳、宴會飯廳往廚房、廚房、所有洗手間、所有套房、浴室1、主人浴室、多用途房間、主人廂房、所有衣帽間、男主人衣帽間、女主人衣帽間、起居室的門及地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。
	Doors of Bathsuite 2 and Bathsuite 3 - Solid core timber sliding door with wood veneer and fitted with timber door frame, architrave and lockset.	浴室2及浴室3的門 - 實心木趟門配以木飾面，再配以木門框、封口線和門鎖。
	Doors of Living Room and Dining Room to Garden - Glazed folding door with aluminium frame.	客廳及宴會飯廳往花園的門 - 玻璃摺門配以鋁框。
	Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony and Roof door - Glazed door with aluminium frame.	地下往地庫樓梯、1樓往平台、2樓往露台的門及天台的門 - 玻璃門配以鋁框。
	Doors of 3/F to Flat Roof - Glazed door and glazed folding door with aluminium frame.	3樓往平台的門 - 玻璃門及玻璃摺門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
	Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1500mm(L) x 900mm(W) x 500mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1500毫米(長)x900毫米(闊)x500毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
	Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1700mm(L) x 800mm(W) x 480mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1700毫米(長)x800毫米(闊)x480毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
	Bathsuite in Multi-Purpose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 8

Item 細項	Description	描述
	Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, enamelled steel bathtub (1800mm(L) x 800mm(W) x 470mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1800毫米(長)x 800毫米(闊)x 470毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with natural stone and timber veneer door panels and stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備天然石材和木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Not applicable	不適用
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board completed with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 9

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Potable & Flushing Water Pump Room, Air-Conditioning Plant Room and door of staircase from B/F to G/F Garden - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in corridor outside Sprinkler Pump Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door, doors of Living Room and Dining Room to Foyer - Timber door (no finishes) with timber frame. Entry door at basement - Timber door (no finishes) with timber frame. Door of staircase from B/F to G/F - Timber door (no finishes) with timber frame. Doors of Kitchen, all Restrooms, all Ensuites, Bathsuite 1, all Dressing Rooms, Multi-Purpose Room, Family Room, The Great Chamber and Her Dressing Room - Timber door (no finishes) with timber frame. Door of His Dressing Room - Timber door (no finishes) with timber frame. Doors of Bathsuite 2 & Bathsuite 3 - Timber door (no finishes) with timber frame. Doors of Living Room and Dining Room to Garden, doors of 3/F to Flat Roof - Glazed door and glazed folding door with aluminium frame. Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony and Roof door - Glazed door with aluminium frame.	停車場通往電錶房、泳池濾水泵房、食水和沖廁水泵房、空調機房外走廊的門及地庫往地下花園樓梯的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房及消防花灑泵房外走廊的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門、客廳及宴會飯廳往前廳的門 - 木門(無裝修物料)配以木門框。 地庫的入口門 - 木門(無裝修物料)配以木門框。 地庫往地下樓梯的門 - 木門(無裝修物料)配以木門框。 廚房、所有洗手間、所有套房、浴室1、所有衣帽間、多用途房間、起居室、主人廂房及女主人衣帽間的門 - 木門(無裝修物料)配以木門框。 男主人衣帽間的門 - 木門(無裝修物料)配以木門框。 浴室2及浴室3的門 - 木門(無裝修物料)配以木門框。 客廳和宴會飯廳往花園的門及3樓往平台的門 - 玻璃門及玻璃摺門配以鋁框。 地下往地庫樓梯、1樓往平台、2樓往露台的門及天台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with timber door and ceramic water closet. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1500mm(L) x 700mm(W) x 350mm(D)) and ceramic water closet. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1500mm(L) x 700mm(W) x 350mm(D)) and ceramic water closet. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配有衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設木門和陶瓷坐廁。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1500毫米(長)x 700毫米(闊)x 350毫米(深))和陶瓷坐廁。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1500毫米(長)x 700毫米(闊)x 350毫米(深))和陶瓷坐廁。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 9

Item 細項	Description	描述
	Bathsuite in Multi-Purpose Room - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with timber door and ceramic water closet. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1500mm(L) x 700mm(W) x 350mm(D)), shower cubicle with timber door and ceramic water closet. For type and material of water supply system, please refer to "Water Supply" below.	多用途房間裡的浴室 - 配備衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設木門和陶瓷坐廁。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1500毫米(長)x 700毫米(闊)x 350毫米(深))、淋浴間設木門和陶瓷坐廁。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. No kitchen cabinet is provided. For appliances provision and brand names, please refer to "Appliances" below. No other fittings and equipment are provided.	配備不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 無廚櫃。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。 無其他裝置及設備。
(d) Bedroom 睡房	No fittings are provided.	沒有裝置。
(e) Telephone 電話	Connection points not provided.	不設接駁點。
(f) Aerials 天線	Connection points not provided.	不設接駁點。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen, final connection to gas hob to be installed by purchaser.	廚房設有煤氣供應點，最終連接至燃氣爐灶的安裝工作由買家自行負責。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 10

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Potable & Flushing Water Pump Room and door of staircase from B/F to G/F Garden - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in corridor outside Sprinkler Pump Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door and Entry door at basement - Solid core timber door with metal cladding and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room to Foyer, Dining Room to Kitchen, Kitchen, all Restrooms, all Ensuites, Bathsuite 1, Bathsuite in Multi-Purpose Room, Master Bathsuite, Multi-Purpose Room, The Great Chamber, all Dressing Rooms, His Dressing Room, Her Dressing Room, Family Room and door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Bathsuite 2 and Bathsuite 3 - Solid core timber sliding door with wood veneer and fitted with timber door frame, architrave and lockset. Doors of Living Room and Dining Room to Garden - Glazed door and glazed folding door with aluminium frame. Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony and Roof door - Glazed door with aluminium frame. Doors of 3/F to Flat Roof - Glazed door and glazed folding door with aluminium frame.	停車場通往電錶房、泳池濾水泵房、空調機房、食水和沖廁水泵房外走廊的門及地庫往地下花園樓梯的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房及消防花灑泵房外走廊的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 客廳往前廳、宴會飯廳往廚房、廚房、所有洗手間、所有套房、浴室1、多用途房間裡的浴室、主人浴室、多用途房間、主人廂房、所有衣帽間、男主人衣帽間、女主人衣帽間、起居室的門及地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 浴室2及浴室3的門 - 實心木趟門配以木飾面，再配以木門框、封口線和門鎖。 客廳及宴會飯廳往花園的門 - 玻璃門及玻璃摺門配以鋁框。 地下往地庫樓梯、1樓往平台、2樓往露台的門及天台的門 - 玻璃門配以鋁框。 3樓往平台的門 - 玻璃門及玻璃摺門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1500mm(L) x 900mm(W) x 500mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1700mm(L) x 800mm(W) x 480mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1500毫米(長)x 900毫米(闊)x 500毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1700毫米(長)x 800毫米(闊)x 480毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 10

Item 細項	Description	描述
	Bathsuite in Multi-Purpose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, enamelled steel bathtub (1800mm(L) x 800mm(W) x 470mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1800毫米(長)x 800毫米(闊)x 470毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with natural stone and timber veneer door panels and stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備天然石材和木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Not applicable	不適用
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board completed with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量說明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 11

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Potable & Flushing Water Pump Room, F.S. Pump Room and Sprinkler Pump Room - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in the corridor outside Filtration Plant Room - Solid core timber door with plastic laminate on both sides and fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door and Entry door at basement - Solid core timber door with metal cladding and wood veneer and fitted with timber door frame, architrave, lockset and door closer. Doors of Kitchen, all Restrooms, all Ensuites, Bathsuite 1, Master Bathsuite, Media Room, The Great Chamber, all Dressing Rooms, His Dressing Room, door of staircase from G/F to B/F and B/F to G/F - Solid core timber door with wood veneer and fitted with timber door frame, architrave, lockset and door closer. Doors of Bathsuite 2 and Her Dressing Room - Solid core timber sliding door with wood veneer and fitted with timber door frame, architrave and lockset. Doors of Living Room and Dining Room to Garden - Glazed swing door and glazed folding door with aluminium frame. Doors of 1/F to Flat Roof and 2/F to Balcony - Glazed door with aluminium frame.	停車場通往電錶房、泳池濾水泵房、食水和沖廁水泵房、消防泵房及消防花灑泵房外走廊的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房的門及泳池濾水泵房外走廊的門。 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 廚房、所有洗手間、所有套房、浴室1、主人浴室、影音室、主人廂房、所有衣帽間、男主人衣帽間、地庫往地下樓梯及地下往地庫樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 浴室2及女主人衣帽間的門 - 實心木趟門配以木飾面，再配以木門框、封口線和門鎖。 客廳及宴會飯廳往花園的門 - 玻璃擺門及玻璃摺門配以鋁框。 1樓往平台及2樓往露台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, composite stone bathtub (1550mm(L) x 900mm(W) x 500mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handles, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixers, electroplated bath mixer, electroplated shower set, ceramic wash basins, shower cubicle with glass door and metal handle, enamelled steel bathtub (1800mm(L) x 800mm(W) x 470mm(D)), ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、複合石材浴缸(1550毫米(長)x 900毫米(闊)x 500毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、搪瓷鋼板浴缸(1800毫米(長)x 800毫米(闊)x 470毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 11

Item 細項	Description	描述
(c) Kitchen 廚房	Fitted with wooden cabinet with natural stone door panels and timber veneer door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備天然石材和木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing Rooms in Ensuite 1 and Ensuite 2, Her Dressing Room and His Dressing Room - Fitted with built-in wooden wardrobe with metal trim glass door panels.	套房1及套房2裡的衣帽間、女主人衣帽間及男主人衣帽間 - 配有內置金屬邊玻璃櫃門的木製衣櫃。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Media Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、影音室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Living Room, Dining Room, all Ensuites, Bathsuites, Media Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於客廳、宴會飯廳、所有套房、浴室、影音室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量說明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 12

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Filtration Plant Room - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door - Metal door with paint, mirror and metal trim fitted with metal door frame, architrave, lockset and door closer. Entry door at basement - Solid core timber door with resin, fitted with timber door frame, architrave, lockset and door closer. Door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Door of B/F Lobby to Plant Rooms - Solid core timber door with wood veneer and plastic laminate, fitted with timber door frame, architrave, lockset and door closer. Doors of Kitchen, all Ensuites, Bathsuite 1 & 3, Restroom, Store, The Great Chamber, Her Dressing Room and Master Bathsuite - Solid core timber door with paint, fitted with timber door frame, architrave, lockset and door closer. Door of His Dressing Room - Solid core timber door with paint, wood veneer and mirror, fitted with timber door frame, architrave, lockset and door closer. Door of Restroom in Store - Aluminium folding door with aluminium door frame and lockset. Door of Bathsuite 2 - Solid core timber sliding door with paint, fitted with timber door frame, architrave and lockset. Doors of Living Room and Dining Room to Garden - Glazed folding door with aluminium frame. Door of 2/F to Balcony and staircase from G/F to B/F - Glazed door with aluminium frame.	停車場通往泳池濾水泵房外走廊的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、消防花灑泵房、食水和沖廁水泵房、消防泵房及空調氣機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門 - 髹漆金屬門配以鏡及金屬框，再配以金屬門框、封口線、門鎖和氣鼓。 地庫的入口門 - 樹脂實心木門，配以木門框、封口線、門鎖和氣鼓。 地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 地庫大堂往機房的門 - 實心木門配以木飾面及塑料層壓板，再配以木門框、封口線、門鎖和氣鼓。 廚房、所有套房、浴室1及3、洗手間、儲物室、主人廂房、女主人衣帽間及主人浴室的門 - 髹漆實心木門，配以木門框、封口線、門鎖和氣鼓。 男主人衣帽間的門 - 髹漆實心木門配以木飾面及鏡，再配以木門框、封口線、門鎖和氣鼓。 儲物室裡洗手間的門 - 鋁摺門配以鋁門框和門鎖。 浴室2的門 - 髹漆實心木趟門，配以木門框、封口線和門鎖。 客廳及宴會飯廳往花園的門 - 玻璃摺門配以鋁框。 2樓往露台及地下往地庫樓梯的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 12

Item 細項	Description	描述
	Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite in Store - Fitted with sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, ceramic water closet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixers, electroplated bath mixer, electroplated shower set, ceramic wash basins, composite stone bathtub (1700mm(L) x 800mm(W) x 480mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 儲物室裡的浴室 - 配備衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、陶瓷坐廁和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、複合石材浴缸(1700毫米(長)x 800毫米(闊)x 480毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels and metal frame glass door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆及金屬框玻璃櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing Rooms in Ensuite 2&3 - Fitted with built-in painted wooden wardrobe. His Dressing Room - Fitted with built-in wooden veneer wooden wardrobe. Her Dressing Room - Fitted with built-in painted wooden wardrobe, painted shelving and mirror panels. Free standing painted wooden cabinetry with glass panel on top.	套房2及3裡的衣帽間 - 配有內置髹漆木製衣櫃。 男主人衣帽間 - 配有內置木飾面的木制衣櫃。 女主人衣帽間 - 配有內置髹漆木製衣櫃、髹漆層架木櫃。獨立式髹漆木櫃配以玻璃檯面。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。

Item 細項	Description	描述
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 15

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Air-Conditioning Plant Room, door outside Potable & Flushing Water Pump Room, door in corridor outside Sprinkler Pump Room and Electrical Room and doors of staircase from B/F to Garden - Metal door with paint.	停車場通往電錶房、泳池濾水泵房、消防花灑泵房、空調機房外走廊的門、食水和沖廁水泵房外的門、消防花灑泵房及電錶房外走廊的門及地庫往花園樓梯的門 - 髹漆的鐵門。
	Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer.	電錶房、泳池濾水泵房、消防花灑泵房、食水和沖廁水泵房、消防泵房及空調機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。
	Main Gate - Motorized metal gate.	大閘 - 電動金屬閘。
	Main door - Solid core timber door with mirror and metal frame fitted with timber door frame, architrave, lockset and door closer.	大門 - 實心木門配以鏡及金屬框，再配以木門框、封口線、門鎖和氣鼓
	Doors of Living Room and Dining Room to Foyer - Glazed door with metal frame fitted with timber door frame, architrave, lockset and door closer.	客廳及宴會飯廳往前廳的門 - 金屬框玻璃門，配以木門框、封口線、門鎖和氣鼓。
	Door of basement to G/F staircase - Solid core timber door with wood veneer and paint and fitted with timber door frame, architrave, lockset and door closer.	地庫往地下樓梯的門 - 髹漆實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。
	Entry door at basement - Solid core timber door with metal cladding, resin panel and wood veneer, fitted with timber door frame, architrave, lockset, and door closer.	地庫的入口門 - 實心木門配以金屬包層、樹脂板及木飾面，配以木門框、封口線、門鎖和氣鼓。
	Doors of Foyer to Kitchen, G/F Restroom, Ensuite 1, 2 & 3, Bathsuite 1, 2 & 3, Dressing Rooms in Ensuite 2 & 3, Foyer to The Great Chamber, Her Dressing Room and Family Room. - Solid core timber door with paint, fitted with timber door frame, architrave, lockset, and door closer.	前廳往廚房、地下洗手間、套房1、2及3、浴室1、2及3、套房2及3裡的衣帽間、前廳往主人廂房、女主人衣帽間及起居室的門 - 髹漆實心木門配以木門框、封口線、門鎖和氣鼓。
	Door of Multi-Purpose Room - Solid core timber door with wood veneer and paint and fitted with timber door frame, architrave, lockset and door closer.	多用途房間的門 - 髹漆實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。
	Door of Kitchen to Dining Room - Solid core timber door with paint and mirror, fitted with timber door frame, architrave, lockset and door closer.	廚房往宴會飯廳的門 - 髹漆及飾以鏡子的實心木門，配以木門框、封口線、門鎖和氣鼓。
	Door of Restroom in Multi-Purpose Room - Solid core timber door with wood veneer fitted with timber door frame, architrave, lockset and door closer.	多用途房間裡的洗手間的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。
	Door of His Dressing Room - Solid core timber door with paint, wood veneer and mirror, fitted with timber door frame, architrave, lockset and door closer.	男主人衣帽間的門 - 髹漆實心木門配以木飾面及鏡，再配以木門框、封口線、門鎖和氣鼓。
	Doors of Master Bathsuite, door between Bathsuite 3 and Dressing Room - Solid core timber sliding door with paint, fitted with timber door frame, architrave and lockset. Doors of Living Room and Dining Room to Garden - Glazed door and glazed folding door with aluminium frame. Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony, 3/F to Flat Roof and Roof door - Glazed door with aluminium frame.	主人浴室的門、浴室3及衣帽間之間的門 - 髹漆實心木趟門，再配以木門框、封口線和門鎖。 客廳及宴會飯廳往花園的門 - 玻璃門及玻璃摺門配以鋁框。 地下往地庫樓梯、1樓往平台、2樓往露台、3樓往平台的門及天台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, cast iron bathtub (1524mm(L) x 813mm(W) x 464mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、鑄鐵浴缸(1524毫米(長)x813毫米(闊)x464毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 15

Item 細項	Description	描述
	Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, composite stone bathtub (1765mm(L) x 885mm(W) x 585mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、複合石材浴缸(1765毫米(長)x885毫米(闊)x585毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing Rooms in Ensuite 1, 2 & 3 - Fitted with built-in painted wooden wardrobe. His Dressing Room - Fitted with built-in wood veneer wooden wardrobe. Her Dressing Room - Fitted with built-in wooden wardrobe with painted wooden door panels and wooden door frame glass door panels and painted shelving. Free standing built-in painted wooden cabinetry with glass door panels and top.	套房1、2及3裡的衣帽間 - 配有內置髹漆木製衣櫃。 男主人衣帽間 - 配有內置木飾面的木制衣櫃。 女主人衣帽間 - 配有內置髹漆木櫃門、木櫃門框玻璃櫃門及髹漆架的木製衣櫃。獨立式內置髹漆木櫃配以玻璃櫃門及檯面。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior fittings 室內裝置

House 洋房 16

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Air-Conditioning Plant Room, Sprinkler Pump Room and door of staircase from B/F to G/F (next to Electrical Room) - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in corridor outside Electrical Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door and Entry door at basement - Solid core timber door with metal cladding and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Living Room and Dining Room - Glazed door with metal frame, fitted with timber door frame, architrave, lockset and door closer. Door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Kitchen, Dressing Rooms, Multi-Purpose Room, The Great Chamber, Her Dressing Room, Family Room, His Dressing Room and all Ensuites - Solid core timber door with paint, fitted with timber door frame, architrave, lockset and door closer. Door of all Restrooms, all Bathsuites and Master Bathsuite - Solid core timber door with paint and mirror fitted with timber door frame, architrave, lockset and door closer. Door of Bathsuite 3 - Solid core timber sliding door with paint, fitted with timber door frame, architrave and lockset. Doors of Living Room and Dining Room to Garden, 3/F to Flat Roof - Glazed door and glazed folding door with aluminium frame. Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony and Roof door - Glazed door with aluminium frame.	停車場通往空調機房、消防花灑泵房外走廊的門及地庫往地下樓梯的門(電錶房旁) - 髹漆的鐵門。 電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房及電錶房外走廊的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 客廳及宴會飯廳 - 金屬框玻璃門，配以木門框、封口線、門鎖和氣鼓。 地庫往地下樓梯的門。 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 廚房、衣帽間、多用途房間、主人廂房、女主人衣帽間、起居室、男主人衣帽間及所有套房 - 髹漆實心木門，配以木門框、封口線、門鎖和氣鼓。 洗手間、所有浴室及主人浴室的門 - 髹漆及飾以鏡子的實心木門，配以木門框、封口線、門鎖和氣鼓。 浴室3的門 - 髹漆的實心木趟門，配以木門框、封口線和門鎖。 客廳及宴會飯廳往花園的門，3樓往平台的門 - 玻璃門及玻璃摺門配以鋁框。 地下往地庫樓梯、1樓往平台、2樓往露台的門及天台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, enamelled steel bathtub(1500mm(L) x 800mm(W) x 420mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1500毫米(長) x 800毫米(闊) x 420毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 16

Item 細項	Description	描述
	Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, enamelled steel bathtub(1500mm(L) x 800mm(W) x 420mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite in Multi-Purpose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, enamelled steel bathtub(1850mm(L) x 850mm(W) x 420mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1500毫米(長) x 800毫米(闊) x 420毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1850毫米(長) x 850毫米(闊) x 420毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels and stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing room in the Great Chamber - Fitted with built-in painted wooden wardrobe with painted wooden door panels, mirrors and painted wooden cabinetry. Free standing built-in glass and painted wooden cabinetry. Dressing room in Ensuite 1, 2 & 3 - Fitted with built-in painted wooden wardrobe with painted wooden door panels, mirrors and painted wooden cabinetry.	主人廂房裡的衣帽間 - 配有內置髹漆木製衣櫃，配以髹漆木櫃門、鏡子和髹漆木櫃。獨立式髹漆木櫃及玻璃櫃面。 套房1，套房2及套房3 - 配有內置髹漆木製衣櫃，配以髹漆木櫃門、鏡子和髹漆木櫃。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen, final connection to gas hob to be installed by purchaser.	廚房設有煤氣供應點，最終連接至燃氣爐灶的安裝工作由買家自行負責。

3. Interior Fittings 室內裝置

House 洋房 16

Item 細項	Description	描述
i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 17

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Potable & Flushing Water Pump Room, Air-Conditioning Plant Room and door of staircase from B/F to G/F (next to Filtration Plant Room) - Metal door with paint.	停車場通往電錶房、食水和沖廁水泵房、空調機房外走廊的門及地庫往地下樓梯的門(泳池濾水泵房旁) - 髹漆的鐵門。
	Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in corridor outside Sprinkler Pump Room - Solid core timber door with plastic laminate on both sides and fitted with timber door frame, architrave, lockset and door closer.	電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房的門及消防花灑泵房外走廊的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。
	Main Gate - Motorized metal gate.	大閘 - 電動金屬閘。
	Main door and Entry door at basement - Solid core timber door with metal cladding and wood veneer and fitted with timber door frame, architrave, lockset and door closer.	大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。
	Doors of Living Room and Dining Room to Foyer, Dining Room to Kitchen, Foyer to Kitchen, Restroom in Tea Room, G/F Restroom, all Ensuites, all Bathsuites, Tea Room, Multi-Purpose Room, Master Bathsuite, The Great Chamber, all Dressing Rooms, His Dressing Room, Her Dressing Room and door of staircase from B/F to G/F - Solid core timber door with wood veneer and fitted with timber door frame, architrave, lockset and door closer.	客廳及宴會廳往前廳、宴會飯廳往廚房、前廳往廚房、茶室裡的洗手間、地下洗手間、所有套房、所有浴室、茶室、多用途房間、主人浴室、主人廂房、所有衣帽間、男主人衣帽間、女主人衣帽間及地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。
	Door of Restroom in Multi-Purpose Room - Metal framed mirror sliding door with metal handle.	多用途房間裡的洗手間的門 - 金屬框鏡趟門配以金屬手柄。
	Doors of Onsen and Toilet cubicle in Restroom in Multi-Purpose Room - Glass door with metal handle.	日式浴室及多用途房間裡的洗手間裡廁格的門 - 玻璃門配以金屬手柄。
	Doors of Living Room and Dining Room to Garden, doors of 3/F to Flat Roof - Glazed swing door and glazed folding door with aluminium frame.	客廳及宴會飯廳往花園的門、3樓往平台的門 - 玻璃擺門及玻璃摺門配以鋁框。
	Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony and Roof door - Glazed door with aluminium frame.	地下往地庫樓梯、1樓往平台、2樓往露台的門及天台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, composite stone bathtub (1550mm(L) x 1005mm(W) x 500mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、複合石材浴缸(1550毫米(長)x 1005毫米(闊)x 500毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
	Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
	Onsen - Fitted with sanitary wares and fittings include electroplated bath mixer, electroplated shower set, electroplated head shower, natural stone onsen and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	日式浴室 - 配備衛浴潔具及配件，包括電鍍浴缸龍頭、電鍍淋浴器、電鍍頭頂花灑、天然石材日式浴室及抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 17

Item 細項	Description	描述
	Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, enamelled steel bathtub (1800mm(L) x 800mm(W) x 470mm(D)), ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、搪瓷鋼板浴缸(1800毫米(長)x 800毫米(闊)x 470毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with natural stone door panels and timber veneer door panels, stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備天然石材和木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing Rooms in Ensuite 1 and Ensuite 2 and His Dressing Room - Fitted with built-in wooden wardrobe with metal trim glass door panels. Her Dressing Room - Fitted with built-in wooden wardrobe with metal trim glass door panels. Free standing built-in wooden cabinetry.	套房1及套房2裡的衣帽間及男主人衣帽間 - 配有內置金屬邊玻璃櫃門的木製衣櫃。 女主人衣帽間 - 配有內置金屬邊玻璃櫃門的木製衣櫃。獨立式內置木櫃。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Study/Tea Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、書房/茶室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Living Room, Dining Room, all Ensuites, Bathsuites, Multi-Purpose Room, Tea Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於客廳、宴會飯廳、所有套房、浴室、多用途房間、茶室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board complete with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量說明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 18

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, F.S. Pump Room, Potable & Flushing Water Pump Room and door of staircase from B/F to G/F (next to Electrical Room) - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door and Entry door at basement - Solid core timber door with metal cladding and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room and Dining Room to Foyer, Kitchen, all Restrooms, all Ensuites, Bathsuite 1 & 2, Bathsuite inside Multi-Purpose Room, Master Bathsuite, Multi-Purpose Room, The Great Chamber, all Dressing Rooms, His Dressing Room, Her Dressing Room, Family Room and door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Door of Bathsuite 3 - Solid core timber sliding door with wood veneer and fitted with timber door frame, architrave and lockset. Doors of Living Room and Dining Room to Garden and doors of 3/F to Flat Roof - Glazed door and glazed folding door with aluminium frame. Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony and Roof door - Glazed door with aluminium frame.	停車場通往電錶房、泳池濾水泵房、消防泵房、食水和沖廁水泵房外走廊的門及地庫往地下樓梯的門(電錶房旁) - 髹漆的鐵門。 電錶房、泳池濾水泵房、消防花灑泵房、食水和沖廁水泵房、消防泵房及空調機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 客廳及宴會飯廳往前廳、廚房、所有洗手間、所有套房、浴室1及2、多用途房間裡的浴室、主人浴室、多用途房間、主人廂房、所有衣帽間、男主人衣帽間、女主人衣帽間、起居室的門及地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 浴室3的門 - 實心木趟門配以木飾面，再配以木門框、封口線和門鎖。 客廳及宴會飯廳往花園的門及3樓往平台的門 - 玻璃門及玻璃摺門配以鋁框。 地下往地庫樓梯、1樓往平台、2樓往露台的門及天台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1700mm(L) x 900mm(W) x 500mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1800mm(L) x 800mm(W) x 470mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1700毫米(長)x900毫米(闊)x500毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1800毫米(長)x800毫米(闊)x470毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 18

Item 細項	Description	描述
	Bathsuite in Multi-Purpose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, enamelled steel bathtub (1800mm(L) x 800mm(W) x 470mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、搪瓷鋼板浴缸(1800毫米(長)x 800毫米(闊)x 470毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with natural stone and timber veneer door panels and stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備天然石材和木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Not applicable	不適用
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board completed with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 19

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, door of Lift Lobby to corridor outside Sprinkler Pump Room and doors of staircase from Car park to G/F - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Sprinkler Pump Room, Potable Water Pump Room, Flushing Water Pump Room, F.S. Pump Room and Air-Conditioning Plant Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door and Entry door at basement - Solid core timber door with metal cladding and wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room and Dining Room to Foyer, Dining Room to Kitchen, Foyer to Kitchen, all Restrooms, all Ensuites, all Bathsuites, Multi-Purpose Room, The Great Chamber, all Dressing Rooms, His Dressing Room, Her Dressing Room, Family Room and door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Door of Master Bathsuite - Solid core timber sliding door with wood veneer , fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room and Dining Room (to Garden) - Glazed folding door with aluminium frame. Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony and Roof door - Glazed door with aluminium frame. Door of 3/F to Flat Roof - Glazed door and glazed folding door with aluminium frame.	停車場通往電錶房、泳池濾水泵房、空調機房外走廊的門，升降機大堂通往消防花灑泵房外走廊的門及停車場往地下樓梯的門 - 髹漆的鐵門。 電錶房、泳池濾水泵房、消防花灑泵房、食水泵房、沖廁水泵房、消防泵房及空調機房的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門及地庫的入口門 - 實心木門配以金屬包層和木飾面，再配以木門框、封口線、門鎖和氣鼓。 客廳及宴會飯廳往前廳、宴會飯廳往廚房、前廳往廚房、所有洗手間、所有套房、所有浴室、多用途房間、主人廂房、所有衣帽間、男主人衣帽間、女主人衣帽間、起居室的門及地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 主人浴室的門 - 實心木趟門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 客廳及宴會飯廳往花園的門 - 玻璃摺門配以鋁框。 地下往地庫樓梯、1樓往平台、2樓往露台的門及天台的門 - 玻璃門配以鋁框。 3樓往平台的門 - 玻璃門及玻璃摺門配以鋁框。
(b) Bathroom 浴室	Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1700mm(L) x 900mm(W) x 500mm(D)), ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1700mm(L) x 900mm(W) x 500mm(D)), ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1700毫米(長)x 900毫米(闊)x 500毫米(深))、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1700毫米(長)x 900毫米(闊)x 500毫米(深))、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 19

Item 細項	Description	描述
	Bathsuite in Multi-Purpose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, natural stone wash basin, shower cubicle with glass door and metal handle, ceramic water closet, electroplated head shower, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuite - Fitted with natural stone countertop and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, natural stone wash basin, composite stone bathtub (1700mm(L) x 800mm(W) x 480mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated paper holder, wooden cabinet and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、天然石材洗手盆、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍頭頂花灑、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、天然石材洗手盆、複合石材浴缸(1700毫米(長)x 800毫米(闊)x480毫米(深))、淋浴間設玻璃門及金屬拉手、陶瓷坐廁、電鍍毛巾暖架、電鍍廁紙架、木櫃和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with natural stone and timber veneer door panels and stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備天然石材和木飾面櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Not applicable	不適用
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房、多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board completed with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量説明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

3. Interior Fittings 室內裝置

House 洋房 20

Item 細項	Description	描述
(a) Doors 門	Doors of Car park to corridor outside Electrical Room, Air-Conditioning Plant Room, F.S. Pump Room, Potable & Flushing Water Pump Room and door of staircase from B/F to G/F (next to Filtration Plant Room) - Metal door with paint. Doors of Electrical Room, Filtration Plant Room, Air-Conditioning Plant Room, Sprinkler Pump Room, Potable & Flushing Water Pump Room, F.S. Pump Room and door in corridor outside Filtration Plant Room - Solid core timber door with plastic laminate on both sides, fitted with timber door frame, architrave, lockset and door closer. Main Gate - Motorized metal gate. Main door - Metal door with paint, mirror and metal trim fitted with metal door frame, architrave, lockset and door closer. Doors of Living Room and Dining Room to Foyer. - Solid core timber door with glazed panel, metal trim and paint fitted with timber door frame, architrave, lockset and door closer. Door of Kitchen to Dining Room - Solid core timber door with paint and mirror, fitted with timber door frame, architrave, lockset and door closer. Entry door at basement - Solid core timber door with resin, fitted with timber door frame, architrave, lockset and door closer. Door of staircase from B/F to G/F - Solid core timber door with wood veneer, fitted with timber door frame, architrave, lockset and door closer. Doors of all Restrooms,Foyer to Kitchen, Dressing Rooms, Multi-Pupose Room, The Great Chamber, Her Dressing Room, Family Room, His Dressing Room and all Ensutes - Solid core timber door with paint, fitted with timber door frame, architrave, lockset and door closer. Door of all Bathsuits and Master Bathsuite - Solid core timber door with paint and mirror fitted with timber door frame, architrave, lockset and door closer. Doors of Living Room and Dining Room to Garden - Glazed folding door with aluminium frame. Doors of staircase from G/F to B/F, 1/F to Flat Roof, 2/F to Balcony, 3/F to Flat Roof and Roof door - Glazed door with aluminium frame.	停車場通往電錶房、空調機房、消防泵房、食水和沖廁水泵房外走廊的門及地庫往地下樓梯的門(泳池濾水泵房旁) - 髹漆的鐵門。 電錶房、泳池濾水泵房、空調機房、消防花灑泵房、食水和沖廁水泵房、消防泵房及泳池濾水泵房外走廊的門 - 實心木門兩面為塑料層壓板，配以木門框、封口線、門鎖和氣鼓。 大閘 - 電動金屬閘。 大門 - 髹漆金屬門配以鏡及金屬框，再配以金屬門框、封口線、門鎖和氣鼓。 客廳及宴會飯廳往前廳的門 - 髹漆實心木門配以玻璃及金屬框，配以木門框、封口線、門鎖和氣鼓。 廚房往宴會飯廳的門 - 髹漆及飾以鏡子的實心木門，配以木門框、封口線、門鎖和氣鼓。 地庫的入口門 - 樹脂實心木門，配以木門框、封口線、門鎖和氣鼓。 地庫往地下樓梯的門 - 實心木門配以木飾面，再配以木門框、封口線、門鎖和氣鼓。 所有洗手間、前廳往廚房、衣帽間、多用途房間、主人廂房、女主人衣帽間、男主人衣帽間、起居室及所有套房 - 髹漆實心木門，配以木門框、封口線、門鎖和氣鼓。 所有浴室及主人浴室的門 - 髹漆及飾以鏡子的實心木門，配以木門框、封口線、門鎖和氣鼓。 客廳及宴會飯廳往花園的門 - 玻璃摺門配以鋁框。 地下往地庫樓梯、1樓往平台、2樓往露台、3樓往平台的門及天台的門 - 玻璃門配以鋁框。
(b) Bathroom 浴室	Bathsuite in Multi-Pupose Room - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, ceramic water closet, shower cubicle with glass door and metal handle, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuite 1 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1500mm(L) x 800mm(W) x 420mm(D)), ceramic water closet, electroplated towel, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	多用途房間裡的浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、陶瓷坐廁、淋浴間設玻璃門及金屬手柄、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝檯和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室1 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1500毫米(長) x 800毫米(闊) x 420毫米(深))、陶瓷坐廁、電鍍毛巾架、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝檯和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。

3. Interior Fittings 室內裝置

House 洋房 20

Item 細項	Description	描述
	Bathsuit 2 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated shower set, ceramic wash basin, ceramic water closet, shower cubicle with glass door and metal handle, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Bathsuit 3 - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, enamelled steel bathtub (1500mm(L) x 800mm(W) x 420mm(D)), ceramic water closet, electroplated towel, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below. Master Bathsuit - Fitted with natural stone countertop and sanitary wares and fittings include electroplated wash basin mixer, electroplated bath mixer, electroplated shower set, ceramic wash basin, resin quartz bathtub (1765mm(L) x 885mm(W) x 585mm(D)), shower cubicle with glass door and metal handle, ceramic water closet, electroplated towel warmer, electroplated head shower, electroplated paper holder, metal frame vanity counter and exhaust fan. For type and material of water supply system, please refer to "Water Supply" below.	浴室2 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍淋浴器、陶瓷洗手盆、陶瓷坐廁、淋浴間設玻璃門及金屬手柄、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝檯和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 浴室3 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、搪瓷鋼板浴缸(1500毫米(長) x 800毫米(闊) x 420毫米(深))、陶瓷坐廁、電鍍毛巾架、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝檯和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。 主人浴室 - 配備天然石材檯面和衛浴潔具及配件，包括電鍍洗手盆龍頭、電鍍浴缸龍頭、電鍍淋浴器、陶瓷洗手盆、樹脂石英浴缸(1765毫米(長) x 885毫米(闊) x 585毫米(深))、淋浴間設玻璃門及金屬手柄、陶瓷坐廁、電鍍毛巾暖架、電鍍頭頂花灑、電鍍廁紙架、金屬框梳妝台和抽氣扇。 有關供水系統的類型和用料，請參閱以下「供水」的部份。
(c) Kitchen 廚房	Fitted with wooden cabinet with painted door panels and stainless steel sink with electroplated sink mixer. For material of water supply system, please refer to "Water Supply" below. For appliances provision and brand names, please refer to "Appliances" below.	配備髹漆櫃門的木製廚櫃，不銹鋼洗滌盆配電鍍洗滌盆龍頭。 有關供水系統的用料，請參閱以下「供水」的部份。 有關所提供的電器及品牌名稱，請參閱以下「設備」的部份。
(d) Bedroom 睡房	Dressing Rooms in Ensuite 1, 2 and His Dressing Room - Fitted with built-in painted wooden wardrobe. Her Dressing Room - Fitted with built-in wooden wardrobe with painted wooden door panels and wooden door frame mirror door panels and painted shelving. Free standing built-in painted wooden cabinetry with glass door panels and top.	套房1、2的衣帽間及男主人衣帽間 - 配有內置髹漆木製衣櫃。 女主人衣帽間 - 配有內置髹漆木櫃門、木櫃門框鏡板櫃門及髹漆架的木製衣櫃。獨立式內置髹漆木櫃配以玻璃櫃門及檯面。
(e) Telephone 電話	Telephone connection points are provided for Living Room, Dining Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	電話接駁點於客廳、宴會飯廳、所有套房及多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(f) Aerials 天線	Communal TV and FM connection points are provided for Dining Room, Living Room, all Ensuites, Multi-Purpose Room, Family Room and The Great Chamber. For the number and location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	公共電視及FM電台接駁點於宴會飯廳、客廳、所有套房及多用途房間、起居室及主人廂房提供。 有關接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(g) Electrical installations 電力裝置	Three phase electricity supply with MCB board completed with residual current protection is provided for each house. All conduits are concealed within concrete walls except those inside or enclosed by block wall, false ceiling and bulkhead. For the number and location of power points and air-conditioner points, please refer to the "Schedule of Mechanical & Electrical Provisions".	每間洋房都提供三相供電與總電掣箱板，並有完整的殘餘電流保護。 所有的管道都藏於混凝土牆之內，除了磚牆、假天花和假陣之內或被其封閉者外。 有關電插座及空調機接駁點的數量和位置，請參閱「機電裝置數量說明表」。
(h) Gas supply 氣體供應	Town Gas point is provided in Kitchen and connected to built-in gas hob.	廚房有煤氣供應點，並連接到內置的煤氣爐。

3. Interior Fittings 室內裝置

House 洋房 20

Item 細項	Description	描述
(i) Washing machine connection point 洗衣機接駁點	Water point of a design of 22mm in diameter and drain point of a design of 50mm in diameter are provided. For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions".	提供設計為直徑22毫米的供水位，及設計為直徑50毫米的去水位。 有關接駁點的位置，請參閱「機電裝置數量説明表」。
(j) Water supply 供水	Copper pipes are provided for both hot and cold water supply. Water pipes are concealed in part and exposed in part. Exposed water pipes are enclosed by false ceiling or bulkhead. Hot water is available.	熱水和冷水供應採用銅喉管。水管部份是隱藏、部份是外露的。外露的水管由假天花或假陣所圍封。有熱水供應。

4. Miscellaneous 雜項

House 洋房 1

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 2

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 3

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

4. Miscellaneous 雜項

House 洋房 5

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to “Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 6

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to “Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 7

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

4. Miscellaneous 雜項

House 洋房 8

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to “Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 9

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to “Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 10

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to “Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

4. Miscellaneous 雜項

House 洋房 11

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 12

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 15

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

4. Miscellaneous 雜項

House 洋房 16

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to “Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 17

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 18

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to “Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

4. Miscellaneous 雜項

House 洋房 19

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

House 洋房 20

Item 細項	Description	描述
(a) Lifts 升降機	1 no. of "OTIS" lift (model no. GeN2-R1) Floors Served: B/F, G/F, 1/F, 2/F, 3/F	1部「奧的斯」升降機(型號 GeN2-R1) 服務樓層：地庫、地下、1樓、2樓、3樓
(b) Letter box 信箱	Material: aluminium, galvanized steel.	用料：鋁、鍍鋅鋼。
(c) Refuse collection 垃圾收集	Refuse will be collected by cleaner and centrally handled at refuse storage and material recovery chambers located in the carpark of Phase I of the Development.	垃圾將由清潔工人收集並在位於發展項目第一期停車場裡的垃圾儲存及物料回收室集中處理。
(d) Water meter, electricity meter and gas meter 水錶、電錶和氣體錶	Separate water meter for individual house is provided in water meter cabinet in each house. Separate gas meter for individual house is provided in gas meter cabinet in each house. For locations of water meter and gas meter, please refer to "Floor Plans of Residential Properties in the Phase". Electricity meters for houses are provided in Electrical Room and LV switch room in the Development.	每間洋房之獨立水錶安裝於其洋房的水錶箱內。 每間洋房之獨立煤氣錶安裝於其洋房的煤氣錶箱內。 有關水錶及煤氣錶的位置，請參閱「期數的住宅物業的樓面平面圖」。洋房的電錶設於發展項目的電錶房及低壓配電室。

5. Security Facilities 保安設施

Item 細項	Description	描述
Security System and Equipment 保安系統及設備	For individual house: CCTV cameras are provided at basement carpark, lift car and garden area. Motion detectors in garden, magnetic doors contacts to entrance doors, magnetic window contacts to some windows, glass break sensors to some windows and panic alarm button in some rooms. Visitor panel is equipped at the G/F entrance gate. For common area: CCTV cameras are provided at entrance of the Development, landscaped area, clubhouse and common area. Smart card readers for access control are provided at entrance of the Development.	每座洋房設有： 於地庫停車場、升降機內和花園區裝設閉路電視攝錄機。花園設移動探測器、部份房間設磁門觸點、磁窗觸點、玻璃破碎感應器及緊急報警按鈕。地下入口大閘設有訪客對講機。 公用地方設有： 發展項目的入口、園景區、會所和公用地方設有閉路電視攝錄機。發展項目的入口設有智能卡讀卡器。

6. Appliances 設備

House 1 Appliance Schedule 洋房1的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 450 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 1 Appliance Schedule 洋房1的設備説明		
Location 位置 - Garden 花園		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

House 1 Appliance Schedule 洋房1的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 1 Appliance Schedule 洋房1的設備説明		
Location 位置 - Bathsuite 浴室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
17" Waterproof LED TV 17吋防水液晶顯示電視 (Bathsuite 1,2,3 and Bathsuite in Study) (浴室1、2、3及書房裡的浴室)	Oolaa	BTV17(MG-P)
19" Waterproof LED TV 19吋防水液晶顯示電視 (His Bathsuite and Her Bathsuite) (男主人浴室及女主人浴室)	Oolaa	BTV19(MG-P)

6. Appliances 設備

House 1 VRV Multi Air Conditioning System 洋房1的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJAP36NVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXMP112NAVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 1 Exhaust Fan 洋房1的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-30GS4
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK315L
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Panasonic	FV-45GS4
G/F Kitchen 地下廚房	Systemair	KVK315L
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
G/F Bathsuite 1 地下浴室1	Panasonic	FV-20NS3H
G/F Bathsuite 2 地下浴室2	Panasonic	FV-20NS3H
G/F Bathsuite in Study 地下書房裡的浴室	Panasonic	FV-20NS3H
1/F His Bathsuite 一樓男主人浴室	Panasonic	FV-25NS3H
1/F Bathsuite 3 一樓浴室3	Panasonic	FV-20NS3H
1/F Her Bathsuite 一樓女主人浴室	Panasonic	FV-25NS3H
1/F The Great Chamber 一樓主人廂房	Panasonic	FV-20NS3H

House 1 Dehumidifier 洋房1的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 3 一樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Her Dressing Room 一樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
1/F His Dressing Room 一樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 1 Gas Water Heater 洋房1的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Master Bathsuite 廚房及主人浴室	TGC	NJW220TFQL

6. Appliances 設備

House 2 Appliance Schedule 洋房2的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VVG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 2 Appliance Schedule 洋房2的設備説明		
Location 位置 - Garden 花園		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

House 2 Appliance Schedule 洋房2的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

6. Appliances 設備

House 2 VRV Multi Air Conditioning System 洋房2的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJAP36NVC
Daikin 大金	FJDHP36QPVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXMP112NAVC
Daikin 大金	FJDP22QPVC
Daikin 大金	FXDP22QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 2 Exhaust Fan 洋房2的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-23NL3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK 315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-25NS3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-25NS3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-25NS3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Systemair	KVK 315L
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Dressing Room 一樓衣帽間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite 3 一樓浴室3	Panasonic	FV-23NL3H
2/F His Bathsuite 二樓男主人浴室	Panasonic	FV-20NS3H
2/F Her Bathsuite 二樓女主人浴室	Panasonic	FV-25NF3H

House 2 Dehumidifier 洋房2的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 3 一樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 2 Gas Water Heater 洋房2的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 3 Appliance Schedule 洋房3的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 450 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 3 Appliance Schedule 洋房3的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 3 Appliance Schedule 洋房3的設備説明		
Location 位置 - Roof 天台		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

6. Appliances 設備

House 3 VRV Multi Air Conditioning System 洋房3的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FXAP36NVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 3 Exhaust Fan 洋房3的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-30GS4
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK 315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-25NS3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NS3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
G/F Bathsuite in Study 地下書房裡的浴室	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite 3 一樓浴室3	Panasonic	FV-23NL3H
1/F Restroom 一樓洗手間	Panasonic	FV-23NL3H
2/F Her Bathsuite 二樓女主人浴室	Panasonic	FV-25NS3H
2/F His Bathsuite 二樓男主人浴室	Panasonic	FV-23NL3H

House 3 Dehumidifier 洋房3的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 3 一樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 3 Gas Water Heater 洋房3的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 5 Appliance Schedule 洋房5的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 450 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 5 Appliance Schedule 洋房5的設備説明		
Location 位置 - Garden 花園		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

House 5 Appliance Schedule 洋房5的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

6. Appliances 設備

House 5 VRV Multi Air Conditioning System 洋房5的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXAP36NVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 5 Exhaust Fan 洋房5的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK315L
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-20NS3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-20NS3H
1/F Bathsuite 3 一樓浴室3	Panasonic	FV-23NL3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-20NS3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 4 三樓浴室4	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H

House 5 Dehumidifier 洋房5的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 3 一樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 4 三樓套房4裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 5 Gas Water Heater 洋房5的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 6 Appliance Schedule 洋房6的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 450 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 6 Appliance Schedule 洋房6的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 6 VRV Multi Air Conditioning System 洋房6的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXAP36NVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

6. Appliances 設備

House 6 Exhaust Fan 洋房6的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	CDRE 400
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-35GS4
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-20NS3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-20NS3H
1/F Bathsuite 3 一樓浴室3	Panasonic	FV-23NL3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-20NS3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 4 三樓浴室4	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H

House 6 Dehumidifier 洋房6的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 3 一樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 4 三樓套房4裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 6 Gas Water Heater 洋房6的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 7 Appliance Schedule 洋房7的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 450 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 7 Appliance Schedule 洋房7的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 7 Appliance Schedule 洋房7的設備説明		
Location 位置 - Roof 天台		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

House 7 Appliance Schedule 洋房7的設備説明		
Location 位置 - Bathsuite 浴室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
12" Waterproof LED TV 12吋防水液晶顯示電視 (Master Bathsuite) (主人浴室)	Oolaa	BTV12(MG-P)

House 7 Appliance Schedule 洋房7的設備説明		
Location 位置 - Family Room 起居室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
49” 4K LED TV 49吋4K液晶顯示電視	Sony	KD-49X8500B

6. Appliances 設備

House 7 VRV Multi Air Conditioning System 洋房7的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FXAP36NVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	FXMP112NAVC
Daikin 大金	RUXYQ22AB
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 7 Exhaust Fan 洋房7的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK315L
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-30GS4
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite 3 一樓浴室3	Panasonic	FV-23NL3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 4 三樓浴室4	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H

House 7 Dehumidifier 洋房7的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 4 三樓套房4裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 7 Gas Water Heater 洋房7的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 8 Appliance Schedule 洋房8的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 8 Appliance Schedule 洋房8的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 8 VRV Multi Air Conditioning System 洋房8的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FXAP36NVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	FXMP112NAVC
Daikin 大金	RUXYQ22AB
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

6. Appliances 設備

House 8 Exhaust Fan 洋房8的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK355
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-25NF3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-25NF3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-30GS4
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-23NL3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 3 三樓浴室3	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H

House 8 Dehumidifier 洋房8的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高 美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 3 三樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 8 Gas Water Heater 洋房8的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 9 Exhaust Fan 洋房9的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK355
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-25NF3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-30GS4
B/F Carpark 地庫停車場	Systemair	CDRD 500

6. Appliances 設備

House 9 Dehumidifier 洋房9的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2BB

House 9 Gas Water Heater 洋房9的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 10 Appliance Schedule 洋房10的設備說明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 10 Appliance Schedule 洋房10的設備說明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 10 VRV Multi Air Conditioning System 洋房10的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FXAP36NVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	FXMP112NAVC
Daikin 大金	RUXYQ22AB
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

6. Appliances 設備

House 10 Exhaust Fan 洋房10的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK355
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-25NF3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-30GS4
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-23NL3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 3 三樓浴室3	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H

House 10 Dehumidifier 洋房10的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 3 三樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 10 Gas Water Heater 洋房10的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 11 Appliance Schedule 洋房11的設備說明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 450 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 11 Appliance Schedule 洋房11的設備說明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 11 Television 洋房11的電視機			
Location 位置	**Appliance 設備**	**Brand Name 品牌名稱**	**Model Number 產品型號**
1/F Ensuite 1 一樓套房1	50" LED TV 50吋液晶顯示電視	Samsung	UA50KU6300J
1/F Ensuite 2 一樓套房2	50" LED TV 50吋液晶顯示電視	Samsung	UA50KU6300J
1/F Bathsuite 1 一樓浴室1	17" Waterproof LED TV 17吋防水液晶顯示電視	Oolaa	BTV17(MG-P)
1/F Bathsuite 2 一樓浴室2	17" Waterproof LED TV 17吋防水液晶顯示電視	Oolaa	BTV17(MG-P)
1/F Media room 一樓影音室	65" LED TV 65吋液晶顯示電視	Sony	KD-65X8500C
1/F Restroom in Media Room 一樓影音室裡的洗手間	17" Waterproof LED TV 17吋防水液晶顯示電視	Oolaa	BTV17(MG-P)
2/F The Great Chamber 二樓主人廂房	55" LED TV 55吋液晶顯示電視	Samsung	UA55KU6300J
2/F Master Bathsuite 二樓主人浴室	19" Waterproof LED TV 19吋防水液晶顯示電視	Oolaa	BTV19(MG-P)

House 11 Appliance Schedule 洋房11的設備說明		
Location 位置 - 1/F Media Room 一樓影音室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
AV System 影音系統	Bowers & Wilkins	CCM 663, CCM 362 & ASW608
Blu-ray Player 藍光兼容播放機	Marantz	UD5007
Integrated amplifier AV 環繞擴大機	Marantz	NR1606

6. Appliances 設備

House 11 VRV Multi Air Conditioning System 洋房11的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FXAP36NVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP36QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 11 Exhaust Fan 洋房11的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-30GS4
B/F Filtration Plant Room 地庫泳池濾水泵房	Panasonic	FV-40GS4
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK 315L
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-30GS4
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NS3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Restroom 一樓洗手間	Panasonic	FV-20NS3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H

House 11 Dehumidifier 洋房11的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 11 Gas Water Heater 洋房11的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Master Bathsuite 廚房及主人浴室	TGC	NJW220TFQL

6. Appliances 設備

House 12 Appliance Schedule 洋房12的設備說明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 450 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 12 Appliance Schedule 洋房12的設備說明		
Location 位置 - Garden 花園		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

House 12 Appliance Schedule 洋房12的設備說明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

6. Appliances 設備

House 12 VRV Multi Air Conditioning System 洋房12的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJAP36NVC
Daikin 大金	FJDHP36QPVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP36QPVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 12 Exhaust Fan 洋房12的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Panasonic	FV-35GS4
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK 355
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Store 一樓儲物室	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-20NS3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite 3 一樓浴室3	Panasonic	FV-20NS3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H

House 12 Dehumidifier 洋房12的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 3 一樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 12 Gas Water Heater 洋房12的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Master Bathsuite 廚房及主人浴室	TGC	NJW220TFQL

6. Appliances 設備

House 15 Appliance Schedule 洋房15的設備說明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 450 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 15 Appliance Schedule 洋房15的設備說明		
Location 位置 - Garden 花園		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

House 15 Appliance Schedule 洋房15的設備說明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

6. Appliances 設備

House 15 VRV Multi Air Conditioning System 洋房15的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXAP36NVC
Daikin 大金	FXMP112NAVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 15 Exhaust Fan 洋房15的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK 315L
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Restroom 一樓洗手間	Panasonic	FV-23NL3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NF3H
3/F Bathsuite 3 三樓浴室3	Panasonic	FV-23NL3H

House 15 Dehumidifier 洋房15的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 3 三樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 15 Gas Water Heater 洋房15的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

This Page is left blank intentionally

此頁保留空白

6. Appliances 設備

House 16 Appliance Schedule 洋房16的設備説明		
Location 位置 - Kitchen 廚房		
Appliances 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 450 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICBUW-24/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ICBID-24F

House 16 Appliance Schedule 洋房16的設備説明		
Location 位置 - Basement 地下室		
Appliances 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 16 Exhaust Fan 洋房16的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK315L
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NS3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-20NS3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 3 三樓浴室3	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H

House 16 Dehumidifier 洋房16的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 3 三樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 16 Gas Water Heater 洋房16的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 17 Appliance Schedule 洋房17的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 17 Appliance Schedule 洋房17的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 17 Appliance Schedule 洋房17的設備説明		
Location 位置 - Roof 天台		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Outdoor Refrigerator 室外雪櫃	Sub-Zero	UC-24RO/PH

House 17 Television 洋房17的電視機			
Location 位置	**Appliance 設備**	**Brand Name 品牌名稱**	**Model Number 產品型號**
1/F Ensuite 1 一樓套房1	50" LED TV 50吋液晶顯示電視	Samsung	UA50KU6300J
1/F Ensuite 2 一樓套房2	50" LED TV 50吋液晶顯示電視	Samsung	UA50KU6300J
1/F Bathsuite 1 一樓浴室 1	17" Waterproof LED TV 17吋防水液晶顯示電視	Oolaa	BTV17(MG-P)
1/F Bathsuite 2 一樓浴室 2	17" Waterproof LED TV 17吋防水液晶顯示電視	Oolaa	BTV17(MG-P)
2/F Master Bathsuite 二樓主人浴室	19" Waterproof LED TV 19吋防水液晶顯示電視	Oolaa	BTV19(MG-P)

House 17 Appliance Schedule 洋房17的設備説明		
Location 位置 - 3/F Tea Room 三樓茶室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Audio System 音響系統	Bowers & Wilkins	CCM632

House 17 Appliance Schedule 洋房17的設備説明		
Location 位置 - 3/F Onsen 三樓日式浴室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Audio System 音響系統	Bowers & Wilkins	CCM632

6. Appliances 設備

House 17 Appliance Schedule 洋房17的設備説明		
Location 位置 - 3/F Multi-Purpose Room 三樓多用途房間		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Audio System 音響系統	Bowers & Wilkins	CCM362

House 17 VRV Multi Air Conditioning System 洋房17的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXAP36NVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	RUXYQ22AB
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 17 Exhaust Fan 洋房17的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK355
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-25NS3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NS3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H
3/F Tea Room / Study 三樓茶室/書房	Panasonic	FV-20NS3H
3/F Onsen 三樓日式浴室	Panasonic	FV-23NL3H

House 17 Dehumidifier 洋房17的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 17 Gas Water Heater 洋房17的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 18 Appliance Schedule 洋房18的設備説明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 18 Appliance Schedule 洋房18的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 18 VRV Multi Air Conditioning System 洋房18的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FXAP36NVC
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

6. Appliances 設備

House 18 Exhaust Fan 洋房18的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Systemair	KVK335
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-23NL3H
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NS3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-23NL3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-23NL3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 3 三樓浴室3	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H

House 18 Dehumidifier 洋房18的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B
3/F Dressing Room in Ensuite 3 三樓套房3裡的衣帽間	Cold Magic 高美	CDH-22R2B

House 18 Gas Water Heater 洋房18的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

6. Appliances 設備

House 19 Appliance Schedule 洋房19的設備說明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 450 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICB424G/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 450 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ID-24F

House 19 Appliance Schedule 洋房19的設備說明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

House 19 VRV Multi Air Conditioning System 洋房19的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXAP36NVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

6. Appliances 設備

House 19 Exhaust Fan 洋房19的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-30GS4
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable Water Pump Room 地庫食水泵房	Panasonic	FV-25NS3H
B/F Flushing Water Pump Room 地庫沖廁水泵房	Panasonic	FV-25NS3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-30GS4
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-25NS3H
B/F Carpark 地庫停車場	Systemair	CDRD 500
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-20NS3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-20NS3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 3 三樓浴室3	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H
3/F Family room 三樓起居室	Panasonic	FV-20NS3H

House 19 Dehumidifier 洋房19的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 19 Gas Water Heater 洋房19的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

This Page is left blank intentionally

此頁保留空白

6. Appliances 設備

House 20 Exhaust Fan 洋房20的抽氣扇		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Electrical Room 地庫電錶房	Panasonic	FV-20NS3H
B/F Filtration Plant Room 地庫泳池濾水泵房	Systemair	KVK315L
B/F Potable & Flushing Water Pump Room 地庫食水和沖廁水泵房	Panasonic	FV-25NF3H
B/F F.S. Pump Room 地庫消防泵房	Panasonic	FV-30GS4
B/F Sprinkler Pump Room 地庫消防花灑泵房	Panasonic	FV-23NL3H
B/F Carpark 地庫停車場	Panasonic	FV-45GS4
G/F Kitchen 地下廚房	Panasonic	FV-25NF3H
G/F Restroom 地下洗手間	Panasonic	FV-20NS3H
1/F Bathsuite 1 一樓浴室1	Panasonic	FV-23NL3H
1/F Bathsuite 2 一樓浴室2	Panasonic	FV-20NS3H
1/F Bathsuite in Multi-Purpose Room 一樓多用途房間裡的浴室	Panasonic	FV-20NS3H
2/F Master Bathsuite 二樓主人浴室	Panasonic	FV-25NS3H
3/F Bathsuite 3 三樓浴室3	Panasonic	FV-23NL3H
3/F Restroom 三樓洗手間	Panasonic	FV-20NS3H
3/F Family Room 三樓起居室	Panasonic	FV-20NS3H

House 20 Gas Water Heater 洋房20的氣體熱水爐		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
Kitchen and Roof 廚房及天台	TGC	NJW220TFQL

In relation to items 4(a) and 6 specified above, the vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

有關於上述指明之第4(a)及第6細項，賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

House 20 Appliance Schedule 洋房20的設備說明		
Location 位置 - Kitchen 廚房		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Gas Hob 雙頭煤氣爐	Gaggenau	VG 232 334 SG
Gas Wok 單頭煤氣爐	Gaggenau	VG 231 334 SG
Barbecue Grill 燒烤爐	Gaggenau	VR 230 134
Cooker Hood 抽油煙機	Gaggenau	AW 400 150
Oven 焗爐	Gaggenau	EB 385 110
Steam oven 蒸爐	Gaggenau	BS 451 110
Coffee Machine 咖啡機	Gaggenau	CM 450 110
Dishwasher 洗碗碟機	Gaggenau	DF 480 160
Refrigerator 雪櫃	Sub-Zero	ICBBI-42S/0
Wine Cellar 酒櫃	Sub-Zero	ICBUW-24/S
Food Warmer 暖食物器	Gaggenau	WS 462 110
Microwave oven 微波爐	Gaggenau	BM 451 110
Freezer Drawer 凍櫃抽屜	Sub-Zero	ICBID-24F

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

House 20 VRV Multi Air Conditioning System 洋房20的VRV分體式空調	
Brand Name 品牌名稱	**Model Number 產品型號**
Daikin 大金	FXMFP140AB
Daikin 大金	FJDHP56QPVC
Daikin 大金	FJDHP71QPVC
Daikin 大金	FJDP22QPVC
Daikin 大金	FXMP90NAVC
Daikin 大金	FXAP36NVC
Daikin 大金	FXDHP56QPVC
Daikin 大金	FXDHP71QPVC
Daikin 大金	RHXYQ10SAY1 + RHXYQ8SAY1
Daikin 大金	RJQ8ABY
Daikin 大金	RJZQ5AAV
Daikin 大金	FXFP140LVC

House 20 Dehumidifier 洋房20的抽濕機		
Location 位置	**Brand Name 品牌名稱**	**Model Number 產品型號**
B/F Carpark 地庫停車場	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 1 一樓套房1裡的衣帽間	Cold Magic 高美	CDH-22R2B
1/F Dressing Room in Ensuite 2 一樓套房2裡的衣帽間	Cold Magic 高美	CDH-22R2B
2/F Her Dressing Room 二樓女主人衣帽間	Cold Magic 高美	CDH-22R2B
2/F His Dressing Room 二樓男主人衣帽間	Cold Magic 高美	CDH-22R2B

House 20 Appliance Schedule 洋房20的設備説明		
Location 位置 - Basement 地下室		
Appliance 設備	**Brand Name 品牌名稱**	**Model Number 產品型號**
Dryer 乾衣機	Gaggenau	WT 260 100
Washing Machine 洗衣機	Gaggenau	WM 260 161

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 1

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	13					0+1
	Staircase (B/F to 1/F) 樓梯 (地庫至一樓)	16	2				
	Parking Area 泊車區域	50			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	12		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	6		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	21	1			1	1+11
	Living Room 客廳	21	3				4+3
	Dining Room 宴會飯廳	12	2				2+2
	Family Dining Room 家庭飯廳	12	1				3+0
	Study 書房	7	1				2+2
	Bathsuite in Study 書房裡的浴室	6	1			1	0+1
	Ensuite 1 套房 1	7	3				4+2
	Bathsuite 1 浴室 1	5	1			1	0+1
	Ensuite 2 套房 2	6	3				6+1
	Bathsuite 2 浴室 2	5	1			1	0+1
	Restroom 洗手間	4	1			1	
	Foyer 前廳	19	2				0+4
	Garden 花園	26					0+7
1/F 一樓	Her Chamber 女主人寢室	4	3				4+1
	Pantry 茶水間	2	1			1	1+0
	Her Bathsuite 女主人浴室	18	2			1	0+2
	Her Dressing Room 女主人衣帽間	21	1				2+4
	His Chamber 男主人寢室	4	3				4+1
	His Bathsuite 男主人浴室	20	2			1	0+3
	His Dressing Room 男主人衣帽間	11	1				0+2
	Ensuite 3 套房 3	8	3				5+1
	Bathsuite 3 浴室 3	5	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	1	1				0+1
	The Great Chamber 主人廂房	14	3				4+1
	Foyer 前廳	16	3				0+2

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 1

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
										1		
								1	1		1	7
				1								
												1
						1	2				1	
	2	2	1								3	
	1	1	1									
	1	1									3	
	1	1	1							1		
1						1					1	
	1	2	1							1		
1	1					1					1	
	1	2	1							1		
1	1					1					1	
					1					8	1	
	1	2	1							1	1	
1	1					1	2			1	1	
										1	2	
	1	2	1							1	1	
1	1					1				1	1	
										1	1	
	1	3	1								1	
1	1					1	1					
										1		
	2	2	1							2	2	
										2	1	

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 2

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	2					0+1
	Staircase (B/F to R/F) 樓梯 (地庫至天台)	18	2				
	Parking Area 泊車區域	58			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	11		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	5		1			0+1
	F.S. Pump Room 消防泵房	3		1			0+1
	Sprinkler Pump Room 消防花灑泵房	2		1			0+1
G/F 地下	Kitchen 廚房	14	2			1	1+9
	Living Room & Dining Room 客廳及宴會飯廳	40	5				6+1
	Family Room 起居室	12	2				4+0
	Restroom 洗手間	3	1			1	
	Foyer (include lift lobby) 前廳 (包括電梯大堂)	12	2				0+3
	Garden 花園	29					0+6
1/F 一樓	Ensuite 1 套房 1	8	2				4+0
	Bathsuite 1 浴室 1	4	1			1	0+1
	Dressing Room 衣帽間	2	1			1	0+1
	Ensuite 2 套房 2	12	3				4+1
	Bathsuite 2 浴室 2	4	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	4	1				0+1
	Ensuite 3 套房 3	15	3				4+1
	Bathsuite 3 浴室 3	5	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	6	1				0+1
	Gallery (include lift lobby) 迴廊 (包括電梯大堂)	14	2				0+1
2/F 二樓	The Great Chamber 主人廂房	29	4				6+1
	Her Bathsuite 女主人浴室	9	2			1	0+1
	Her Dressing Room 女主人衣帽間	13	1				2+1
	His Dressing Room 男主人衣帽間	10	2				0+1
	His Bathsuite 男主人浴室	4	2			1	0+1
R/F 天台	Roof 天台	10					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 2

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	6
				1								
												1
						1	2				1	
	3	3	2									
	2	2	1								1	
					1					7	5	
	1	2	1							2		
1						1					1	
											1	
	1	2	1							1		
1						1					1	
										1	1	
	1	2	1							2	2	
1						1						
										1	1	
										1	1	
	2	3	1							3		
1						1				1	1	
										1	3	
										1	2	
1						1						
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 3

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	9					0+1
	Staircase (B/F to R/F) 樓梯 (地庫至天台)	16	2				
	Parking Area 泊車區域	33			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	7		1			0+1
	Air-Conditioning Plant Room 空調機房	3		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	4		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	21	2			1	1+9
	Living Room, Sitting Room & Dining Room 客廳、偏廳及宴會飯廳	29	5				0+1
	Ensuite 1 套房 1	14					1+1
	Study 書房	4	1				2+1
	Bathsuite in Study 書房裡的浴室	4	1			1	
	Restroom 洗手間	3	1			1	
	Foyer 前廳	9	2				1+0
	Garden 花園	31					0+5
1/F 一樓	Family Room and Multi-Purpose Room 家庭廳及多用途房間	21	4				2+1
	Ensuite 2 套房 2	8	3				3+2
	Bathsuite 2 浴室 2	5	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	2	1				
	Ensuite 3 套房 3	8	3				4+1
	Bathsuite 3 浴室 3	5	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	5	1				0+2
	Restroom 洗手間	3	1			1	
	Foyer 前廳	18	2				2+0
2/F 二樓	The Great Chamber and Study 主人廂房及書房	18	6				3+3
	Her Bathsuite 女主人浴室	8	2			1	0+1
	His Bathsuite 男主人浴室	4	1			1	0+1
	Her Dressing Room 女主人衣帽間	11	1				0+1
	His Dressing Room 男主人衣帽間	13	1				1+4
	Foyer 前廳	8	2				1+1
R/F 天台	Roof 天台	4					1+0
	Roof BBQ Cabinet 天台燒烤爐連櫃						0+3

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 3

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
										1	1	
								1	1		1	7
				1								
												1
						1	2			7	2	
	1	1	1								3	
	1	1	1							1	1	
					1						2	
	2	2	1							2	3	
	1	2	1							1		
1						1				1	1	
	1	2	1							1	1	
1						1					1	
										1		
										1	1	
	1	2	1							3		
1						1				1	2	
1						1				1	1	
										1	2	
										1	2	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 5

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	5					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	5	2				
	Staircase to Garden 樓梯往花園	5		1			
	Parking Area 泊車區域	34			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	10		1			0+1
	Air-Conditioning Plant Room 空調機房	1		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	8		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	2		1			0+1
G/F 地下	Kitchen 廚房	13	1			1	1+9
	Staircase (G/F to R/F) 樓梯 (地下至天台)	18					
	Living Room 客廳	10	3				5+0
	Dining Room 宴會飯廳	3	2				4+0
	Family Room 起居室	5	2				3+0
	Store 儲物室	2	1				0+1
	Restroom 洗手間	4	1			1	
	Foyer 前廳	12	2				0+2
	Garden 花園	35					0+6
1/F 一樓	Ensuite 1 套房 1	7	3				3+1
	Bathsuite 1 浴室 1	5	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	1	1				0+1
	Ensuite 2 套房 2	5	3				3+1
	Bathsuite 2 浴室 2	5	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	1	1				0+1
	Ensuite 3 套房 3	9	3				3+1
	Bathsuite 3 浴室 3	8	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	1	1				0+1
	Multi-Purpose Room 多用途房間	4	1				1+2
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	3	1			1	
	Foyer 前廳	10	3				0+2
2/F 二樓	The Great Chamber and Sitting Room 主人廂房及偏廳	13	6				4+1
	Master Bathsuite 主人浴室	12	1			1	0+1
	Her Dressing Room 女主人衣帽間	6	1				2+1
	His Dressing Room 男主人衣帽間	6	1				1+1
	Foyer 前廳	15	3				0+3
3/F 三樓	Family Room 起居室	11	3				4+2
	Restroom 洗手間	4	1			1	
	Ensuite 4 套房 4	5	3				4+1
	Bathsuite 4 浴室 4	9	1			1	0+1
	Dressing Room in Ensuite 4 套房4裡的衣帽間	2	1				0+1
	Foyer 前廳	6	2				0+1
R/F 天台	Roof 天台	9					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 5

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
										1		
								1	1		1	7
				1								
												1
						1	2				2	
	2	2	1								2	
	1	1										
	1	1	1								1	
					1					6	1	
	1	2	1							1	1	
1						1						
	1	2	1							1	1	
1						1						
	1	2	1							1	1	
1						1						
	1	1	1							1	1	
						1						
										2	2	
	2	3	1							2	2	
1						1				1	1	
										1	1	
										1	1	
										2	2	
	2	2	1							2	2	
	1	2	1							1	1	
1						1				1	1	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 6

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	5					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	6	2				
	Staircase to Garden 樓梯往花園	6		1			
	Parking Area 泊車區域	36			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	14		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	10		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	13	1			1	1+9
	Staircase (G/F to R/F) 樓梯 (地下至天台)	18					
	Living Room 客廳	10	3				5+0
	Dining Room 宴會飯廳	3	2				4+0
	Family Room 起居室	5	2				3+0
	Store 儲物室	2	1				0+1
	Restroom 洗手間	4	1			1	
	Foyer 前廳	12	2				0+2
	Garden 花園	40					0+5
1/F 一樓	Ensuite 1 套房 1	7	3				3+1
	Bathsuite 1 浴室 1	5	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	1	1				0+1
	Ensuite 2 套房 2	5	3				3+1
	Bathsuite 2 浴室 2	5	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	1	1				0+1
	Ensuite 3 套房 3	9	3				3+1
	Bathsuite 3 浴室 3	8	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	1	1				0+1
	Multi-Purpose Room 多用途房間	4	1				2+1
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	3	1			1	
	Foyer 前廳	10	3				0+2
2/F 二樓	The Great Chamber and Sitting Room 主人廂房及偏廳	13	6				5+1
	Master Bathsuite 主人浴室	12	1			1	0+1
	Her Dressing Room 女主人衣帽間	6	1				2+1
	His Dressing Room 男主人衣帽間	6	1				1+1
	Foyer 前廳	15	3				0+3
3/F 三樓	Family Room 起居室	11	3				4+2
	Restroom 洗手間	4	1			1	
	Ensuite 4 套房 4	5	3				4+1
	Bathsuite 4 浴室 4	9	1			1	0+1
	Dressing Room in Ensuite 4 套房4裡的衣帽間	2	1				0+1
	Foyer 前廳	6	2				0+1
R/F 天台	Roof 天台	9					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 6

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
										1		
								1	1		1	7
				1								
												1
						1	2				2	
	2	2	1								2	
	1	1										
	1	1	1								1	
					1					6	1	
	1	2	1							1	1	
1						1						
	1	2	1							1	1	
1						1						
	1	2	1							1	1	
1						1						
	1	1	1							1	1	
						1						
										2	2	
	2	3	1							2	2	
1						1				1	1	
										1	1	
										1	1	
										2	2	
	2	2	1							2	2	
	1	2	1							1	1	
1						1				1	1	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 7

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	6					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	9	2				
	Staircase to Garden 樓梯往花園	5		1			
	Parking Area 泊車區域	42			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	8		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	6		1			0+1
	F.S. Pump Room 消防泵房	3		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	15	2			1	1+10
	Staircase (G/F to R/F) 樓梯 (地下至天台)	21					
	Living Room & Dining Room 客廳及宴會飯廳	26	5				3+5
	Restroom 洗手間	4	1			1	
	Foyer 前廳	11	2				0+1
	Garden 花園	41					0+4
1/F 一樓	Ensuite 1 套房 1	8	2				3+3
	Bathsuite 1 浴室 1	8	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	2	1				0+2
	Ensuite 2 套房 2	6	2				4+1
	Bathsuite 2 浴室 2	3	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	2	1				0+2
	Ensuite 3 套房 3	4	1				3+0
	Bathsuite 3 浴室 3	4	1			1	0+1
	Foyer 前廳	10	2				0+1
2/F 二樓	The Great Chamber 主人廂房	14	5				4+3
	Master Bathsuite 主人浴室	15	1			1	0+2
	Her Dressing Room 女主人衣帽間	6	1				
	His Dressing Room 男主人衣帽間	3	1				0+1
	Foyer 前廳	8	2				0+1
3/F 三樓	Family Room 起居室	13	4				2+2
	Ensuite 4 套房 4	4	3				3+1
	Bathsuite 4 浴室 4	5	1			1	0+1
	Dressing Room in Ensuite 4 套房4裡的衣帽間	3					0+1
	Restroom 洗手間	3	1			1	
	Foyer 前廳	8	2				0+1
R/F 天台	Roof 天台	6					1+0
	Roof BBQ Cabinet 天台燒烤爐連櫃						0+3

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 7

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	5
				1								
												1
												1
						1	2				1	
	3	3	2								3	
					1					5	1	
	1	2	1							1	1	
1						1				1	1	
	1	2	1							1	1	
1						1				1		
	1	2	1							1	1	
1												
										1	1	
	2	2	1							2	2	
1	1					1				1	1	
										1	1	
										1	1	
										1	1	
	2	1	1							2	2	
	1	2	1							1	1	
1						1				1	1	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 8

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	3					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	5	2				
	Staircase to Garden 樓梯往花園	5		1			
	Parking Area 泊車區域	41			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	9		1			0+1
	Air-Conditioning Plant Room 空調機房	1		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	6		1			0+1
	F.S. Pump Room 消防泵房	3		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	9	2			1	1+10
	Staircase (G/F to R/F) 樓梯 (地下至天台)	34					
	Living Room & Dining Room 客廳及宴會飯廳	28	5				8+0
	Restroom 洗手間	5	1			1	
	Foyer 前廳	11	2				0+1
	Garden 花園	46					0+5
1/F 一樓	Ensuite 1 套房 1	10	3				4+1
	Bathsuite 1 浴室 1	7	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	1	1				0+1
	Ensuite 2 套房 2	8	3				4+1
	Bathsuite 2 浴室 2	6	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	1	1				0+1
	Multi-Purpose Room 多用途房間	7	3				4+1
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	7	1			1	0+1
	Foyer 前廳	7	2				0+1
2/F 二樓	The Great Chamber 主人廂房	15	5				5+1
	Master Bathsuite 主人浴室	19	2			1	0+2
	Her Dressing Room 女主人衣帽間	8	1				2+1
	His Dressing Room 男主人衣帽間	1	1				0+1
	Foyer 前廳	8	2				0+1
3/F 三樓	Family Room 起居室	15	3				4+0
	Ensuite 3 套房 3	11	4				4+1
	Bathsuite 3 浴室 3	7	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	2	1				0+1
	Restroom 洗手間	4	1			1	
	Foyer 前廳	8	2				0+1
R/F 天台	Roof 天台	6					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 8

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	4
				1								
												1
												1
						1	2				2	
	3	3	2									
											1	
					1					5	2	
	1	2	1							1		
1						1				1	1	
											1	
	1	2	1							1		
1						1				1	1	
											1	
	1	2	1							1	1	
1						1						
										1	1	
	2	3	1							2		
1						1				1	1	
										1	3	
										1	1	
										1	1	
	2	2	1							2	2	
	1	2	1							1	1	
1						1				1	1	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量説明表

House 洋房 9

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂						
	Staircase (B/F to G/F) 樓梯 (地庫至地下)						
	Staircase to Garden 樓梯往花園	5		1			
	Parking Area 泊車區域				1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	10		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	6		1			0+1
	F.S. Pump Room 消防泵房	3		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房						
	Staircase (G/F to R/F) 樓梯 (地下至天台)						
	Living Room & Dining Room 客廳及宴會飯廳						
	Restroom 洗手間						
	Foyer 前廳						
	Garden 花園	29					0+5
1/F 一樓	Ensuite 1 套房 1						
	Bathsuite 1 浴室 1						
	Dressing Room in Ensuite 1 套房1裡的衣帽間						
	Ensuite 2 套房 2						
	Bathsuite 2 浴室 2						
	Dressing Room in Ensuite 2 套房2裡的衣帽間						
	Multi-Purpose Room 多用途房間						
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室						
	Foyer 前廳						
2/F 二樓	The Great Chamber 主人廂房						
	Master Bathsuite 主人浴室						
	Her Dressing Room 女主人衣帽間						
	His Dressing Room 男主人衣帽間						
	Foyer 前廳						
3/F 三樓	Family Room 起居室						
	Ensuite 3 套房 3						
	Bathsuite 3 浴室 3						
	Dressing Room in Ensuite 3 套房3裡的衣帽間						
	Restroom 洗手間						
	Foyer 前廳						
R/F 天台	Roof 天台	5					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 9

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
								1	1		1	5
				1								
												1
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 10

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	3					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	6	2				
	Staircase to Garden 樓梯往花園	5		1			
	Parking Area 泊車區域	37			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	10		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	5		1			0+1
	F.S. Pump Room 消防泵房	3		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	9	2			1	1+10
	Staircase (G/F to R/F) 樓梯 (地下至天台)	34					
	Living Room & Dining Room 客廳及宴會飯廳	28	5				8+0
	Restroom 洗手間	5	1			1	
	Foyer 前廳	12	2				0+1
	Garden 花園	42					0+5
1/F 一樓	Ensuite 1 套房 1	10	3				4+1
	Bathsuite 1 浴室 1	7	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	1	1				0+1
	Ensuite 2 套房 2	8	3				4+1
	Bathsuite 2 浴室 2	6	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	1	1				0+1
	Multi-Purpose Room 多用途房間	7	3				4+1
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	6	1			1	0+1
	Foyer 前廳	7	2				0+1
2/F 二樓	The Great Chamber 主人廂房	15	5				5+1
	Master Bathsuite 主人浴室	19	2			1	0+2
	Her Dressing Room 女主人衣帽間	14	1				3+0
	His Dressing Room 男主人衣帽間	1	1				0+1
	Foyer 前廳	8	2				0+1
3/F 三樓	Family Room 起居室	15	3				4+0
	Ensuite 3 套房 3	11	4				4+1
	Bathsuite 3 浴室 3	7	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	2	1				0+1
	Restroom 洗手間	5	1			1	
	Foyer 前廳	8	2				0+1
R/F 天台	Roof 天台	6					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 10

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	5
				1								
												1
						1	2				2	
	3	3	2									
											1	
					1					5	2	
	1	2	1							1		
1						1				1	1	
											1	
	1	2	1							1		
1						1				1	1	
											1	
	1	2	1							1	1	
1						1						
										1	1	
	2	3	1							2		
1						1				1	1	
										1	3	
										1	1	
										1	1	
	2	2	1							2	2	
	1	2	1							1	1	
1						1				1	1	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 11

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	2					0+1
	Staircase (B/F to 2/F) 樓梯 (地庫至二樓)	26	2				
	Parking Area 泊車區域	37			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	4		1			0+1
	Air-Conditioning Plant Room 空調機房	1		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	9		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	9	1			1	2+10
	Living Room & Dining Room 客廳及宴會飯廳	32	5				8+1
	Restroom 洗手間	6	1			1	
	Foyer 前廳	12	2				0+1
	Garden 花園	37					0+5
1/F 一樓	Ensuite 1 套房 1	11	3				5+1
	Bathsuite 1 浴室 1	10	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	2	1				0+1
	Ensuite 2 套房 2	12	3				4+1
	Bathsuite 2 浴室 2	6	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	1	1				0+1
	Media Room 影音室	7	1				4+1
	Restroom 洗手間	6	1			1	
	Foyer 前廳	6	2				0+1
2/F 二樓	The Great Chamber 主人廂房	16	5				5+1
	Master Bathsuite 主人浴室	19	2			1	0+2
	Her Dressing Room 女主人衣帽間	21	1				2+2
	His Dressing Room 男主人衣帽間	2	1				0+1
	Foyer 前廳	8	2				0+1

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 11

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
										1		
								1	1		1	4
				1								
												1
						1	2				1	
	3	3	2								3	
					1					5	1	
	1	2	1							1	1	
1	1					1				1	1	
	1	2	1							1	1	
1	1					1						
	1	1	1							1	1	
1	1					1						
										1	1	
	2	3	1							2	2	
1	1					1	2			1	1	
										1	1	
										1	1	
										1	1	

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 12

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	2					0+1
	Staircase (B/F to 2/F) 樓梯 (地庫至二樓)	31	1				
	Parking Area 泊車區域	56			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	8		1			0+1
	Air-Conditioning Plant Room 空調機房	1		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	9		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	2		1			0+1
G/F 地下	Kitchen 廚房	8	2			1	1+9
	Living Room & Dining Room 客廳及宴會飯廳	31	5				6+0
	Restroom 洗手間	5	1			1	
	Foyer 前廳	17	2				
	Garden 花園	31					0+6
1/F 一樓	Ensuite 1 套房 1	8	3				4+1
	Bathsuite 1 浴室 1	5	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	2					
	Ensuite 2 套房 2	8	3				4+1
	Bathsuite 2 浴室 2	8	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	2	1				
	Ensuite 3 套房 3	10	3				4+1
	Bathsuite 3 浴室 3	8	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	1	1				
	Store 儲物室	6		1		1	0+1
	Foyer 前廳	4	2				0+2
2/F 二樓	The Great Chamber 主人廂房	19	5				4+1
	Master Bathsuite 主人浴室	22	2			1	0+2
	Her Dressing Room 女主人衣帽間	13	1				2+1
	His Dressing Room 男主人衣帽間	2	1				1+1
	Foyer 前廳	7	2				0+1

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 12

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	4
				1								
												1
						1	2				2	
	3	3	2									
					1					5	3	
	1	2	1							1		
1						1					1	
	1	2	1							1		
1						1					1	
	1	2	1							1		
1						1						
											1	
										1	1	
										1	1	
	2	3	1							2	2	
1						1				1	1	
										1	1	
										1	1	
										1	1	

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 15

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	3					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	11	2				
	Staircase to Garden 樓梯往花園	3		1			
	Parking Area 泊車區域	34			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	6		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	5		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	2		1			0+1
G/F 地下	Kitchen 廚房	19	2			1	2+9
	Staircase (G/F to R/F) 樓梯 (地下至天台)	27					
	Living Room & Dining Room 客廳及宴會飯廳	43	5				8+0
	Restroom 洗手間	3	1			1	
	Foyer 前廳	12	2				0+2
	Garden 花園	37					0+5
1/F 一樓	Ensuite 1 套房 1	11	3				3+1
	Bathsuite 1 浴室 1	8	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	4	1				0+1
	Ensuite 2 套房 2	7	3				4+1
	Bathsuite 2 浴室 2	8	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	9	1				0+1
	Multi-Purpose Room 多用途房間	11	1				1+3
	Restroom 洗手間	4	1			1	
	Foyer 前廳	11	2				0+1
2/F 二樓	The Great Chamber 主人廂房	15	5				5+4
	Master Bathsuite 主人浴室	18	2			1	0+2
	Her Dressing Room 女主人衣帽間	21	2				0+1
	His Dressing Room 男主人衣帽間	5	1				0+1
	Foyer 前廳	8	2				0+1
3/F 三樓	Family Room 起居室	28	3				5+1
	Ensuite 3 套房 3	7	4				3+1
	Bathsuite 3 浴室 3	6	2			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	7	1				0+1
	Foyer 前廳	11	2				0+1
R/F 天台	Roof 天台	5					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 15

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
										1	1	
								1	1		1	
				1								
						1	2				2	
	2	2	1									
											1	
					1					5	2	
												7
	1	2	1							1		
1						1				1	2	
	1	2	1							1		
1						1						
											1	
	1	1	1							1	1	
										1	1	
	2	3	1							2	2	
1						1				1	1	
										1	1	
										1	1	
										1	1	
	1	1	1							2		
	1	2	1							1	2	
1						1						
										1	1	
										1	2	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 16

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	5	2				0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	5	1				
	Staircase to Garden 樓梯往花園	4		1			
	Parking Area 泊車區域	40			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	10		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	8		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	2		1			0+1
G/F 地下	Kitchen 廚房	9	2			1	1+13
	Staircase (G/F to R/F) 樓梯 (地下至天台)	32					
	Living Room & Dining Room 客廳及宴會飯廳	33	3				8+0
	Restroom 洗手間	4	1			1	
	Foyer 前廳	14	2				0+1
	Garden 花園	36					0+5
1/F 一樓	Ensuite 1 套房 1	11	3				4+1
	Bathsuite 1 浴室 1	4	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	2	1				0+1
	Ensuite 2 套房 2	9	3				4+1
	Bathsuite 2 浴室 2	4	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	2	1				0+1
	Multi-Purpose Room 多用途房間	4	1				2+1
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	4	1			1	0+1
	Foyer 前廳	8	2				0+1
2/F 二樓	The Great Chamber 主人廂房	19	5				6+1
	Master Bathsuite 主人浴室	10	2			1	0+2
	Her Dressing Room 女主人衣帽間	12	1				2+1
	His Dressing Room 男主人衣帽間	1	1				0+1
	Foyer 前廳	8	2				0+1
3/F 三樓	Family Room 起居室	26	3				5+0
	Ensuite 3 套房 3	6	4				3+1
	Bathsuite 3 浴室 3	4	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	4	1				0+1
	Restroom 洗手間	2	1			1	
	Foyer 前廳	8	2				0+1
R/F 天台	Roof 天台	6					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 16

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	6
				1								
						1	2				2	
	3	3	2									
											1	
					1					5	2	
	1	2	1							1		
1						1				1	1	
											1	
	1	2	1							1		
1						1				1	1	
											1	
	1	1	1							1	1	
1						1						
										1	1	
	2	3	1							2		
1						1					1	
										2	3	
										1	1	
										1	1	
	2	2	1							2	2	
	1	2	1							1	1	
1						1				1	1	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 17

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	4					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	5	2				
	Staircase to Garden 樓梯往花園	5		1			
	Parking Area 泊車區域	35			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	8		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	5		1			0+1
	F.S. Pump Room 消防泵房	3		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	16	1			1	1+9
	Staircase (G/F to R/F) 樓梯 (地下至天台)	7					
	Living Room & Dining Room 客廳及宴會飯廳	31	5				7+0
	Restroom 洗手間	6	1			1	
	Foyer 前廳	15	2				0+1
	Garden 花園	41					0+5
1/F 一樓	Ensuite 1 套房 1	10	3				3+3
	Bathsuite 1 浴室 1	16	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	3					0+1
	Ensuite 2 套房 2	8	3				2+3
	Bathsuite 2 浴室 2	7	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	4	1				0+1
	Foyer 前廳	9	2				0+1
2/F 二樓	The Great Chamber 主人廂房	14	5				5+3
	Master Bathsuite 主人浴室	17	2			1	0+2
	Her Dressing Room 女主人衣帽間	19	1				1+1
	His Dressing Room 男主人衣帽間	2	1				0+1
	Foyer 前廳	9	2				0+1
3/F 三樓	Tea Room 茶室	11	3				3+3
	Multi-Purpose Room 多用途房間	5	1				2+1
	Onsen 日式浴室	4	1			1	
	Restroom in Multi-Purpose Room 多用途房間裡的洗手間	5	1			1	0+1
	Restroom 洗手間	5	1			1	
	Foyer 前廳	8	2				0+1
R/F 天台	Roof 天台	6					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 17

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
										1	1	
								1	1		1	
				1								
												1
						1	2				1	
	3	3	2								3	
											1	
					1					5	1	
												5
	1	2	1							1	1	
1	1					1					1	
										1		
	1	2	1							1	1	
1	1					1				1	1	
										1	1	
	2	2	1							2	2	
1	1					1				1	1	
										1	1	
										1	1	
	2	2	1							2	2	
	1	1	1							1	1	
1						1						
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量説明表

House 洋房 18

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	3					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	5	2				
	Staircase to Garden 樓梯往花園	5		1			
	Parking Area 泊車區域	41			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	10		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	5		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	2		1			0+1
G/F 地下	Kitchen 廚房	9	1			1	1+11
	Staircase (G/F to R/F) 樓梯 (地下至天台)	34					
	Living Room & Dining Room 客廳及宴會飯廳	33	5				7+1
	Restroom 洗手間	5	1			1	
	Foyer 前廳	12	2				0+1
	Garden 花園	44					0+4
1/F 一樓	Ensuite 1 套房 1	10	3				4+1
	Bathsuite 1 浴室 1	6	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	1	1				0+1
	Ensuite 2 套房 2	11	3				4+1
	Bathsuite 2 浴室 2	5	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	1	1				0+1
	Multi-Purpose Room 多用途房間	8	1				2+1
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	4	1			1	0+1
	Foyer 前廳	7	2				0+1
2/F 二樓	The Great Chamber 主人廂房	15	5				6+1
	Master Bathsuite 主人浴室	17	2			1	0+2
	Her Dressing Room 女主人衣帽間	10	1				2+1
	His Dressing Room 男主人衣帽間	1	1				0+1
	Foyer 前廳	7	2				0+1
3/F 三樓	Family Room 起居室	11	3				5+0
	Ensuite 3 套房 3	8	4				3+1
	Bathsuite 3 浴室 3	7	1			1	0+1
	Dressing Room in Ensuite 3 套房3裡的衣帽間	2	1				0+1
	Restroom 洗手間	5	1			1	
	Foyer 前廳	7	2				0+1
R/F 天台	Roof 天台	6					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 18

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	5
				1								
												1
						1	2				2	
	3	3	2									
											1	
					1					5	2	
	1	2	1							1		
1						1				1	1	
											1	
	1	2	1							1		
1						1				1	1	
											1	
	1	1	1							1	1	
1						1						
										1	1	
	2	3	1							2		
1						1				1	1	
										1	3	
										1	1	
										1	1	
	2	2	1							2	2	
	1	2	1							1	1	
1						1				1	1	
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量説明表

House 洋房 19

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	3					0+1
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	4	2				
	Staircase to Garden 樓梯往花園	4		1			
	Parking Area 泊車區域	31			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	10		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Flushing Water Pump Room 沖廁水泵房	3		1			0+1
	Potable Water Pump Room 食水泵房	4		1			0+1
	F.S. Pump Room 消防泵房	3		1			0+1
	Sprinkler Pump Room 消防花灑泵房	4		1			0+1
G/F 地下	Kitchen 廚房	9	2			1	1+9
	Staircase (G/F to R/F) 樓梯 (地下至天台)	31					
	Living Room & Dining Room 客廳及宴會飯廳	31	5				8+0
	Restroom 洗手間	4	1			1	
	Foyer 前廳	14	2				0+1
	Garden 花園	36					0+5
1/F 一樓	Ensuite 1 套房 1	12	3				4+1
	Bathsuite 1 浴室 1	8	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	1	1				0+1
	Ensuite 2 套房 2	10	3				4+1
	Bathsuite 2 浴室 2	7	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	1	1				0+1
	Multi-Purpose Room 多用途房間	8	1				2+1
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	8	1			1	0+1
	Foyer 前廳	8	2				0+1
2/F 二樓	The Great Chamber 主人廂房	14	5				5+1
	Master Bathsuite 主人浴室	19	2			1	0+2
	Her Dressing Room 女主人衣帽間	25	1				2+1
	His Dressing Room 男主人衣帽間	2	1				0+1
	Foyer 前廳	7	2				0+1
3/F 三樓	Family Room 起居室	12	3				5+0
	Ensuite 3 套房 3	8	3				3+1
	Bathsuite 3 浴室 3	8	1			1	0+1
	Restroom 洗手間	5	1			1	
	Foyer 前廳	7	2				0+1
R/F 天台	Roof 天台	6					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 19

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
											1	
								1	1		1	5
				1								
												1
						1	2				2	
	3	3	2									
					1					4	2	
	1	2	1							1		
1						1					1	
											1	
	1	2	1							1		
1						1				1	1	
	1	1	1							1	1	
1						1						
										1	1	
	2	3	1							2		
1						1				1	1	
										1	3	
										1	1	
										1	1	
	2	2	1							2	2	
	1	2	1							1	1	
1						1						
										1	1	
							2					

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 20

Floor 樓層	Location 位置	Items 細項					
		Lighting Point 照明燈位	Home Automation Control Panel 智能控制掣面	Lighting Switch 燈掣	Electric Vehicle Charger 電動車充電器	Double Pole Switch for Exhaust Fan 抽氣扇電源掣	13A Switched Socket Outlet (Twin + Single) 13安培帶掣插蘇 (雙位 + 單位)
B/F 地庫	Lift Lobby 升降機大堂	6	2				0+2
	Staircase (B/F to G/F) 樓梯 (地庫至地下)	7	1				
	Staircase to Garden 樓梯往花園	3	1				
	Parking Area 泊車區域	35			1		2+0
	Electrical Room 電錶房	2		1			0+1
	Filtration Plant Room 泳池濾水泵房	10		1			0+1
	Air-Conditioning Plant Room 空調機房	2		1			0+1
	Potable & Flushing Water Pump Room 食水和沖廁水泵房	4		1			0+1
	F.S. Pump Room 消防泵房	2		1			0+1
	Sprinkler Pump Room 消防花灑泵房	3		1			0+1
G/F 地下	Kitchen 廚房	13	2			2	1+13
	Staircase (G/F to R/F) 樓梯 (地下至天台)	31					
	Living Room & Dining Room 客廳及宴會飯廳	36	5				6+2
	Restroom 洗手間	4	1			1	
	Foyer 前廳	11	2				
	Garden 花園	38					0+5
1/F 一樓	Ensuite 1 套房 1	7	3				4+1
	Bathsuite 1 浴室 1	4	1			1	0+1
	Dressing Room in Ensuite 1 套房1裡的衣帽間	2	1				0+1
	Ensuite 2 套房 2	7	3				5+1
	Bathsuite 2 浴室 2	4	1			1	0+1
	Dressing Room in Ensuite 2 套房2裡的衣帽間	2	1				0+1
	Multi-Purpose Room 多用途房間	6	1				3+1
	Bathsuite in Multi-Purpose Room 多用途房間裡的浴室	4	1			1	0+1
	Foyer 前廳	8	2				0+1
2/F 二樓	The Great Chamber 主人廂房	13	5				4+2
	Master Bathsuite 主人浴室	11	2			1	0+1
	Her Dressing Room 女主人衣帽間	11	1				3+1
	His Dressing Room 男主人衣帽間	2	1				0+1
	Foyer 前廳	9	2				
3/F 三樓	Family Room 起居室	28	3				2+2
	Ensuite 3 套房 3	7	3				4+0
	Bathsuite 3 浴室 3	6	1			1	0+1
	Restroom 洗手間	2	1			1	
	Foyer 前廳	11	2				0+1
R/F 天台	Roof 天台	6					1+0

Schedule of Mechanical & Electrical Provisions 機電裝置數量說明表

House 洋房 20

Items 細項												
Shaver Outlet 鬚刨插座	TV/FM Outlet 電視/電台天線插座	Telephone Outlet 電話插座	Fiber Outlet 光纖插座	M.C.B. Board 總電掣箱	Touch Screen Display 智能觸控屏幕	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制	Towngas Water Heater 煤氣熱水爐	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點(出水位)	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點(入水位)	Thermostat for A/C Indicated 空調溫控顯示器	VRV Indoor Unit & A/C Point VRV 分體空調室內機位及其接駁點	VRV Outdoor Unit & A/C Point VRV 分體空調室外機位及其接駁點
										1		
								1	1		1	5
				1								
												1
						1	2					
	3	2	3									
					1					6		
	1	1	2							1		
1						1						
	1	1	2							1		
1						1				1		
	1	1	1							1		
1						1						
										2		
	2	1	3							2		
1						1				1		
										1		
										1		
										1		
	2	2	2							1		
	1	1	1							1		
1						1						
										1		
							2					

SERVICE AGREEMENTS
服務協議

Potable and flushing water is supplied by Water Supplies Department.
Electricity is supplied by The Hong Kong Electric Co. Ltd.
Towngas is supplied by The Hong Kong and China Gas Company Limited.

食水及沖廁水由水務署供應。
電力由香港電燈有限公司供應。
煤氣由香港中華煤氣有限公司供應。

GOVERNMENT RENT
地税

The vendor will pay or has paid (as the case may be) all outstanding Government Rent in respect of the lot from the date of the Government Grant up to and including the date of the respective assignments to the purchasers.

賣方將會或已經(視屬何情況而定)繳付有關該地段由批地文件之日期起計直至相關買方轉讓契日期(包括該日)之地税。

MISCELLANEOUS PAYMENTS BY PURCHASER
買方的雜項付款

1. On the delivery of the vacant possession of the specified residential property to the purchaser, the purchaser is liable to reimburse the owner for the deposits for water, electricity and gas.
2. On that delivery, the purchaser is not liable to pay to the owner a debris removal fee.

Remark: On that delivery, the purchaser is liable to pay a debris removal fee to the manager (not the owner) under the deed of mutual covenant, and where the owner has paid that debris removal fee, the purchaser shall reimburse the owner for the same.


1. 在向買方交付指明住宅物業在空置情況下的管有權時，買方須負責向擁有人補還水、電力及氣體的按金。
2. 在交付時，買方不須向擁有人支付清理廢料的費用。

備註：在交付時，買方須根據公契向發展項目的管理人(而非擁有人)支付清理廢料的費用，而如擁有人已支付清理廢料的費用，買方須向擁有人補還清理廢料的費用。

DEFECT LIABILITY WARRANTY PERIOD
欠妥之處的保養責任期

The vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the purchaser within 6 months after the date of completion of the sale and purchase of the residential property, remedy any defects to that property, or the fittings, finishes or appliances incorporated into the property as set out in the agreement for sale and purchase concerned, caused otherwise than by the act or neglect of the purchaser.

凡物業或於買賣合約列出裝設於物業內的裝置、裝修物料或設備有欠妥之處，而該欠妥之處並非由買方行為或疏忽造成，則賣方在接獲買方在買賣成交日期後的6個月內送達的書面通知後，須於合理地切實可行的範圍內盡快自費作出補救。



SCALE 0m/米 40m/米
比 例

Remark:
This plan is for showing the location of the slope and retaining structures areas only. Other matters shown in this plan may not reflect their latest conditions.

備註：
此圖僅作顯示斜坡及護土牆構築物範圍的位置，圖中所示之其他事項未必能反映其最新狀況。

1. The Land Grant requires the owners of the residential properties in the Development to maintain any slope at their own cost. The terms of the requirement are as follows:

(1) Special Condition No.(29)(a) provides that where there is or has been any cutting away, removal or setting back of any land, or any building up or filling in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the lot or any part thereof or any other works required to be done by the Grantee under the Conditions, or for any other purpose, the Grantee shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Grantee shall at all times during the term agreed to be granted by the Land Grant maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director.

(2) Special Condition No.(29)(b) provides that nothing in sub-clause (a) of Special Condition No.(29) shall prejudice the Government's rights under the Conditions, in particular Special Condition No.(28).

(3) Special Condition No.(29)(c) provides that in the event that as a result of or arising out of any formation, levelling, development or other works done by the Grantee or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land, within the lot or from any adjacent or adjoining Government or leased land, the Grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify the Government its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, land slip or subsidence.

(4) Special Condition No.(29)(d) provides that in addition to any other rights or remedies provided in the Land Grant for breach of any of the Conditions, the Director shall be entitled by notice in writing to call upon the Grantee to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support, protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the Grantee shall neglect or fail to comply with the notice to the satisfaction of the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the Grantee shall on demand repay to the Government the cost thereof, together with any administrative or professional fees and charges.

(5) Special Condition No.(32)(a) provides that the Grantee shall at his own expense carry out and complete to the satisfaction of the Director such geotechnical investigations and such slope treatment, landslide preventive, mitigation and remedial works on the areas shown coloured green hatched black and green hatched black stippled black on the plan annexed to the Land Grant (hereinafter referred to as the "Green Hatched Black Areas" and "the Green Hatched Black Stippled Black Areas" respectively) as the Director in his absolute discretion may require and shall, at all times during the term agreed to be granted by the Land Grant, at his own expense, maintain in good and substantial repair and condition to the satisfaction of the Director the Green Hatched Black Areas and the Green Hatched Black Stippled Black Areas including all land, slope treatment works, earth-retaining structures, drainage and any other works therein and thereon. In the event that any landslip, subsidence or falling away occurs within the Green Hatched Black Areas or the Green Hatched Black Stippled Black Areas at any time during the term agreed to be granted by the Land Grant, the Grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director together with any adjacent or adjoining areas which, in the opinion of the Director (whose decision shall be final and binding on the Grantee), have also been affected. The Grantee shall indemnify the Government, its agents and contractors against all claims, proceedings, costs, damages and expenses whatsoever incurred by reason of such landslip, subsidence or falling away. The Grantee shall ensure at all times that there shall be no illegal excavation or dumping on the Green Hatched Black Areas or the Green Hatched Black Stippled Black

Areas and, subject to the prior written approval of the Director, the Grantee may erect fences or other barriers for the prevention ofsuch illegal excavation or dumping. In addition to any other rights or remedies the Director may have in respect of any breach of the Conditions, the Director may at any time by notice in writing call upon the Grantee to carry out such geotechnical investigations, slope treatment, landslip preventive, mitigation and remedial works and to maintain, reinstate and make good any land, structure or works affected by such landslip, subsidence or falling away, and if the Grantee shall neglect or fail to comply with such notice to the satisfaction of the Director within the period specified therein, the Director may, after the expiry of such period, execute and carry out the required works and the Grantee shall on demand repay to the Government the cost thereof.

(6) Special Condition No.(32)(b) provides that notwithstanding sub-clause (a) of Special Condition No.(32), the obligations and rights of the Grantee thereunder shall absolutely determine upon the Government giving to the Grantee notice to that effect, and no claim for compensation shall be made against the Government or the Director or his or their duly authorized officers by the Grantee in respect of any loss, damage or disturbance suffered or any expense incurred as a result of such determination provided that such determination shall be without prejudice to any rights or remedies of the Government in respect of any antecedent breach, non-performance or non-observance of sub-clause (a) of Special Condition No.(32).

2. Each of the owners is obliged to contribute towards the costs of the maintenance work.

3. Please refer to the plan in this section for the location of the slope structures, retaining walls or related structures (if any) (the location is coloured in pink).

4. Under the Deed of Mutual Covenant, the manager of the development has the owners' authority to carry out the maintenance work.

1. 批地文件規定，發展項目中的住宅物業的擁有人須自費維修任何斜坡，該規定的條款如下：

(1) 特別條款第(29)(a)條規定，倘若任何土地遭切去、拆除或重新設置，或倘若任何建造、填土或任何斜坡處理工程經進行，不論是否經署長事先書面同意，無論是在該地段內或任何政府土地上，為了或有關於開拓、平整或發展該地段或其任何部分或承授人須按條款所進行的任何其他工程，或為任何其他目的，承授人須自費進行和建設於當時或在其後任何時間有必要或可能需要的斜坡處理工程、擋土牆或其他承托、防護、排水、附屬或其他工程，以支持該地段或其毗鄰該地段的政府土地或租用土地內土地及確保該地段或其毗鄰該地段的政府土地或租用土地內土地的安全，及防止和避免任何其後出現山泥傾瀉或地陷的情況。承授人須於批地文件年期內時刻自費維持該土地、斜坡處理工程、擋土牆或其他承托、防護、排水、附屬或其他工程使其修葺良好堅固，並達致署長滿意。

(2) 特別條款第(29)(b)條規定，特別條款第(29)條第(a)分段並無規定損害政府條款下的權利，尤其是其特別條款第(28)條下的權利。

(3) 特別條款第(29)(c)條規定，倘若因承授人任何開拓、平整、發展或其他工程因此引起或招致的或其他原因於任何時候，無論是在或來自任何土地，於該地段內或來自任何相鄰或鄰近政府或租賃土地，造成的山泥傾瀉或地陷，承授人需自費修復，並達致署長滿意。承授人如因山泥傾瀉或地陷以致政府、其代理及承辦商招致任何費用，收費，賠償，索求及索償，承授人必須向彼等彌償。

(4) 特別條款第(29)(d)條規定，除了按批地文件規定因違反任何條款的任何其他權利或補救方法，署長有權書面要求承授人進行、建設及維持該土地、斜坡處理工程、擋土牆或其他承托、防護、及排水、附屬或其他工程，或修復任何山泥傾瀉或地陷。倘若承授人忽視或未能於指定的期限內遵守該要求，並達致署長滿意，署長可立即自行執行及進行任何所需工程，承授人需連同任何行政或專業費用及收費償還該等費用予政府。

(5) 特別條款第(32)(a)條規定，承授人須自費於批地文件附圖上顯示為綠色間黑色斜線及綠色間黑色斜線加黑點的部分(下稱「綠色間黑色斜線區域」和「綠色間黑色斜線加黑點區域」)進行和完成署長可依其絕對酌情權可要求的岩土工程勘察和斜坡整理、防止山泥傾瀉、緩解及補救性質的工程，並達致署長滿意，及須於批地文件年期內時刻自費維持綠色間黑色斜線區域和綠色間黑色斜線加黑點區域包括在當中及其上的所有土地、斜坡整理工程、護土結構、排水和任何其他工程使其修葺良好堅固，並達致署長滿意。倘若綠色間黑色斜線區域和綠色間黑色斜線加黑點區域於批地文件年期內任何時間出現任何山泥傾瀉或地陷的情況，承授人須自費將此等連同任何署長認為(此決定為最終決定並對承授人具約束力)受影響的毗鄰部分修復，並達致署長滿意。承授人如因山泥傾瀉或地陷以致政府、其代理及承辦商招致任何申索、法律程序、訟費、損害及支出，承授人必須向彼等彌償。承授人須時刻確保綠色間黑色斜線區域或綠色間黑色斜線加黑點區域上不得有非法挖掘或棄置廢物。受制於署長的事先書面同意，承授人亦可豎立圍欄或其他柵欄以防止此等非法挖掘或棄置廢物。除了署長按關於違反任何條款享有的任何其他權利或補救方法，署長可於任何時候以書面方式要求承授人進行此等岩土工程勘察、斜坡整理、防止山泥傾瀉、緩解及補救性質的工程，和維持及修復受山泥傾瀉或地陷影響的任何土地、構築物或工程。倘若承授人忽視或未能於指定的期限內遵守該要求，並達致署長滿意，署長可在該期限屆滿後自行執行及進行所需工程，承授人須償還該等費用予政府。

(6) 特別條款第(32)(b)條規定，儘管特別條款第(32)條第(a)分段的規定，一經政府給予承授人的要求，承授人於其下的權利及義務將絕對終止。承授人亦不得針對政府或署長或由其妥為授權的官員人士就該等損失、破壞或干擾或因此決定而招致的支出，惟此決定將不損害政府有關任何先前違反、不履行或不遵守特別條款第(32)條第(a)分段的任何權利或補救方法的情況下，提出任何賠償申索。

2. 每名擁有人均須分擔維修工程的費用。

3. 斜坡、護土牆或有關構築物(如有)之位置，請參閱本節附圖(位置以粉紅色表示)。

4. 根據公契，發展項目的管理人獲擁有人授權進行維修工程。

MODIFICATION
修訂

There is no on-going application to the Government for modification of the Land Grant which is not yet granted.

沒有申請中而未獲批准的修訂批地文件。

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

Provision of Information in Application for Concession on Gross Floor Area (GFA) of Building in Sales Brochure

Breakdown of GFA Concessions Obtained for All Features

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the development.

在售樓說明書內提供申請建築物總樓面面積寬免的資料

獲寬免總樓面面積的設施分項

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有(#)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

		Area (m^2) 面積(平方米)
Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據<<建築物(規劃)規例>>第23(3)(b)條不計算的總樓面面積		
1(#)	Carparks and loading / unloading areas excluding public transport terminus 停車場及上落客貨地方(公共交通總站除外)	4172.169
2	Plant rooms and similar services 機房及相類設施	
2.1(#)	Area of plant rooms and similar services which are limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulations such as A/C plant room, TBE room, refuse storage and material recovery chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等	78.568
2.2(#)	Area of plant rooms and similar services which are NOT limited by any Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulations such as transformer room, switch room, pump room, etc. 所佔面積不受任何《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如僅供消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等	3102.173
Green Features under Joint Practice Notes 1 and 2 據聯合作業備考第1及第2號提供的環保設施		
3(#)	Balcony 露台	69.487
4(#)	Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂	Not applicable 不適用
5	Communal sky garden 公用空中花園	Not applicable 不適用
6	Communal podium garden 公用平台花園	Not applicable 不適用
7	Acoustic fin 隔聲鰭	Not applicable 不適用
8	Sunshade and reflector 遮光板及反光罩	Not applicable 不適用
9	Wing wall, wind catcher and funnel 翼牆、捕風器及風斗	Not applicable 不適用
10(#)	Non-structural prefabricated external wall 非結構預製外牆	Not applicable 不適用
11(#)	Utility platform 工作平台	Not applicable 不適用
12(#)	Mail delivery room with mail boxes 設有郵箱的郵件派遞室	Not applicable 不適用
13	Noise barrier 隔音屏障	Not applicable 不適用

Amenity Features 適意設施		
14(#)	Counters, offices, stores, guard rooms and lavatories for watchmen and management staff 供保安人員和管理處員工使用的櫃、辦公室、儲物室、警室和廁所	Not applicable 不適用
15(#)	Recreational facilities 康樂設施	Not applicable 不適用
16	Miniature logistic service room 小型後勤服務室	Not applicable 不適用
17(#)	Covered landscaped and play areas 有上蓋的園景區及遊樂場	Not applicable 不適用
18	Horizontal screens / covered walkways 橫向屏障 / 有蓋人行道	Not applicable 不適用
19	Prestige entrance 尊貴式入口大堂	Not applicable 不適用
Other Exempted Areas 其他項目		
20(#)	Pipe duct 管槽	Not applicable 不適用
21	Void 中空	Not applicable 不適用
22	Refuge floor 庇護層	Not applicable 不適用
23(#)	Swimming pool filtration plant room 游泳池過濾室	730.809
24	Public passage 公眾通道	Not applicable 不適用
25	Public transport terminus (PTT) 公共交通總站	Not applicable 不適用
26(#)	Lift shaft 升降機槽	Not applicable 不適用
27	Panty structures and common staircases 共用構築物及樓梯	Not applicable 不適用
Bonus GFA 額外總樓面面積		
28	Bonus GFA 額外總樓面面積	Not applicable 不適用

Note:

The above table is based on requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

Environmental Assessment of the Building and Information on the Estimated Energy Performance or Consumption for the Common Parts of the Phase

The approved general building plans of this Phase are not subject to the requirement stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers APP-151 issued by the Building Authority. Environmental assessment and information on the estimated energy performance or consumption for the common parts of this Phase were not required to be submitted to the Building Authority as a prerequisite for the granting of gross floor area concessions.

備註：

上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

有關建築物的環境評估及發展項目的公用部份的預計能量表現或消耗的資料

本發展項目的經批准一般建築圖則不受由建築事務監督發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》APP-151規定規限。本發展項目的的環境評估及公用部分的預計能量表現或消耗的資料無須呈交建築事務監督，以作為批予總樓面面積寬免的先決條件。

WEBSITE OF THE PHASE
期數之互聯網網站

The address of the website designated by the vendor for the Phase for the purposes of Part 2 of the Residential Properties (First-hand Sales) Ordinance: www.mountnicholson.com.hk

賣方為施行《一手住宅物業銷售條例》第2部而就期數指定的互聯網網站的網址：www.mountnicholson.com.hk

DATE OF WHICH THIS SALES BROCHURE IS PRINTED
本售樓説明書印製日期

4 February 2016

2016年2月4日

CHANGES
改變

There may be future changes to the Phase and the surrounding areas.

期數及其周邊地區日後可能出現改變。

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in version with Print Date on 4 February 2016 2016年2月4日印製版本之頁次	Page Number in revised version with Examination Date on 4 May 2016 2016年5月4日檢視之版本之頁次	Revision Made 所作修改
4 May 2016 2016年5月4日	7	7	Information on Design of the Development is updated 更新發展項目的設計的資料
	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	11	11	Outline Zoning Plan etc. relating to the Development is updated 更新關乎發展項目的分區計劃大綱圖等
	14	14	Layout Plan of the Development is updated 更新發展項目的所在布局圖
	22, 24, 25, 40, 45, 46, 48, 49, 51, 52, 55, 58, 64, 67	22, 24, 25, 40, 45, 46, 48, 49, 51, 52, 55, 58, 64, 67	Floor Plan is updated 更新平面圖
	130, 131, 135, 137, 139, 148, 149, 151, 159, 161, 208, 209, 210, 211, 212, 213	130, 131, 135, 137, 139, 148, 149, 151, 159, 161, 208, 209, 210, 211, 212, 213	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 4 May 2016 2016年5月4日檢視之版本之頁次	Page Number in revised version with Examination Date on 5 May 2016 2016年5月5日檢視之版本之頁次	Revision Made 所作修改
5 May 2016 2016年5月5日	10	10	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	244	244	Date of which this Sales Brochure is printed is updated 更新本售樓説明書印製日期

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 5 May 2016 2016年5月5日檢視之版本之頁次	Page Number in revised version with Examination Date on 28 June 2016 2016年6月28日檢視之版本之頁次	Revision Made 所作修改
28 June 2016 2016年6月28日	22, 25, 52	22, 25, 52	Floor Plan is updated 更新平面圖
	129, 131, 133, 141, 143, 145, 149, 151, 153, 155, 157, 159, 161, 171, 173, 178, 182, 186, 187, 189, 191, 192, 194, 195, 198, 200, 202, 203, 204, 205, 206, 207, 212, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235	129, 131, 133, 141, 143, 145, 149, 151, 153, 155, 157, 159, 161, 171, 173, 178, 182, 186, 187, 189, 191, 192, 194, 195, 198, 200, 202, 203, 204, 205, 206, 207, 212, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 28 June 2016 2016年6月28日檢視之版本之頁次	Page Number in revised version with Examination Date on 1August 2016 2016年8月1日檢視之版本之頁次	Revision Made 所作修改
1 August 2016 2016年8月1日	116, 129, 130, 132, 158, 186, 194	116, 129, 130, 132, 158, 186, 194	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 1 August 2016 2016年8月1日檢視之版本之頁次	Page Number in revised version with Examination Date on 1 November 2016 2016年11月1日檢視之版本之頁次	Revision Made 所作修改
1 November 2016 2016年11月1日	5	5	Delete the references to "material date" 刪除對「關鍵日期」的提述
	8	8	Information on Property Management is updated 更新物業管理的資料
	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	12	12	Outline Zoning Plan etc. relating to the Development is updated 更新關乎發展項目的分區計劃大綱圖等
	17, 20, 23, 24, 25, 38, 41, 47, 51, 54, 56, 62, 65, 66, 70	17, 20, 23, 24, 25, 38, 41, 47, 51, 54, 56, 62, 65, 66, 70	Floor Plan is updated 更新平面圖
	109	109	Inspection of Plans and Deed of Mutual Covenant is updated 更新閱覽圖則及公契
	243	243	Delete the section "Information Required By The Director Of Lands To Be Set Out In The Sales Brochure As A Condition For Giving The Presale Consent". (Note: a certificate of compliance has been issued in respect of the Development by the Director of Lands. That section is not applicable anymore.) 刪除「地政總署署長作為給予預售樓花同意書的條件而規定列於售樓説明書的資料」一節。(註:地政總署署長已就發展項目發出合格證明書。該節不再適用。)

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 1 November 2016 2016年11月1日檢視之版本之頁次	Page Number in revised version with Examination Date on 17 November 2016 2016年11月17日檢視之版本之頁次	Revision Made 所作修改
17 November 2016 2016年11月17日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	40	40	Floor Plan is updated 更新平面圖
	118, 142, 143, 182, 183, 201, 216, 217	118, 142, 143, 182, 183, 201, 216, 217	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 17 November 2016 2016年11月17日檢視之版本之頁次	Page Number in revised version with Examination Date on 17 February 2017 2017年2月17日檢視之版本之頁次	Revision Made 所作修改
17 February 2017 2017年2月17日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	49, 50, 51, 54, 57	49, 50, 51, 54, 57	Floor Plan is updated 更新平面圖

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 17 February 2017 2017年2月17日檢視之版本之頁次	Page Number in revised version with Examination Date on 19 April 2017 2017年4月19日檢視之版本之頁次	Revision Made 所作修改
19 April 2017 2017年4月19日	6	6	The paragraph "Authorized institution that has made a loan, or has undertaken to provide finance, for the construction of the Phase" is updated 更新「已為期數的建造提供貸款或已承諾為該項建造提供融資的認可機構」一段
	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	144	144	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 19 April 2017 2017年4月19日檢視之版本之頁次	Page Number in revised version with Examination Date on 19 July 2017 2017年7月19日檢視之版本之頁次	Revision Made 所作修改
19 July 2017 2017年7月19日	10	10	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	64	64	Floor Plan is updated 更新平面圖
	112, 113, 122, 124, 130, 131, 132, 133, 150, 151, 154, 155, 158, 204, 205, 206, 207, 224, 225, 228, 229	112, 113, 122, 124, 130, 131, 132, 133, 150, 151, 154, 155, 158, 204, 205, 206, 207, 224, 225, 228, 229	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 19 July 2017 2017年7月19日檢視之版本之頁次	Page Number in revised version with Examination Date on 19 October 2017 2017年10月19日檢視之版本之頁次	Revision Made 所作修改
19 October 2017 2017年10月19日	1, 2, 3, 4	1, 2, 3, 4	Note to Purchasers of First-Hand Residential Properties is updated 更新一手住宅物業買家須知
	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	123, 127, 152, 153, 160, 161, 192, 193, 200, 201, 226, 227, 234, 235	123, 127, 152, 153, 160, 161, 192, 193, 200, 201, 226, 227, 234, 235	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 19 October 2017 2017年10月19日檢視之版本之頁次	Page Number in revised version with Examination Date on 12 January 2018 2018年1月12日檢視之版本之頁次	Revision Made 所作修改
12 January 2018 2018年1月12日	–	–	No revision made 並無作出修改

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 12 January 2018 2018年1月12日檢視之版本之頁次	Page Number in revised version with Examination Date on 12 April 2018 2018年4月12日檢視之版本之頁次	Revision Made 所作修改
12 April 2018 2018年4月12日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10	10	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	11	11	Outline Zoning Plan etc. relating to the Development is updated 更新關乎發展項目的分區計劃大綱圖等
	107	107	Elevation plan is updated 更新立面圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 12 April 2018 2018年4月12日檢視之版本之頁次	Page Number in revised version with Examination Date on 12 July 2018 2018年7月12日檢視之版本之頁次	Revision Made 所作修改
12 July 2018 2018年7月12日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10	10	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	123, 152, 153, 168, 170, 172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 198	123, 152, 153, 168, 170, 172, 174, 176, 178, 180, 184, 186, 188, 190, 194, 196, 198	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 12 July 2018 2018年7月12日檢視之版本之頁次	Page Number in revised version with Examination Date on 12 October 2018 2018年10月12日檢視之版本之頁次	Revision Made 所作修改
12 October 2018 2018年10月12日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 12 October 2018 2018年10月12日檢視之版本之頁次	Page Number in revised version with Examination Date on 11 January 2019 2019年1月11日檢視之版本之頁次	Revision Made 所作修改
11 January 2019 2019年1月11日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 11 January 2019 2019年1月11日檢視之版本之頁次	Page Number in revised version with Examination Date on 11 April 2019 2019年4月11日檢視之版本之頁次	Revision Made 所作修改
11 April 2019 2019年4月11日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10	10	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	66, 67	66, 67	Floor Plan is updated 更新平面圖
	127, 160, 161, 201, 234, 235	127, 160, 161, 201, 201a, 234, 235	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 11 April 2019 2019年4月11日檢視之版本之頁次	Page Number in revised version with Examination Date on 25 April 2019 2019年4月25日檢視之版本之頁次	Revision Made 所作修改
25 April 2019 2019年4月25日	123, 152, 153, 193, 226, 227	123, 152, 153, 153a, 193, 226, 227	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 25 April 2019 2019年4月25日檢視之版本之頁次	Page Number in revised version with Examination Date on 11 July 2019 2019年7月11日檢視之版本之頁次	Revision Made 所作修改
11 July 2019 2019年7月11日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	12	12	Outline Zoning Plan etc. relating to the Development is updated 更新關乎發展項目的分區計劃大綱圖等

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 11 July 2019 2019年7月11日檢視之版本之頁次	Page Number in revised version with Examination Date on 11 October 2019 2019年10月11日檢視之版本之頁次	Revision Made 所作修改
11 October 2019 2019年10月11日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	67	67, 67a	Floor Plan is updated 更新平面圖
	127, 160, 161, 234, 235	127, 160, 161, 161a, 234, 235	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 11 October 2019 2019年10月11日檢視之版本之頁次	Page Number in revised version with Examination Date on 28 November 2019 2019年11月28日檢視之版本之頁次	Revision Made 所作修改
28 November 2019 2019年11月28日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	148, 149	148, 149	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 28 November 2019 2019年11月28日檢視之版本之頁次	Page Number in revised version with Examination Date on 2 January 2020 2020年1月2日檢視之版本之頁次	Revision Made 所作修改
2 January 2020 2020年1月2日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	127, 148, 160, 161, 201	127, 148, 160, 161, 201, 201a	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 2 January 2020 2020年1月2日檢視之版本之頁次	Page Number in revised version with Examination Date on 2 April 2020 2020年4月2日檢視之版本之頁次	Revision Made 所作修改
2 April 2020 2020年4月2日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	127, 161	127, 161	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 2 April 2020 2020年4月2日檢視之版本之頁次	Page Number in revised version with Examination Date on 30 June 2020 2020年6月30日檢視之版本之頁次	Revision Made 所作修改
30 June 2020 2020年6月30日	-	10a, 10b	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	121, 149	121, 149, 149a	Fittings, Finishes and Appliances are updated 更新裝置、裝修物料及設備

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 30 June 2020 2020年6月30日檢視之版本之頁次	Page Number in revised version with Examination Date on 29 September 2020 2020年9月29日檢視之版本之頁次	Revision Made 所作修改
29 September 2020 2020年9月29日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 29 September 2020 2020年9月29日檢視之版本之頁次	Page Number in revised version with Examination Date on 29 December 2020 2020年12月29日檢視之版本之頁次	Revision Made 所作修改
29 December 2020 2020年12月29日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	-	10c, 10d	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	12	12	Outline Zoning Plan etc. relating to the Development is updated 更新關乎發展項目的分區計劃大綱圖等

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 29 December 2020 2020年12月29日檢視之版本之頁次	Page Number in revised version with Examination Date on 29 March 2021 2021年3月29日檢視之版本之頁次	Revision Made 所作修改
29 March 2021 2021年3月29日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 29 March 2021 2021年3月29日檢視之版本之頁次	Page Number in revised version with Examination Date on 30 March 2021 2021年3月30日檢視之版本之頁次	Revision Made 所作修改
30 March 2021 2021年3月30日	10a, 10b	10a, 10b	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片
	10c, 10d	10c, 10d	Aerial Photograph of the Phase is deleted and replace with blank page 刪除期數的鳥瞰照片並換上空白頁

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 30 March 2021 2021年3月30日檢視之版本之頁次	Page Number in revised version with Examination Date on 30 June 2021 2021年6月30日檢視之版本之頁次	Revision Made 所作修改
30 June 2021 2021年6月30日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10a, 10b, 10c, 10d	10a, 10b, 10c, 10d	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 30 June 2021 2021年6月30日檢視之版本之頁次	Page Number in revised version with Examination Date on 29 September 2021 2021年9月29日檢視之版本之頁次	Revision Made 所作修改
29 September 2021 2021年9月29日	1, 2, 3, 4	1, 1a, 1b, 2, 3, 4	Notes to Purchasers of First-hand Residential Properties is updated 更新一手住宅物業買家須知
	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 29 September 2021 2021年9月29日檢視之版本之頁次	Page Number in revised version with Examination Date on 23 December 2021 2021年12月23日檢視之版本之頁次	Revision Made 所作修改
23 December 2021 2021年12月23日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 23 December 2021 2021年12月23日檢視之版本之頁次	Page Number in revised version with Examination Date on 17 March 2022 2022年3月17日檢視之版本之頁次	Revision Made 所作修改
17 March 2022 2022年3月17日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 17 March 2022 2022年3月17日檢視之版本之頁次	Page Number in revised version with Examination Date on 16 June 2022 2022年6月16日檢視之版本之頁次	Revision Made 所作修改
16 June 2022 2022年6月16日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 16 June 2022 2022年6月16日檢視之版本之頁次	Page Number in revised version with Examination Date on 15 September 2022 2022年9月15日檢視之版本之頁次	Revision Made 所作修改
15 September 2022 2022年9月15日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10a, 10b, 10c, 10d	10a, 10b, 10c, 10d	Aerial photograph of the phase is updated 更新期數的鳥瞰照片

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 15 September 2022 2022年9月15日檢視之版本之頁次	Page Number in revised version with Examination Date on 14 December 2022 2022年12月14日檢視之版本之頁次	Revision Made 所作修改
14 December 2022 2022年12月14日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 14 December 2022 2022年12月14日檢視之版本之頁次	Page Number in revised version with Examination Date on 13 March 2023 2023年3月13日檢視之版本之頁次	Revision Made 所作修改
13 March 2023 2023年3月13日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 13 March 2023 2023年3月13日檢視之版本之頁次	Page Number in revised version with Examination Date on 13 June 2023 2023年6月13日檢視之版本之頁次	Revision Made 所作修改
13 June 2023 2023年6月13日	2, 4	2, 4	Note to Purchasers of First-Hand Residential Properties is updated 更新一手住宅物業買家須知
	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10c, 10d	10c, 10d, 10e	Aerial Photograph of the Phase is updated 更新期數的鳥瞰照片

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 13 June 2023 2023年6月13日檢視之版本之頁次	Page Number in revised version with Examination Date on 11 September 2023 2023年9月11日檢視之版本之頁次	Revision Made 所作修改
11 September 2023 2023年9月11日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 11 September 2023 2023年9月11日檢視之版本之頁次	Page Number in revised version with Examination Date on 7 December 2023 2023年12月7日檢視之版本之頁次	Revision Made 所作修改
7 December 2023 2023年12月7日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10a, 10b, 10c, 10d, 10e	10a, 10b, 10c, 10d, 10e	Aerial photograph of the phase is updated 更新期數的鳥瞰照片

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 8 December 2023 2023年12月8日檢視之版本之頁次	Page Number in revised version with Examination Date on 6 March 2024 2024年3月6日檢視之版本之頁次	Revision Made 所作修改
6 March 2024 2024年3月6日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	13	13, 13a, 13b	Outline Zoning Plan etc. relating to the Development is updated 更新關乎發展項目的分區計劃大綱圖等

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 6 March 2024 2024年3月6日檢視之版本之頁次	Page Number in revised version with Examination Date on 28 May 2024 2024年5月28日檢視之版本之頁次	Revision Made 所作修改
28 May 2024 2024年5月28日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10a, 10b, 10c, 10d	10a, 10b, 10c, 10d	Aerial photograph of the phase is updated 更新期數的鳥瞰照片

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 28 May 2024 2024年5月28日檢視之版本之頁次	Page Number in revised version with Examination Date on 27 August 2024 2024年8月27日檢視之版本之頁次	Revision Made 所作修改
27 August 2024 2024年8月27日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 27 August 2024 2024年8月27日檢視之版本之頁次	Page Number in revised version with Examination Date on 26 November 2024 2024年11月26日檢視之版本之頁次	Revision Made 所作修改
26 November 2024 2024年11月26日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10, 10a, 10b, 10c, 10d	10, 10a, 10b, 10c, 10d	Aerial photograph of the phase is updated 更新期數的鳥瞰照片
	13, 13a	13, 13a	Outline Zoning Plan etc. relating to the Development is updated 更新關乎發展項目的分區計劃大綱圖等

EXAMINATION RECORD
檢視紀錄

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 26 November 2024 2024年11月26日檢視之版本之頁次	Page Number in revised version with Examination Date on 25 February 2025 2025年2月25日檢視之版本之頁次	Revision Made 所作修改
25 February 2025 2025年2月25日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖
	10a, 10b	10a, 10b	Aerial photograph of the phase is updated 更新期數的鳥瞰照片

Revision Made 所作修改			
Examination / Revision Date 檢視/修改日期	Page Number in revised version with Examination Date on 25 February 2025 2025年2月25日檢視之版本之頁次	Page Number in revised version with Examination Date on 15 May 2025 2025年5月15日檢視之版本之頁次	Revision Made 所作修改
15 May 2025 2025年5月15日	9	9	Location Plan of the Development is updated 更新發展項目的所在位置圖