



The part of driveway in the Phase adjacent to the building is 229.50 to 231.60 metres above the Hong Kong Principal Datum.

The part of car park on basement floor adjacent to the building is 221.70 metres above the Hong Kong Principal Datum.

The part of driveway of car park adjacent to the building is 225.00 to 227.80 metres above the Hong Kong Principal Datum.


The part of driveway in the Phase adjacent to the building is 235.50 metres above the Hong Kong Principal Datum.

毗連建築物的一段期數內的車道為香港主水平基準以上229.50至231.60米。

毗連建築物的一段地庫層停車場為香港主水平基準以上221.70米。

毗連建築物的一段停車場的車道為香港主水平基準以上225.00至227.80米。

毗連建築物的一段期數內的車道為香港主水平基準以上235.50米。



Section B 剖面圖B


B.L. = Boundary Line of the Lot
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section B
The part of driveway in the Phase adjacent to the building is 228.40 to 229.50 metres above the Hong Kong Principal Datum.
The part of driveway of car park adjacent to the building is 221.70 to 225.00 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 231.60 to 232.60 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)

剖面圖B
毗連建築物的一段期數內的車道為香港主水平基準以上228.40至229.50米。
毗連建築物的一段停車場的車道為香港主水平基準以上221.70至225.00米。
毗連建築物的一段期數內的車道為香港主水平基準以上231.60至232.60米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE
期數中的建築物的橫截面圖



Section C 剖面圖 C

B.L. = Boundary Line of the Lot
----Dotted line denotes the lowest residential floor level
* Height (in meters) above the Hong Kong Principal Datum

Section C
The part of driveway in the Phase adjacent to the building is 228.40 to 229.50 metres above the Hong Kong Principal Datum.
The part of driveway of car park adjacent to the building is 225.00 to 227.80 metres above the Hong Kong Principal Datum.
The part of driveway in the Phase adjacent to the building is 232.60 to 235.50 metres above the Hong Kong Principal Datum.

B.L. = 本地段的界線
----虛線為最低住宅樓層水平
* 香港主水平基準以上高度(米)

剖面圖C
毗連建築物的一段期數內的車道為香港主水平基準以上228.40至229.50米。
毗連建築物的一段停車場的車道為香港主水平基準以上225.00至227.80米。
毗連建築物的一段期數內的車道為香港主水平基準以上232.60至235.50米。