


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

Towers 8A & 8B
1/F

第8A座及第8B座
1樓



Scale比例 : 0 2 4M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

	Tower 8A座 第8座						Tower 8B座 第8座					
Floor 樓層	1/F 1樓						1/F 1樓					
Flat 單位	A	B	C	D	E	F*	A	B	C	D	E	F*
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3000	2760, 3000	2760, 3000	3000	2760, 3000	2700, 3000	3000	2760, 3000	2760, 3000	3000	2760, 3000	2700, 3000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Note:

1. The dimensions of the floor plans are all structural dimensions in millimeter.
2. Please refer to page AL11 – AL12 of this sales brochure for legend of the terms and abbreviations shown on the floor plan above and the explanatory notes that are applicable thereto.
- * The figure is applicable to the lower floor of Flats F on 1/F & 2/F.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第AL11至AL12頁。
- * 數字適用於位於1樓及2樓的F單位的下層。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

Towers 8A & 8B
2/F, 5/F, 7/F, 9/F, 11/F & 15/F

第8A座及第8B座
2樓、5樓、7樓、9樓、11樓及15樓



Scale比例 : 0 2 4M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

	Tower 8A座						Tower 8B座					
Floor 樓層	2/F, 5/F, 7/F, 9/F, 11/F & 15/F 2樓、5樓、7樓、9樓、11樓及15樓						2/F, 5/F, 7/F, 9/F, 11/F & 15/F 2樓、5樓、7樓、9樓、11樓及15樓					
Flat 單位	A	B	C	D	E	F*	A	B	C	D	E	F*
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Note:

1. The dimensions of the floor plans are all structural dimensions in millimeter.
2. Please refer to page AL11 –AL12 of this sales brochure for legend of the terms and abbreviations shown on the floor plan above and the explanatory notes that are applicable thereto.
- * The figure is applicable to the lower floor of Flats F on 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F; and to the upper floor of Flats F on 1/F & 2/F, 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第AL11至AL12頁。
- * 數字適用於位於2樓及3樓、5樓及6樓、7樓及8樓、9樓及10樓、11樓及12樓、15樓及16樓的F單位的下層；及適用於位於1樓及2樓、3樓及5樓、6樓及7樓、8樓及9樓、10樓及11樓、12樓及15樓的F單位的上層。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

Towers 8A & 8B
3/F, 6/F, 8/F, 10/F, 12/F & 16/F

第8A座及第8B座
3樓、6樓、8樓、10樓、12樓及16樓



Scale比例 : 0 2 4M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

	Tower 8A座						Tower 8B座					
Floor 樓層	3/F, 6/F, 8/F, 10/F & 12/F 3樓、6樓、8樓、10樓及12樓						3/F, 6/F, 8/F, 10/F & 12/F 3樓、6樓、8樓、10樓及12樓					
Flat 單位	A	B	C	D	E	F*	A	B	C	D	E	F*
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
Floor 樓層	16/F 16樓						16/F 16樓					
Flat 單位	A	B	C	D	E	F#	A	B	C	D	E	F#
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150, 200, 300	150, 175, 300, 325, 450	150	150	150, 300	150	150, 200, 300	150, 175, 300, 325, 450	150	150	150, 300
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3000, 3150, 3240, 3300	3000, 3240, 3300	3150, 3300	3000, 3300	3060, 3150, 3300	3000, 3200, 3240, 3300	3000, 3060, 3300	3000, 3240, 3300	3150, 3300	3000, 3300	3060, 3150, 3300	3000, 3200, 3240, 3300

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Note:

1. The dimensions of the floor plans are all structural dimensions in millimeter.
2. Please refer to page AL11 –AL12 of this sales brochure for legend of the terms and abbreviations shown on the floor plan above and the explanatory notes that are applicable thereto.
- * The figure is applicable to the lower floor of Flats F on 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F; and to the upper floor of Flats F on 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F.
- # The figure is applicable to the lower floor of Flat F on 16/F & 17/F; and to the upper floor of Flat F on 15/F & 16/F.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第AL11至AL12頁。
- * 數字適用於位於3樓及5樓、6樓及7樓、8樓及9樓、10樓及11樓、12樓及15樓的F單位的下層；及適用於位於2樓及3樓、5樓及6樓、7樓及8樓、9樓及10樓、11樓及12樓的F單位的上層。
- # 數字適用於位於16樓及17樓的F單位的下層；及適用於位於15樓及16樓的F單位的上層。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

Towers 8A & 8B
17/F

第8A座及第8B座
17樓



Scale比例 : 0 2 4M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

	Tower 8A座					Tower 8B座				
Floor 樓層	17/F 17樓					17/F 17樓				
Flat 單位	A	B	C	D	F*	A	B	C	D	F*
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150, 200	150	150	150, 200	150	150, 200	150	150	150, 200	150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3300	3300	3300	3300	3300	3300	3300	3300	3300	3300

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Note:

1. The dimensions of the floor plans are all structural dimensions in millimeter.
2. Please refer to page AL11 –AL12 of this sales brochure for legend of the terms and abbreviations shown on the floor plan above and the explanatory notes that are applicable thereto.
- * The figure is applicable to the upper floor of Flats F on 16/F & 17/F.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第AL11至AL12頁。
- * 數字適用於位於16樓及17樓的F單位的上層。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

Towers 8A & 8B
ROOF

第8A座及第8B座
天台



Scale比例：0 2 4M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

	Tower 8A座		Tower 8B座	
Floor 樓層	Roof 天台		Roof 天台	
Flat 單位	A	B	A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Note:

1. The dimensions of the floor plans are all structural dimensions in millimeter.
2. Please refer to page AL11 –AL12 of this sales brochure for legend of the terms and abbreviations shown on the floor plan above and the explanatory notes that are applicable thereto.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第AL11至AL12頁。

Legend of Terms and Abbreviations used on Floor Plans 樓面平面圖中所使用名詞及簡稱之圖例

A/C = Air-Conditioner = 空調機
ALUM. CLADDING = Aluminium Cladding = 鋁覆蓋層
ALUM. FEATURE = Aluminium Feature = 鋁質裝飾
ALUM. FEATURE AT 3/F, 10/F & 16/F ONLY = Aluminium Feature at 3/F, 10/F & 16/F Only = 鋁質裝飾只於3樓、10樓及16樓
ALUM. FEATURE AT 7/F & 15/F ONLY = Aluminium Feature at 7/F & 15/F Only = 鋁質裝飾只於7樓及15樓
ARCH. FEATURE = ARCHITECTURAL FEATURE = 建築裝飾
ARCH. FEATURE ABOVE = Architectural Feature Above = 建築裝飾置上
ARCHITECTURAL FIN ABOVE = 建築鰭置上
BAL. = Balcony = 露台
BAL. ABOVE = Balcony Above = 露台置上
BATH 1 = Bathroom 1 = 浴室1
BR. 1 = Bedroom 1 = 睡房1
BR. 2 = Bedroom 2 = 睡房2
BR. 3 = Bedroom 3 = 睡房3
BUILDING LINE ABOVE = 樓宇外牆線置上
BUILDING LINE ABOVE AT 17/F = 於17樓樓宇外牆線置上
BUILDING LINE ABOVE AT R/F = Building Line Above at Roof Floor = 於天台樓宇外牆線置上
CAT LADDER = 豎梯
COMMON CORRIDOR = 公用走廊
COMMON FLAT ROOF = 公共平台
D.H. = Dog House = 管道房
DN = Down = 下
DIN. = Dining Room = 飯廳
ELEC. METER CABINET = Electric Meter Cabinet = 電錶櫃
ELEC. CABINET = Electric Cabinet = 電線櫃
ELV/ TEL. DUCT = Extra-low Voltage / Telephone Duct = 特低電壓/電話線槽
ELV. DUCT = Extra-low Voltage Duct = 特低電壓槽
FS. RISER DUCT = Fire Service Riser Duct = 消防豎管槽
FLAT = 單位
FLAT ROOF = 平台
FLUSHING WATER TANK = 沖廁水水缸
FLUSHING WATER PUMP RM. = Flushing Water Pump Room = 沖廁水泵房
H.R. = Hose Reel = 消防喉轆
INACCESSIBLE FLAT ROOF FOR MAINTENANCE ONLY = 維修作業用平台

KIT. = Kitchen = 廚房
*KIT = Open Kitchen = 開放式廚房
LIV. = Living Room = 客廳
LIFT = 升降機
LIFT SHAFT = 升降機槽
M.B.R. = Master Bedroom = 主人睡房
M. BATH = Master Bathroom = 主人浴室
P.D. = P.D = Pipe Duct = 管道槽
POTABLE WATER PUMP RM. = Potable Water Pump Room = 食用水泵房
POTABLE WATER TANK = 食用水水缸
R.S.M.R.R. = Refuse Storage and Material Recovery Room = 垃圾及物料回收房
R.C. CANOPY = Reinforced Concrete Canopy = 鋼筋混凝土簷篷
R.C. CANOPY W/. ALUM. CLADDING = Reinforced Concrete Canopy with Aluminium Cladding = 鋁板鋼筋混凝土簷篷
ROOF = 天台
STORE = 儲物室
S.H. = Safety hook = 安全掛鉤
T8A = Tower 8A = 第8A座
T8A FLAT F (LOWER FLOOR OF FLATS F ON 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = Tower 8A Flat F (Lower Floor of Flats F on 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = 第8A座F單位 (2樓及3樓、5樓及6樓、7樓及8樓、9樓及10樓、11樓及12樓、15樓及16樓F單位之下層)
T8A FLAT F (UPPER FLOOR OF FLATS F ON 1/F & 2/F, 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F) = Tower 8A Flat F (Upper Floor of Flats F on 1/F & 2/F, 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F) = 第8A座F單位 (1樓及2樓、3樓及5樓、6樓及7樓、8樓及9樓、10樓及11樓、12樓及15樓F單位之上層)
T8A FLAT F (LOWER FLOOR OF FLATS F ON 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F, 16/F & 17/F) = Tower 8A Flat F (Lower Floor of Flats F on 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F, 16/F & 17/F) = 第8A座F單位 (3樓及5樓、6樓及7樓、8樓及9樓、10樓及11樓、12樓及15樓、16樓及17樓F單位之下層)
T8A FLAT F (UPPER FLOOR OF FLATS F ON 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = Tower 8A Flat F (Upper Floor of Flats F on 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = 第8A座F單位 (2樓及3樓、5樓及6樓、7樓及8樓、9樓及10樓、11樓及12樓、15樓及16樓F單位之上層)
T8B = Tower 8B = 第8B座
T8B FLAT F (LOWER FLOOR OF FLATS F ON 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = Tower 8B Flat F (Lower Floor of Flats F on 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = 第8B座F單位 (2樓及3樓、5樓及6樓、7樓及8樓、9樓及10樓、11樓及12樓、15樓及16樓F單位之下層)
T8B FLAT F (UPPER FLOOR OF FLATS F ON 1/F & 2/F, 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F) = Tower 8B Flat F (Upper Floor of Flats F on 1/F & 2/F, 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F) = 第8B座F單位 (1樓及2樓、3樓及5樓、6樓及7樓、8樓及9樓、10樓及11樓、12樓及15樓F單位之上層)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

T8B FLAT F (LOWER FLOOR OF FLATS F ON 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F, 16/F & 17/F) = Tower 8B Flat F (Lower Floor of Flats F on 3/F & 5/F, 6/F & 7/F, 8/F & 9/F, 10/F & 11/F, 12/F & 15/F, 16/F & 17/F) = 第8B座F單位(3樓及5樓、6樓及7樓、8樓及9樓、10樓及11樓、12樓及15樓、16樓及17樓F單位之下層)

T8B FLAT F (UPPER FLOOR OF FLATS F ON 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = Tower 8B Flat F (Upper Floor of Flats F on 2/F & 3/F, 5/F & 6/F, 7/F & 8/F, 9/F & 10/F, 11/F & 12/F, 15/F & 16/F) = 第8B座F單位(2樓及3樓、5樓及6樓、7樓及8樓、9樓及10樓、11樓及12樓、15樓及16樓F單位之上層)

TIE BEAM = 系樑

TIE BEAM ABOVE = 系樑置上

TIE BEAM (AT 2/F, 6/F, 9/F & 12/F) = 系樑 (於2樓、6樓、9樓及12樓)

UP = Up = 上

UP. = Utility Platform = 工作平台

U.P. ABOVE = Utility Platform Above = 工作平台置上

V.D. = Ventilation Duct = 通風管道槽

VERTICAL ALUM. FEATURE = Vertical Aluminium Feature = 垂直鋁質裝飾

W.C. = Water Closet = 洗手間

W.M. CABINET = Water Meter Cabinet = 水錶櫃

WATER RISER DUCT = 水管井

Explanatory note:

1. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter, etc, are architectural symbols retrieved from the latest approved general building plans and for general indication only.
2. There may be architectural features and exposed pipes on external walls of some of the floors.
3. Common pipes exposed and/or enclosed in cladding are located at / adjacent to balcony and/or flat roof and/or utility platform and/or air-conditioning platform and/or external wall of some residential units.
4. There are ceiling bulkheads and/or sunken slabs at living rooms, dining rooms, bedrooms, corridors, bathrooms, stores, water closets, and/or kitchens/open kitchens of some residential units for the air-conditioning system and/or mechanical and electrical services. There are exposed pipes / ductings for air-conditioning system and/or mechanical and electrical services within some store rooms.
5. The internal ceiling height within some units may vary due to structural, architectural and/or decoration design variations.
6. Balconies and utility platforms are non-enclosed areas.

附註：

1. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、淋浴間、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
2. 部份樓層外牆或設有建築裝飾及外露喉管道。
3. 部份住宅單位的露台及 / 或平台及 / 或工作平台及 / 或冷氣機平台及 / 或外牆設有外露及 / 或覆蓋層內藏之公用喉管。
4. 部份住宅單位之客廳、飯廳、睡房、走廊、浴室、儲物室、洗手間及 / 或廚房 / 開放式廚房設有假天花及 / 或跌級樓板，內裝置冷氣系統及 / 或其他機電設備。部份儲物室內設有冷氣系統及 / 或機電設備之外露喉管 / 管道。
5. 部份單位之天花高度將會因應上層單位之結構、建築設計及 / 或裝修設計上的需要而有差異。
6. 露台及工作平台為不可封閉的地方。