

LEGEND OF TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

A/C PLATFORM = AIR CONDITIONER PLATFORM = 空調機平台

ALUM ARCH FEATURE = ALUMINIUM ARCHITECTURAL FEATURE = 鋁質建築裝飾

BAL. = BALCONY = 露台

BATH = BATHROOM = 浴室

B.R. = BEDROOM = 睡房

E.L.V. = EXTRA-LOW VOLTAGE CABINET = 弱電櫃

ELEC. = ELECTRICAL METER CABINET = 電錶櫃

FLAT = 單位

FLAT ROOF = 平台

H/L = HIGH LEVEL = 高位

H.R. = HOSE REEL = 消防喉轆

KIT. = KITCHEN = 廚房

LIFT = 電梯

LIFT LOBBY = 電梯大堂

LIFT SHAFT = 電梯井

LIV. = LIVING ROOM = 客廳

M.L. = METAL LOUVRE = 金屬百葉

M.B.R. = MASTER BEDROOM = 主人睡房

OPEN KIT. = OPEN KITCHEN = 開放式廚房

P.D. = PIPE DUCT = 管道槽

ROOF = 天台

POTABLE WATER TANK ROOM = 食水缸房

SUNSHADE = 遮陽蓬

UP = 上

U.P. = UTILITY PLATFORM = 工作平台

TOP OF BALCONY COVER BELOW = 覆蓋下層的露台頂

TOP OF U.P. COVER BELOW = TOP OF UTILITY PLATFORM COVER BELOW = 覆蓋下層的工作平台頂

W.M.C. = WATER METER CABINET = 水錶櫃

Remarks:

1. There may be architectural features and/or exposed common pipes on external walls of some floors.
2. There may be communal pipes and/or mechanical and electrical services within balconies, utility platforms, flat roofs and roofs of some residential units.
3. Some residential units have ceiling bulkheads and/or sunken slab at living room, bedrooms, bathrooms, corridor and kitchen for air-conditioning system and/or other mechanical and electrical services.
4. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter, etc. are architectural symbols retrieved from the latest approved general building plans and for general indication only.
5. Balconies and utility platforms are non-enclosed areas.

備註：

1. 部份樓層外牆或設有建築裝飾及/或外露喉管。
2. 部份住宅單位之露台、工作平台、平台及天台內或裝有公用喉管及/或機電設備。
3. 部分住宅單位的客廳、睡房、浴室、走廊及廚房之天花有假天花及/或跌級樓板，用以安裝空調及/或其他機電設備。
4. 平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
5. 露台和工作平台為不可封閉的地方。


11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

3/F, 5/F-12/F, 15/F, 17/F-23/F & 25/F-26/F

3樓、5樓至12樓、15樓、17樓至23樓及25樓至26樓



Scale 比例: 0m 5m 10m

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Description of Residential Property 物業的描述	Floor 樓層	Flat 單位				
		A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	3/F, 5/F – 12/F, 15/F, 17/F – 23/F, 25/F & 26/F 3樓、5樓至12樓、15樓、 17樓至23樓、25樓及26樓	150				
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	3/F 3樓	2800, 3150	2750, 2800, 3150	2800, 3150	2800, 3150	2800, 3150
	5/F – 12/F 5樓至12樓	3150	3150	3150	3150	3150
	15/F 15樓	3150, 3225, 3500	3150, 3225, 3500, 3550	3150, 3225, 3500	3150, 3225, 3500	3150, 3225, 3500
	17/F 17樓	3150	2750, 3150	3150	3150	3150
	18/F – 23/F & 25/F 18樓至23樓及25樓	3150	3150	3150	3150	3150
	26/F 26樓	3150,3200,3425, 3500,3550,3575, 3850	3150, 3500, 3550, 3575, 3850, 3900	3500, 3575, 3850	3500, 3575, 3850	3150, 3425, 3500, 3575, 3775, 3850


Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. The dimensions in the floor plans are all structural dimension in millimeter.
3. Please refer to page 17 of this sales brochure for legend of the terms and abbreviations shown in the floor plan above and the explanatory notes that are applicable thereto.
4. The (— · — · —) black dash dotted line within living room indicates the approximate location of built-in cabinet to be provided with the residential property.
5. The (— · — —) black dash dotted line within living room indicates the approximate location of built-in furniture to be provided with the residential property.

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
3. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第17頁。
4. 客廳內的(— · — · —) 黑色虛及點線顯示隨住宅物業提供的嵌入式櫃的大約位置。
5. 客廳內的(— · — —) 黑色虛及點線顯示隨住宅物業提供的嵌入式家俬的大約位置。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖



20

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Description of Residential Property 物業的描述	Floor 樓層	Flat 單位	
		A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	27/F 27樓	150, 175	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）		2975, 3325, 3025, 3250, 3675	3325


Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. The dimensions in the floor plans are all structural dimension in millimeter.
3. Please refer to page 17 of this sales brochure for legend of the terms and abbreviations shown in the floor plan above and the explanatory notes that are applicable thereto.
4. The (— · · · —) black dash dotted line within living room indicates the approximate location of built-in cabinet to be provided with the residential property.

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
3. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第17頁。
4. 客廳內的(— · · · —) 黑色虛及點線顯示隨住宅物業提供的嵌入式櫃的大約位置。

28/F
28樓



Scale 比例: 0m 米 5m 米 10m 米

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Description of Residential Property 物業的描述	Floor 樓層	Flat 單位	
		A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	28/F 28樓	150, 175	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	28/F 28樓	3325	3325

Notes:



1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. The dimensions in the floor plans are all structural dimension in millimeter.
3. Please refer to page 17 of this sales brochure for legend of the terms and abbreviations shown in the floor plan above and the explanatory notes that are applicable thereto.
4. The (— · · · —) black dash dotted line within living room indicates the approximate location of built-in cabinet to be provided with the residential property.


備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
3. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第17頁。
4. 客廳內的(— · · · —) 黑色虛及點線顯示隨住宅物業提供的嵌入式櫃的大約位置。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

29/F – 30/F
29樓至30樓



Scale 比例:  0m 米 5m 米 10m 米

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Description of Residential Property 物業的描述	Floor 樓層	Flat 單位	
		A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	29/F - 30/F 29樓至30樓	150, 175	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	29/F 29樓	3325	3325
	30/F 30樓	3325	3325, 3675


Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. The dimensions in the floor plans are all structural dimension in millimeter.
3. Please refer to page 17 of this sales brochure for legend of the terms and abbreviations shown in the floor plan above and the explanatory notes that are applicable thereto.
4. The (— · · · —) black dash dotted line within living room indicates the approximate location of built-in cabinet to be provided with the residential property.

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
3. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第17頁。
4. 客廳內的(— · · · —) 黑色虛及點線顯示隨住宅物業提供的嵌入式櫃的大約位置。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖



24

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Description of Residential Property 物業的描述	Floor 樓層	Flat 單位	
		A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	31/F 31樓	150, 175	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）		3500, 3575, 3850, 3900, 4250	3500, 3575, 3850, 3900, 4250


Notes:

1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
2. The dimensions in the floor plans are all structural dimension in millimeter.
3. Please refer to page 17 of this sales brochure for legend of the terms and abbreviations shown in the floor plan above and the explanatory notes that are applicable thereto.
4. The (— · · · —) black dash dotted line within living room indicates the approximate location of built-in cabinet to be provided with the residential property.

備註：

1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上的差異而有所不同。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
3. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第17頁。
4. 客廳內的(— · · · —) 黑色虛及點線顯示隨住宅物業提供的嵌入式櫃的大約位置。

Main Roof 天台



Scale 比例: 0m米 5m米 10m米

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Description of Residential Property 物業的描述	Floor 樓層	Flat 單位	
		A	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	Main Roof 天台	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）		N/A 不適用	N/A 不適用

Notes:

1. The dimensions in the floor plans are all structural dimension in millimeter.

2. Please refer to page 17 of this sales brochure for legend of the terms and abbreviations shown in the floor plan above and the explanatory notes that are applicable thereto.

備註：

1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

2. 以上平面圖中顯示之名詞、簡稱及其適用的附註，請參閱本售樓說明書第 17 頁。