

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

LEGEND FOR FLOOR PLAN 平面圖圖例

A.C. PLANT ROOM (HXX) / A/C PLANT ROOM (HXX)	= AIR-CONDITIONING PLANT ROOM (HOUSE XX) 洋房XX號冷氣機房	E.N. 5 CLOSET	= ENSUITE ROOM CLOSET 5 套房5衣帽間
A/C	= AIR-CONDITIONING UNIT 冷氣機	E.N. 6	= ENSUITE ROOM 6 套房6
A/C P.D.	= AIR-CONDITIONING PIPE DUCT 冷氣管道槽	E.N. 6 BATH	= ENSUITE ROOM BATH 6 套房6浴室
ADJOINING HOUSE	= 相鄰洋房	E.N. 7	= ENSUITE ROOM 7 套房7
AHU	= AIR HANDLING UNIT ROOM 送風櫃房	E.N. 7 BATH	= ENSUITE ROOM BATH 7 套房7浴室
ALUM. CANOPY ABOVE	= ALUMINIUM CANOPY ABOVE 鋁質簷篷置上	E.N. 8	= ENSUITE ROOM 8 套房8
ALUM. CANOPY/ ALUMINUM CANOPY	= 鋁質簷篷	E.N. 8 BATH	= ENSUITE ROOM BATH 8 套房8浴室
AT 1/F ONLY	= 只於1樓	E.N. 9	= ENSUITE ROOM 9 套房9
B.R. 1	= BEDROOM 1 睡房1	E.N. 9 BATH	= ENSUITE ROOM BATH 9 套房9浴室
B.R. 2	= BEDROOM 2 睡房2	EL.	= ELECTRICAL DUCT 電線槽
B.R.2 CLOSET	= BEDROOM CLOSET 2 睡房2衣帽間	ELECT DUCT	= ELECTRICAL DUCT 電槽
BAL./ BALCONY	= 露台	ELECT. SWITCH ROOM (HXX)	= ELECTRICAL SWITCH ROOM (HOUSE XX) 洋房XX號電制房
BALCONY ABOVE	= 露台置上	ELV DUCT	= EXTRA-LOW VOLTAGE DUCT 低電壓槽
BATH	= 浴室	EXHAUST AIR FAN ROOM FOR CARPARK	= 停車場排風機房
CIRCULATION AREA	= 通道	F.A. (NOT APPLY TO HOUSE 16)	= FLUE APERTURE (NOT APPLY TO HOUSE 16) 通風孔 (不適用於洋房16號)
CIRCULATION AREA 1	= 通道 1	F.A. (ONLY APPLY TO HOUSE 16)	= FLUE APERTURE (ONLY APPLY TO HOUSE 16) 通風孔 (只適用於洋房16號)
CIRCULATION AREA 2	= 通道 2	FAMILY ROOM	= 起居室
CLOSET	= 衣帽間	FILL	= 填充
DECK	= 甲板	FITNESS ROOM	= 健身房
DIN.	= DINING ROOM 飯廳	FLAT	= 單位
DN	= DOWN 落	FLAT ROOF	= 平台
E.N. 1	= ENSUITE ROOM 1 套房1	FLAT ROOF ABOVE	= 平台置上
E.N. 1 BATH	= ENSUITE ROOM BATH 1 套房1浴室	GLASS CANOPY	= 玻璃簷篷
E.N. 1 CLOSET	= ENSUITE ROOM CLOSET 1 套房1衣帽間	GLASS CANOPY ABOVE	= 玻璃簷篷置上
E.N. 10	= ENSUITE ROOM 10 套房10	GLASS CANOPY AT 1/F ONLY	= 玻璃簷篷只於1樓
E.N. 10 BATH	= ENSUITE ROOM BATH 10 套房10浴室	HOUSE	= 洋房
E.N. 11	= ENSUITE ROOM 11 套房11	HOUSE XX LIFT LOBBY	= 洋房XX號升降機大堂
E.N. 11 BATH	= ENSUITE ROOM BATH 11 套房11浴室	KIT.	= KITCHEN 廚房
E.N. 2	= ENSUITE ROOM 2 套房2	KIT. 2	= KITCHEN 2 廚房2
E.N. 2 BATH	= ENSUITE ROOM BATH 2 套房2浴室	LAV.	= LAVATORY 洗手間
E.N. 2 CLOSET	= ENSUITE ROOM CLOSET 2 套房2衣帽間	LAWN	= 草地
E.N. 3	= ENSUITE ROOM 3 套房3	LIFT	= 升降機
E.N. 3 BATH	= ENSUITE ROOM BATH 3 套房3浴室	LIFT LOBBY	= 升降機大堂
E.N. 3 CLOSET	= ENSUITE ROOM CLOSET 3 套房3衣帽間	LIV.	= LIVING ROOM 客廳
E.N. 4	= ENSUITE ROOM 4 套房4	LOBBY	= 大堂
E.N. 4 BATH	= ENSUITE ROOM BATH 4 套房4浴室	M.BATH	= MASTER BATH 主浴室
E.N. 4 CLOSET	= ENSUITE ROOM CLOSET 4 套房4衣帽間	M.BEDROOM	= MASTER BEDROOM 主睡房
E.N. 5	= ENSUITE ROOM 5 套房5		
E.N. 5 BATH	= ENSUITE ROOM BATH 5 套房5浴室		


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

LEGEND FOR FLOOR PLAN 平面圖圖例


M.CLOSET	= MASTER BEDROOM CLOSET 主睡房衣帽間
M.CLOSET 2	= MASTER BEDROOM CLOSET 2 主睡房衣帽間2
MAID ROOM	= 工人房
P.D.	= PIPE DUCT 管道槽
P.L./ PLANTER	= 花槽
P.R.	= POWDER ROOM 客廳洗手間
P.R. 1	= POWDER ROOM 1 客廳洗手間1
P.R. 2	= POWDER ROOM 2 客廳洗手間2
POTABLE & FLUSHING BOOSTER	= 食水及沖廁水增壓泵房
PRIVATE GARDEN	= 私人花園
PRIVATE ROOF	= 私人天台
R.C. COVER	= REINFORCED CONCRETE COVER 鋼筋混凝土頂蓋
RAMP DN.	= RAMP DOWN 斜道向下
REFER TO GROUND FLOOR PLAN	= 參考地面層平面圖
REFUSE STORAGE	= 垃圾房
ROOF	= 天台
SKYLIGHT	= 天窗
SKYLIGHT ABOVE	= 天窗置上
STORE 1	= STORE ROOM 1 士多房1
STORE 2	= STORE ROOM 2 士多房2
STORE 3	= STORE ROOM 3 士多房3
STORE / STORE ROOM	= 士多房
STUDY / STUDY ROOM	= 書房
SWIMMING POOL	= 游泳池
T.V. ROOM	= 電視房
TEA ROOM	= 茶室
TEMP. REFUGE SPACE	= TEMPORARY REFUGE SPACE 臨時庇護處
U.P.	= UTILITY PLATFORM 工作平台
U.P. ABOVE	= UTILITY PLATFORM ABOVE 工作平台置上
UP	= 上
UPPER DECK	= 上層甲板
UPPER ROOF	= 上層天台
UPPER ROOF 1	= 上層天台1
UPPER ROOF 2	= 上層天台2
UTILITY/ UTILITY AREA	= 工作間
VOID	= 中空
VOID ABOVE	= 中空置上
WATER METER CABINET	= 水錶房

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 1 FLOOR PLANS
洋房1號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 1 洋房1號	B/F 地庫層	5375	200
	G/F 地面層	4250	150, 200
	1/F 1樓	3500, 3550, 3600	150, 200
	Roof 天台	2450	150








- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 2 FLOOR PLANS
洋房2號平面圖



SCALE 0 7.5m (米)

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 2 洋房2號	B/F 地庫層	5375	200
	G/F 地面層	4250, 4500	150, 200, 300
	1/F 1樓	3500, 3550, 3600, 3825	150, 200, 300
	Roof 天台	2450	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to-floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 3 FLOOR PLANS
洋房3號平面圖





House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 3 洋房3號	B/F 地庫層	4650	200
	G/F 地面層	4250	150, 200
	1/F 1樓	3500, 3550, 3600	150, 200
	Roof 天台	3350, 3500	150



- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.
- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 5 FLOOR PLANS
洋房5號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 5 洋房5號	B/F 地庫層	5100	200, 300
	G/F 地面層	4200	150, 200
	1/F 1樓	3500, 3650	150, 200
	Roof 天台	2775	150

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 6 FLOOR PLANS

洋房6號平面圖




B/F PLAN
地庫層平面圖


G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 6 洋房6號	B/F 地庫層	4250, 4500	150, 200, 250
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150




G/F PLAN
地面層平面圖




2/F PLAN
2樓平面圖



1/F PLAN
1樓平面圖



ROOF PLAN
天台平面圖




UPPER ROOF PLAN
上層天台平面圖

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.






- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 7 FLOOR PLANS
洋房7號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 7 洋房7號	B/F 地庫層	6550, 6800, 7050	200
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500	150, 200
	2/F 2樓	3550, 3600	150, 200
	Roof 天台	2775	150



Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：





- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 8 FLOOR PLANS
洋房8號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 8 洋房8號	B/F 地庫層	4250, 4500	150, 200, 250
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150




- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.





- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 9 FLOOR PLANS
洋房9號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 9 洋房9號	B/F 地庫層	4700, 5350	200
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150



Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：





- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 10 FLOOR PLANS
洋房10號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 10 洋房10號	B/F 地庫層	4250, 4500	150, 200, 250
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150



Remarks:




- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 11 & 12 FLOOR PLANS
洋房11號及12號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 11 洋房11號	B/F 地庫層	5975	200
House 12 洋房12號	B/F 地庫層	5375	200
House 11 & 12 洋房11號 及12號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4500 3250, 3450, 3500, 3550 3500, 3550, 3600 2775	150, 200 150, 200 150, 175, 200 150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 11 & 12 FLOOR PLANS
洋房11號及12號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 11 洋房11號	B/F 地庫層	5975	200
House 12 洋房12號	B/F 地庫層	5375	200
House 11 & 12 洋房11號 及12號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4500 3250, 3450, 3500, 3550 3500, 3550, 3600 2775	150, 200 150, 200 150, 175, 200 150

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 15, 16 & 17 FLOOR PLANS

洋房15號、16號及17號平面圖



B/F PLAN
地庫層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 15 洋房15號	B/F 地庫層	4935	200
House 16 洋房16號	B/F 地庫層	4625	200
House 17 洋房17號	B/F 地庫層	4675	200
House 15, 16 & 17 洋房15號、 16號及17號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4500 3450, 3500 3500, 3550, 3600 2775	150, 200, 250 150, 200 150, 200 150

Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

發展項目的住宅物業的樓面平面圖

洋房15號、16號及17號平面圖



SCALE
比例尺



0 7.5m (米)

N

Remarks:


1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 15, 16 & 17 FLOOR PLANS
洋房15號、16號及17號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 15 洋房15號	B/F 地庫層	4935	200
House 16 洋房16號	B/F 地庫層	4625	200
House 17 洋房17號	B/F 地庫層	4675	200
House 15, 16 & 17 洋房15號、 16號及17號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4500 3450, 3500 3500, 3550, 3600 2775	150, 200, 250 150, 200 150, 200 150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：






- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 18 FLOOR PLANS
洋房18號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 18 洋房18號	B/F 地庫層	4555	200
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150








- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 19 FLOOR PLANS
洋房19號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 19 洋房19號	B/F 地庫層	4470, 4585, 4675, 4935, 5350, 6660, 6800	200
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 20 FLOOR PLANS
洋房20號平面圖




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 20 洋房20號	B/F 地庫層	4250	150, 200, 250
	G/F 地面層	4500	150, 200, 250
	1/F 1樓	3450, 3500	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150




G/F PLAN
地面層平面圖




2/F PLAN
2樓平面圖



1/F PLAN
1樓平面圖



ROOF PLAN
天台平面圖




UPPER ROOF PLAN
上層天台平面圖

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 21 & 22 FLOOR PLANS
洋房21號及22號平面圖



B/F PLAN
地庫層平面圖



G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 21 洋房21號	B/F 地庫層	4690	200
House 22 洋房22號	B/F 地庫層	4630	200
House 21 & 22 洋房21號 及22號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4500 3250, 3450, 3500, 3550 3500, 3550, 3600 2775	150, 200 150, 200 150, 175, 200 150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 21 & 22 FLOOR PLANS
洋房21號及22號平面圖




G/F PLAN
地面層平面圖



1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



UPPER ROOF PLAN
上層天台平面圖

SCALE 比例尺 0 7.5m (米)

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 21 洋房21號	B/F 地庫層	4690	200
House 22 洋房22號	B/F 地庫層	4630	200
House 21 & 22 洋房21號 及22號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4500 3250, 3450, 3500, 3550 3500, 3550, 3600 2775	150, 200 150, 200 150, 175, 200 150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 23 FLOOR PLANS
洋房23號平面圖



Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 23 洋房23號	B/F 地庫層	4630	200
	G/F 地面層	4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 175, 200
	Roof 天台	2775	150

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 25, 26 & 27 FLOOR PLANS
洋房25號、26號及27號平面圖



B/F PLAN
地庫層平面圖




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 25 洋房25號	B/F 地庫層	4515	200
House 26 洋房26號	B/F 地庫層	4860	200
House 27 洋房27號	B/F 地庫層	4970	200
House 25, 26 & 27 洋房25號、 26號及27號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4250, 4450, 4500 3300, 3500, 3550 3500, 3550, 3600 2775	200 150, 200 150, 200 150, 200

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 25, 26 & 27 FLOOR PLANS
洋房25號、26號及27號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 25 洋房25號	B/F 地庫層	4515	200
House 26 洋房26號	B/F 地庫層	4860	200
House 27 洋房27號	B/F 地庫層	4970	200
House 25, 26 & 27 洋房25號、 26號及27號	G/F 地面層 1/F 1樓 2/F 2樓 Roof 天台	4250, 4450, 4500 3300, 3500, 3550 3500, 3550, 3600 2775	200 150, 200 150, 200 150, 200

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 25 FLOOR PLANS
洋房25號平面圖



SCALE
比例尺 0 7.5m (米)

Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 25 洋房25號	B/F 地庫層	4515	200
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3300, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150, 200

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 26 FLOOR PLANS
洋房26號平面圖



SCALE
比例尺 0 7.5m (米)

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 26 洋房26號	B/F 地庫層	4860	200
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3300, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150, 200

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 27 FLOOR PLANS
洋房27號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 27 洋房27號	B/F 地庫層	4970	200
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3300, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150, 200

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 28 FLOOR PLANS
洋房28號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 28 洋房28號	B/F 地庫層	4965	200
	G/F 地面層	4200, 4250, 4500	200
	1/F 1樓	3200, 3500, 3550	150, 200
	2/F 2樓	3500, 3600, 3800, 5000	150, 200
	Roof 天台	2775	150, 200



Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 29 FLOOR PLANS
洋房29號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 29 洋房29號	B/F 地庫層	4915	200
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3300, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150, 200



Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 30 & 31 FLOOR PLANS
洋房30號及31號平面圖



B/F PLAN
地庫層平面圖



G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 30 & 31 洋房30號 及31號	B/F 地庫層	4700, 4975	200
	G/F 地面層	4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600, 3800	150, 200, 250
	Roof 天台	2475	150

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 32 FLOOR PLANS
洋房32號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 32 洋房32號	B/F 地庫層	4350	200
	G/F 地面層	4200	150, 200
	1/F 1樓	3150, 3200, 3250	150, 200, 300
	Roof 天台	1035	150



Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 33 FLOOR PLANS
洋房33號平面圖




B/F PLAN
地庫層平面圖

G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 33 洋房33號	B/F 地庫層	4722	150, 200, 300
	G/F 地面層	4050	200, 300
	1/F 1樓	3800, 4000, 4050	150, 200, 300
	Roof 天台	3150, 3300	150



G/F PLAN
地面層平面圖

1/F PLAN
1樓平面圖



ROOF PLAN
天台平面圖

STAIRHOOD PLAN
梯屋平面圖

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 35, 36, 37 & 38 FLOOR PLANS
洋房35號、36號、37號及38號平面圖



Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。


House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 35, 36, 37 & 38 洋房35號、 36號、37號 及38號	B/F 地庫層	4100, 4700	200
	G/F 地面層	4200	150, 200
	1/F 1樓	3500, 3550, 3600	150, 200
	Roof 天台	1025	150

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 35, 36, 37 & 38 FLOOR PLANS
洋房35號、36號、37號及38號平面圖



G/F PLAN
地面層平面圖



1/F PLAN
1樓平面圖



ROOF PLAN
天台平面圖

STAIRHOOD PLAN
梯屋平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 35, 36, 37 & 38 洋房35號、 36號、37號 及38號	B/F 地庫層	4100, 4700	200
	G/F 地面層	4200	150, 200
	1/F 1樓	3500, 3550, 3600	150, 200
	Roof 天台	1025	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 39 FLOOR PLANS
洋房39號平面圖



B/F PLAN
地庫層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 39 洋房39號	B/F 地庫層	5140	200
	G/F 地面層	4250, 4450, 4500	150, 250, 300
	1/F 1樓	3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 3600	150, 250, 300
	Roof 天台	2625, 2775	150



G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

HOUSE 39 FLOOR PLANS

洋房39號平面圖



G/F PLAN
地面層平面圖



1/F PLAN
1樓平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 39 洋房39號	B/F 地庫層	5140	200
	G/F 地面層	4250, 4450, 4500	150, 250, 300
	1/F 1樓	3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 3600	150, 250, 300
	Roof 天台	2625, 2775	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 39 FLOOR PLANS
洋房39號平面圖



2/F PLAN
2樓平面圖



UPPER ROOF PLAN
上層天台平面圖




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 39 洋房39號	B/F 地庫層	5140	200
	G/F 地面層	4250, 4450, 4500	150, 250, 300
	1/F 1樓	3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 3600	150, 250, 300
	Roof 天台	2625, 2775	150

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。


HOUSE 50 FLOOR PLANS
洋房50號平面圖



B/F PLAN
地庫層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 50 洋房50號	B/F 地庫層	4450	250
	G/F 地面層	4250, 4450, 4500, 6900, 7200, 7750, 8000	150, 250
	1/F 1樓	3250, 3450, 3500, 3550	150, 200, 250, 300
	2/F 2樓	3500, 3550, 3800, 4700	150, 200, 250, 300
	Roof 天台	2350	150




G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)


- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.
- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 50 FLOOR PLANS
洋房50號平面圖



G/F PLAN
地面層平面圖



1/F PLAN
1樓平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 50 洋房50號	B/F 地庫層	4450	250
	G/F 地面層	4250, 4450, 4500, 6900, 7200, 7750, 8000	150, 250
	1/F 1樓	3250, 3450, 3500, 3550	150, 200, 250, 300
	2/F 2樓	3500, 3550, 3800, 4700	150, 200, 250, 300
	Roof 天台	2350	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 50 FLOOR PLANS
洋房50號平面圖



2/F PLAN
2樓平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 50 洋房50號	B/F 地庫層	4450	250
	G/F 地面層	4250, 4450, 4500, 6900, 7200, 7750, 8000	150, 250
	1/F 1樓	3250, 3450, 3500, 3550	150, 200, 250, 300
	2/F 2樓	3500, 3550, 3800, 4700	150, 200, 250, 300
	Roof 天台	2350	150




UPPER ROOF PLAN
上層天台平面圖

- Remarks:
- 1. The dimensions in the floor plans are all structural dimensions in millimetre.
 - 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - 3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.
- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 51 FLOOR PLANS
洋房51號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 51 洋房51號	B/F 地庫層	4450	200
	G/F 地面層	4450, 4500, 7050	150, 250, 300
	1/F 1樓	3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550	150, 250
	Roof 天台	2625	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 51 FLOOR PLANS
洋房51號平面圖




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



UPPER ROOF PLAN
上層天台平面圖



ROOF PLAN
天台平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 51 洋房51號	B/F 地庫層	4450	200
	G/F 地面層	4450, 4500, 7050	150, 250, 300
	1/F 1樓	3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550	150, 250
	Roof 天台	2625	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 52 FLOOR PLANS
洋房52號平面圖



Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。


House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 52 洋房52號	B/F 地庫層	4450	200
	G/F 地面層	4450, 4500, 7050	150, 250, 300
	1/F 1樓	3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 4700	150, 250
	Roof 天台	2625	150

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 52 FLOOR PLANS
洋房52號平面圖




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



UPPER ROOF PLAN
上層天台平面圖



ROOF PLAN
天台平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 52 洋房52號	B/F 地庫層	4450	200
	G/F 地面層	4450, 4500, 7050	150, 250, 300
	1/F 1樓	3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 4700	150, 250
	Roof 天台	2625	150

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

HOUSE 53 FLOOR PLANS


洋房53號平面圖



B/F PLAN
地庫層平面圖



G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)



G/F PLAN
地面層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 53 洋房53號	B/F 地庫層	4775	200
	G/F 地面層	4500	150, 225
	1/F 1樓	3500	150, 225
	2/F 2樓	3500, 3600, 3825	150, 225
	Roof 天台	2450	150

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

HOUSE 53 FLOOR PLANS


洋房53號平面圖



1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



ROOF PLAN
天台平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 53 洋房53號	B/F 地庫層	4775	200
	G/F 地面層	4500	150, 225
	1/F 1樓	3500	150, 225
	2/F 2樓	3500, 3600, 3825	150, 225
	Roof 天台	2450	150

Remarks:



- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 55 FLOOR PLANS
洋房55號平面圖



G/F PLAN
地面層平面圖

- Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre.
 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。


House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 55 洋房55號	B/F 地庫層	4450	200
	G/F 地面層	4425, 4500, 4825, 4900, 7075, 7150	150, 200, 300
	1/F 1樓	3250, 3325, 3400	150, 200, 300
	2/F 2樓	3500, 3575, 3600	150, 200, 300
	Roof 天台	2475	150

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 55 FLOOR PLANS

洋房55號平面圖



Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 56, 57, 58 & 59 FLOOR PLANS
洋房56號、57號、58號及59號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 56, 58 & 59 洋房56號、 58號及59號	B/F 地庫層	5250	200
House 57 洋房57號	B/F 地庫層	7850	200
House 56, 57, 58 & 59 洋房56號、 57號、58號 及59號	G/F 地面層	4250, 4450, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2450	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 56, 57, 58 & 59 FLOOR PLANS
洋房56號、57號、58號及59號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 56, 58 & 59 洋房56號、 58號及59號	B/F 地庫層	5250	200
House 57 洋房57號	B/F 地庫層	7850	200
House 56, 57, 58 & 59 洋房56號、 57號、58號 及59號	G/F 地面層	4250, 4450, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2450	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 56 FLOOR PLANS
洋房56號平面圖



Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 56 洋房56號	B/F 地庫層	5250	200
	G/F 地面層	4250, 4450, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2450	150

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 57 FLOOR PLANS
洋房57號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 57 洋房57號	B/F 地庫層	7850	200
	G/F 地面層	4250, 4450, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2450	150

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 58 & 59 FLOOR PLANS
洋房58號及59號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 58 & 59 洋房58號 及59號	B/F 地庫層	5250	200
	G/F 地面層	4250, 4450, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2450	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 60 & 61 FLOOR PLANS
洋房60號及61號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 60 & 61 洋房60號 及61號	B/F 地庫層	5250	-
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3300, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150, 200



Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 60 & 61 FLOOR PLANS
洋房60號及61號平面圖




G/F PLAN
地面層平面圖




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



ROOF PLAN
天台平面圖



UPPER ROOF PLAN
上層天台平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 60 & 61 洋房60號 及61號	B/F 地庫層	5250	-
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3300, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600	150, 200
	Roof 天台	2775	150, 200

Remarks:



- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 62 FLOOR PLANS
洋房62號平面圖



B/F PLAN
地庫層平面圖

G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 62 洋房62號	B/F 地庫層	5200, 6750	200
	G/F 地面層	4250, 4450, 4500	150, 250, 200, 300
	1/F 1樓	3500, 3550	150, 200, 250, 300
	2/F 2樓	3500, 3550, 3600	150, 200, 250, 300
	Roof 天台	2775	150, 200

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

HOUSE 62 FLOOR PLANS

洋房62號平面圖



G/F PLAN
地面層平面圖



1/F PLAN
1樓平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 62 洋房62號	B/F 地庫層	5200, 6750	200
	G/F 地面層	4250, 4450, 4500	150, 250, 200, 300
	1/F 1樓	3500, 3550	150, 200, 250, 300
	2/F 2樓	3500, 3550, 3600	150, 200, 250, 300
	Roof 天台	2775	150, 200

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 62 FLOOR PLANS
洋房62號平面圖



2/F PLAN
2樓平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 62 洋房62號	B/F 地庫層	5200, 6750	200
	G/F 地面層	4250, 4450, 4500	150, 250, 200, 300
	1/F 1樓	3500, 3550	150, 200, 250, 300
	2/F 2樓	3500, 3550, 3600	150, 200, 250, 300
	Roof 天台	2775	150, 200



Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

HOUSE 63 FLOOR PLANS

洋房63號平面圖



B/F PLAN
地庫層平面圖



G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 63 洋房63號	B/F 地庫層	4600	200
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600, 4750	150, 200
	Roof 天台	2450	150, 200, 250

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

HOUSE 63 FLOOR PLANS


洋房63號平面圖




G/F PLAN
地面層平面圖



1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



ROOF PLAN
天台平面圖




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 63 洋房63號	B/F 地庫層	4600	200
	G/F 地面層	4250, 4450, 4500	200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600, 4750	150, 200
	Roof 天台	2450	150, 200, 250

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 65 FLOOR PLANS
洋房65號平面圖



B/F PLAN
地庫層平面圖




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 65 洋房65號	B/F 地庫層	4275	200
	G/F 地面層	4250, 4450, 4500	250, 300
	1/F 1樓	3200, 3250, 3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 3600, 3825	150, 200, 250
	Roof 天台	2450	150

Remarks:

1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。




G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 65 FLOOR PLANS

洋房65號平面圖




G/F PLAN

地面層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 65 洋房65號	B/F 地庫層	4275	200
	G/F 地面層	4250, 4450, 4500	250, 300
	1/F 1樓	3200, 3250, 3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 3600, 3825	150, 200, 250
	Roof 天台	2450	150



1/F PLAN

1樓平面圖

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 65 FLOOR PLANS
洋房65號平面圖



2/F PLAN
2樓平面圖



ROOF PLAN
天台平面圖

SCALE 比例尺 0 7.5m (米)

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 65 洋房65號	B/F 地庫層	4275	200
	G/F 地面層	4250, 4450, 4500	250, 300
	1/F 1樓	3200, 3250, 3450, 3500, 3550	150, 250, 300
	2/F 2樓	3500, 3550, 3600, 3825	150, 200, 250
	Roof 天台	2450	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 66, 67, 68 & 69 FLOOR PLANS
洋房66號、67號、68號及69號平面圖



B/F PLAN
地庫層平面圖

House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 66 洋房66號	B/F 地庫層	7812	200
House 67 洋房67號	B/F 地庫層	7830	200
House 68 洋房68號	B/F 地庫層	7810	200
House 69 洋房69號	B/F 地庫層	8190	200
House 66, 67, 68 & 69 洋房66號、 67號、68號 及69號	G/F 地面層	4250, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600, 3825	150, 200
	Roof 天台	2450	150

Remarks:


1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 66, 67, 68 & 69 FLOOR PLANS
洋房66號、67號、68號及69號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 66 洋房66號	B/F 地庫層	7812	200
House 67 洋房67號	B/F 地庫層	7830	200
House 68 洋房68號	B/F 地庫層	7810	200
House 69 洋房69號	B/F 地庫層	8190	200
House 66, 67, 68 & 69 洋房66號、 67號、68號 及69號	G/F 地面層	4250, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600, 3825	150, 200
	Roof 天台	2450	150

G/F PLAN (FOR GARDEN)
地面層平面圖 (花園)


- Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre.
 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 66, 67, 68 & 69 FLOOR PLANS
洋房66號、67號、68號及69號平面圖



HOUSE 66 G/F PLAN
洋房66號地面層平面圖



HOUSE 67, 68 & 69 G/F PLAN
洋房67號, 68號及69號地面層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 66 洋房66號	B/F 地庫層	7812	200
House 67 洋房67號	B/F 地庫層	7830	200
House 68 洋房68號	B/F 地庫層	7810	200
House 69 洋房69號	B/F 地庫層	8190	200
House 66, 67, 68 & 69 洋房66號、 67號、68號 及69號	G/F 地面層	4250, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600, 3825	150, 200
	Roof 天台	2450	150


- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.
- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 66, 67, 68 & 69 FLOOR PLANS

洋房66號、67號、68號及69號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 66 洋房66號	B/F 地庫層	7812	200
House 67 洋房67號	B/F 地庫層	7830	200
House 68 洋房68號	B/F 地庫層	7810	200
House 69 洋房69號	B/F 地庫層	8190	200
House 66, 67, 68 & 69 洋房66號、 67號、68號 及69號	G/F 地面層	4250, 4500	150, 200
	1/F 1樓	3250, 3450, 3500, 3550	150, 200
	2/F 2樓	3500, 3550, 3600, 3825	150, 200
	Roof 天台	2450	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 70, 71 & 72 FLOOR PLANS
洋房70號、71號及72號平面圖



B/F PLAN
地庫層平面圖




House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 70, 71 & 72 洋房70號、 71號及72號	B/F 地庫層	8425	200, 225
	G/F 地面層	3100, 4150, 4200	200, 225
	1/F 1樓	3150, 3200	150, 200, 300
	2/F 2樓	3150, 3225, 3275, 3325	150, 200, 300
	Roof 天台	3050	150

- Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre.
 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 70, 71 & 72 FLOOR PLANS
洋房70號、71號及72號平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 70, 71 & 72 洋房70號、 71號及72號	B/F 地庫層	8425	200, 225
	G/F 地面層	3100, 4150, 4200	200, 225
	1/F 1樓	3150, 3200	150, 200, 300
	2/F 2樓	3150, 3225, 3275, 3325	150, 200, 300
	Roof 天台	3050	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 70, 71 & 72 FLOOR PLANS
洋房70號、71號及72號平面圖




G/F PLAN
地面層平面圖




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



ROOF PLAN
天台平面圖



UPPER ROOF PLAN
上層天台平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 70, 71 & 72 洋房70號、 71號及72號	B/F 地庫層	8425	200, 225
	G/F 地面層	3100, 4150, 4200	200, 225
	1/F 1樓	3150, 3200	150, 200, 300
	2/F 2樓	3150, 3225, 3275, 3325	150, 200, 300
	Roof 天台	3050	150

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 73 FLOOR PLANS
洋房73號平面圖



B/F PLAN
地庫層平面圖



G/F PLAN
地面層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度(不包括灰泥)(毫米)
House 73 洋房73號	B/F 地庫層	6150	200
	G/F 地面層	4375, 4625	150, 250
	1/F 1樓	2900, 3100, 3150	150, 200, 250
	2/F 2樓	3500, 3550, 3600, 3650, 6275	150, 200, 250
	Roof 天台	2625	150


Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。


HOUSE 73 FLOOR PLANS
洋房73號平面圖



G/F PLAN
地面層平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 73 洋房73號	B/F 地庫層	6150	200
	G/F 地面層	4375, 4625	150, 250
	1/F 1樓	2900, 3100, 3150	150, 200, 250
	2/F 2樓	3500, 3550, 3600, 3650, 6275	150, 200, 250
	Roof 天台	2625	150



1/F PLAN
1樓平面圖

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


HOUSE 73 FLOOR PLANS
洋房73號平面圖



2/F PLAN
2樓平面圖



House Number 洋房編號	Floor 樓層	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
House 73 洋房73號	B/F 地庫層	6150	200
	G/F 地面層	4375, 4625	150, 250
	1/F 1樓	2900, 3100, 3150	150, 200, 250
	2/F 2樓	3500, 3550, 3600, 3650, 6275	150, 200, 250
	Roof 天台	2625	150



ROOF PLAN
天台平面圖

Remarks:

- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

TOWER 1 & TOWER 2 第1座及第2座

G/F PLAN
地面層平面圖



Tower 座數	Floor 樓層	Flat 單位	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Tower 1 第1座	G/F 地面層	A	3500, 3800, 3900	150, 300
Tower 2 第2座	G/F 地面層	C	3500, 3900	150, 300

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

TOWER 1 第1座

1/F - 3/F & 5/F - 12/F PLAN

1樓至3樓及5樓至12樓平面圖



SCALE 0 7.5m (米)

Tower 座數	Floor 樓層	Flat 單位	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Tower 1 第1座	1/F 1樓	A	3250, 3650	150, 200
		B	3250, 3650	150, 200
	2/F - 12/F 2樓至12樓	A	3250	150, 180, 200
		B	3250	150, 180, 200

Remarks:


- The dimensions in the floor plans are all structural dimensions in millimetre.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

TOWER 2 第2座
1/F - 3/F & 5/F - 12/F PLAN
1樓至3樓及5樓至12樓平面圖




TOWER 2
第2座


PART PLAN OF 12/F FLAT C & D
12樓單位C及單位D部分平面圖

SCALE
比例尺 0 7.5m (米)

Tower 座數	Floor 樓層	Flat 單位	Floor to Floor Height of the residential property (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Tower 2 第2座	1/F 1樓	C	3250, 3450, 3500, 3650, 3750, 3990	150, 180
		D	3250, 3450, 3500, 3650, 3750, 3990	150, 180
	2/F - 12/F 2樓至12樓	C	3250	150, 180, 200, 300
		D	3250	150, 180, 200, 300



1/F FLAT D FLOOR PLAN
1樓單位D平面圖




9/F FLAT D FLOOR PLAN
9樓單位D平面圖

Remarks:
1. The dimensions in the floor plans are all structural dimensions in millimetre.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.


備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

TOWER 2 第2座
15/F & ROOF PLAN
15樓及天台平面圖



15/F PLAN
15樓平面圖



ROOF PLAN
天台平面圖



Tower 座數	Floor 樓層	Flat 單位	Floor to Floor Height of the residential property (mm) (mm) 住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Tower 2 第2座	15/F 15樓	C	2750, 2850, 3000, 3050, 3500	150, 200, 300

- Remarks:
- The dimensions in the floor plans are all structural dimensions in millimetre.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Floor-to floor height of residential property refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor. The internal ceiling height within some residential property varies due to structural, architectural and decoration design variations.
- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 住宅物業的層與層之間的高度指該樓層之石屎地台面與上一層石屎地台面之高度距離。部份住宅物業室內的天花高度因應上層單位之結構、建築設計及裝修設計而有差異。