



**FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE**  
**期數的住宅物業的樓面平面圖**

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

### LEGEND OF THE TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用之名詞及簡稱之圖例

|                                                 |                                                   |                 |
|-------------------------------------------------|---------------------------------------------------|-----------------|
| AC AREA FOR COMMON LOBBY                        | = AIR-CONDITIONER AREA FOR COMMON LOBBY           | 供放置公共大堂冷氣機的範圍   |
| A/C PLATFORM                                    | = AIR-CONDITIONER PLATFORM                        | 冷氣機平台           |
| A/C PLATFORM W/. METAL GRILLE                   | = AIR-CONDITIONER PLATFORM WITH METAL GRILLE      | 冷氣機平台與金屬欄柵      |
| A.D.                                            | = AIR DUCT                                        | 通風槽             |
| ARCH. FEATURE                                   | = ARCHITECTURAL FEATURE                           | 建築裝飾            |
| ARCH. FEATURE AT 20/F ONLY                      | = ARCHITECTURAL FEATURE AT 20/F ONLY              | 僅於20樓之建築裝飾      |
| AREA FOR A/C UNIT                               | = AREA FOR AIR-CONDITIONER UNIT                   | 放置冷氣機的範圍        |
| AREA FOR A/C UNIT W/. METAL GRILLE              | = AREA FOR AIR-CONDITIONER UNIT WITH METAL GRILLE | 放置冷氣機的範圍與欄柵     |
| AREA FOR UNDERGROUND DRAIN MAINTENANCE          | = AREA FOR UNDERGROUND DRAIN MAINTENANCE          | 供地下排水管維修的範圍     |
| AUTO CLOSE DOOR NOT FOR VENTILATION PURPOSE     | = AUTO CLOSE DOOR NOT FOR VENTILATION PURPOSE     | 不作通風用途的自動關閉式門   |
| BAL.                                            | = BALCONY                                         | 露台              |
| BAL. ABOVE                                      | = BALCONY ABOVE                                   | 露台置上            |
| BATH                                            | = BATHROOM                                        | 浴室              |
| BR. 2                                           | = BEDROOM 2                                       | 睡房 2            |
| BR. 3                                           | = BEDROOM 3                                       | 睡房 3            |
| BUILDING LINE AT 20/F                           | = BUILDING LINE AT 20/F                           | 20樓之建築物界線       |
| CANOPY                                          | = CANOPY                                          | 上蓋              |
| CANOPY OF BAL. BELOW                            | = CANOPY OF BALCONY BELOW                         | 下層露台上蓋          |
| CANOPY OF U.P. BELOW                            | = CANOPY OF UTILITY PLATFORM BELOW                | 下層工作平台上蓋        |
| CARETAKER'S OFFICE                              | = CARETAKER'S OFFICE                              | 管理員辦公室          |
| COMMON AREA (FOR DRAIN PIPES)                   | = COMMON AREA (FOR DRAIN PIPES)                   | 公共範圍(供排水渠用)     |
| COMMON AREA (FOR RAIN WATER PIPE)               | = COMMON AREA (FOR RAIN WATER PIPE)               | 公共範圍(供雨水渠用)     |
| COMMON GREEN ROOF (FOR MAINTENANCE ACCESS ONLY) | = COMMON GREEN ROOF (FOR MAINTENANCE ACCESS ONLY) | 公共綠化平台 (僅供維修進入) |
| COMMON PLANTER                                  | = COMMON PLANTER                                  | 公共花槽            |
| COVER OF BAL. BELOW                             | = COVER OF BALCONY BELOW                          | 下層露台上蓋          |
| COVER OF U.P. BELOW                             | = COVER OF UTILITY PLATFORM BELOW                 | 下層工作平台上蓋        |
| DIN.                                            | = DINING ROOM                                     | 飯廳              |
| DN                                              | = DOWN                                            | 落               |
| ELEC. CABLE DUCT ROOM                           | = ELECTRIC CABLE DUCT ROOM                        | 電力管道房           |
| ELEC. METER RM.                                 | = ELECTRIC METER ROOM                             | 電錶房             |
| ELEC. RISER                                     | = ELECTRIC RISER DUCT                             | 電線上引管道          |
| ELEC. ROOM                                      | = ELECTRIC ROOM                                   | 電力房             |

Remarks:

1. There may be architectural features on external walls of some floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/ ductings for air-conditioning system and/ or M&E services within some store rooms.
4. Balconies and utility platforms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.

附註：

1. 部份樓層外牆設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
3. 部份住宅單位的客廳、飯廳、睡房、工作間、走廊、浴室、儲物房、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可封閉的地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

### LEGEND OF THE TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用之名詞及簡稱之圖例

|                                    |                                      |             |
|------------------------------------|--------------------------------------|-------------|
| ENTRANCE LOBBY                     | = ENTRANCE LOBBY                     | 入口大堂        |
| EMERGENCY GENERATOR ROOM           | = EMERGENCY GENERATOR ROOM           | 緊急發電機機房     |
| F.S. INLET                         | = FIRE SERVICE INLET                 | 消防入水掣       |
| FIXED WINDOW                       | = FIXED WINDOW                       | 固定式窗戶       |
| FLAT                               | = FLAT                               | 單位          |
| FLAT ROOF                          | = FLAT ROOF                          | 平台          |
| FLAT ROOF (COMMON)                 | = FLAT ROOF (COMMON)                 | 平台 (公共)     |
| FLAT ROOF (COMMON FOR MAINTENANCE) | = FLAT ROOF (COMMON FOR MAINTENANCE) | 平台 (公共供維修用) |
| FRR WALL                           | = FIRE RESISTANCE RATING WALL        | 防火牆         |
| FUEL TANK ROOM                     | = FUEL TANK ROOM                     | 貯油房         |
| GARDEN                             | = GARDEN                             | 花園          |
| H.R.                               | = HOSE REEL                          | 消防喉轆        |
| H.R. AT L/L                        | = HOSE REEL AT LOW LEVEL             | 消防喉轆於低位     |
| INTAKE VENT                        | = INTAKE VENT                        | 通風進風口       |
| KIT.                               | = KITCHEN                            | 廚房          |
| LAV.                               | = LAVATORY                           | 洗手間         |
| LIFT                               | = LIFT                               | 升降機         |
| LIFT LOBBY                         | = LIFT LOBBY                         | 升降機大堂       |
| LIFT MACHINE ROOM                  | = LIFT MACHINE ROOM                  | 升降機機房       |
| LIV.                               | = LIVING ROOM                        | 客廳          |
| M. BATH                            | = MASTER BATHROOM                    | 主人浴室        |
| M.B.R.                             | = MASTER BEDROOM                     | 主人睡房        |
| MAINTENANCE FLAT ROOF (COMMON)     | = MAINTENANCE FLAT ROOF (COMMON)     | 供維修用平台 (公共) |
| MAINTENANCE ROOF (COMMON)          | = MAINTENANCE ROOF (COMMON)          | 供維修用天台 (公共) |
| METAL GRILLE                       | = METAL GRILLE                       | 金屬欄柵        |
| OPEN KIT.                          | = OPEN KITCHEN                       | 開放式廚房       |
| P.D.                               | = PIPE DUCT                          | 管道槽         |
| PLANTER                            | = PLANTER                            | 花槽          |
| POTABLE & FLUSHING WATER PUMP ROOM | = POTABLE & FLUSHING WATER PUMP ROOM | 飲用水及沖廁水泵房   |
| R.C. FEATURE                       | = REINFORCED CONCRETE FEATURE        | 鋼筋混凝土裝飾     |
| R.C. FEATURE BELOW                 | = REINFORCED CONCRETE FEATURE BELOW  | 鋼筋混凝土裝飾置下   |
| R.C. FINS                          | = REINFORCED CONCRETE FINS           | 鋼筋混凝土鰭      |
| ROOF                               | = ROOF                               | 天台          |
| ROOF (COMMON)                      | = ROOF (COMMON)                      | 天台 (公共)     |

Remarks:





1. There may be architectural features on external walls of some floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/ ductings for air-conditioning system and/ or M&E services within some store rooms.
4. Balconies and utility platforms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.

附註：

1. 部份樓層外牆設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
3. 部份住宅單位的客廳、飯廳、睡房、工作間、走廊、浴室、儲物房、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可封閉的地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。

LEGEND OF THE TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用之名詞及簡稱之圖例

|                                                                                                                                                                         |                                                                       |                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|------------------------|
| R.S.M.R.R.                                                                                                                                                              | = REFUSE STORAGE AND MATERIAL RECOVERY ROOM                           | 垃圾及物料回收房               |
| R.S.M.R.R. FAN ROOM                                                                                                                                                     | = REFUSE STORAGE AND MATERIAL RECOVERY ROOM FAN ROOM                  | 垃圾及物料回收房風扇房            |
| S.                                                                                                                                                                      | = STOVE                                                               | 煮食爐                    |
| SHUTTLE LIFT LOBBY                                                                                                                                                      | = SHUTTLE LIFT LOBBY                                                  | 穿梭升降機大堂                |
| SPR. CONTROL VALVE & SPR. INLET                                                                                                                                         | = SPRINKLER CONTROL VALVE AND SPRINKLER INLET                         | 灑水控制閥及灑水入水掣            |
| SPR. CONTROL VALVE & SPR. INLET & F.S. INLET                                                                                                                            | = SPRINKLER CONTROL VALVE AND SPRINKLER INLET AND FIRE SERVICES INLET | 灑水控制閥及灑水入水掣及消防入水掣      |
| STONE FEATURE                                                                                                                                                           | = STONE FEATURE                                                       | 石裝飾                    |
| STORE                                                                                                                                                                   | = STORE ROOM                                                          | 儲物房                    |
| TEL.                                                                                                                                                                    | = TELEPHONE DUCT                                                      | 電訊設備槽                  |
| TEL. / ELV.                                                                                                                                                             | = TELEPHONE DUCT / EXTRA-LOW VOLTAGE CABLE DUCT                       | 電訊設備槽 / 特低壓電線槽         |
| TRANSFER PLATE ABOVE                                                                                                                                                    | = TRANSFER PLATE ABOVE                                                | 轉換層置上                  |
| TRANSFORMER ROOM                                                                                                                                                        | = TRANSFORMER ROOM                                                    | 變壓器房                   |
| UP                                                                                                                                                                      | = UP                                                                  | 上                      |
| U.P.                                                                                                                                                                    | = UTILITY PLATFORM                                                    | 工作平台                   |
| U.P. ABOVE                                                                                                                                                              | = UTILITY PLATFORM ABOVE                                              | 工作平台置上                 |
| UTILITY ROOM                                                                                                                                                            | = UTILITY ROOM                                                        | 工作間                    |
| VENT SHAFT                                                                                                                                                              | = VENTILATION SHAFT                                                   | 通風豎井                   |
| VERTICAL ACOUSTIC FIN                                                                                                                                                   | = VERTICAL ACOUSTIC FIN                                               | 垂直隔聲鰭                  |
| W.M.C.                                                                                                                                                                  | = WATER METER CABINET                                                 | 水錶櫃                    |
| WATER METER CABINET                                                                                                                                                     | = WATER METER CABINET                                                 | 水錶櫃                    |
| WATER METER RM.                                                                                                                                                         | = WATER METER ROOM                                                    | 水錶房                    |
|                                                                                      | = MAINTENANCE WINDOW (MAINTENANCE ONLY NOT FOR VENTILATION PURPOSE)   | 維修窗戶 (不作通風用途)          |
|                                                                                      | = WINDOW WITH SLIDING PANEL BEHIND (ACOUSTIC WINDOW (BAFFLE TYPE))    | 背面裝設滑動嵌板的窗戶 (減音窗(擋音式)) |
|   | = DOOR WITH SLIDING PANEL BEHIND (ACOUSTIC SLIDING PANEL)             | 背面裝設滑動嵌板的門 (減音滑動嵌板)    |
|   | = DOOR WITH SLIDING PANEL BEHIND (ACOUSTIC SLIDING PANEL)             | 背面裝設滑動嵌板的門 (減音滑動嵌板)    |

Remarks:

- There may be architectural features on external walls of some floors.
- Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.
- There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/ ductings for air-conditioning system and/ or M&E services within some store rooms.
- Balconies and utility platforms are non-enclosed areas.
- . Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.

附註：

- 部份樓層外牆設有建築裝飾。
- 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
- 部份住宅單位的客廳、飯廳、睡房、工作間、走廊、浴室、儲物房、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
- 露台及工作平台為不可封閉的地方。
- 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | G/F<br>地下   | A2         | 3200, 3250, 3375, 3500, 4150                                                   | 150                                                                                                                  |
|                    |             | A3         | 3200, 3375, 3500, 4150                                                         | 150                                                                                                                  |
|                    |             | A5         | 3200, 3250, 3375, 3500, 4150                                                   | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）


- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.
  - Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
  - Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
  - 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
  - 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。
-  開放式廚房範圍



## Tower 8 G/F Floor Plan 第8座 地下樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | 1/F<br>1樓   | A2         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | A3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |             | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.

- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.

- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

Extent of Open Kitchen Area

- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。
- 開放式廚房範圍



# Tower 8 1/F Floor Plan 第8座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | 2/F<br>2樓   | A1         | 2725, 2775, 2900, 3025, 3325                                                   | 150                                                                                                                  |
|                    |             | A2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | A3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |             | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | A6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B1         | 2725, 2900, 3025, 4325                                                         | 150                                                                                                                  |
|                    |             | B2         | 2725, 2775, 2850, 2900, 3025, 3325                                             | 150                                                                                                                  |
|                    |             | B3         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 8 2/F Floor Plan 第8座 2樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層                                              | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|----------------------------------------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | 3/F, 5/F - 12/F,<br>15/F & 16/F<br>3樓、5樓至12樓、<br>15樓及16樓 | A1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | A2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | A3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                                                          | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | A6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B1         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                                                          | B2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                                                          | B3         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 8 3/F, 5/F-12/F, 15/F & 16/F Floor Plan 第8座 3樓, 5樓至12樓, 15樓 及 16樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層            | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | 17/F - 18/F<br>17樓至18樓 | A1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | A2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | A3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                        | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | A6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                        | B2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                        | B3         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    | 19/F<br>19樓            | A1         | 2900, 3025, 3150                                                               | 150, 275                                                                                                             |
|                    |                        | A2         | 3025, 3150                                                                     | 150                                                                                                                  |
|                    |                        | A3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |                        | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | A6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2725, 3025, 3150                                                               | 150, 275                                                                                                             |
|                    |                        | B2         | 2850, 2900, 2975, 3025, 3150                                                   | 150                                                                                                                  |
|                    |                        | B3         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.

- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.

- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。


 Extent of Open Kitchen Area

 開放式廚房範圍

AL12



# Tower 8 17/F-19/F Floor Plan 第8座 17樓至19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | 20/F<br>20樓 | A1         | 2850, 2900, 2975, 3025, 3150                                                   | 150, 175                                                                                                             |
|                    |             | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | A6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B2         | 2850, 2900, 2975, 3025, 3150                                                   | 150                                                                                                                  |
|                    |             | B3         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 8 20/F Floor Plan 第8座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | 21/F<br>21樓 | A1         | 2930, 3225, 3575                                                               | 150, 175, 525                                                                                                        |
|                    |             | A5         | 3225, 3615                                                                     | 150, 540                                                                                                             |
|                    |             | A6         | 3225, 3615                                                                     | 150, 540                                                                                                             |
|                    |             | B2         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B3         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B5         | 3225, 3615, 3765                                                               | 150, 540, 690                                                                                                        |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 8 21/F Floor Plan 第8座 21樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 8<br>第8座     | Roof<br>天台  | A1         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | A6         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B2         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B3         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 8 R/F Floor Plan 第8座 天台樓面平面圖



TOP ROOF PART PLAN  
上層天台局部平面圖

Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | G/F<br>地下   | A1         | 3200, 3250, 3325, 3375, 3500, 4150                                             | 150                                                                                                                  |
|                    |             | A2         | 3200, 3250, 3325, 3375, 3500, 4150, 4700                                       | 150                                                                                                                  |
|                    |             | A5         | 3200, 3250, 3375, 3500, 4150                                                   | 150                                                                                                                  |
|                    |             | B1         | 3200, 3500, 4150                                                               | 150                                                                                                                  |
|                    |             | B2         | 3200, 3500, 4150                                                               | 150                                                                                                                  |
|                    |             | B3         | 3200, 3375, 3500, 4150                                                         | 150                                                                                                                  |
|                    |             | B6         | 3200, 3250, 3375, 3500                                                         | 150                                                                                                                  |


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.
  - Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
  - Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
  - 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
  - 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 9 G/F Floor Plan 第9座 地下樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | 1/F<br>1樓   | A1         | 2850, 2900, 2975, 3025, 3150                                                   | 150                                                                                                                  |
|                    |             | A2         | 2850, 2900, 2975, 3025, 3150                                                   | 150                                                                                                                  |
|                    |             | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B1         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |             | B2         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |             | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |             | B6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.
  - Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
  - Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
  - 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
  - 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 9 1/F Floor Plan 第9座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | 2/F<br>2樓   | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |             | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |             | A3         | 2725, 3025, 3325                                                               | 150                                                                                                                  |
|                    |             | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B1         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |             | B2         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |             | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |             | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



## Tower 9 2/F Floor Plan 第9座 2樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層                                              | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|----------------------------------------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | 3/F, 5/F - 12/F,<br>15/F & 16/F<br>3樓、5樓至12樓、<br>15樓及16樓 | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                                                          | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                                                          | A3         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                                                          | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B1         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                                                          | B2         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                                                          | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                                                          | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 9 3/F, 5/F-12/F, 15/F & 16/F Floor Plan 第9座 3樓, 5樓至12樓, 15樓 及 16樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層            | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | 17/F - 18/F<br>17樓至18樓 | A1         | 2725, 2850, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                        | A3         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                        | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                        | B2         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                        | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                        | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    | 19/F<br>19樓            | A1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | A2         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |                        | A3         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |                        | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |                        | B2         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |                        | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |                        | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.
  - Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
  - Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

- 備註：
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
  - 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
  - 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。
-  開放式廚房範圍



# Tower 9 17/F-19/F Floor Plan 第9座 17樓至19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | 20/F<br>20樓 | A1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | A3         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |             | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B1         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |             | B2         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |             | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |             | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 9 20/F Floor Plan 第9座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | 21/F<br>21樓 | A1         | 2760, 3060, 3225, 3575                                                         | 150, 175, 500                                                                                                        |
|                    |             | A3         | 3225, 3615                                                                     | 150, 540                                                                                                             |
|                    |             | A5         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B1         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B2         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B3         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B5         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B6         | 2825, 3225, 3615                                                               | 150, 540                                                                                                             |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 9 21/F Floor Plan 第9座 21樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 9<br>第9座     | Roof<br>天台  | A1         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | A3         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | A5         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B1         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B2         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B3         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B5         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）


- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.
  - Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
  - Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
  - 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
  - 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。
-  開放式廚房範圍



# Tower 9 R/F Floor Plan 第9座 天台樓面平面圖



TOP ROOF PART PLAN  
上層天台局部平面圖

Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | G/F<br>地下   | A1         | 3200, 3250, 3325, 3375, 3500, 4150, 4700                                       | 150                                                                                                                  |
|                    |             | A2         | 3200, 3250, 3325, 3375, 3500, 4150                                             | 150                                                                                                                  |
|                    |             | A3         | 3200, 3500, 4150                                                               | 150                                                                                                                  |
|                    |             | A5         | 3200, 3250, 3375, 3500, 4150                                                   | 150                                                                                                                  |
|                    |             | B1         | 3200, 3250, 3375, 3500, 4150, 4700                                             | 150                                                                                                                  |
|                    |             | B6         | 3200, 3250, 3375, 3500, 4150                                                   | 150                                                                                                                  |


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.
  - Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
  - Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
  - 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
  - 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 10 G/F Floor Plan 第10座 地下樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | 1/F<br>1樓   | A1         | 2850, 2900, 2975, 3025, 3150                                                   | 150                                                                                                                  |
|                    |             | A2         | 2850, 2900, 2975, 3025, 3150                                                   | 150                                                                                                                  |
|                    |             | A3         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |             | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B6         | 2650, 2850, 2900, 3025, 3150                                                   | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.

- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.


- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

Extent of Open Kitchen Area


- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。
- 開放式廚房範圍



# Tower 10 1/F Floor Plan 第10座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | 2/F<br>2樓   | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |             | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |             | A3         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |             | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B2         | 2725, 2775, 2900, 3025, 3325                                                   | 150                                                                                                                  |
|                    |             | B3         | 2725, 2900, 3025, 3325                                                         | 150                                                                                                                  |
|                    |             | B5         | 2725, 2775, 2900, 3025, 3325                                                   | 150                                                                                                                  |
|                    |             | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 10 2/F Floor Plan 第10座 2樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層                                              | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|----------------------------------------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | 3/F, 5/F - 12/F,<br>15/F & 16/F<br>3樓、5樓至12樓、<br>15樓及16樓 | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                                                          | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                                                          | A3         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                                                          | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                                                          | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



Tower 10 3/F, 5/F-12/F, 15/F & 16/F Floor Plan  
第10座 3樓, 5樓至12樓, 15樓 及 16樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層            | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | 17/F - 18/F<br>17樓至18樓 | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                        | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                        | A3         | 2725, 3025                                                                     | 150                                                                                                                  |
|                    |                        | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                        | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    | 19/F<br>19樓            | A1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | A2         | 2850, 2975, 3025, 3150, 3350                                                   | 150                                                                                                                  |
|                    |                        | A3         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |                        | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B2         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |                        | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.

- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.

- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

開放式廚房範圍

AL44



Tower 10 17/F-19/F Floor Plan  
第10座 17樓至19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | 20/F<br>20樓 | A1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | A3         | 2850, 3150                                                                     | 150                                                                                                                  |
|                    |             | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B2         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |             | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | 21/F<br>21樓 | A1         | 2760, 3060, 3225, 3575                                                         | 150, 175, 500                                                                                                        |
|                    |             | A3         | 3225                                                                           | 150                                                                                                                  |
|                    |             | A5         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B1         | 3225, 3615, 3765                                                               | 150, 540, 690                                                                                                        |
|                    |             | B2         | 3225, 3615                                                                     | 150, 540                                                                                                             |
|                    |             | B3         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B5         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B6         | 3225                                                                           | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 10 21/F Floor Plan 第10座 21樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 10<br>第10座   | Roof<br>天台  | A1         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | A3         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | A5         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B1         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B2         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B3         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B5         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

**Notes:**

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



AL51



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | G/F<br>地下   | A1         | 3200, 3250, 3325, 3375, 3500, 3850, 4150                                       | 150                                                                                                                  |
|                    |             | B1         | 3200, 3250, 3375, 3500, 4150                                                   | 150                                                                                                                  |
|                    |             | B2         | 3200, 3250, 3375, 3500, 4150                                                   | 150                                                                                                                  |
|                    |             | B3         | 3200, 3375, 3500, 4150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



AL53



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | 1/F<br>1樓   | A1         | 2850, 2900, 2975, 3025, 3150                                                   | 150                                                                                                                  |
|                    |             | B1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B2         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 11 1/F Floor Plan 第11座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | 2/F<br>2樓   | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |             | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |             | A3         | 2725, 2850, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |             | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |             | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層                                              | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|----------------------------------------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | 3/F, 5/F - 12/F,<br>15/F & 16/F<br>3樓、5樓至12樓、<br>15樓及16樓 | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                                                          | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                                                          | A3         | 2725, 2850, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                                                          | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                                                          | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



Tower 11 3/F, 5/F-12/F, 15/F & 16/F Floor Plan  
第11座 3樓, 5樓至12樓, 15樓 及 16樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層            | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|------------------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | 17/F - 18/F<br>17樓至18樓 | A1         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                        | A2         | 2725, 2775, 2850, 2900, 3025                                                   | 150                                                                                                                  |
|                    |                        | A3         | 2725, 2850, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | A5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B2         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B3         | 2725, 2900, 3025                                                               | 150                                                                                                                  |
|                    |                        | B5         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    |                        | B6         | 2725, 2775, 2900, 3025                                                         | 150                                                                                                                  |
|                    | 19/F<br>19樓            | A1         | 2850, 3025, 3150                                                               | 150, 275                                                                                                             |
|                    |                        | A2         | 2850, 2975, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | A3         | 2850, 2975, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B2         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |                        | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |                        | B6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.

- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.

- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。


- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

開放式廚房範圍

AL60



# Tower 11 17/F-19/F Floor Plan 第11座 17樓至19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | 20/F<br>20樓 | A1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | A3         | 2850, 2975, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | A5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B1         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B2         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B3         | 2850, 3025, 3150                                                               | 150                                                                                                                  |
|                    |             | B5         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |
|                    |             | B6         | 2850, 2900, 3025, 3150                                                         | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 11 20/F Floor Plan 第11座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | 21/F<br>21樓 | A1         | 2760, 3060, 3225, 3575                                                         | 150, 175, 500                                                                                                        |
|                    |             | A3         | 3225                                                                           | 150                                                                                                                  |
|                    |             | A5         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B1         | 3225, 3615, 3765                                                               | 150, 540, 690                                                                                                        |
|                    |             | B2         | 3225, 3615                                                                     | 150, 540                                                                                                             |
|                    |             | B3         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B5         | 3225                                                                           | 150                                                                                                                  |
|                    |             | B6         | 3225                                                                           | 150                                                                                                                  |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 11 21/F Floor Plan 第11座 21樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


| Block Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米) | The thickness of the floor slabs (excluding plaster) of<br>each residential property (mm)<br>每個住宅物業的樓板(不包括灰泥)的厚度(毫米) |
|--------------------|-------------|------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Tower 11<br>第11座   | Roof<br>天台  | A1         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | A3         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | A5         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B1         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B2         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B3         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |
|                    |             | B5         | Not Applicable<br>不適用                                                          | Not Applicable<br>不適用                                                                                                |

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

- Notes:
- The dimensions of floor plans are all structural dimensions in millimetre.
  - Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
  - Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

- 備註:
- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
  - 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
  - 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。
- 
- 開放式廚房範圍



# Tower 11 R/F Floor Plan 第11座 天台樓面平面圖

