1. 外部裝修物料

		描述	
(-)	外牆	裝修物料的類型	基座平台:主要為石料覆蓋層、瓷磚、鋁板覆蓋層及玻璃幕牆
(a)	7 mg	表 修 初 件 D) 积 至	住宅大樓:主要為瓷磚、鋁板覆蓋層及玻璃幕牆
		框的用料	氟化碳噴塗鋁質窗框
(b)	窗	玻璃的用料	客廳 / 飯廳、睡房及儲物室窗為中空玻璃 浴室窗為夾層磨砂玻璃 (如適用)
, ,	窗台	用料	不適用
(c)	图 口	窗台板的裝修物料	不適用
(d)	花槽	裝修物料的類型	不適用
(e)	陽台或露台	裝修物料的類型	露台:裝有鋁質框鑲夾層有色玻璃欄河及鋁質頂欄 地台:瓷磚 牆身:瓷磚、鋁板覆蓋層 天花:鋁質假天花及外牆油漆 陽台:不適用
		是否有蓋	露台設有上蓋
(0	的大弧饰	類型	開合式晾衣架
(f)	乾衣設施	用料	不鏽鋼

2. 室內裝修物料

<u> </u>	2. 至内表修物料						
			牆壁	地板	天花板		
(a)	大堂	地下住宅入口大堂裝修 物料的類型	外露牆身鋪砌天然石、不 鏽鋼飾面板、木皮飾面及 玻璃飾面	天然石	石膏板髹乳膠漆、 假天花	木皮飾面及鋁質	
		公用升降機大堂裝修物 料的類型	外露牆身鋪砌瓷磚、不鏽 鋼飾面板及膠板飾面	瓷磚	石膏板髹乳膠漆及 天花	之不鏽鋼飾面板假	
			牆壁		天花板		
(b)	內牆及天花板	客廳/飯廳的裝修物料的類型	乳膠漆及膠板飾面	乳膠漆			
		睡房的裝修物料的類型	乳膠漆	乳膠漆			
			地板		牆腳線		
(c)	內部地板	客廳/飯廳的用料	外露地台鋪砌瓷磚	木腳線			
		睡房的用料	外露地台鋪砌瓷磚	木腳線			
			牆壁	地板	天花		
(d)	浴室	裝修物料的類型	外露牆身鋪砌瓷磚及玻 璃飾面	外露地台鋪砌瓷磚	石膏板假天花髹乳	儿膠漆	
		牆壁的裝修物料是否鋪 至天花板	裝修物料鋪至假天花底				
			牆壁	地板	天花板	灶台	
			外露牆身鋪砌玻璃飾面 廚櫃內外露牆身鋪砌瓷磚 (5樓及6樓A單位除外)	外露地台鋪砌瓷磚	石膏板假天花髹 乳膠漆	人造石	
(e)	廚房 / 開放式廚房	裝修物料的類型	外露牆身鋪砌瓷磚及玻璃 飾面 廚櫃內外露牆身鋪砌瓷磚 (只適用於5樓及6樓A單位)	外露地台鋪砌瓷磚	石膏板假天花髹 乳膠漆	人造石	
		牆壁的裝修物料是否鋪 至天花板	裝修物料鋪至假天花底				

3. 室內裝置

3. <u>≅</u> /	33(22		用料	 裝修物料	配件	
		單位大門	防火實芯木掩門	木皮飾面	電子門鎖、防盜眼、	
		露台門	 氟化碳噴塗鋁質框門	 鋼化玻璃	門鼓及門擋門鎖	
		工作平台門	氟化碳噴塗鋁質框門	鋼化玻璃	門鎖	
		私人平台門(如適用)	防火實芯木掩門	金屬飾面、木皮飾面及防火玻璃	門鎖及門鼓	
(a)	門		氟化碳噴塗鋁質框門	鋼化玻璃	門鎖	
(a)	1 J	廚房門 (如適用)	防火實芯木掩門	膠板飾面及防火玻璃	門鼓及門擋	
		睡房門	鑽孔實芯木掩門	膠板飾面	金屬門框連橡膠墊、 磁性門鎖及門擋	
		浴室門	鑽孔實芯木掩門	膠板飾面及鋁質百葉 (如適用)	金屬門框連橡膠墊、 磁性門鎖及門擋	
		儲物室門(如適用)	鑽孔實芯木掩門	膠板飾面	金屬門框連橡膠墊、 磁性門鎖及門擋	
		裝置及	設備	類型	用料	
				洗手盆櫃	木製櫃配木飾面、膠 板飾面及不鏽鋼飾面	
			櫃	鏡櫃	木製櫃配木飾面、膠 板飾面、鏡及不鏽鋼 飾面	
	浴室	//> \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	潔具	洗手盆水龍頭	粉末塗層黃銅	
		(i) 裝置及設備的類型及用料		洗手盆	人造石	
				座廁	搪瓷	
(b)				廁紙架	粉末塗層金屬	
				淋浴間	強化玻璃	
			浴室設備	隨樓附送之設備及品牌,請	參閱《設備說明表》	
		(ii) 供水系統的類型及用料		冷水喉	銅喉	
		(三) 八小小小儿的发生人		熱水喉	隔熱絕緣保護之銅喉	
		(iii) 沐浴設施 (包括花灑或浴	花灑	花灑龍頭及花灑套裝	粉末塗層黃銅	
		缸,如適用)	浴缸	不適用	不適用	
		(iv) 浴缸大小(如適用)	浴缸大小(如適用)			
				用料		
		(i) 洗滌盆	不鏽鋼			
		(ii) 供水系統	冷水喉採用銅喉,熱水喉採	· 民用隔熱絕緣保護之銅喉		
	廚房 /		用料	裝修物料		
(c)	開放式廚房	(iii) 廚櫃	木製廚櫃配檯面	膠板飾面、人造石及玻璃		
		/* \ 5C左甘州井栗豆=5J供的	消防裝置及設備	開放式廚房內或附近的天花防花灑頭(5樓及6樓A單位除		
		(iv) 所有其他裝置及設備的 類型	其他裝置	鍍鉻洗滌盆水龍頭		
			其他設備	隨樓附送之設備及品牌,請	參閱《設備說明表》	
			裝置	類型	用料	
(d)	睡房	裝置(包括嵌入式衣櫃)的類	嵌入式衣櫃	不適用	不適用	
		型及用料	其他裝置	不適用	不適用	
(e)	電話	接駁點的位置及數目	請參閱《機電裝置位置及數	收量說明表》		
(f)	天線	接駁點的位置及數目	請參閱《機電裝置位置及數	量說明表》		

3. 室內裝置

			裝置	類型	用料
			供電附件 提供所有電掣及插座之面板		
(g)	電力裝置	(i) 供電附件 (包括安全裝置)	安全裝置	單相電力並裝妥微型斷路器配電箱 (37樓A、B、C及D單位除外) 三相電力並裝妥微型斷路器配電箱 (只適用於37樓A、B、C及D單位)	
		(ii) 導管是隱藏或外露	導管是部份隱藏或部份外露	훈1 참	
		(iii) 電插座及空調機接駁 點的位置及數目	請參閱《機電裝置位置及數量說明表》		
		類型	煤氣		
(h)	氣體供應	系統	提供煤氣喉接駁煤氣煮食爐及煤氣熱水爐		
		位置	請參閱《機電裝置位置及數量說明表》		
(:)	洗衣機接駁點	位置	請參閱《機電裝置位置及婁	效量說明表》	
(i)	ルコンル交」女神又赤口	設計	設有洗衣機來水及去水接懸	炎喉 位	
		水管的用料	冷水喉採用銅喉,熱水喉採	采用隔熱絕緣保護之銅喉	
(j)	供水	水管是隱藏或外露	水管是部份隱藏及部份外露	2 2	
		有否熱水供應	厨房/開放式廚房及浴室供	+應熱水	

- 備註: 1. 除部分隱藏於混凝土內之導管外,其他部分的導管均為外露。外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或掩藏。
 - 2. 除部分隱藏於混凝土內之水管外,其他部分的水管均為外露。外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或掩藏。

4. 雜項

	TO ALCOHOLOGICAL CONTRACTOR CONTR						
					住宅升降機		
			品牌名稱	奧的斯			
	T1 757 166	(i) 品牌名稱及產品型號	產品型號	OH5000			
(a)	一升降機	(ii) 升降機的數目及到達	升降機的數目	3部			
		的樓層	到達的樓層	地下、3樓、5至12樓、	、15至23樓、25至33樓及35至37樓		
(b)	信箱	用料	金屬				
, ,	垃圾收集	(i) 垃圾收集的方法	由清潔工人收集垃圾				
(c)	垃圾 以 集	(ii) 垃圾房的位置	各住宅層設有垃圾及物料回收室,地下設有垃圾及物料回收房				
			水錶	電錶	氣體錶		
(d)	(d) 水錶、電錶及氣 體錶	(i) 位置	每層之公共水錶櫃	每層之公共電錶房	以下單位的氣體錶設於露台高位:7至12樓、15至23樓、25至33樓及35及36樓A及B單位以下單位的氣體錶設於私人平台高位:37樓A至F單位除以上住宅單位外,所有其他單位的氣體錶均設於露台的假天花內		
		(ii) 就住宅單位而言是獨 立抑或公用的錶	獨立	獨立	獨立		

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

5. 保安設施

保安系統及設備	入口通道控制及保安系統	地下住宅入口大堂設有門禁系統 (使用八達通、藍牙或二維碼) 連視像對講機		
	閉路電視	地下住宅入口大堂、所有升降機內及公用空間均設有閉路電視 系統連接地下大堂接待處及3樓管理處		
嵌入式的裝備的細節	各住宅單位均設有視像對講機,並直接連接地下住宅入口大堂之對講機系統			
嵌入式的裝備的位置	請參閱《機電裝置位置及數量說明表》			

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

6. 設備說明表(5樓至37樓)

位置	=0.##	適用住宅物業		型號		
14.直	設備			室內機	室外機	
		5樓C單位 6樓D單位	大金	FTKA35BV1H	RKA35AV1H	
		5樓B、E、F及J單位 6樓B、C、F、G及K單位 37樓E及F單位	大金	FTKA50BV1H	RKA50AV1H	
客廳/飯廳	分體式冷氣機	5樓A、C、G及H單位 6樓A、D、H及J單位 7至12樓、15至23樓、25至33樓及35至36樓 所有單位	大金	CTKC35RVMN	MKC70SVMN #1	
		5樓D單位 6樓E單位	大金	CTXM35RVMN #5a	4MXM80RVMA #5b	
		37樓A、B、C及D單位	大金	CTXM50RVMN	5MXM100RVMA #2	
		5樓及6樓A單位	大金	CTXM50RVMN	5MXM100RVMA #3	
	分體式冷氣機	5樓B、E、F、G、H及J單位 6樓B、C、F、G、H、J及K單位 7至12樓、15至23樓、25至33樓及35至36樓 所有單位	大金	FTKA25BV1H	RKA25BV1H	
睡房 1		5樓D單位 6樓E單位	大金	FTKA35BV1H	RKA35AV1H	
		5樓A、C、G及H單位 6樓A、D、H及J單位	大金	CTKC25RVMN	MKC70SVMN #1	
		37樓E及F單位	大金	CTKC35RVMN	MKC70SVMN #4	
		37樓A、B、C及D單位	大金	CTXM35RVMN	5MXM100RVMA #2	
		5樓C及D單位 6樓D及E單位	大金	FTKA25BV1H	RKA25BV1H	
味馬 2	分體式冷氣機	5樓及6樓A單位	大金	CTKC25RVMN	5MXM100RVMA #3	
睡房 2	万. 超. 对 经 来 (7至12樓、15至23樓、25至33樓及35至36樓 所有單位	大金	CTKC25RVMN	MKC70SVMN #1	
		37樓所有單位	大金	CTKC25RVMN	MKC70SVMN #4	
	分體式冷氣機	5樓及6樓A單位	大金	FTKA35BV1H	RKA35AV1H	
睡房 3	17 限2017米17域	37樓A、B、C及D單位	大金	CTKC25RVMN	MKC70SVMN #4	
儲物室	分體式冷氣機	7至12樓、15至23樓、25至33樓及35及36樓 A單位 37樓E及F單位	大金	FTKA25BV1H	RKA25BV1H	

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

備註:#1/#2/#3/#4 此型號為多聯分體式冷氣機室外機,並與同一住宅物業內其他位置同樣標示為#1/#2/#3/#4的多聯分體式冷氣機室外機為同一台裝置。

#5a 此型號為多聯分體式冷氣機室內機,在相關住宅物業內同一位置共裝設兩台室內機裝置。

#5b 此型號為多聯分體式冷氣機室外機,為同一台室外機裝置接聯裝設在相關住宅物業內同一位置的標示為#5a的兩台室內機裝置。

6. 設備說明表(5樓至37樓)

位置	設備	適用單位	品牌	型號(如有)
	抽氣扇	5樓及6樓A單位	GELEC	DPT15-42B
	雙頭煮食爐	所有單位	Mia Cucina	MY32C
	單頭煮食爐	5樓及6樓A單位 37樓A、B、C、D、E及F單位	Mia Cucina	MY31C
	嵌入式微波爐	5至12樓、15至23樓、25至33樓及 35至36樓所有單位	西門子	BF525LM80H
		37樓A、B、C、D、E及F單位	Miele	M2234SC
	抽油煙機	所有單位	西門子	LI67SA531B
廚房/開放式廚房	嵌入式雪櫃	5至12樓、15至23樓、25至33樓及 35至36樓所有單位 (5樓及6樓A單位除外)	Rosieres	RSOP122
		5樓及6樓A單位	西門子	KI86NAF31K
		37樓A、B、C、D、E及F單位	Miele	KFNS 37232 iD
	洗衣乾衣機	5至12樓、15至23樓、25至33樓及 35至36樓所有單位	Mia Cucina	BUWD85
		37樓A、B、C、D、E及F單位	西門子	WK14D321HK
	即熱式熱水爐	37樓A、B、C及D單位	斯寶亞創	DHM6
	煤氣熱水爐	36樓B單位	TGC	TRJW222TFQL
浴室	煤氣熱水爐	7至12樓、15至23樓、25至33樓及 35樓A、B單位 36樓A單位 37樓A、B、C、D、E及F單位	TGC	TRJW222TFQL
	抽氣扇	所有單位	GELEC	DPT10-23B
露台	煤氣熱水爐	5至12樓、15至23樓、25至33樓及 35至36樓所有單位 (7至12樓、15至23樓、25至33樓及 35至36樓所有A、B單位除外)	TGC	RBOX16QR / RBOX16QL

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

1. Exterior finishes

		Description			
(0)	External wall	Time of finish as	Podium: Mainly finished with stone cladding, ceramic tiles, aluminium cladding and curtain wall		
(a)	External Wall	Type of finishes	Residential Tower: Mainly finished with ceramic tiles, aluminium cladding and curtain wall		
		Material of frame	Fluorocarbon coated aluminium frame		
(b)	Window	Material of glass	Insulated glass unit (IGU) for windows of living room / dining room, bedroom and store room Laminated frosted glass for bathroom (if applicable)		
<i>(</i> -)	Dan dan	Material of bay window	Not applicable		
(c)	Bay window	Finishes of window sill	Not applicable		
(d)	Planter	Type of finishes	Not applicable		
(e)	Tune of finished		Balcony: Installed with aluminium framed laminated glass balustrade with fritted pattern with aluminium top rail Floor: Ceramic tiles Wall: Ceramic tiles, aluminium cladding Ceiling: Aluminium false ceiling and external wall paint Verandah: Not applicable		
		Whether it is covered	Balcony is covered		
(0	Drying	Туре	Foldable clothes rack		
(f)	facilities for clothing	Material	Stainless steel		

2. Interior finishes

			Wall	Floor	Ceiling
(-)	Lobby	G/F residential entrance lobby finishes	Natural stone, stainless steel panel, wood veneer panels and glass to exposed surface	Natural stone	Gypsum board with emulsion paint, wood veneer panels and aluminum false ceiling
(a)		Common lift lobby finishes	Porcelain tiles, stainless steel panel and plastic laminate panels to exposed surface	Tiles	Gypsum board with emulsion paint and stainless steel panels false ceiling
			Wall		Ceiling
(b)	Internal wall and ceiling	Living room / dining room finishes	Emulsion paint and plastic laminate panels	Emulsion paint	
		Bedroom finishes	Emulsion paint	Emulsion paint	
			Floor		Skirting
(c)	Internal floor	Material of living room / dining room	Porcelain tiles	Timber skirting	
		Material of bedroom	Porcelain tiles	Timber skirting	
			Wall	Floor	Ceiling
(d)	Bathroom	Type of finishes	Porcelain tiles and glass to exposed surface	Porcelain tiles	Gypsum board false ceiling with emulsion paint
		Whether the wall finishes run up to ceiling	Wall finishes up to false ceiling	g level	

2. Interior finishes

			Wall	Floor	Ceiling	Cooking Bench
(e)			Glass to exposed surface Procelain tiles to exposed surface inside kitchen cabinet (except Flats A of 5/F - 6/F)	Porcelain tile to exposed surface	talco colling with	Solid surface artificial stone
	Kitchen / Open Kitchen	Type of finishes	Porcelain tiles and glass to exposed surface Procelain tiles to exposed surface inside kitchen cabinet (for Flats A of 5/F - 6/F)	Porcelain tile to exposed surface	Gypsum board false ceiling with emulsion paint	Solid surface artificial stone
		Whether the wall finishes run up to ceiling	Wall finishes up to false cei	nishes up to false ceiling level		

3. Interior fittings

			Material	Finishes	Accessories
		Main entrance door	Fire-resistant solid core timber swing door	Wood veneer	Electrical lockset, eye viewer, door closer and door stopper
		Balcony door	Fluorocarbon coated aluminium framed door	lompored glass	Lockset
		Utility platform door	Fluorocarbon coated aluminium framed door	Tempered glass	Lockset
	Door to private flat Fire-resistant solid core timber swing door Metal finish, wood veneer finish and fire rated glass	Lockset and door closer			
(a)	Doors	roof (if applicable)	resplicable) Fluorocarbon coated aluminium framed door Fire-resistant solid core Plastic laminate finish and Door closer an	Lockset	
, ,		Kitchen door (Flats A on 5/F to 6/F)		Door closer and door stopper	
		Bedroom door	Perforated solid core timber swing door	Plastic laminate finish	Metal door frame with rubber gasket, magnetic lockset and door stopper
		Bathroom door	Perforated solid core timber swing door	Plastic laminate finish and aluminium louver (if applicable)	Metal door frame with rubber gasket, magnetic lockset and door stopper
		Store room door (if applicable)	Perforated solid core timber swing door	Plastic laminate finish	Metal door frame with rubber gasket, magnetic lockset and door stopper

3. Interior fittings

				_					
		Fittings & Equ	ipments	Туре	Material				
			Cabinet	Basin counter	Timber cabinet with stainless steel, wood veneer and plastic laminate finish				
			Cabinet	Mirror cabinet	Timber cabinet with stainless steel, mirror, wood veneer and plastic laminate finish				
		(i) Type and material of		Basin mixer	Powder-coated brass				
		fittings and equipment		Wash basin	Solid surface artificial stone				
			Bathroom fittings	Water closet	Vitreous china				
(b)	Bathroom			Paper holder	Powder-coated metal				
				Shower compartment	Tempered glass				
			Bathroom appliances	For the appliances pro refer to the "Appliance	ovision and brand name, please te Schedule"				
				Cold water supply	Copper water pipes				
		(ii) Type and material of water	r supply system	Hot water supply	Copper water pipes with thermal insulation				
		(iii) Type and material	Shower	Shower set	Powder-coated brass				
		of bathing facilities (including shower or bath tub, if applicable)	Bath tub	Not applicable	Not applicable				
		(iv) Size of bath tub, if applica	ble	Not applicable					
				Material					
		(i) Sink unit	Stainless steel						
		(ii) Water supply system	Copper water pipes fo thermal insulation for h		copper water pipes with				
			Material		Finishes				
(c)	Kitchen / Open Kitchen	(iii) Kitchen cabinet	Timber kitchen cabinet fitted with countertop	Plastic laminate, solid	surface artificial stone and glass				
	Richell	(iv) Type of all other fittings	Fire service installations and equipment	Ceiling-mounted smo and fitted in or near o (except Flats A of 5/F -					
		(iv) Type of all other fittings and equipment	Other fittings	Chrome plated sink m	nixer				
			Other equipment	For the appliances pro	ovision and brand name, please se Schedule"				

3. Interior fittings

			Fittings	Туре	Material						
(d)	Bedroom	Type and material of fittings	Built-in Wardrobe	Not applicable	Not applicable						
		(including built-in wardrobe)	Other fittings	Not applicable	Not applicable						
(e)	Telephone	Location and number of connection points		e "Schedule for Location and Number of Electric iions of Residential Properties"							
(f)	Aerials	Location and number of connection points		"Schedule for Location ons of Residential Prope	and Number of Electrical & erties"						
			Electrical fittings	Faceplate for all switc	hes and power sockets						
(g)	Electrical installations	(i) Electrical fittings (including safety devices)									
	Installations	(ii) Whether conduits are concealed or exposed	Conduits are partly concealed and partly exposed ¹								
		(iii) Location and number of power points and air- conditioner points	Please refer to the "Schedule for Location and Number of Electrical & Mechanical Provisions of Residential Properties"								
		Туре	Towngas								
(h)	Gas supply	System	Gas supply pipe is p	rovided and connected t	o gas hob and gas water heater.						
(,		Location		e "Schedule for Locations of Residential Prope	on and Number of Electrical & erties"						
(i)	Washing machine	Location	Please refer to the "Schedule for Location and Number of Elec Mechanical Provisions of Residential Properties"								
(.,	connection point	Design	Drain point and wa	ter point are provided	for washing machine						
		Material of water pipes		es for cold water supply for hot water supply	y and copper water pipes with						
(j)	Water supply	Whether water pipes are concealed or exposed	Water pipes are pa	rtly concealed and part	ly exposed ²						
		Whether hot water is available	Hot water supply to	o kitchen / open kitcher	n and bathroom						

- Remarks: 1. Other than those parts of the conduits concealed within concrete, the rest of them are exposed. The exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.
 - 2. Other than those parts of the water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

4. Miscellaneous

					Residential lift					
		(i) Brand name and	Brand name	OTIS						
/ \	1	model number	Model number	OH5000						
(a)	Lifts	(ii) Number and floors	Number of lifts	Three						
		served by them	Floor served by the lifts	G/F, 3/F, 5/F to 12/F	, 15/F to 23/F, 25/F to 33/F & 35/F to 37/F					
(b)	Letter box	Material	Metal							
, ,	Refuse	(i) Means of refuse collection	Refuse will be collected b	by cleaners						
(c)	collection	(ii) Location of refuse room		terial Recovery Room is located at each residential flo terial Recovery Chamber is provided on G/F						
			Water meter	Electricity meter	Gas meter					
(d)	Water meter, electricity meter and gas meter	(i) Location	Common water meter cabinet on each floor	Common electric meter room on each floor	At high level of balcony for the following Flats: Flats A and B on 7/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F At high level of private flat roof for the following Flats: Flats A to F on 37/F Inside the false ceiling at the balcony for all other Flats except the above					
	340	(ii) Whether they are separate or communal meters for residential properties	Separate meter	Separate meter	Separate meter					

5. Security facilities

	Access control and security system	Access control system (using Octopus card, Bluetooth or QR code) with video intercom is installed at the residential entrance lobby on G/F
Security system and equipment	CCTV	CCTV system is provided at residential entrance lobby on G/F, all lifts and common areas, connecting to the caretaker's counter on G/F and management office on 3/F
Details of built-in provisions	Video door phone in each resid	lential unit is connected to the visitor panel at residential entrance
Location of built-in provisions	Please refer to the "Schedule of Residential Properties"	for Location and Number of Mechanical and Electrical Provisions

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

6. Appliance Schedule (5/F to 37/F)

1 1	A I'	Annelinable Desidential Duran anti-	D	Model N	o. (If Any)
Location	Appliances	Applicable Residential Properties	Brand	Indoor Unit	Outdoor Unit
		Flat C on 5/F Flat D on 6/F	Daikin	FTKA35BV1H	RKA35AV1H
		Flats B, E, F & J on 5/F Flats B, C, F, G & K on 6/F Flats E & F on 37/F	Daikin	FTKA50BV1H	RKA50AV1H
Living Room / Dining Room	Split type air-conditioner	Flats A, C, G & H on 5/F Flats A, D, H & J on 6/F All Flats on 7/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F	Daikin	CTKC35RVMN	MKC70SVMN #1
		Flat D on 5/F Flat E on 6/F	Daikin	CTXM35RVMN #5a	4MXM80RVMA #5b
		Flats A, B, C & D on 37/F	Daikin	CTXM50RVMN	5MXM100RVMA #2
		Flats A on 5/F to 6/F	Daikin	CTXM50RVMN	5MXM100RVMA #3
	Split type	Flats B, E, F, G, H & J on 5/F Flats B, C, F, G, H, J & K on 6/F All Flats on 7/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F	Daikin	FTKA25BV1H	RKA25BV1H
Bedroom 1		Flat D on 5/F Flat E on 6/F	Daikin	FTKA35BV1H	RKA35AV1H
	air-conditioner	Flats A, C, G & H on 5/F Flats A, D, H & J on 6/F	Daikin	CTKC25RVMN	MKC70SVMN #1
		Flats E & F on 37/F	Daikin	CTKC35RVMN	MKC70SVMN #4
		Flats A, B, C & D on 37/F	Daikin	CTXM35RVMN	5MXM100RVMA #2
		Flats C & D on 5/F Flats D & E on 6/F	Daikin	FTKA25BV1H	RKA25BV1H
D 1 0	Split type	Flats A on 5/F to 6/F	Daikin	CTKC25RVMN	5MXM100RVMA #3
Bedroom 2	air-conditioner	All Flats on 7/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F	Daikin	CTKC25RVMN	MKC70SVMN #1
		All Flats on 37/F	Daikin	CTKC25RVMN	MKC70SVMN #4
Dadua a 2	Split type	Flats A on 5/F to 6/F		FTKA35BV1H	RKA35AV1H
Bedroom 3	air-conditioner	Flats A, B, C & D on 37/F	Daikin	CTKC25RVMN	MKC70SVMN #4
Store Room	Split type air-conditioner	Flats A on 7/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F Flats E & F on 37/F	Daikin	FTKA25BV1H	RKA25BV1H

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

Note: #1 / #2 / #3 / #4 The model is the outdoor unit of the multi-split type air conditioner. Such outdoor unit and the other outdoor unit(s) with the same marking are representing one and the same device.

#5a This is the model of the indoor unit of multi-split type air conditioner. Two such indoor units will be installed at the same location in the residential property concerned.

#5b This is the model of the outdoor unit of the multi-split type air-conditioner. A single outdoor unit will connect two indoor units marked "#5a" installed at the same location in the residential property concerned.

6. Appliance Schedule

Location	Appliances	Units Apply	Brand	Appliances Model
	Exhaust fan	Flats A on 5/F & 6/F	GELEC	DPT15-42B
	Cooker (Gas hob - 2 ring)	All Flats	Mia Cucina	MY32C
	Cooker (Gas hob - 1 ring)	Flats A on 5/F & 6/F Flats A, B, C, D, E & F on 37/F	Mia Cucina	MY31C
	Built-in microwave oven	All Flats on 5/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F	Siemens	BF525LM80H
		Flats A, B, C, D, E & F on 37/F	Miele	M2234SC
	Cooker hood	All Flats	Siemens	LI67SA531B
Kitchen / Open Kitchen	Duille in well-in out on	All Flats on 5/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F (except Flats A on 5/F & 6/F)	Rosieres	RSOP122
	Built-in refrigerator	Flats A on 5/F & 6/F	Siemens	KI86NAF31K
		Flats A, B, C, D, E & F on 37/F	Miele	KFNS 37232 iD
	Built-in washer dryer	All Flats on 5/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F	Mia Cucina	BUWD85
	,	Flats A, B, C, D, E & F on 37/F	Siemens	WK14D321HK
	Instantaneous electric water heater	Flats A, B, C & D on 37/F	Stiebel Eltron	DHM6
	Gas water heater	Flat B on 36/F	TGC	TRJW222TFQL
Bathroom	Gas water heater	Flats A, B on 7/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F Flat A on 36/F Flats A, B, C, D, E & F on 37/F	TGC	TRJW222TFQL
	Exhaust fan	All Flats	GELEC	DPT10-23B
Balcony	Gas water heater	All Flats on 5/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F (except Flats A & B on 7/F to 12/F, 15/F to 23/F, 25/F to 33/F & 35/F to 36/F)	TGC	RBOX16QR / RBOX16QL

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

位置	描述					5	樓 5/	F			
Location	Descrip	tion	Α	В	С	D	Е	F	G	Н	J
大門入口 Main Entrance	門鈴按鈕 Door bell push button		1	1	1	1	1	1	1	1	1
	室內環境狀況感應器 Indoor ambiance monitoring sensor		1	1	1	1	1	1	1	1	1
	視像對講機 Video door phone		1	1	1	1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1	1	1	1
	電話插座 Telephone outlet		2	2	2	2	2	2	2	2	2
	光纖插座 Fibre optics outlet		1	1	1	1	1	1	1	1	1
客廳/飯廳	單頭插座 Single socket outlet		1							_	_
Living Room / Dining Room	雙頭插座 Twin socket outlet		2	2	2	2	2	2	2	2	2
	燈掣 Lighting switch		10	7	7	9	7	7	8	8	7
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	2	1	2	2	1	1	1	1	1
	兩位雙極開關掣 2 gangs double pole switch	供抽氣扇及煤氣熱水爐 For exhaust fan and gas water heater	1	1	1	1	1	1	1	1	1
	有熔斷器的連接盒 Fused connection unit	供門鈴 For door bell	1	_					_	_	_
	門鈴 Door bell		1	_					_	_	_
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1	1	1	1
	電話插座 Telephone outlet		1	1	1	1	1	1	1	1	1
	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	1	1	1	1	1	1	1	1
F. 5.4	單頭插座 Single socket outlet			_					2	2	_
睡房 1 Bedroom 1	雙頭插座 Twin socket outlet		1	1	1	1	1	1	1	1	1
	燈掣 Lighting switch		4	1	1	1	1	1	1	1	1
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1	2	2	1
	兩位雙極開關掣 2 gangs double pole switch	供抽氣扇及煤氣熱水爐 For exhaust fan and gas water heater	1						_	_	

Schedule for Location and Number of Electrical & Mechanical Provisions of Residential Properties

位置		苗述 _.				5	樓 5/	F			
Location	Des	cription	А	В	С	D	Е	F	G	Н	J
	電視及電台天線插座 TV and FM outlet		1		1	1			_		_
	單頭插座 Single socket outlet		1								_
睡房 2	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	_	1	1	_	_	_	_	_
Bedroom 2	雙頭插座 Twin socket outlet		_		1	1			_	_	_
	燈掣 Lighting switch		1		1	1			_		_
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1		1	1	_	_	_	_	_
	電視及電台天線插座 TV and FM outlet		1		_	_	_	_	_	_	
	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1			_	_	_	_	_	
睡房 3 Bedroom 3	雙頭插座 Twin socket outlet		1		_	_	_	_	_	_	
	燈掣 Lighting switch		2		_	_	_	_	_	_	
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1		_	_	_	_	_	_	_
	單頭插座連防水蓋 Single socket outlet with waterproof cover		1	1	1	1	1	1	1	1	1
浴室 1	有熔斷器的連接盒	供鏡櫃燈 For mirror cabinet light	1	1	1	1	1	1	1	1	1
Bathroom 1	Fused connection unit	供抽氣扇 For exhaust fan	1	1	1	1	1	1	1	1	1
	煤氣熱水爐遙控器 Gas water heater remote control unit		1	1	1	1	1	1	1	1	1
	單頭插座連防水蓋 Single socket outlet with waterproof cover		1			_	_	_	_	_	
浴室 2	有熔斷器的連接盒	供鏡櫃燈 For mirror cabinet light	1		_						_
Bathroom 2	Fused connection unit	供抽氣扇 For exhaust fan	1		_				_		_
	煤氣熱水爐遙控器 Gas water heater remote control unit		1	_	_	_	_	_	_	_	_

99

位置		描述				5	樓 5/	F			
Location	De	scription	Α	В	С	D	Е	F	G	Н	J
	單頭插座 Single socket outlet	適用於洗衣乾衣機、嵌入式雪櫃、嵌入式微波爐、抽油煙機及網關控制器 For washer-dryer, built-in refrigerator, built-in microwave, cooker hood and gateway	5	5	5	5	5	5	5	5	5
	雙頭插座 Twin socket outlet		1	1	1	1	1	1	1	1	1
	燈掣 Lighting switch		2	_	_	_	_	_		_	_
	雙極開關掣 Double pole switch	供抽氣扇 For exhaust fan	1	_	_	_	_	_	_	_	_
廚房 / 開放式廚房 Kitchen /	總電掣箱 Miniature circuit breakers board		1	1	1	1	1	1	1	1	1
Open Kitchen	有熔斷器的連接盒	供煤氣煮食爐 For gas cooker hob	2	1	1	1	1	1	1	1	1
		供抽氣扇 For exhaust fan	1	_	_	_	_	_		_	_
	Fused connection unit	供廚櫃燈 For kitchen cabinet light	2	1	1	1	1	1	1	1	1
		供門鈴 For door bell	_	1	1	1	1	1	1	1	1
	來水及去水位 Water and drain point	供洗衣乾衣機 For washer-dryer	1	1	1	1	1	1	1	1	1
	門鈴 Door bell		_	1	1	1	1	1	1	1	1
	煤氣錶 Gas meter		1	1	1	1	1	1	1	1	1
露台	有熔斷器的連接盒 Fused connection unit	供煤氣熱水爐 For gas water heater	2	1	1	1	1	1	1	1	1
Balcony	煤氣熱水爐 Gas water heater		2	1	1	1	1	1	1 1	1	1
	防水隔離器 Waterproof isolator	供分體冷氣室外機 For outdoor A/C unit	1	1	1	1	1	1	1	1	1
冷氣機平台 A/C Platform	防水隔離器 Waterproof isolator	供分體冷氣室外機 For outdoor A/C unit	2	1	1	2	1	1	1	1	1

位置	描述						6樓	6/F				
Location	Description		Α	В	С	D	Е	F	G	Н	J	K
大門入口 Main Entrance	門鈴按鈕 Door bell push button		1	1	1	1	1	1	1	1	1	1
	室內環境狀況感應器 Indoor ambiance monitoring sensor		1	1	1	1	1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1	1	1	1	1
	電話插座 Telephone outlet		2	2	2	2	2	2	2	2	2	2
	光纖插座 Fibre optics outlet		1	1	1	1	1	1	1	1	1	1
	單頭插座 Single socket outlet		1			_					_	
客廳/飯廳	雙頭插座 Twin socket outlet		2	2	2	2	2	2	2	2	2	2
Living Room / Dining Room	燈掣 Lighting switch		10	7	7	7	9	7	7	8	8	7
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	2	1	1	2	2	1	1	1	1	1
	兩位雙極開關掣 2 gangs double pole switch	供抽氣扇及煤氣熱水爐 For exhaust fan and gas water heater	1	1	1	1	1	1	1	1	1	1
	有熔斷器的連接盒 Fused connection unit	供門鈴 For door bell	1			_					_	_
	門鈴 Door bell		1			_					_	
	視像對講機 Video door phone		1	1	1	1	1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1	1	1	1	1
	電話插座 Telephone outlet		1	1	1	1	1	1	1	1	1	1
	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	1	1	1	1	1	1	1	1	1
n= .	單頭插座 Single socket outlet		_	_	_	_		_		2	2	
睡房 1 Bedroom 1	雙頭插座 Twin socket outlet		1	1	1	1	1	1	1	_	_	1
	燈掣 Lighting switch		4	1	1	1	1	1	1	1	1	1
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1	1	2	2	1
	兩位雙極開關掣 2 gangs double pole switch	供抽氣扇及煤氣熱水爐 For exhaust fan and gas water heater	1	_	_	_	_	_	_	_	_	_

位置			6樓 6/F A B C D E F G H									
Location	Desc	ription	Α	В	С	D	Е	F	G	Н	J	K
	電視及電台天線插座 TV and FM outlet		1			1	1				_	_
	單頭插座 Single socket outlet		1				_				_	_
睡房 2 Bedroom 2	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	_		1	1	_			_	_
Bediooni 2	雙頭插座 Twin socket outlet		_			1	1				_	
	燈掣 Lighting switch		1			1	1				_	
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1			1	1				_	
	電視及電台天線插座 TV and FM outlet		1			_	_			_	_	
	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	_	_	_	_	_	_	_	_	_
睡房 3 Bedroom 3	雙頭插座 Twin socket outlet		1				_				_	
	燈掣 Lighting switch		2				_				_	
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1				_				_	
	單頭插座連防水蓋 Single socket outlet with waterproof cover		1	1	1	1	1	1	1	1	1	1
浴室 1	有熔斷器的連接盒	供鏡櫃燈 For mirror cabinet light	1	1	1	1	1	1	1	1	1	1
Bathroom 1	Fused connection unit	供抽氣扇 For exhaust fan	1	1	1	1	1	1	1	1	1	1
	煤氣熱水爐遙控器 Gas water heater remote control unit		1	1	1	1	1	1	1	1	1	1
	單頭插座連防水蓋 Single socket outlet with waterproof cover		1									
浴室 2	有熔斷器的連接盒	供鏡櫃燈 For mirror cabinet light	1				_			_	_	
Bathroom 2	Fused connection unit	供抽氣扇 For exhaust fan	1	_	_	_	_	_	_	_	1	_
	煤氣熱水爐遙控器 Gas water heater remote control unit		1	_	_	_	_	_	_		_	

位置							6樓	6/F				
Location	De	escription	А	В	С	D	Е	F	G	Н	J	К
	單頭插座 Single socket outlet	適用於洗衣乾衣機、嵌入式雪櫃、嵌入式微波爐、抽油煙機及網關控制器 For washer-dryer, built-in fridge, built-in microwave, cooker hood and gateway	5	5	5	5	5	5	5	5	5	5
	雙頭插座 Twin socket outlet		1	1	1	1	1	1	1	1	1	1
	燈掣 Lighting switch		2	_		_			_	_	_	_
	雙極開關掣 Double pole switch	供抽氣扇 For exhaust fan	1	_						_	_	_
廚房 / 開放式廚房 Kitchen /	總電掣箱 Miniature circuit breakers board		1	1	1	1	1	1	1	1	1	1
Open Kitchen	有熔斷器的連接盒	供煤氣煮食爐 For gas cooker hob	2	1	1	1	1	1	1	1	1	1
		供抽氣扇 For exhaust fan	1	_	_						_	_
	Fused connection unit	供廚櫃燈 For kitchen cabinet light	2	1	1	1	1	1	1	1	1	1
		供門鈴 For door bell	_	1	1	1	1	1	1	1	1	1
	來水及去水位 Water and drain point	供洗衣乾衣機 For washer-dryer	1	1	1	1	1	1	1	1	1	1
	門鈴 Door bell		_	1	1	1	1	1	1	1	1	1
	煤氣錶 Gas meter		1	1	1	1	1	1	1	1	1	1
露台	有熔斷器的連接盒 Fused connection unit	供煤氣熱水爐 For gas water heater	2	1	1	1	1	1	1	1	1	1
Balcony	煤氣熱水爐 Gas water heater		2	1	1	1	1	1	1	1	1	1
	防水隔離器 Waterproof isolator	供分體冷氣室外機 For outdoor A/C unit	1	1	1	1	1	1	1	1	1	1
冷氣機平台 A/C Platform	防水隔離器 Waterproof isolator	供分體冷氣室外機 For outdoor A/C unit	2	1	1	1	2	1	1	1	1	1

位置 Location	描述 Descrip									33樓 o 33/I				
Location	Descrip	rtion	Α	В	С	D	Е	F	G	Н	J	K	L	М
大門入口 Main Entrance	門鈴按鈕 Door bell push button		1	1	1	1	1	1	1	1	1	1	1	1
	室內環境狀況感應器 Indoor ambiance monitoring sensor		1	1	1	1	1	1	1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1	1	1	1	1	1	1
	電話插座 Telephone outlet		1	1	1	1	1	1	1	1	1	1	1	1
	光纖插座 Fibre optics outlet		1	1	1	1	1	1	1	1	1	1	1	1
客廳/飯廳 Living Room/ Dining Room	雙頭插座 Twin socket outlet		2	2	2	2	2	2	2	2	2	2	2	2
J	燈掣 Lighting switch		7	8	7	7	7	7	8	7	7	8	8	7
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1	1	1	1	1	1	1
	兩位雙極開關掣 2 gangs double pole switch	供抽氣扇及煤氣熱水爐 For exhaust fan and gas water heater	1	1	1	1	1	1	1	1	1	1	1	1
	視像對講機 Video door phone		1	1	1	1	1	1	1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1	1	1	1	1	1	1
	電話插座 Telephone outlet		1	1	1	1	1	1	1	1	1	1	1	1
睡房 1	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	1	1	1	1	1	1	1	1	1	1	1
Bedroom 1	雙頭插座 Twin socket outlet		1	1	1	1	1	1	1	1	1	1	1	1
	燈掣 Lighting switch		1	1	1	1	1	1	1	1	1	1	1	1
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1	1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1	1	1	1	1	1	1
	電話插座 Telephone outlet		1	1	1	1	1	1	1	1	1	1	1	1
07.5	單頭插座 Single socket outlet		1	1	1	1	1	1	1	1	1	1	1	1
睡房 2 Bedroom 2	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	1	1	1	1	1	1	1	1	1	1	1
	燈掣 Lighting switch		1	1	1	1	1	1	1	1	1	1	1	1
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1	1	1	1	1	1	1

Schedule for Location and Number of Electrical & Mechanical Provisions of Residential Properties

位置		苗述							25至 25/F to					
Location	Desc	cription	Α	В	С	D	Е	F	G	Н	J	K	L	М
	單頭插座連防水蓋 Single socket outlet with waterproof cover		1	1	1	1	1	1	1	1	1	1	1	1
		供鏡櫃燈 For mirror cabinet light	1	1	1	1	1	1	1	1	1	1	1	1
浴室	有熔斷器的連接盒 Fused connection unit	供抽氣扇 For exhaust fan	1	1	1	1	1	1	1	1	1	1	1	1
Bathroom		供煤氣熱水爐 For gas water heater	1	1*						_				_
	煤氣熱水爐 Gas water heater		1	1*						_				_
	煤氣熱水爐遙控器 Gas water heater remote control unit		1	1	1	1	1	1	1	1	1	1	1	1
	單頭插座 Single socket outlet	適用於洗衣乾衣機、嵌入式雪櫃、嵌入式微波爐、抽油煙機及網關控制器For washer-dryer, built-in refrigerator, built-in microwave, cooker hood and gateway	5	5	5	5	5	5	5	5	5	5	5	5
	雙頭插座 Twin socket outlet		1	1	1	1	1	1	1	1	1	1	1	1
	燈掣 Lighting switch		1											_
	有熔斷器的連接盒 Fused connection unit	供煤氣煮食爐 For gas cooker hob	1	1	1	1	1	1	1	1	1	1	1	1
開放式廚房	總電掣箱 Miniature circuit breakers board		1	1	1	1	1	1	1	1	1	1	1	1
Open Kitchen	有熔斷器的連接盒	供廚櫃燈 For kitchen cabinet light	1	1	1	1	1	1	1	1	1	1	1	1
	Fused connection unit	供門鈴 For door bell	1	1	1	1	1	1	1	1	1	1	1	1
	有熔斷器的連接盒 Fused connection unit	供煤氣熱水爐 (36樓B單位) For gas water heater (Flat B on 36/F)		1		_	_							_
	煤氣熱水爐(36樓B單位) Gas water heater (Flat B on 36/F)			1										_
	來水及去水位 Water and drain point	供洗衣乾衣機 For washer-dryer	1	1	1	1	1	1	1	1	1	1	1	1
	門鈴 Door bell		1	1	1	1	1	1	1	1	1	1	1	1

備註: * 不適用於36樓B單位。

Note: * Not applicable for Flat B on 36/F.

7. 住宅物業機電裝置位置及數量說明表

位置 Location		描述 Description							25至 25/F to					
Location	Desci	iption	Α	В	С	D	Е	F	G	Н	J	K	L	М
	單頭插座 Single socket outlet		2		_		_						_	_
儲物室 Store Room	燈掣 Lighting switch		1											
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1											
	煤氣錶 Gas meter		1	1	1	1	1	1	1	1	1	1	1	1
露台	有熔斷器的連接盒 Fused connection unit	供煤氣熱水爐 For gas water heater			1	1	1	1	1	1	1	1	1	1
Balcony	煤氣熱水爐 Gas water heater		_		1	1	1	1	1	1	1	1	1	1
	防水隔離器 Waterproof isolator	供分體冷氣室外機 For outdoor A/C unit	_	_	1	1	1	1	1	1	1	1	1	1
冷氣機平台 A/C Platform	防水隔離器 Waterproof isolator	供分體冷氣室外機 For outdoor A/C unit	3	2	1	1	1	1	1	1	1	1	1	1

位置					37樓	37/F		
Location	Desc	cription	Α	В	С	D	Е	F
大門入口 Main Entrance	門鈴按鈕 Door bell push button		1	1	1	1	1	1
	室內環境狀況感應器 Indoor ambiance monitoring sensor		1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		2	2	2	2	2	2
	電話插座 Telephone outlet		1	1	1	1	1	1
	光纖插座 Fibre optics outlet		1	1	1	1	1	1
	單頭插座 Single socket outlet		1	1	1	1	1	1
客廳/飯廳 Living Room/ Dining Room	雙頭插座 Twin socket outlet		2	2	2	2	2	2
Ziiiiig Kooiii	燈掣 Lighting switch		9	10	11	11	11	10
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1
	雙極開關掣 Double pole switch	供電熱水爐 For electric water heater	1	1	1	1		_
	兩位雙極開關掣 2 gangs double pole switch	供抽氣扇及煤氣熱水爐 For exhaust fan and gas water heater	1	1	1	1	1	1
	視像對講機 Video door phone		1	1	1	1	1	1
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1
	電話插座 Telephone outlet		1	1	1	1	1	1
	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	1	1	1	1	1
睡房 1 Bedroom 1	雙頭插座 Twin socket outlet		1	1	1	1	1	1
	燈掣 Lighting switch		4	4	4	3	1	1
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1
	兩位雙極開關掣 2 gangs double pole switch	供抽氣扇及煤氣熱水爐 For exhaust fan and gas water heater	1	1	1	1		
	電視及電台天線插座 TV and FM outlet		1	1	1	1	1	1
	單頭插座 Single socket outlet		1	1	1	1	1	1
睡房 2 Bedroom 2	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	1	1	1	1	1
	燈掣 Lighting switch		1	1	1	1	1	1
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	1	1

位置	描述				37樓	37/F		
Location	Description		Α	В	С	D	Е	F
	電視及電台天線插座 TV and FM outlet		1	1	1	1		_
	單頭插座 Single socket outlet		1	1	1	1		_
睡房 3 Bedroom 3	單頭插座(附有USB插頭) Single socket outlet (with USB port)		1	1	1	1		_
	燈掣 Lighting switch		1	1	1	1		_
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit	1	1	1	1	_	_
	單頭插座連防水蓋 Single socket outlet with waterproof cover		1	1	1	1	1	1
	煤氣熱水爐 Gas water heater		_	1	1		1	1
) 浴室 1	有熔斷器的連接盒 Fused connection unit	供鏡櫃燈 For mirror cabinet light	1	1	1	1	1	1
Bathroom 1		供抽氣扇 For exhaust fan	1	1	1	1	1	1
		供煤氣熱水爐 For gas water heater	_	1	1		1	1
	煤氣熱水爐遙控器 Gas water heater remote control unit		1	1	1	1	1	1
	單頭插座連防水蓋 Single socket outlet with waterproof cover		1	1	1	1		_
	煤氣熱水爐 Gas water heater		1			1		_
浴室 2		供鏡櫃燈 For mirror cabinet light	1	1	1	1		
Bathroom 2	有熔斷器的連接盒 Fused connection unit	供抽氣扇 For exhaust fan	1	1	1	1		_
		供煤氣熱水爐 For gas water heater	1			1		_
	煤氣熱水爐遙控器 Gas water heater remote control unit		1	1	1	1		

7. 住宅物業機電裝置位置及數量說明表

Schedule for Location and Number of Electrical & Mechanical Provisions of Residential Properties

位置	Location Description				37樓	37/F		
Location			Α	В	С	D	Е	F
	單頭插座 Single socket outlet	適用於洗衣乾衣機、嵌入式雪櫃、嵌入式 微波爐、抽油煙機及網關控制器 For washer-dryer, built-in fridge, built-in microwave, telescopic hood and gateway	5	5	5	5	5	5
	雙頭插座 Twin socket outlet		1	1	1	1	1	1
	燈掣 Lighting switch					_		1
	來水及去水位 Water and drain point	供洗衣乾衣機 For washer-dryer	1	1	1	1	1	1
開放式廚房 Open Kitchen	總電掣箱 Miniature circuit breakers board		1	1	1	1	1	1
o pon mionon	門鈴 Door bell		1	1	1	1	1	1
		供廚櫃燈 For kitchen cabinet light	1	1	1	1	1	1
	有熔斷器的連接盒 Fused connection unit	供門鈴 For door bell	1	1	1	1	1	1
		供煤氣煮食爐 For gas cooker hob	2	2	2	2	2	2
	防水隔離器 Waterproof isolator	供即熱式熱水爐 For instantaneous electric water heater	1	1	1	1	_	
	單頭插座 Single socket outlet					_	1	1
儲物室 Store Room	燈掣 Lighting switch					_	1	1
	雙極開關掣 Double pole switch	供分體冷氣室內機 For indoor A/C unit					1	1
冷氣機平台 A/C Platform	防水隔離器 Waterproof isolator	供分體冷氣室外機 For outdoor A/C unit	2	2	2	2	3	3
位置			;	37樓平	2台 37	'/F Fla	at Roo	f
Location		escription T	Α	В	С	D	Е	F
私人平台 Private Flat	防水單頭插座 Waterproof single socket outlet		1	1	1	1	1	1
Roof	1.5% A=11		1	1	1	1	1	1

備註:

在住宅物業機電裝置位置及數量說明表內,

- 1. 上表之數字代表「提供的數量」。
- 2. 上表符號"—"代表「不提供」。

Notes:

- 1. The number as shown in the above table denotes "The quantity provided".
- 2. The symbol "—" as shown in the above table denotes "Not provided".

23 服務協議 SERVICE AGREEMENTS

食水及沖廁水由水務署供應。

電力由中華電力有限公司供應。

煤氣由香港中華煤氣有限公司供應。

Potable and flushing water is supplied by Water Supplies Department.

Electricity is supplied by CLP Power Hong Kong Limited.

Towngas is supplied by The Hong Kong and China Gas Company Limited.

24 地稅 GOVERNMENT RENT

賣方(擁有人)有法律責任繳付住宅物業的地稅直至住宅物業買賣 完成日(包括該日)為止。 The vendor (the owner) is liable for the Government rent of a residential property up to and including the date of completion of the sale and purchase of that residential property.

25 買方的雜項付款 MISCELLANEOUS PAYMENTS BY PURCHASER

- 1. 在向買方交付住宅物業在空置情況下的管有權時,買方須向 賣方(擁有人)補還水、電力及氣體的按金。
- 2. 在交付時,買方不須向賣方(擁有人)支付清理廢料的費用。

備註:

買方須向發展項目管理人及不須向賣方(擁有人)繳付水、電力 及氣體的按金及清理廢料的費用。

- 1. On the delivery of the vacant possession of the residential property to the purchaser, the purchaser is liable to reimburse the vendor (the owner) for the deposits for water, electricity and gas.
- 2. On that delivery, the purchaser is not liable to pay to the vendor (the owner) a debris removal fee.

Note:

The purchaser should pay to the manager and not the vendor (the owner) of the Development the deposits for water, electricity and gas and the debris removal fee.

26 欠妥之處的保養責任期 DEFECT LIABILITY WARRANTY PERIOD

按買賣合約的規定,凡售出物業或於買賣合約列出裝設於物業內的裝置、裝修物料或設備有欠妥之處,而該欠妥之處並非由買方行為或疏忽造成,則賣方在接獲買方在買賣成交日期後的6個月內送達的書面通知後,須於合理地切實可行的範圍內,盡快自費作出補救。

As provided in the agreement for sale and purchase, the vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the purchaser within 6 months after the date of completion of the sale and purchase, remedy any defects to the property sold, or the fittings, finishes or appliances incorporated into the property as set out in the agreement for sale and purchase, caused otherwise than by the act or neglect of the purchaser.

27 斜坡維修 MAINTENANCE OF SLOPES

不適用 Not Applicable

28 修訂 MODIFICATION

不適用 Not Applicable

中請建築物總樓面面積寬免的資料 INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA (GFA) OF BUILDING

獲寬免總樓面面積的設施分項

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料,請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督,則有(#)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前,以下分項資料仍可能有所修改。

	根據《建築物(規劃)規例》第23(3)(b)條不計算的總樓面面積	面積(平方米
1.(#)	停車場及上落客貨地方(公共交通總站除外)	1174.700
2.	機房及相類設施	
2.1	所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》(《作業備考》)或規例限制的強制性設施或必要機房,例如升降機機房、電訊及廣播設備室(訊播室)、為流動通訊接達設施而設的訊播室、天台電訊設備室、中層電訊設備室、垃圾房等 所佔面積不受任何《作業備考》或規例限制的強制性設施或必要機房,例如僅由消防裝置及設備佔用的	323.275
2.2(#)	房間、電錶房、電力變壓房、食水及鹹水缸等	889.410
2.3	非強制性或非必要機房,例如空調機房、送風櫃房等	46.788
	根據聯合作業備考第1及第2號提供的環保設施	面積(平方米
3.	露台	344.032
4.	加闊的公用走廊及升降機大堂	不適用
5.	公用空中花園	不適用
6.	隔聲鰭	不適用
7.	翼牆、捕風器及風斗	不適用
8.	非結構預製外牆	129.798
9.	工作平台	1.500
10.	隔音屏障	不適用
	適意設施	面積(平方米
11.	管理員宿舍、供保安人員和管理處員工使用的櫃位、辦事處、貯物室、警衞室和廁所,以及業主立案法 團辦事處	24.905
12.	住戶康樂設施,包括僅供康樂設施使用的中空空間、機房、游泳池的濾水機房、有蓋人行道等	542.143
13.	有蓋園景區及遊樂場地	8.929
14.	橫向屏障 / 有蓋人行道及花棚	不適用
15.	擴大升降機槽	193.941
16.	煙囱管道	不適用
17.	其他非強制性或非必要機房, 例如鍋爐房、衞星電視共用天線房	不適用
18.(#)	強制性設施或必要機房所需的管槽、氣槽及垂直立管	183.520
19.	非強制性設施或非必要機房所需的管槽及氣槽	不適用
20.	環保系統及設施所需的機房、管槽及氣槽	不適用
21.	複式住宅單位及洋房的中空空間	不適用
22.	遮陽篷及反光罩	不適用
23.(#)	伸出式花槽及小型伸出物,例如空調機箱、空調機平台、窗檻及伸出的窗台	370.161
24.	《作業備考》APP-19 第3(b)及(c)段沒有涵蓋的其他伸出物,如空調機箱及空調機平台,及維修通道	172.613
	其他項目	面積(平方米
25.(#)	庇護層,包括庇護層兼空中花園	不適用
26.	大型伸出 / 外懸設施下的有蓋地方	不適用
27.	公共交通總站	不適用
28.(#)	共用構築物及公用樓梯	不適用
29.(#)	僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積	261.971
30.	公眾通道	不適用
31.	有蓋的後移部分	不適用
	額外總樓面面積	面積(平方米
32.	額外總樓面面積	
	根據聯合作業備考(第8號)提供的額外環保設施	
		不適用

註:上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

有關建築物的環境評估

綠色建築認證

在印刷此售樓說明書或其附頁前,本物業根據香港綠色建築 議會有限公司頒授/發出的綠建環評認證評級。

置(註腳3)的部分

平台

(中央屋宇裝備裝置)

暫定評級 金級



HKGBC 緑建環評

申請編號: PAG0080/20

(不包括酒店)

非住用發展項目

(包括酒店)(註腳4)

發展項目的公用部分的預計能量表現或消耗

於印製售樓說明書前呈交予建築事務監督有關發展項目的公用部分的預計能量表現或消耗的最近期資料:

第Ⅰ部分						
提供中央空調		否				
提供具能源效益的	設施	是				
擬安裝的具能源效	益的設施	, , , , , , , , , , , , , , , , , , , ,	益的空調設備; 益的升降機及自動	梯		
第 部分:擬興建	建樓宇/部分樓宇之預計每年	能源消耗量(駐腳1)				
		法 四苯即洪黑的	基線樓字(駐腳2)名	每年能源消耗量	擬興建樓宇每	年能源消耗量
發展項目類型	位置	使用有關裝置的 內部樓面面積 (平方米)	<u>電力</u> 千瓦小時 / 平方米 / 年	煤氣 / 石油氣 用量單位 / 平方米 / 年	<u>電力</u> 千瓦小時 / 平方米 / 年	煤氣 / 石油氣 用量單位 / 平方米 / 年
住用發展項目	有使用中央屋宇裝備裝	2 521 027	196.8	15 4	187.6	10.6

註腳:1. 一般而言,一棟樓宇的預計「每年能源消耗量」愈低,其節約能源的效益愈高。如一棟樓宇預計的「每年能源消耗量」低於 該樓宇的「基線樓宇每年能源消耗量」,則代表預計該樓宇的能源應用較其基線樓宇有效,削減幅度愈大則代表有關樓宇能 源節約的效益愈高。預計每年能源消耗量〔以耗電量(千瓦小時/平方米/年)及煤氣/石油氣消耗量(用量單位/平方米/年)計 算〕,指將發展項目的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商,其中:-

196.8

254.6

15.4

不適用

187.6

215.4

10.6

不適用

- (a) 「每年能源消耗量」與新建樓宇 BEAM Plus 標準(現行版本)中的「年能源消耗」具有相同涵義;及
- (b) 樓宇、空間或單位的「內部樓面面積」,指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。
- 2. 「基線樓宇」與新建樓宇 BEAM Plus 標準(現行版本)中的「基準建築物模型(零分標準)」具有相同涵義。
- 3.「中央屋宇裝備裝置」與機電工程署發出的《屋宇裝備裝置能源效益實務守則》中的涵義相同。

2,521.027

4,471.798

第Ⅲ部分:以下装置乃按機電工程署公布的相關實務守則設計								
裝置類型		電力裝置	是					
照明裝置	是	升降機及自動梯的裝置	是					
空調裝置	是	以總能源為本的方法	不適用					

中請建築物總樓面面積寬免的資料 INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA (GFA) OF BUILDING

Breakdown of GFA Concessions Obtained for All Features

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked(#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the Development.

	Disregarded GFA under Building (Planning) Regulations 23(3)(b)	Area (m²)
1.(#)	Carpark and loading/unloading area excluding public transport terminus	1174.700
2.	Plant rooms and similar services	
2.1	Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, TBE room for access facilities for mobile services, rooftop telecommunications equipment room, intermediate telecommunications equipment room, refuse storage chamber, etc.	323.275
2.2(#)	Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc.	889.410
2.3	Non-mandatory or non-essential plant room such as air-conditioning (A/C) plant room, air handling unit (AHU) room, etc.	46.788
	Green Features under Joint Practice Notes 1 and 2	Area (m²)
3.	Balcony	344.032
4.	Wider common corridor and lift lobby	Not applicable
5.	Communal sky garden	Not applicable
6.	Acoustic fin	Not applicable
7.	Wing wall, wind catcher and funnel	Not applicable
8.	Non-structural prefabricated external wall	129.798
9.	Utility platform	1.500
10.	Noise barrier	Not applicable
	Amenity Features	Area (m²)
11.	Caretaker's quarters, counter, office, store, guard room and lavatory for watchman and management staff and owners' corporation office	24.905
12.	Residential recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway, etc. serving solely the recreational facilities	542.143
13.	Covered landscaped and play area	8.929
14.	Horizontal screen/covered walkway and trellis	Not applicable
15.	Larger lift shaft	193.941
16.	Chimney shaft	Not applicable
17.	Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room	Not applicable
18.(#)	Pipe duct, air duct and vertical riser for mandatory feature or essential plant room	183.520
19.	Pipe duct, air duct for non-mandatory or non-essential plant room	Not applicable
20.	Plant room, pipe duct, air duct for environmentally friendly system and feature	Not applicable
21.	Void in duplex domestic flat and house	Not applicable
22.	Sunshade and reflector	Not applicable
23.(#)	Projecting planters and minor projection such as A/C box, A/C platform, window cill and projecting window	370.161
24.	Other projection such as A/C box and A/C platform not covered in paragraph 3(b) and (c) of PNAP APP-19, and maintenance walkway	172.613
	Other Exempted Items	Area (m²)
25.(#)	Refuge floor including refuge floor cum sky garden	Not applicable
26.	Covered area under large projecting/overhanging feature	Not applicable
27.	Public transport terminus	Not applicable
28.(#)	Party structure and common staircase	Not applicable
29.(#)	Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA	261.971
30.	Public passage	Not applicable
31.	Covered set back area	Not applicable
	Bonus GFA	Area (m²)
32.	Bonus GFA	Not applicable
	Additional Green Features under Joint Practice Note (No. 8)	Area (m²)
33.	Buildings adopting Modular Integrated Construction	Not applicable

Note: The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

The Environmental Assessment of the Building

Green Building Certification

Assessment result under the **BEAM Plus** certification conferred / issued by Hong Kong Green Building Council Limited (HKGBC) for the building prior to the printing of the sales brochure or its addenda.

Provisional GOLD

PROVISIONAL GOLD

NB V1.2 2020

HKGBC

BEAM Plus

Application no.: PAG0080/20

Estimated Energy Performance or Consumption for the Common Parts of the Development

Latest information on the estimated energy performance or consumption for the common parts of the Development as submitted to the Building Authority prior to the printing of the sales brochures:

Part I						
Provision of Central Air	Conditioning	No				
Provision of Energy Effic	ient Features	Yes				
Energy Efficient Features proposed i) Use energy-efficient air conditioning units; ii) Use energy-efficient lift and escalator system						
Part II: The predicted an	nual energy use of the prop	osed building /	part of build	ing ^(Note 1)		
		Internal		Energy Use of Building ^(Note 2)		Energy Use of sed Building
Type of Development	Location	Floor Area Served (m²)	Electricity kWh / m²/ annum	Town Gas / LPG unit / m²/ annum	Electricity kWh / m² / annum	Town Gas / LPG unit / m² / annum
Domestic Development (excluding Hotel)	Central building services installation ^(Note 3)	2,521.027	196.8	15.4	187.6	10.6
Non-domestic Development (including Hotel) ^(Note 4)	Podium(s) (central building services installation)	4,471.798	254.6	Not Appliable	215.4	Not Appliable

- Notes: 1. In general, the lower the estimated "Annual Energy Use" of the building, the more efficient the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency. The predicted annual energy use, in terms of electricity consumption (kWh/m²/annum) and town gas/LPG consumption (unit/m²/annum), of the Development by the internal floor area served, where: –

 (a) "total annual energy use" has the same meaning of "annual energy use" in the BEAM Plus New Buildings (current version);
 - (b) "internal floor area", in relation to a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.
 - 2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" in the BEAM Plus New Buildings (current version).
 - 3. "Central Building Services Installation" has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation issued by the Electrical and Mechanical Services Department.

Part III: The following installation(s) is / are* designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD)										
Type of Installations		Electrical Installations	Yes							
Lighting Installations	Yes	Lift & Escalator Installations	Yes							
Air Conditioning Installations	Yes	Performance-based Approach	Not Appliable							

119

30 有關資料 RELEVANT INFORMATION

1. 建築裝飾

發展項目部份住宅物業外設有建築裝飾。此等建築裝飾可能 對部份住宅物業的景觀造成影響。有關建築裝飾的位置, 請參閱本售樓說明書的「發展項目的住宅物業的樓面平面 圖」。

2. 喉管

發展項目部分住宅物業的平台及/或露台及/或工作平台及/或 天台的外牆或毗鄰其外牆裝有喉管,部分住宅物業的景觀可 能因此受到影響。有關喉管的位置,請參閱發展項目最新經 批准圖則。

3. 吊船

在管理人安排為發展項目的外牆及公用地方與設施進行定期及特別安排的檢查、清潔、保養及/或維修期間,吊船或類似裝置可能會安裝及/或停泊在住宅物業的平台上,並在住宅物業的平台上空操作,以及在住宅物業的窗外及露台及/或工作平台外操作。

根據公契,管理人有權進入建有平台的住宅物業(不論是否連同管理人的僱員、代理人、職員、工人、承辦商和授權人, 又或是否携帶用具、工具及物料)操作吊船或類似裝置。

4. 燈飾

發展項目部分住宅物業及商用樓宇的外牆及/或建築裝飾上裝設外牆裝飾燈,該等裝飾燈可能不時開啟。

外牆裝飾燈的照明可能對發展項目住宅物業的享用,諸如景觀、光或對周邊環境的其他方面造成影響。

5. 放置室外冷氣機

室外冷氣機(不論是為該住宅物業而設,或是為其他住宅物業而設)放置在相鄰/毗鄰於部份住宅物業的冷氣機平台上或部份住宅物業的露台的高位。該等被放置於冷氣機平台上及露台的室外冷氣機可能對發展項目內有關的住宅物業的享用,諸如熱氣、噪音、景觀、震動或其他方面造成影響。有關冷氣機平台上的室外冷氣機的位置,請參閱本售樓說明書的「發展項目的住宅物業的樓面平面圖」。

6. 紓緩噪音措施

部份住宅物業需設置下列噪音緩解措施以盡量減低潛在交通 噪音對發展項目的影響:

減音露台	隔音鋁質假天花		
強效減音露台	隔音鋁質假天花		
	隔音鋁質牆身飾面板		
	1.45米高欄河		
減音窗(上懸式)	上懸式窗連吸音物料在水平鰭片上		
	室內設有含吸音物料之窗簾盒		

有關噪音緩解措施的位置,請參閱本售樓說明書的「發展項目的住宅物業的樓面平面圖」。

1. Architectural features

Some architectural features are installed outside some residential properties of the Development. The views of some residential properties may be affected by these architectural features. For the locations of the architectural features, please refer to the "Floor Plans of Residential Properties in the Development" in this sales brochure.

2. Pipes

Some pipes are located on the external walls at or adjacent to the flat roofs and/or balconies and/or utility platforms and/or roofs of some residential properties of the Development. It is possible that the views of some residential properties may be affected by these pipes. For the locations of the pipes, please refer to the latest approved plans of the Development.

3. Gondola

During the regular and specially arranged inspection, cleaning, maintenance and/or repairing of the external walls and the Common Areas and Facilities of the Development as arranged by the Manager, gondola(s) or likewise equipment may be installed and/or rested on the flat roof(s) and operated in air space directly above the flat roof(s) as well as outside the windows and the balcony(ies) and/or utility platform(s) of the residential properties.

Under the Deed of Mutual Covenant, the Manager shall have the right to access into those residential properties consisting flat roof(s) (with or without the Manager's its servants, agents, staff, workmen, contractors and persons duly authorized and with or without other appliances, equipment and materials) for operating gondola(s) or likewise equipment.

4. Lighting

Facade lighting is installed on the external walls and/or architectural features of some residential properties and the Commercial Accommodation of the Development and may be turned on from time to time.

The illumination of the facade lighting may affect the enjoyment of some residential properties in the Development in terms of the views, lighting and other aspects of the surrounding environment.

5. Placing of air-conditioning outdoor units

Air-conditioning outdoor units (either serving its own residential properties or other residential properties) are placed on the air-conditioner platform(s) adjacent to/adjoining some residential properties or the high level of the balcony(ies) of some residential properties. The placing of air-conditioning outdoor units on the air-conditioner platform(s) and balcony(ies) may affect the enjoyment of the relevant residential properties of the Development in terms of heat, noise, view, vibration or other aspects. For the locations of the air-conditioning outdoor units on the air-conditioner platform(s), please refer to the "Floor Plans of Residential Properties in the Development" in this sales brochure.

6. Noise Mitigation Measures

The following noise mitigation measures are required to be provided at some residential properties to minimize the potential traffic noise impact upon the Development:

Acoustic balcony	Acoustic aluminium ceiling panel		
Enhanced acoustic balcony	Acoustic aluminium ceiling panel		
	Acoustic aluminum wall panel		
	1.45m height balustrade		
Acoustic window (top hung type)	Top hung window with sound absorption material on top of horizontal fins		
	Pelmet with sound absorption material in indoor area		

For the locations of the noise mitigation measures, please refer to the "Floor Plans of Residential Properties in the Development".

接地政總署署長於預售樓花同意書要求列出的資料 INFORMATION REQUIRED TO BE SET OUT BY THE DIRECTOR OF LANDS UNDER THE PRESALE CONSENT

此為空白頁。

This is a blank page.

賣方就發展項目指定的互聯網網站的網址: The Address of the Website Designated by the Vendor for the Development:
www.theharmonie.com.hk
Sticker Size: 230mm X 24mm
1. 發展項目及其周邊地區日後可能出現改變。 There may be future changes to the Development and the surrounding areas. 2. 本售樓說明書印製日期:2022年1月7日。 Date of printing of this Sales Brochure : 7th January 2022.
貼於《映築》售樓說明書第123頁

檢視 / 修改日期	所作修改 Revision Made				
Examination / Revision Date	頁次 Page Number	所作修改 Revision Made			
_	1	更新目錄。 Update the table of contents.			
	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
	18, 18-1, 18-2	更新關乎發展項目的分區計劃大綱圖等。 Update the outline zoning plan etc. relating to the development.			
	19	更新發展項目的布局圖。 Update the layout plan of the development.			
	26	更新發展項目的住宅物業的樓面平面圖。 Update the floor plans of residential properties in the development.			
	34	更新發展項目中的停車位的樓面平面圖。 Update the floor plans of parking spaces in the development.			
2022年4月6日 6th April 2022	80, 81	更新發展項目中的建築物的橫截面圖。 Update the cross-section plan of building in the development.			
	82, 83	更新立面圖。 Update the elevation plan.			
_	86, 91, 92	更新裝置、裝修物料及設備。 Update the fittings, finishes and appliances.			
	116, 118	更新申請建築物總樓面面積寬免的資料。 Update the information in application for concession on gross floor area building.			
	120	更新有關資料。 Update the relevant information.			
	122	更新按地政總署署長於預售樓花同意書要求列出的資料。 Update the information required to be set out by the Director of Lands und the presale consent.			
2022年7月4日 4th July 2022	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
2022年10月3日 3rd October 2022	17	更新關乎發展項目的分區計劃大綱圖等。 Update the outline zoning plan etc. relating to the development.			
	19	更新發展項目的布局圖。 Update the layout plan of the development.			
	26	更新發展項目的住宅物業的樓面平面圖。 Update the floor plan of residential properties in the development.			
	82 - 83	更新立面圖。 Update the elevation plan.			
	84	更新發展項目中的公用設施的資料。 Update information on common facilities in the development.			
	116, 118	更新申請建築物總樓面面積寬免的資料。 Update the information in application for concession on gross floor area of building.			

檢視 / 修改日期	所作修改 Revision Made			
Examination / Revision Date	頁次 Page Number	所作修改 Revision Made		
	9	修訂發展項目的資料。 Revise the Information on the development.		
	13	修訂發展項目的設計的資料。 Revise the information on design of the development.		
	15	更新發展項目的所在位置圖。 Update the location plan of the development.		
	19	更新發展項目的布局圖。 Update the layout plan of the development.		
2022年12月30日 30th December 2022	24, 26	更新發展項目的住宅物業的樓面平面圖。 Update the floor plans of residential properties in the development.		
	33, 34	更新發展項目中的停車位的樓面平面圖。 Update the floor plans of parking spaces in the development.		
	80, 81	更新發展項目中的建築物的橫截面圖。 Update the cross-section plan of building in the development.		
	82, 83	更新立面圖。 Update the elevation plan.		
	116, 118	更新申請建築物總樓面面積寬免的資料。 Update the information in application for concession on gross floor area of building.		
	4-	更新發展項目的所在位置圖。		
	15	Update the location plan of the development.		
2023年3月28日 28th March 2023	16, 16-1, 16-2	更新及增加發展項目的鳥瞰照片。 Update and add aerial photographs of the development.		
	18, 18-1	更新關乎發展項目的分區計劃大綱圖等。 Update the outline zoning plan etc. relating to the development.		
	4, 8	按一手住宅物業銷售監管局最新之一手住宅物業買家須知版本更新。 Update the Notes to Purchasers of First-hand Residential Properties as per the latest version by the Sales of First-hand Residential Properties Authority.		
	9	修訂發展項目的資料。 Revise the Information on the development.		
	14	修訂物業管理的資料。 Revise the information on property management.		
	15	更新發展項目的所在位置圖。 Update the location plan of the development.		
2023年6月28日 28th June 2023	16, 16-1	更新發展項目的鳥瞰照片。 Update the aerial photographs of the development.		
-	37, 39	修訂公契的摘要。 Revise summary of deed of mutual covenant.		
	85	修訂閱覽圖則及公契。 Revise the inspection of plans and deed of mutual covenant.		
	112	修訂買方的雜項付款。 Revise the miscellaneous payments by purchaser.		
	122	刪除按地政總署署長於預售樓花同意書要求列出的資料。 Delete the information required to be set out by the director of lands under the presale consent.		
0000		- 本年 20 日本 日本 10 日本 11		
2023年9月25日 25th September 2023	15	更新發展項目的所在位置圖。 Update the location plan of the development.		
	目録 Table of Contents	修訂第29項的標題描述。 Revise the heading description for Section 29.		
2023年12月22日 22nd December 2023	15	更新發展項目的所在位置圖。 Update the location plan of the development.		
	116-119	更新申請建築物總樓面面積寬免的資料。 Update the information in application for concession on gross floor area of building.		

檢視 / 修改日期	所作修改 Revision Made				
Examination / Revision Date	頁次 Page Number				
2024年3月20日 20th March 2024	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
2024年6月18日 18th June 2024	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
	16, 16-1, 16-2	更新發展項目的鳥瞰照片。 Update the aerial photographs of the development.			
		·			
2024年9月16日 16th September 2024	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
		·			
2024年12月16日 - 16th December 2024	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
	16, 16-1, 16-2	更新發展項目的鳥瞰照片,並删除第16-1及16-2頁中已過時的版本。 Update the aerial photograph of the development and delete the outdated version on pages 16-1 and 16-2.			
2025年3月13日 13th March 2025	10	更新賣方及有參與發展項目的其他人的資料 Update the information on vendor and others involved in the development.			
	15	更新發展項目的所在位置圖。 Update the location plan of the development.			
	16-1	更新發展項目的鳥瞰照片。 Update the aerial photograph of the development.			
	116, 118	更新申請建築物總樓面面積寬免的資料。 Update the information in application for concession on gross floor area (GFA) of building.			

此版乃特意留白

This page is deliberately left in blank

此版乃特意留白

This page is deliberately left in blank