GRAND HOMM

傲玟

售樓說明書 • Sales Brochure

You are advised to take the following steps before purchasing first-hand residential properties.

For all first-hand residential properties

1. Important information
- Make reference to the materials available on the Sales of First-hand Residential Properties Electronic Platform (SRPE) (www.srpe.gov.hk) on the first-hand residential property market.
- Study the information on the website designated by the vendor for the development, including the sales brochure, price lists, documents containing the sales arrangements, and the register of transactions of a development.
- Sales brochure for a development will be made available to the general public at least 7 days immediately before a date of sale while price list and sales arrangements will be made available at least 3 days immediately before the date of sale.
- Information on transactions can be found on the register of transactions on the website designated by the vendor for the development and the SRPE.

2. Fees, mortgage loan and property price
- Calculate the total expenses of the purchase, such as solicitors' fees, mortgage charges, insurance fees and stamp duties.
- Check with banks to find out if you will be able to obtain the needed mortgage loan, select the appropriate payment method and calculate the amount of the mortgage loan to ensure it is within your repayment ability.
- Check recent transaction prices of comparable properties for comparison.
- Check with the vendor or the estate agent the estimated management fee, the amount of management fee payable in advance (if any), special fund payable (if any), the amount of reimbursement of the deposits for water, electricity and gas (if any), and/or the amount of debris removal fee (if any) you have to pay to the vendor or the manager of the development.

3. Price list, payment terms and other financial incentives
- Vendors may not offer to sell all the residential properties that are covered in a price list. To know which residential properties the vendors may offer to sell, pay attention to the sales arrangements which will be announced by the vendors at least 3 days before the relevant residential properties are offered to be sold.
- Pay attention to the terms of payment as set out in a price list. If there are discounts on the price, gift, or any financial advantage or benefit to be made available in connection with the purchase of the residential properties, such information will also be set out in the price list.
- If you intend to opt for any mortgage loan plans offered by financial institutions specified by the vendor, before entering into a preliminary agreement for sale and purchase (PASP), you must study the details of various mortgage loan plans[1] as set out in the price list concerned. If you have any questions about these mortgage loan plans, you should check with the financial institutions concerned direct before entering into a PASP.

4. Property area and its surroundings
- Pay attention to the area information in the sales brochure and price list, and price per square foot/metre in the price list. According to the Residential Properties (First-hand Sales) Ordinance (Cap. 621) (the Ordinance), vendors can only present the area and price per square foot and per square metre of a residential property using saleable area. Saleable area, in relation to a residential property, means the floor area of the residential property, and includes the floor area of every one of the following to the extent that it forms part of the residential property - (i) a balcony; (ii) a utility platform; and (iii) a verandah. The saleable area excludes the area of the following which forms part of the residential property - air-conditioning plant room; bay window; cockloft; flat roof; garden; parking space; roof; stairhood; terrace and yard.
- Floor plans of all residential properties in the development have to be shown in the sales brochure. In a sales brochure, floor plans of residential properties in the development must state the external and internal dimensions of each residential property[2]. The external and internal dimensions of residential properties as provided in the sales brochure exclude plaster and finishes. You are advised to note this if you want to buy furniture before handing over of the residential property.
- Visit the development site and get to know the surroundings of the property (including transportation and community facilities). Check town planning proposals and decisions which may affect the property. Take a look at the location plan, aerial photograph, outline zoning plan and cross-section plan that are provided in the sales brochure.

5. Sales brochure
- Ensure that the sales brochure obtained is the latest version. According to the Ordinance, the sales brochure made available to the public should be printed or examined, or examined and revised within the previous 3 months.
- In respect of an uncompleted development, the vendor may alter the building plans (if any) whenever the vendor considers necessary. To know the latest information of an uncompleted development, keep paying attention to any revised sales brochures made available by the vendor.
- Read through the sales brochure and in particular, check the following information in the sales brochure -
  - whether there is a section on "relevant information" in the sales brochure, under which information on any matter that is known to the vendor but is not known to the general public, and is likely to materially affect the enjoyment of a residential property will be set out. Please note that information contained in a document that has been registered with the Land Registry will not be regarded as "relevant information";
  - the cross-section plan showing a cross-section of the building in relation to every street adjacent to the building, and the level of every such street in relation to a known datum and to the level of the lowest residential floor of the building. This will help you visualize the difference in height between the lowest residential floor of a building and the street level, regardless of how that lowest residential floor is named;
  - interior and exterior fittings and finishes and appliances;
  - the basis on which management fees are shared;
  - whether individual owners have obligations or need to share the expenses for managing, operating and maintaining the public open space or public facilities inside or outside the development, and the location of the public open space or public facilities; and
  - whether individual owners have responsibility to maintain slopes.

6. Government land grant and deed of mutual covenant (DMC)
- Read the Government land grant and the DMC (or the draft DMC). Information such as ownership of the rooftop and external walls can be found in the DMC. The vendor will provide copies of the Government land grant and the DMC (or the draft DMC) at the place where the sale is to take place for free inspection by prospective purchasers.
- Check the Government land grant on whether individual owners are liable to pay Government rent.
- Check the DMC on whether animals can be kept in the residential property.

7. Information on Availability of Residential Properties for Selection at Sales Office
- Check with the vendor which residential properties are available for selection. If a "consumption table" is displayed by the vendor at the sales office, you may check from the table information on the progress of sale on a date of sale, including which residential properties are offered for sale at the beginning of that date of sale and which of them have been selected and sold during that date of sale.
- Do not believe in rumours about the sales condition of the development and enter into a PASP rashly.

8. Register of Transactions
- Pay attention to the register of transactions for a development. A vendor must, within 24 hours after entering into a PASP with a purchaser, enter transaction information of the PASP in the register of transactions. The vendor must, within 1 working day after entering into an agreement for sale and purchase (ASP), enter transaction information of the ASP in the register of transactions. Check the register of transactions for the concerned development to learn more about the sales condition of the development.
- Never take the number of registrations of intent or cashier orders a vendor has received for the purpose of registration as an indicator of the sales volume of a development. The register of transactions for a development is the most reliable source of information from which members of the public can grasp the daily sales condition of the development.

9. Agreement for sale and purchase
- Ensure that the PASP and ASP include the mandatory provisions as required by the Ordinance.
- Pay attention that fittings, finishes and appliances to be included in the sale and purchase of the property are inserted in the PASP and ASP.
- Pay attention to the area plan annexed to the ASP which shows the total area which the vendor is selling to you. The total area which the vendor is selling to you is normally greater than the saleable area of the property.
- Pay attention to the vendor's right to alter the building plans (if any) for an uncompleted development. The mandatory provisions to be incorporated in an ASP for uncompleted development as required by the Ordinance include a provision requiring the vendor to notify the purchaser in writing of such alteration if the same affects in any way the property within 14 days after its having been approved by the Building Authority.
- A preliminary deposit of **5%** of the purchase price is payable by you to the owner (i.e. the seller) on entering into a PASP.
- If you do not execute the ASP within **5 working days** (working day means a day that is not a general holiday or a Saturday or a black rainstorm warning day or gale warning day) after entering into the PASP, the PASP is terminated, the preliminary deposit (i.e. 5% of the purchase price) is forfeited, and the owner (i.e. the seller) does not have any further claim against you for not executing the ASP.
- If you execute the ASP within 5 working days after the signing of the PASP, the owner (i.e. the seller) must execute the ASP within 8 working days after entering into the PASP.
- The deposit should be made payable to the solicitors' firm responsible for stakeholding purchasers' payments for the property.

10. Expression of intent of purchasing a residential property
- Note that vendors (including their authorized representative(s)) should not seek or accept any specific or general expression of intent of purchasing any residential property before the relevant price lists for such properties are made available to the public. You therefore should not make such an offer to the vendors or their authorized representative(s).
- Note that vendors (including their authorized representative(s)) should not seek or accept any specific expression of intent of purchasing a particular residential property before the sale of the property has commenced. You therefore should not make such an offer to the vendors or their authorized representative(s).

11. Appointment of estate agent

- Note that if the vendor has appointed one or more than one estate agents to act in the sale of any specified residential property in the development, the price list for the development must set out the name of all the estate agents so appointed as at the date of printing of the price list.
- You may appoint any estate agent (not necessarily from those estate agency companies appointed by the vendor) to act in the purchase of any specified residential property in the development, and may also not appoint any estate agent to act on your behalf.
- Before you appoint an estate agent to look for a property, you should -
  - find out whether the agent will act on your behalf only. If the agent also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest;
  - find out whether any commission is payable by you to the estate agent and, if so, its amount and the time of payment; and
  - note that only licensed estate agents or salespersons may accept your appointment. If in doubt, you should request the estate agent or salesperson to produce his/her Estate Agent Card, or check the Licence List on the Estate Agents Authority website: www.eaa.org.hk.

12. Appointment of solicitor

- Consider appointing your own solicitor to protect your interests. If the solicitor also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest.
- Compare the charges of different solicitors.

For first-hand uncompleted residential properties

13. Pre-sale Consent

- For uncompleted residential property under the Lands Department Consent Scheme, seek confirmation from the vendor whether the "Pre-sale Consent" has been issued by the Lands Department for the development.

14. Show flats

- While the vendor is not required to make any show flat available for viewing by prospective purchasers or the general public, if the vendor wishes to make available show flats of a specified residential property, the vendor must first of all make available an unmodified show flat of that residential property and that, having made available such unmodified show flat, the vendor may then make available a modified show flat of that residential property. In this connection, the vendor is allowed to make available more than one modified show flat of that residential property.
- If you visit the show flats, you should always look at the unmodified show flats for comparison with the modified show flats. That said, the Ordinance does not restrict the discretion of the vendor in arranging the sequence of the viewing of unmodified and modified show flats.
- Sales brochure of the development should have been made available to the public when the show flat is made available for viewing. You are advised to get a copy of the sales brochure and make reference to it when viewing the show flats.
- You may take measurements in modified and unmodified show flats, and take photographs or make video recordings of unmodified show flats, subject to reasonable restriction(s) which may be set by the vendor for ensuring safety of the persons viewing the show flat.

For first-hand uncompleted residential properties and completed residential properties pending compliance

15. Estimated material date and handing over date

- Check the estimated material date[3] for the development in the sales brochure.
  - The estimated material date for a development in the sales brochure is not the same as the date on which a residential property is handed over to purchaser. The latter is normally later than the former. However, the handing over date may be earlier than the estimated material date set out in the sales brochure in case of earlier completion of the development.
- Handing over date
  - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring the vendor to apply in writing for an Occupation Document/a Certificate of Compliance or the Director of Lands' Consent to Assign (as the case may be) in respect of the development within 14 days after the estimated material date as stipulated in the ASP.
    - ➢For development subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within one month after the issue of the Certificate of Compliance or the Consent to Assign, whichever first happens; or
    - ➢For development not subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within 6 months after the issue of the Occupation Document including Occupation Permit.
  - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring completion of the sale and purchase within 14 days after the date of the notification aforesaid. Upon completion, the vendor shall arrange handover of the property to the purchaser.
- Authorized Person (AP) may grant extension(s) of time for completion of the development beyond the estimated material date.
  - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision that the AP of a development may grant an extension of time for completion of the development beyond the estimated material date having regard to delays caused exclusively by any one or more of the following reasons:
    - ➢strike or lock-out of workmen;
    - ➢riots or civil commotion;
    - ➢force majeure or Act of God;
    - ➢fire or other accident beyond the vendor's control;
    - ➢war; or
    - ➢inclement weather.
  - The AP may grant more than once such an extension of time depending on the circumstances. That means handover of the property may be delayed.
  - The mandatory provisions to be incorporated in an ASP as required by the Ordinance also include a provision requiring the vendor to, within 14 days after the issue of an extension of time granted by the AP, furnish the purchaser with a copy of the relevant certificate of extension.
- Ask the vendor if there are any questions on handing over date.

For first-hand completed residential properties

16. Vendor's information form

- Ensure that you obtain the "vendor's information form(s)" printed within the previous 3 months in relation to the residential property/properties you intend to purchase.

17. Viewing of property

- Ensure that, before you purchase a residential property, you are arranged to view the residential property that you would like to purchase or, if it is not reasonably practicable to view the property in question, a comparable property in the development, unless you agree in writing that the vendor is not required to arrange such a comparable property for viewing for you. You are advised to think carefully before signing any waiver.
- You may take measurements, take photographs or make video recordings of the property, unless the property is held under a tenancy or reasonable restriction(s) is/are needed to ensure safety of the persons viewing the property.

For complaints and enquiries relating to the sales of first-hand residential properties by the vendors which the Ordinance applies, please contact the Sales of First-hand Residential Properties Authority -

Website	:	www.srpa.gov.hk
Telephone	:	2817 3313
Email	:	enquiry_srpa@hd.gov.hk
Fax	:	2219 2220

Other useful contacts:

Consumer Council

Website	:	www.consumer.org.hk
Telephone	:	2929 2222
Email	:	cc@consumer.org.hk
Fax	:	2856 3611

Estate Agents Authority

Website	:	www.eaa.org.hk
Telephone	:	2111 2777
Email	:	enquiry@eaa.org.hk
Fax	:	2598 9596

Real Estate Developers Association of Hong Kong

Telephone	:	2826 0111
Fax	:	2845 2521

Sales of First-hand Residential Properties Authority
March 2023

[1] The details of various mortgage loan plans include the requirements for mortgagors on minimum income level, the loan limit under the first mortgage and second mortgage, the maximum loan repayment period, the change of mortgage interest rate throughout the entire repayment period, and the payment of administrative fees.

[2] According to section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance, each of the floor plans of the residential properties in the development in the sales brochure must state the following—
(i) the external dimensions of each residential property;
(ii) the internal dimensions of each residential property;
(iii) the thickness of the internal partitions of each residential property;
(iv) the external dimensions of individual compartments in each residential property.
According to section 10(3) in Part 1 of Schedule 1 to the Ordinance, if any information required by section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance is provided in the approved building plans for the development, a floor plan must state the information as so provided.

[3] Generally speaking, "material date" means the date on which the conditions of the land grant are complied with in respect of the development, or the date on which the development is completed in all respects in compliance with the approved building plans or the conditions subject to which the certificate of exemption is issued. For details, please refer to section 2 of the Ordinance.

您在購置一手住宅物業之前，應留意下列事項：

適用於所有一手住宅物業

1. 重要資訊
- 瀏覽一手住宅物業銷售資訊網(下稱「銷售資訊網」)(網址:www.srpe.gov.hk)，參考「銷售資訊網」內有關一手住宅物業的市場資料。
- 閱覽賣方就該發展項目所指定的互聯網網站內的有關資訊，包括售樓說明書、價單、載有銷售安排的文件，及成交紀錄冊。
- 發展項目的售樓說明書，會在該項目的出售日期前最少七日向公眾發布，而有關價單和銷售安排，亦會在該項目的出售日期前最少三日公布。
- 在賣方就有關發展項目所指定的互聯網網站，以及「銷售資訊網」內，均載有有關物業成交資料的成交紀錄冊，以供查閱。

2. 費用、按揭貸款和樓價
- 計算置業總開支，包括律師費、按揭費用、保險費，以及印花稅。
- 向銀行查詢可否取得所需的按揭貸款，然後選擇合適的還款方式，並小心計算按揭貸款金額，以確保貸款額沒有超出本身的負擔能力。
- 查閱同類物業最近的成交價格，以作比較。
- 向賣方或地產代理瞭解，您須付予賣方或該發展項目的管理人的預計的管理費、管理費上期金額(如有)、特別基金金額(如有)、補還的水、電力及氣體按金(如有)，以及/或清理廢料的費用(如有)。

3. 價單、支付條款，以及其他財務優惠
- 賣方未必會把價單所涵蓋的住宅物業悉數推售，因此應留意有關的銷售安排，以了解賣方會推售的住宅物業為何。賣方會在有關住宅物業推售日期前最少三日公布銷售安排。
- 留意價單所載列的支付條款。倘買家可就購置有關住宅物業而連帶獲得價格折扣、贈品，或任何財務優惠或利益，上述資訊亦會在價單內列明。
- 如您擬選用由賣方指定的財務機構提供的各類按揭貸款計劃，在簽訂臨時買賣合約前，應先細閱有關價單內列出的按揭貸款計劃資料[1]。如就該些按揭貸款計劃的詳情有任何疑問，應在簽訂臨時買賣合約前，直接向有關財務機構查詢。

4. 物業的面積及四周環境
- 留意載於售樓說明書和價單內的物業面積資料，以及載於價單內的每平方呎/每平方米售價。根據《一手住宅物業銷售條例》(第621章)(下稱「條例」)，賣方只可以實用面積表達住宅物業的面積和每平方呎及平方米的售價。就住宅物業而言，實用面積指該住宅物業的樓面面積，包括在構成該物業的一部分的範圍內的以下每一項目的樓面面積：(i)露台；(ii)工作平台；以及(iii)陽台。實用面積並不包括空調機房、窗台、閣樓、平台、花園、停車位、天台、梯屋、前庭及庭院的每一項目的面積，即使該些項目構成該物業的一部分的範圍。
- 售樓說明書必須顯示發展項目中所有住宅物業的樓面平面圖。在售樓說明書所載有關發展項目中住宅物業的每一份樓面平面圖，均須述明每個住宅物業的外部和內部尺寸[2]。售樓說明書所提供有關住宅物業外部和內部的尺寸，不會把批盪和裝飾物料包括在內。買家收樓前如欲購置家具，應留意這點。
- 親臨發展項目的所在地實地視察，以了解有關物業的四周環境(包括交通和社區設施)；亦應查詢有否任何城市規劃方案和議決，會對有關的物業造成影響；參閱載於售樓說明書內的位置圖、鳥瞰照片、分區計劃大綱圖，以及橫截面圖。

5. 售樓說明書
- 確保所取得的售樓說明書屬最新版本。根據條例，提供予公眾的售樓說明書必須是在之前的三個月之內印製或檢視、或檢視及修改。
- 如屬未落成發展項目，賣方在認為有需要時可改動建築圖則（如有的話），因此應留意由賣方提供的任何經修改的售樓說明書，以了解有關未落成發展項目的最新資料。
- 閱覽售樓說明書，並須特別留意以下資訊：
  - 售樓說明書內有否關於「有關資料」的部分，列出賣方知悉但並非為一般公眾人士所知悉，關於相當可能對享用有關住宅物業造成重大影響的事宜的資料。請注意，已在土地註冊處註冊的文件，其內容不會被視為「有關資料」；
  - 橫截面圖會顯示有關建築物相對毗連該建築物的每條街道的橫截面，以及每條上述街道與已知基準面和該建築物最低的一層住宅樓層的水平相對的水平。橫截面圖能以圖解形式，顯示出建築物最低一層住宅樓層和街道水平的高低差距，不論該最低住宅樓層以何種方式命名；
  - 室內和外部的裝置、裝修物料和設備；
  - 管理費按甚麼基準分擔；
  - 小業主有否責任或需要分擔管理、營運或維持有關發展項目以內或以外的公眾休憩用地或公共設施的開支，以及有關公眾休憩用地或公共設施的位置；以及
  - 小業主是否須要負責維修斜坡。

6. 政府批地文件和公契
- 閱覽政府批地文件和公契(或公契擬稿)。公契內載有天台和外牆業權等相關資料。賣方會在售樓處提供政府批地文件和公契(或公契擬稿)的複本，供準買家免費閱覽。
- 留意政府批地文件內所訂明小業主是否須要負責支付地稅。
- 留意公契內訂明有關物業內可否飼養動物。

7. 售樓處內有關可供揀選住宅物業的資料
- 向賣方查詢清楚有哪些一手住宅物業可供揀選。若賣方在售樓處內展示「消耗表」，您可從該「消耗表」得悉在每個銷售日的銷售進度資料，包括在該個銷售日開始時有哪些住宅物業可供出售，以及在該個銷售日內有哪些住宅物業已獲揀選及售出。
- 切勿隨便相信有關發展項目銷情的傳言，倉卒簽立臨時買賣合約。

8. 成交紀錄冊
- 留意發展項目的成交紀錄冊。賣方須於臨時買賣合約訂立後的24小時內，於紀錄冊披露該臨時買賣合約的資料，以及於買賣合約訂立後一個工作天內，披露該買賣合約的資料。您可透過成交紀錄冊得悉發展項目的銷售情況。
- 切勿將賣方接獲用作登記的購樓意向書或本票的數目視為銷情指標。發展項目的成交紀錄冊才是讓公眾掌握發展項目每日銷售情況的最可靠資料來源。

9. 買賣合約
- 確保臨時買賣合約和買賣合約包含條例所規定的強制性條文。
- 留意有關物業買賣交易所包括的裝置、裝修物料和設備，須在臨時買賣合約和買賣合約上列明。
- 留意夾附於買賣合約的圖則。該圖則會顯示所有賣方售予您的物業面積，而該面積通常較該物業的實用面積為大。
- 留意賣方有權改動未落成發展項目的建築圖則（如有的話）。如屬未落成發展項目，條例規定物業的買賣合約須載有強制性條文，列明如有關改動在任何方面對該物業造成影響，賣方須在改動獲建築事務監督批准後的14日內，將該項改動以書面通知買家。
- 訂立臨時買賣合約時，您須向擁有人(即賣方)支付樓價**5%**的臨時訂金。
- 如您在訂立臨時買賣合約後**五個工作日**(工作日指並非公眾假日、星期六、黑色暴雨警告日或烈風警告日的日子)之內，沒有簽立買賣合約，該臨時買賣合約即告終止，有關臨時訂金(即樓價的5%)會被沒收，而擁有人(即賣方)不得因您沒有簽立買賣合約而對您提出進一步申索。
- 在訂立臨時買賣合約後的五個工作日之內，倘您簽立買賣合約，則擁有人(即賣方)必須在訂立該臨時買賣合約後的八個工作日之內簽立買賣合約。
- 有關的訂金，應付予負責為所涉物業擔任保證金保存人的律師事務所。

10. 表達購樓意向
- 留意在賣方(包括其獲授權代表)就有關住宅物業向公眾提供價單前，賣方不得尋求或接納任何對有關住宅物業的購樓意向(不論是否屬明確選擇購樓意向)。因此您不應向賣方或其授權代表提出有關意向。
- 留意在有關住宅物業的銷售開始前，賣方(包括其獲授權代表)不得尋求或接納任何對該物業的有明確選擇購樓意向。因此您不應向賣方或其授權代表提出有關意向。

11. 委託地產代理
- 留意倘賣方委任一個或多於一個地產代理，以協助銷售其發展項目內任何指明住宅物業，該發展項目的價單必須列明在價單印刷日期當日所有獲委任為地產代理的姓名/名稱。
- 您可委託任何地產代理(不一定是賣方所指定的地產代理)，以協助您購置發展項目內任何指明住宅物業；您亦可不委託任何地產代理。
- 委託地產代理以物色物業前，您應該–
  - 了解該地產代理是否只代表您行事。該地產代理若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益；
  - 了解您須否支付佣金予該地產代理。若須支付，有關的佣金金額和支付日期為何；以及
  - 留意只有持牌地產代理或營業員才可以接受您的委託。如有疑問，應要求該地產代理或營業員出示其「地產代理證」，或瀏覽地產代理監管局的網頁(網址：www.eaa.org.hk)，查閱牌照目錄。

12. 委聘律師
- 考慮自行委聘律師，以保障您的利益。該律師若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益。
- 比較不同律師的收費。

適用於一手未落成住宅物業

13. 預售樓花同意書
- 洽購地政總署「預售樓花同意方案」下的未落成住宅物業時，應向賣方確認地政總署是否已就該發展項目批出「預售樓花同意書」。

14. 示範單位
- 賣方不一定須設置示範單位供準買家或公眾參觀，但賣方如為某指明住宅物業設置示範單位，必須首先設置該住宅物業的無改動示範單位，才可設置該住宅物業的經改動示範單位，並可以就該住宅物業設置多於一個經改動示範單位。
- 參觀示範單位時，務必視察無改動示範單位，以便與經改動示範單位作出比較。然而，條例並沒有限制賣方安排參觀無改動示範單位及經改動示範單位的先後次序。
- 賣方設置示範單位供公眾參觀時，應已提供有關發展項目的售樓說明書。因此，緊記先行索取售樓說明書，以便在參觀示範單位時參閱相關資料。
- 您可以在無改動示範單位及經改動示範單位中進行量度，並在無改動示範單位內拍照或拍攝影片，惟在確保示範單位參觀者人身安全的前提下，賣方可能會設定合理的限制。

適用於一手未落成住宅物業及尚待符合條件的已落成住宅物業

15. 預計關鍵日期及收樓日期

- 查閱售樓說明書中有關發展項目的預計關鍵日期[3]。
  - 售樓說明書中有關發展項目的預計關鍵日期並不等同買家的「收樓日期」。買家的「收樓日期」一般會較發展項目的預計關鍵日期遲。然而，假若發展項目比預期早落成，「收樓日期」可能會較售樓說明書列出的預計關鍵日期為早。
- 收樓日期
  - 條例規定買賣合約須載有強制性條文，列明賣方須於買賣合約內列出的預計關鍵日期後的14日內，以書面為發展項目申請佔用文件、合格證明書，或地政總署署長的轉讓同意(視屬何種情況而定)。
    - ➢如發展項目屬地政總署預售樓花同意方案所規管，賣方須在合格證明書或地政總署署長的轉讓同意發出後的一個月內(以較早者為準)，就賣方有能力有效地轉讓有關物業一事，以書面通知買家；或
    - ➢如發展項目並非屬地政總署預售樓花同意方案所規管，賣方須在佔用文件(包括佔用許可證)發出後的六個月內，就賣方有能力有效地轉讓有關物業一事，以書面通知買家。
  - 條例規定買賣合約須載有強制性條文，列明有關物業的買賣須於賣方發出上述通知的日期的14日內完成。有關物業的買賣完成後，賣方將安排買家收樓事宜。
- 認可人士可批予在預計關鍵日期之後完成發展項目
  - 條例規定買賣合約須載有強制性條文，列明發展項目的認可人士可以在顧及純粹由以下一個或多於一個原因所導致的延遲後，批予在預計關鍵日期之後，完成發展項目：
    - ➢工人罷工或封閉工地；
    - ➢暴動或內亂；
    - ➢不可抗力或天災；
    - ➢火警或其他賣方所不能控制的意外；
    - ➢戰爭；或
    - ➢惡劣天氣。
  - 發展項目的認可人士可以按情況，多於一次批予延後預計關鍵日期以完成發展項目，即收樓日期可能延遲。
  - 條例規定買賣合約須載有強制性條文，列明賣方須於認可人士批予延期後的14日內，向買家提供有關延期證明書的文本。
- 如對收樓日期有任何疑問，可向賣方查詢。

適用於一手已落成住宅物業

16. 賣方資料表格

- 確保取得最近三個月內印製有關您擬購買的一手已落成住宅物業的「賣方資料表格」。

17. 參觀物業

- 購置住宅物業前，確保已獲安排參觀您打算購置的住宅物業。倘參觀有關物業並非合理地切實可行，則應參觀與有關物業相若的物業，除非您以書面同意賣方無須開放與有關物業相若的物業供您參觀。您應仔細考慮，然後才決定是否簽署豁免上述規定的書面同意。
- 除非有關物業根據租約持有，或為確保物業參觀者的人身安全而須設定合理限制，您可以對該物業進行量度、拍照或拍攝影片。

任何與賣方銷售受條例所規管的一手住宅物業有關的投訴和查詢，請與一手住宅物業銷售監管局聯絡。

網址 ： www.srpa.gov.hk
電話 ： 2817 3313
電郵 ： enquiry_srpa@hd.gov.hk
傳真 ： 2219 2220

其他相關聯絡資料：

消費者委員會
網址 ： www.consumer.org.hk
電話 ： 2929 2222
電郵 ： cc@consumer.org.hk
傳真 ： 2856 3611

地產代理監管局
網址 ： www.eaa.org.hk
電話 ： 2111 2777
電郵 ： enquiry@eaa.org.hk
傳真 ： 2598 9596

香港地產建設商會
電話 ： 2826 0111
傳真 ： 2845 2521

一手住宅物業銷售監管局
2023年3月

[1] 按揭貸款計劃的資料包括有關按揭貸款計劃對借款人的最低收入的要求、就第一按揭連同第二按揭可獲得的按揭貸款金額上限、最長還款年期、整個還款期內的按揭利率變化，以及申請人須繳付的手續費。

[2] 根據條例附表1第1部第10(2)(d)條述明，售樓說明書內顯示的發展項目中的住宅物業的每一份樓面平面圖須述明以下各項—
(i) 每個住宅物業的外部尺寸；
(ii) 每個住宅物業的內部尺寸；
(iii) 每個住宅物業的內部間隔的厚度；
(iv) 每個住宅物業內個別分隔室的外部尺寸。
根據條例附表1第1部第10(3)條，如有關發展項目的經批准的建築圖則，提供條例附表1第1部第10(2)(d)條所規定的資料，樓面平面圖須述明如此規定的該資料。

[3] 一般而言，「關鍵日期」指該項目符合批地文件的條件的日期，或該項目在遵照經批准的建築圖則的情況下或按照豁免證明書的發出的條件在各方面均屬完成的日期。有關詳情請參閱條例第2條。

The Name of the Street at which the Development is situated and the Street Number allocated by the Commissioner of Rating and Valuation for the purpose of distinguishing the Development
17 Sheung Shing Street

The Development consists of 6 multi-unit buildings

Total Number of Storeys of each multi-unit building
Tower 1: 26 storeys
Tower 2: 26 storeys
Tower 3: 25 storeys
Tower 5: 19 storeys
Tower 6: 19 storeys
Tower 7: 19 storeys

The above number of storeys of Tower 1 & 2 does not include B2/F, B1/F, roof floor, plant room floor and upper roof
The above number of storeys of Tower 3, 5, 6 & 7 does not include B2/F, B1/F, transfer plate, roof floor, plant room floor and upper roof

Floor Numbering in each multi-unit building as provided in the approved building plans for the Development
Tower 1: B2/F, B1/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-29/F, roof floor, plant room floor and upper roof
Tower 2: B2/F, B1/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-29/F, roof floor, plant room floor and upper roof
Tower 3: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-29/F, roof floor, plant room floor and upper roof
Tower 5: B2/F, B1/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-21/F, roof floor, plant room floor and upper roof
Tower 6: B2/F, B1/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-21/F, roof floor, plant room floor and upper roof
Tower 7: B2/F, B1/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-21/F, roof floor, plant room floor and upper roof

Omitted floor numbers in each multi-unit building in which the floor numbering is not in consecutive order
Tower 1: 4/F, 13/F, 14/F and 24/F
Tower 2: 4/F, 13/F, 14/F and 24/F
Tower 3: 1/F, 4/F, 13/F, 14/F and 24/F
Tower 5: 4/F, 13/F and 14/F
Tower 6: 4/F, 13/F and 14/F
Tower 7: 4/F, 13/F and 14/F

Refuge floors (if any) of each multi-unit building
There is no refuge floor in each tower

發展項目所位於的街道的名稱及由差餉物業估價署署長為識別發展項目的目的而編配的門牌號數
常盛街17號

發展項目包含6幢多單位建築物

每幢多單位建築物的樓層的總數
第1座： 26層
第2座： 26層
第3座： 25層
第5座： 19層
第6座： 19層
第7座： 19層

上述第1及2座樓層數目並不包括地庫2、地庫1、天台、機房層及高層天台
上述第 3、5、6及7座樓層數目並不包括地庫2、地庫1、轉換層、天台、機房層及高層天台

發展項目的經批准的建築圖則所規定的每幢多單位建築物內的樓層號數
第1座： 地庫2、地庫1、地下、1樓至3樓、5樓至12樓、15樓至23樓、25樓至29樓、天台、機房層及高層天台
第2座： 地庫2、地庫1、地下、1樓至3樓、5樓至12樓、15樓至23樓、25樓至29樓、天台、機房層及高層天台
第3座： 地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓、25樓至29樓、天台、機房層及高層天台
第5座： 地庫2、地庫1、地下、1樓至3樓、5樓至12樓、15樓至21樓、天台、機房層及高層天台
第6座： 地庫2、地庫1、地下、1樓至3樓、5樓至12樓、15樓至21樓、天台、機房層及高層天台
第7座： 地庫2、地庫1、地下、1樓至3樓、5樓至12樓、15樓至21樓、天台、機房層及高層天台

每幢有不依連續次序的樓層號數的多單位建築物內被略去的樓層號數
第1座： 4樓、13樓、14樓及24樓
第2座： 4樓、13樓、14樓及24樓
第3座： 1樓、4樓、13樓、14樓及24樓
第5座： 4樓、13樓及14樓
第6座： 4樓、13樓及14樓
第7座： 4樓、13樓及14樓

每幢多單位建築物內的庇護層(如有的話)
每幢均不設庇護層

Vendor
Gold Topmont Limited (Receivers and Managers Appointed)

賣方
金鋑有限公司（已委任接管人和經理人）

Holding Companies of the Vendor
Perfect Elite Ventures Limited
Elite Ray Holdings Limited
Gold Favour Investments Limited
Gold Faith Global Limited
Sense Brilliant Limited
Great Bliss Enterprises Limited
Loyal Faith Group Limited

賣方的控權公司
傑美創投有限公司
傑亮控股有限公司
金惠投資有限公司
金信環球有限公司
Sense Brilliant Limited
Great Bliss Enterprises Limited
Loyal Faith Group Limited

Authorized Person for the Development
Lai Chi Leung, Henry

發展項目的認可人士
賴志良

The Firm or Corporation of which an Authorized Person for the Development is a proprietor, director or employee in his or her professional capacity
Archiplus International (HK) Limited

發展項目的認可人士以其專業身分擔任經營人、董事或僱員的商號或法團
亞設貝佳國際（香港）有限公司

Building Contractor for the Development
Gammon Engineering & Construction Company Limited

發展項目的承建商
Gammon Engineering & Construction Company Limited

The Firm of Solicitors acting for the Owner in relation to the sale of residential properties in the Development
Deacons

就發展項目中的住宅物業的出售而代表擁有人行事的律師事務所
的近律師行

Authorized Institutions that have made a loan, or have undertaken to provide finance, for the construction of the Development
Industrial & Commercial Bank of China (Asia) Limited
China Everbright Bank Co., Ltd. Hong Kong Branch
Shanghai Commercial Bank Limited
The Shanghai Commercial & Savings Bank, Ltd.

已為發展項目的建造提供貸款或已承諾為該項建造提供融資的認可機構
中國工商銀行（亞洲）有限公司
中國光大銀行股份有限公司香港分行
上海商業銀行有限公司
上海商業儲蓄銀行股份有限公司

Any other person who has made a loan for the construction of the Development
Industrial & Commercial Bank of China (Macau) Limited
Grand XI Investments Pte. Ltd.
BMBC Series 22 Limited

已為發展項目的建造提供貸款的任何其他人
中國工商銀行（澳門）股份有限公司
Grand XI Investments Pte. Ltd.
BMBC Series 22 Limited

(a)	The Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of an Authorized Person for the Development;	Not Applicable
(b)	The Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of such an Authorized Person;	Not Applicable
(c)	The Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of such an Authorized Person;	No
(d)	The Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of an associate of such an Authorized Person;	Not Applicable
(e)	The Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of an associate of such an Authorized Person;	Not Applicable
(f)	The Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of an associate of such an Authorized Person;	No
(g)	The Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development;	Not Applicable
(h)	The Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development;	Not Applicable
(i)	The Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of a proprietor of such a firm of solicitors;	No
(j)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a private company, and an Authorized Person for the Development, or an associate of such an Authorized Person, holds at least 10% of the issued shares in that Vendor, holding company or contractor;	No
(k)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a listed company, and such an Authorized Person, or such an associate, holds at least 1% of the issued shares in that Vendor, holding company or contractor;	Not Applicable
(l)	The Vendor or a building contractor for the Development is a corporation, and such an Authorized Person, or such an associate, is an employee, director or secretary of that Vendor or contractor or of a holding company of that Vendor;	No
(m)	The Vendor or a building contractor for the Development is a partnership, and such an Authorized Person, or such an associate, is an employee of that Vendor or contractor;	Not Applicable
(n)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a private company, and a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development holds at least 10% of the issued shares in that Vendor, holding company or contractor;	No
(o)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a listed company, and a proprietor of such a firm of solicitors holds at least 1% of the issued shares in that Vendor, holding company or contractor;	Not Applicable
(p)	The Vendor or a building contractor for the Development is a corporation, and a proprietor of such a firm of solicitors is an employee, director or secretary of that Vendor or contractor or of a holding company of that Vendor;	No
(q)	The Vendor or a building contractor for the Development is a partnership, and a proprietor of such a firm of solicitors is an employee of that Vendor or contractor;	Not Applicable
(r)	The Vendor or a building contractor for the Development is a corporation, and the corporation of which an Authorized Person for the Development is a director or employee in his or her professional capacity is an associate corporation of that Vendor or contractor or of a holding company of that Vendor;	No
(s)	The Vendor or a building contractor for the Development is a corporation, and that contractor is an associate corporation of that Vendor or of a holding company of that Vendor;	No

(a)	賣方或有關發展項目的承建商屬個人，並屬該項目的認可人士的家人；	不適用
(b)	賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的家人；	不適用
(c)	賣方或該項目的承建商屬法團，而該賣方或承建商（或該賣方的控權公司）的董事或秘書屬上述認可人士的家人；	否
(d)	賣方或該項目的承建商屬個人，並屬上述認可人士的有聯繫人士的家人；	不適用
(e)	賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的有聯繫人士的家人；	不適用
(f)	賣方或該項目的承建商屬法團，而該賣方或承建商（或該賣方的控權公司）的董事或秘書屬上述認可人士的有聯繫人士的家人；	否
(g)	賣方或該項目的承建商屬個人，並屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人；	不適用
(h)	賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人；	不適用
(i)	賣方或該項目的承建商屬法團，而該賣方或承建商（或該賣方的控權公司）的董事或秘書屬上述律師事務所的經營人的家人；	否
(j)	賣方、賣方的控權公司或有關發展項目的承建商屬私人公司，而該項目的認可人士或該認可人士的有聯繫人士持有該賣方、控權公司或承建商最少10%的已發行股份；	否
(k)	賣方、賣方的控權公司或該項目的承建商屬上市公司，而上述認可人士或上述有聯繫人士持有該賣方、控權公司或承建商最少1%的已發行股份；	不適用
(l)	賣方或該項目的承建商屬法團，而上述認可人士或上述有聯繫人士屬該賣方、承建商或該賣方的控權公司的僱員、董事或秘書；	否
(m)	賣方或該項目的承建商屬合夥，而上述認可人士或上述有聯繫人士屬該賣方或承建商的僱員；	不適用
(n)	賣方、賣方的控權公司或該項目的承建商屬私人公司，而就該項目中的住宅物業的出售而代表擁有人行事的律師事務所的經營人持有該賣方、控權公司或承建商最少10%的已發行股份；	否
(o)	賣方、賣方的控權公司或該項目的承建商屬上市公司，而上述律師事務所的經營人持有該賣方、控權公司或承建商最少1%的已發行股份；	不適用
(p)	賣方或該項目的承建商屬法團，而上述律師事務所的經營人屬該賣方或承建商或該賣方的控權公司的僱員、董事或秘書；	否
(q)	賣方或該項目的承建商屬合夥，而上述律師事務所的經營人屬該賣方或承建商的僱員；	不適用
(r)	賣方或該項目的承建商屬法團，而該項目的認可人士以其專業身份擔任董事或僱員的法團為該賣方或承建商或該賣方的控權公司的有聯繫法團；	否
(s)	賣方或該項目的承建商屬法團，而該承建商屬該賣方或該賣方的控權公司的有聯繫法團。	否

There are non-structural prefabricated external walls forming part of the enclosing walls of the Development.
The range of thickness of the non-structural prefabricated external walls of each tower is 150mm.
There are curtain walls forming part of the enclosing walls of the Development.
The range of thickness of the curtain walls of each tower is 200mm.

發展項目有構成圍封牆的一部分的非結構的預製外牆。
每幢建築物的非結構的預製外牆的厚度範圍為150毫米。
發展項目有構成圍封牆的一部分的幕牆。
每幢建築物的幕牆的厚度範圍為200毫米。

Schedule of the total area of the non-structural prefabricated external walls and curtain walls of each residential property

每個住宅物業的非結構的預製外牆及幕牆的總面積表

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Total area of the non-structural prefabricated external walls of each residential property (sq.m.) 每個住宅物業的非結構的預製外牆的總面積 (平方米)	Total area of the curtain walls of each residential property (sq.m.) 每個住宅物業的幕牆的總面積 (平方米)
Tower 1 第1座	G/F & 1/F (Duplex) 地下及1樓(複式)	A	1.470	1.580
		C	2.150	1.844
	2/F 2樓	A	1.207	0.790
		B	1.526	0.868
		C	1.362	1.274
	3/F, 5/F - 12/F, 15/F - 23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓	A	1.207	0.790
		B	1.391	0.868
		C	1.362	1.274
	26/F 26樓	A	1.129	2.528
		C	1.362	1.274
	27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓(三層頂層單位)	A	-	11.692
	27/F 27樓	B	-	0.868
		C	1.362	1.274
	28/F & 29/F (Duplex) 28樓及29樓(複式)	C	-	2.879

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Total area of the non-structural prefabricated external walls of each residential property (sq.m.) 每個住宅物業的非結構的預製外牆的總面積 (平方米)	Total area of the curtain walls of each residential property (sq.m.) 每個住宅物業的幕牆的總面積 (平方米)
Tower 2 第2座	G/F & 1/F (Duplex) 地下及1樓(複式)	C	2.150	1.844
	2/F 2樓	A	1.253	0.820
		B	1.222	1.028
		C	1.341	1.274
	3/F, 5/F - 12/F, 15/F - 23/F & 25/F - 26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓	A	1.253	0.820
		B	1.220	1.028
		C	1.341	1.274
	27/F & 28/F (Duplex) 27樓及28樓(複式)	A	-	2.250
	27/F 27樓	B	0.724	1.028
		C	1.341	1.274
	28/F & 29/F (Duplex) 28樓及29樓(複式)	B	-	2.512
		C	-	2.819

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Total area of the non-structural prefabricated external walls of each residential property (sq.m.) 每個住宅物業的非結構的預製外牆的總面積 (平方米)	Total area of the curtain walls of each residential property (sq.m.) 每個住宅物業的幕牆的總面積 (平方米)
Tower 3 第3座	2/F 2樓	A	0.766	1.260
		B	0.840	0.864
		C	0.784	0.955
		D	1.137	0.618
	3/F, 5/F - 12/F, 15/F - 23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓	A	0.766	1.260
		B	0.840	0.864
		C	0.657	0.955
		D	1.137	0.618
	26/F 26樓	A	0.874	3.819
		C	0.657	0.955
		D	1.136	0.618
	27/F 27樓	A	0.874	4.219
		C	0.657	0.955
		D	1.136	0.618
	28/F & 29/F (Duplex) 28樓及29樓 (複式)	A	0.874	10.040
	28/F 28樓	C	0.657	0.955
		D	1.136	0.618
	29/F 29樓	C	-	2.323

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Total area of the non-structural prefabricated external walls of each residential property (sq.m.) 每個住宅物業的非結構的預製外牆的總面積 (平方米)	Total area of the curtain walls of each residential property (sq.m.) 每個住宅物業的幕牆的總面積 (平方米)
Tower 5 第5座	2/F 2樓	A	1.035	1.060
		B	1.548	1.078
		C	0.705	1.283
		D	0.322	1.293
	3/F, 5/F - 12/F & 15/F - 18/F 3樓、5樓至12樓及15樓至18樓	A	1.035	1.060
		B	1.435	1.078
		C	0.705	1.283
		D	0.322	1.293
	19/F & 20/F (Duplex) 19樓及20樓(複式)	A	0.758	2.310
	19/F 19樓	B	1.473	1.078
		C	0.705	1.283
		D	0.322	1.293
	20/F & 21/F (Duplex) 20樓及21樓 (複式)	B	0.262	3.833
		C	0.900	3.066
		D	-	3.086

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Total area of the non-structural prefabricated external walls of each residential property (sq.m.) 每個住宅物業的非結構的預製外牆的總面積 (平方米)	Total area of the curtain walls of each residential property (sq.m.) 每個住宅物業的幕牆的總面積 (平方米)
Tower 6 第6座	2/F 2樓	A	1.350	1.010
		B	1.185	0.910
		C	0.540	1.148
		D	0.551	1.148
	3/F, 5/F - 12/F & 15/F - 18/F 3樓、5樓至12樓及15樓至18樓	A	1.238	1.010
		B	1.185	0.910
		C	0.427	1.148
		D	0.439	1.148
	19/F & 20/F (Duplex) 19樓及20樓(複式)	A	0.615	2.210
	19/F 19樓	B	1.103	0.910
		C	0.427	1.148
		D	0.439	1.148
	20/F & 21/F (Duplex) 20樓及21樓 (複式)	B	-	3.597
	20/F 20樓	C	0.427	1.148
		D	0.439	1.148
	21/F 21樓	C	-	2.885

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Total area of the non-structural prefabricated external walls of each residential property (sq.m.) 每個住宅物業的非結構的預製外牆的總面積 (平方米)	Total area of the curtain walls of each residential property (sq.m.) 每個住宅物業的幕牆的總面積 (平方米)
Tower 7 第7座	2/F 2樓	A	1.233	0.958
		B	1.024	0.990
		C	0.634	1.138
	3/F, 5/F - 12/F & 15/F - 18/F 3樓、5樓至12樓及15樓至18樓	A	1.120	0.958
		B	1.024	0.990
		C	0.634	1.138
	19/F & 20/F (Duplex) 19樓及20樓(複式)	A	0.416	2.506
	19/F 19樓	B	1.024	0.990
		C	0.634	1.138
	20/F & 21/F (Duplex) 20樓及21樓 (複式)	B	0.416	2.598
		C	-	2.846

The manager of the Development appointed under the executed Deed of Mutual Covenant:
Jones Lang LaSalle Management Services Limited

根據已簽立的公契，獲委任為發展項目的管理人：
仲量聯行物業管理有限公司



Boundary of the Development
發展項目的邊界

Scale 比例
Metre 米 0 50 100 150 200 250

Notation 圖例 :

- Petrol filling station 油站
- Power plant (including electricity sub-stations) 發電廠 (包括電力分站)
- Addiction treatment centre 戒毒院所
- Clinic 診療所
- Ambulance depot 救護車站
- Refuse collection point 垃圾收集站
- Market (including a wet market and a wholesale market) 市場 (包括濕貨市場及批發市場)
- Police station 警署
- Public carpark (including a lorry park) 公眾停車場 (包括貨車停泊處)
- Public convenience 公廁
- Public transport terminal (including a rail station) 公共交通總站 (包括鐵路車站)
- Public utility installation 公用事業設施裝置
- Religious institution (including a church, a temple and a Tsz Tong) 宗教場所 (包括教堂、廟宇及祠堂)
- School (including a kindergarten) 學校 (包括幼稚園)
- Social welfare facilities (including an elderly centre and a home for the mentally disabled) 社會福利設施 (包括老人中心及弱智人士護理院)
- Sports facilities (including a sports ground and a swimming pool) 體育設施 (包括運動場及游泳池)
- Public park 公園

This location plan is prepared by the Vendor with reference to the Survey Sheet No.T11-NW-D from Survey and Mapping Office of the Lands Department, with adjustments where necessary.
此所在位置圖是由賣方擬備並參考地政總署測繪處出版之測繪圖，圖則編號T11-NW-D，有需要處經修正處理。

The Map is provided by the CSDI Portal and intellectual property rights are owned by the Government of the HKSAR.
地圖由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。

Notes 附註 :
Due to technical reasons, this location plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此所在位置圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。

Location of the Development
發展項目的位置

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of the Lands Department at a flying height of 2,000 feet, Photo No. E220882C, dated 20th March 2024.
摘錄自地政總署測繪處於2024年3月20日在2,000呎飛行高度拍攝之鳥瞰照片，編號為E220882C。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
香港特別行政區政府地政總署測繪處版權所有，未經許可，不得複製。
The aerial photograph is provided by the CSDI Portal and intellectual property rights are owned by the Government of the HKSAR.
鳥瞰照片由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。

Note 附註:
Due to technical reasons, this aerial photograph has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此鳥瞰照片所顯示的範圍超過《一手住宅物業銷售條例》的規定。

N

Location of the Development
發展項目的位置

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of the Lands Department at a flying height of 2,000 feet, Photo No. E220884C, dated 20th March 2024.
摘錄自地政總署測繪處於2024年3月20日在2,000呎飛行高度拍攝之鳥瞰照片，編號為E220884C。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
香港特別行政區政府地政總署測繪處版權所有，未經許可，不得複製。
The aerial photograph is provided by the CSDI Portal and intellectual property rights are owned by the Government of the HKSAR.
鳥瞰照片由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。

Note 附註:
Due to technical reasons, this aerial photograph has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此鳥瞰照片所顯示的範圍超過《一手住宅物業銷售條例》的規定。

Location of the Development
發展項目的位置

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of the Lands Department at a flying height of 2,000 feet, Photo No. E221101C, dated 20th March 2024.
摘錄自地政總署測繪處於2024年3月20日在2,000呎飛行高度拍攝之鳥瞰照片，編號為E221101C。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
香港特別行政區政府地政總署測繪處版權所有，未經許可，不得複製。
The aerial photograph is provided by the CSDI Portal and intellectual property rights are owned by the Government of the HKSAR.
鳥瞰照片由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。

Note 附註:
Due to technical reasons, this aerial photograph has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此鳥瞰照片所顯示的範圍超過《一手住宅物業銷售條例》的規定。

N

Location of the Development
發展項目的位置

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of the Lands Department at a flying height of 2,000 feet, Photo No. E221104C, dated 20th March 2024.
摘錄自地政總署測繪處於2024年3月20日在2,000呎飛行高度拍攝之鳥瞰照片，編號為E221104C。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
香港特別行政區政府地政總署測繪處版權所有，未經許可，不得複製。
The aerial photograph is provided by the CSDI Portal and intellectual property rights are owned by the Government of the HKSAR.
鳥瞰照片由空間數據共享平台提供，香港特別行政區政府為知識產權擁有人。

Note 附註:
Due to technical reasons, this aerial photograph has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此鳥瞰照片所顯示的範圍超過《一手住宅物業銷售條例》的規定。

This page is left blank intentionally.
此頁保留空白。



Extracted from the Approved Ho Man Tin Outline Zoning Plan, Plan No. S/K7/24, gazetted on 18th September 2015, with adjustments where necessary.
摘錄自2015年9月18日刊憲之何文田分區計劃大綱核准圖，圖則編號為 S/K7/24，有需要處經修正處理。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
香港特別行政區政府地政總署測繪處版權所有，未經許可，不得複製。

Note 附註:
Due to technical reasons, this outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此分區計劃大綱圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。

Notation 圖例：

ZONES		地帶
RESIDENTIAL (GROUP A)	R(A)	住宅（甲類）
RESIDENTIAL (GROUP B)	R(B)	住宅（乙類）
RESIDENTIAL (GROUP C)	R(C)	住宅（丙類）
GOVERNMENT, INSTITUTION OR COMMUNITY	G/IC	政府、機構或社區
OPEN SPACE	O	休憩用地
OTHER SPECIFIED USES	OU	其他指定用途
GREEN BELT	GB	綠化地帶

COMMUNICATIONS		交通
MAJOR ROAD AND JUNCTION		主要道路及路口
ELEVATED ROAD		高架道路

MISCELLANEOUS		其他
BOUNDARY OF PLANNING SCHEME		規劃範圍界線
BUILDING HEIGHT CONTROL ZONE BOUNDARY		建築物高度管制區界線
MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM)	100	最高建築物高度（在主水平基準上若干米）
MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS)	8	最高建築物高度（樓層數目）
PETROL FILLING STATION	PFS	加油站

Boundary of the Development
發展項目的邊界

Scale 比例
Metre 米
0 100 200 300 400 500

Extracted from the approved Ma Tau Kok Outline Zoning Plan, Plan No. S/K10/30, gazetted on 8th September, 2023, with adjustments where necessary.
摘錄自2023年9月8日刊憲之馬頭角分區計劃大綱核准圖，圖則編號為S/K10/30，有需要處經修正處理。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
香港特別行政區政府地政總署測繪處版權所有，未經許可，不得複製。

Note 附註:
Due to technical reasons, this outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此分區計劃大綱圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。

N

Notation 圖例：

ZONES		地帶
RESIDENTIAL (GROUP A)	R(A)	住宅（甲類）
RESIDENTIAL (GROUP B)	R(B)	住宅（乙類）
GOVERNMENT, INSTITUTION OR COMMUNITY	G/IC	政府、機構或社區
OPEN SPACE	O	休憩用地
OTHER SPECIFIED USES	OU	其他指定用途

COMMUNICATIONS		交通
MAJOR ROAD AND JUNCTION		主要道路及路口

MISCELLANEOUS		其他
BOUNDARY OF PLANNING SCHEME		規劃範圍界線
MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM)	100	最高建築物高度（在主水平基準上若干米）
MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS)	8	最高建築物高度（樓層數目）



N

Notation 圖例：

ZONES		**地帶**
RESIDENTIAL (GROUP B)	R(B)	住宅（乙類）
GOVERNMENT, INSTITUTION OR COMMUNITY	G/IC	政府、機構或社區
OPEN SPACE	O	休憩用地
OTHER SPECIFIED USES	OU	其他指定用途
GREEN BELT	GB	綠化地帶
COMMUNICATIONS		**交通**
MAJOR ROAD AND JUNCTION		主要道路及路口
MISCELLANEOUS		**其他**
BOUNDARY OF PLANNING SCHEME		規劃範圍界線
BUILDING HEIGHT CONTROL ZONE BOUNDARY		建築物高度管制區界線
MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS)	8	最高建築物高度（樓層數目）

Extracted from the Approved Yau Ma Tei Outline Zoning Plan, Plan No. S/K2/26, gazetted on 26th July 2024 with adjustments where necessary.
摘錄自2024年7月26日刊憲之油麻地分區計劃大綱核准圖，圖則編號為 S/K2/26，有需要處經修正處理。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
香港特別行政區政府地政總署測繪處版權所有，未經許可，不得複製。

Note 附註:
Due to technical reasons, this outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
因技術性問題，此分區計劃大綱圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。


LIGHT POST
燈柱
MALE CHANGING ROOM & LAVATORY
男更衣室及洗手間
FEMALE CHANGING ROOM & LAVATORY
女更衣室及洗手間
OUTDOOR UNITS PLANT AREA
冷氣室外機放置處
LOADING AND UNLOADING SPACES
上落貨車位
RESIDENTIAL RECREATIONAL FACILITIES
住客康樂設施
LOADING AND UNLOADING SPACES
上落貨車位
BASEMENT CARPARK ENTRANCE
地庫停車場入口
EMERGENCY GENERATOR ROOM & FILTRATION PLANT ROOM
緊急發電機房及濾水機房
CARETAKER OFFICE
管理處
PLANTING AREA 種植範圍
OUTDOOR SWIMMING POOL
室外游泳池
PLANTING AREA
種植範圍
PLANTING AREA 種植範圍
EMERGENCY VEHICULAR ACCESS
緊急車輛通道
PLANTING AREA
種植範圍
TOWER 1
第1座
PLANTING AREA
種植範圍
LIGHT POST
燈柱
LOADING AND UNLOADING SPACES
上落貨車位
TOWER 7
第7座
TOWER 6
第6座
TOWER 5
第5座
TOWER 2
第2座
WATER FEATURE
水景設施
OUTDOOR UNITS PLANT AREA
冷氣室外機放置處
EMERGENCY VEHICULAR ACCESS
緊急車輛通道
EMERGENCY VEHICULAR ACCESS
緊急車輛通道
PLANTING AREA
種植範圍
TOWER 3
第3座
EMERGENCY GENERATOR ROOM, MAIN SWITCH ROOM & TRANSFORMER ROOM
緊急發電機房、總電掣房及電力變壓室
PLANTING AREA
種植範圍
DEVELOPMENT ENTRANCE
發展項目入口
SHEUNG SHING STREET 常盛街
N
Scale 比例
Metre 米
0
20
Boundary of the Development
發展項目的界線

LEGEND OF THE TERMS AND ABBREVIATIONS USED ON THE FLOOR PLANS:
樓面平面圖中所使用之名詞及簡稱之圖例：

A. BAL.	=ACOUSTIC BALCONY	= 減音露台
A/C	=AIR CONDITIONER PLATFORM	= 冷氣機平台
A/C PLATFORM	=AIR CONDITIONER PLATFORM	= 冷氣機平台
ACCESS BY GONDOLA	=ACCESS BY GONDOLA	= 供吊船進入
ACOUSTIC FIN	=ACOUSTIC FIN	= 隔聲鰭
A/C PLANT ROOM	=AIR CONDITIONER PLANT ROOM	= 冷氣機機房
A.D.	=AIR DUCT	= 通風槽
ALUMINIUM ARCHITECTURAL FEATURE AT L/L	=ALUMINIUM ARCHITECTURAL FEATURE AT LOW LEVEL	= 鋁質建築裝飾在低位
ALUMINIUM ARCHITECTURAL FEATURE ABOVE	=ALUMINIUM ARCHITECTURAL FEATURE ABOVE	= 鋁質建築裝飾在上方
ALUM. ARCHITECTURAL FEATURE CONCEALING DRAIN PIPE	=ALUMINIUM ARCHITECTURAL FEATURE CONCEALING DRAIN PIPE	= 隱藏排水管道之鋁質建築裝飾
ALUMINIUM ARCHITECTURAL FEATURE	=ALUMINIUM ARCHITECTURAL FEATURE	= 鋁質建築裝飾
BAL.	=BALCONY	= 露台
BA.	=BATHROOM	= 浴室
BA.1	=BATHROOM 1	= 浴室 1
BA.2	=BATHROOM 2	= 浴室 2
BA.3	=BATHROOM 3	= 浴室 3
BA.4	=BATHROOM 4	= 浴室 4
BA.5	=BATHROOM 5	= 浴室 5
BA.6	=BATHROOM 6	= 浴室 6
BA.7	=BATHROOM 7	= 浴室 7
BAL. ABOVE	=BALCONY ABOVE	= 露台置上
BR.1	=BEDROOM 1	= 睡房 1
BR.2	=BEDROOM 2	= 睡房 2
BR.3	=BEDROOM 3	= 睡房 3
BR.4	=BEDROOM 4	= 睡房 4
BR.5	=BEDROOM 5	= 睡房 5
BR.6	=BEDROOM 6	= 睡房 6
BR.7	=BEDROOM 7	= 睡房 7
BR.8	=BEDROOM 8	= 睡房 8
BUILDING LINE ABOVE	=BUILDING LINE ABOVE	= 建築物界線置上
C.D.	=CABLE DUCT	= 線槽
COMMON AREA FOR MAINTENANCE	=COMMON AREA FOR MAINTENANCE	= 供維修之公共範圍
COMMON AREA FOR MAINTENANCE ONLY	=COMMON AREA FOR MAINTENANCE ONLY	= 僅供維修之公共範圍
COMMON FLAT ROOF	=COMMON FLAT ROOF	= 公共平台
COMMON FLAT ROOF FOR MAINTENANCE ONLY	=COMMON FLAT ROOF FOR MAINTENANCE ONLY	= 僅供維修之公共平台
COMMON FLAT ROOF (A/C) FOR MAINTENANCE ONLY	=COMMON FLAT ROOF (AIR CONDITIONER) FOR MAINTENANCE ONLY	= 僅供維修之公共平台(冷氣機)
COMMON ROOF	=COMMON ROOF	= 公共天台
CLOSET	=CLOSET	= 衣帽間
DELIVERY AREA (COMMON AREA)	=DELIVERY AREA(COMMON AREA)	= 派送範圍 (公共地方)
DIN.	=DINING ROOM	= 飯廳
DN.	=DOWN	= 下
E.A.D.	=EXHAUST AIR DUCT	= 排風槽
E.M.R.	=ELECTRIC METER ROOM	= 電錶房
ENTRANCE LOBBY	=ENTRANCE LOBBY	= 入口門廊
FAM.	=FAMILY ROOM	= 家庭廳
FILTRATION PLANT ROOM	=FILTRATION PLANT ROOM	= 過濾機房
FLUSHING WATER PUMP ROOM	=FLUSHING WATER PUMP ROOM	= 沖厠水泵房
FLAT ROOF	=FLAT ROOF	= 平台
FLAT ROOF (COMMON AREA)	=FLAT ROOF (COMMON AREA)	= 平台 (公共地方)
F.S.INLET	=FIRE SERVICE INLET	= 消防入水掣
H/L	=HIGH LEVEL	= 高位
H.R. AT H/L	=HOSE REEL AT HIGH LEVEL	= 消防喉轆位於高位
H.R.	=HOSE REEL	= 消防喉轆
HATCH DOOR	=HATCH DOOR	= 艙門
INDOOR POOL	=INDOOR POOL	= 室內游泳池
KIT.	=KITCHEN	= 廚房
LAV.	=LAVATORY	= 洗手間
LIFT	=LIFT	= 升降機

Remarks
1. There may be architectural features on external walls of some floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/ or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, family rooms, bathrooms, store rooms, lavatories, kitchens, closet, indoor pool and powder room of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/channels for air-conditioning system and/or M&E services in some store rooms.
4. Balconys and utility platfroms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.
6. For some residential units, the air-conditioning platform(s) outside the unit is/are placed with split type air-conditioner(outdoor unit)(s) belonging to that unit and/or other residential units.

附註:
1. 部份樓層外牆設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
3. 部份住宅單位的客廳、飯廳、睡房、工作間、家庭廳、浴室、儲物房、洗手間、廚房、衣帽間、室內游泳池及客廳洗手間天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可圍封的地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
6. 部份住宅單位外的冷氣機平台放置屬於其單位及/或其他住宅單位的一部或多部分體式冷氣機(室外機)。

LEGEND OF THE TERMS AND ABBREVIATIONS USED ON THE FLOOR PLANS:
樓面平面圖中所使用之名詞及簡稱之圖例：

LIFT LOBBY	=LIFT LOBBY	= 升降機大堂
LIFT MACHINE ROOM	=LIFT MACHINE ROOM	= 升降機房
LIFT PIT	=LIFT PIT	= 升降機坑
LIFT SHAFT	=LIFT SHAFT	= 升降機豎槽
LIV.	=LIVING ROOM	= 客廳
L/L	=LOW LEVEL	= 低位
MAILBOX AREA(COMMON AREA)	=MAILBOX AREA(COMMON AREA)	= 郵箱範圍(公共地方)
M.BR.	=MASTER BEDROOM	= 主人睡房
M.BA	=MASTER BATHROOM	= 主人浴室
OUTDOOR POOL	=OUTDOOR POOL	= 室外游泳池
P.A. / PLANTER	=PLANTING AREA	= 種植範圍
PANTRY	=PANTRY	= 備餐間
POOL DECK	=POOL DECK	= 游泳池畔
PRIVATE GARDEN	=PRIVATE GARDEN	= 私人花園
PRIVATE LIFT LOBBY	=PRIVATE LIFT LOBBY	= 私人升降機大堂
POWDER RM.	=POWDER ROOM	= 客廳洗手間
P.D.	=PIPE DUCT	= 管道槽
P.W. (A)	=PIPE WELL (A)	= 管井(A)
P.W. (B)	=PIPE WELL (B)	= 管井(B)
POTABLE & FLUSHING WATER PUMP ROOM	=POTABLE & FLUSHING WATER PUMP ROOM	= 食用水及沖厠水泵房
POTABLE WATER PUMP ROOM	=POTABLE WATER PUMP ROOM	= 食水泵房
R.C. ARCH. FEATURE	=REINFORCED CONCRETE ARCHITECTURAL FEATURE	= 鋼筋混凝土建築裝飾
R.C. COVER	=REINFORCED CONCRETE COVER	= 鋼筋混凝土上蓋
R.C. COVER(COMMON AREA)	=REINFORCED CONCRETE COVER (COMMON AREA)	= 鋼筋混凝土上蓋(公共地方)
ROOF	=ROOF	= 天台
R.S.&M.R.R.	=REFUSE STORAGE AND MATERIAL RECOVERY ROOM	= 垃圾及物料回收房
SUB MAIN SWITCH ROOM	=SUB MAIN SWITCH ROOM	= 輔助總電制房
ST. / STORE	=STORE	= 儲物房
S.V.	=SMOKE VENT	= 排煙口
TOP OF ACOUSTIC FIN	=TOP OF ACOUSTIC FIN	= 隔聲鰭頂部
TOP OF ALUM. ARCHITECTURAL FEATURE	=TOP OF ALUMINIUM ARCHITECTURAL FEATURE	= 鋁質建築裝飾之頂部
TOP OF ALUMINIUM ARCHITECTURAL FEATURE CONCEALING DRAIN PIPE	=TOP OF ALUMINIUM ARCHITECTURAL FEATURE CONCEALING DRAIN PIPE	= 隱藏排水管道之鋁質建築裝飾之頂部
UP	=UP	= 上
U.P.	=UTILITY PLATFORM	= 工作平台
U.P. ABOVE	=UTILITY PLATFORM ABOVE	= 工作平台置上
U.R.	=UTILITY ROOM	= 工作間
VOID	=VOID	= 中空
VOID ABOVE	=VOID ABOVE	= 中空置上
WATER FEATURE	=WATER FEATURE	= 水景設施
W.M.C.	=WATER METER CABINET	= 水錶櫃


=ACOUSTIC WINDOW (BAFFLE TYPE) = 減音窗 (擋音式)


=ACOUSTIC BALCONY (BAFFLE TYPE) = 減音露台 (擋音式)

=ACOUSTIC UTILITY PLATFORM (BAFFLE TYPE) = 減音工作平台 (擋音式)

=MAINTENANCE WINDOW = 維修窗戶

Remarks
1. There may be architectural features on external walls of some floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/ or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, family rooms, bathrooms, store rooms, lavatories, kitchens, closet, indoor pool and powder room of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/channels for air-conditioning system and/or M&E services in some store rooms.
4. Balconys and utility platfroms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.
6. For some residential units, the air-conditioning platform(s) outside the unit is/are placed with split type air-conditioner(outdoor unit)(s) belonging to that unit and/or other residential units.

附註:
1. 部份樓層外牆設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
3. 部份住宅單位的客廳、飯廳、睡房、工作間、家庭廳、浴室、儲物房、洗手間、廚房、衣帽間、室內游泳池及客廳洗手間天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可圍封的地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
6. 部份住宅單位外的冷氣機平台放置屬於其單位及/或其他住宅單位的一部或多部分體式冷氣機(室外機)。

TOWER 1
第1座
G/F
地下



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	G/F 地下	A	150, 200	3,150, 3,500
		C	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
1/F
1樓



AS-IS PART PLAN OF UNIT C, 1/F
1樓C 單位之部分現狀平面圖

Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

This part of Unit C have been altered by way of minor works or exempted building works under Building Ordinance after completion of the development, the latest condition of which is shown on as-is part plan.The alteration works are as follows:
Direction of glass door, extent of shower cubicle and position of basins in master bathroom has been amended.
C單位此部份因在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而有所改動，現狀請參閱有關部份平面圖。該等改動如下：
主人浴室玻璃門方向、淋浴間範圍和洗手盆位置改動。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	1/F 1樓	A	150, 200	3,000, 3,350
		C	150, 200	3,000, 3,350

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
2/F
2樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	2/F 2樓	A	150, 200	3,150, 3,500
		B	150, 200	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
3/F, 5/F - 12/F, 15/F - 23/F & 25/F
3樓、5樓至12樓、15樓至23樓及25樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	3/F, 5/F - 12/F, 15/F - 23/F 3樓、5樓至12樓、15樓至23樓	A	150, 200	3,150, 3,500
		B	150, 200	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
	25/F 25樓	A	150, 200	3,150, 3,200, 3,500
		B	150, 200	3,150, 3,200, 3,500
		C	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
26/F
26樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	26/F 26樓	A	150, 200, 300	3,050, 3,100, 3,150, 3,200, 3,500
		C	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
27/F
27樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	27/F 27樓	A	150, 200	3,150, 3,200, 3,500, 7,000
		B	150, 300	3,000, 3,050, 3,150, 3,500
		C	150, 200	3,150, 3,200, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
28/F
28樓





AS-IS PART PLAN OF UNIT C, 28/F
28樓C 單位之部分現狀平面圖

Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

This part of Unit C have been altered by way of minor works or exempted building works under the Buildings Ordinance after completion of the development, the latest condition of which is shown on the above as-is part plan. The alteration works are as follows:
Direction of glass door between kitchen and utility platform has been amended.
C單位此部份因在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而所有改動，現狀請參閱有關部份平面圖。該等改動如下：
廚房與工作平台之間的玻璃門方向改動。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	28/F 28樓	A	150	3,050, 3,100, 3,200, 3,450, 3,500
		C	150, 300	3,050, 3,100, 3,150, 3,450, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
29/F
29樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	29/F 29樓	A	150, 300	3,500
		C	150, 175, 200	3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 1
第1座
Roof
天台



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 1 第1座	Roof 天台	A	Not Applicable 不適用	Not Applicable 不適用
		C	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
G/F
地下



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	G/F 地下	C	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
1/F
1樓



AS-IS PART PLAN OF UNIT C, 1/F
1樓C 單位之部分現狀平面圖

Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

This part of Unit C have been altered by way of minor works or exempted building works under Building Ordinance after completion of the development, the latest condition of which is shown on as-is part plan.The alteration works are as follows:
A wall has been added, the extent of shower cubicle and position of basins in master bathroom has been amended
C單位此部份因在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而有所改動，現狀請參閱有關部份平面圖。該等改動如下：
主人浴室加一堵牆壁、淋浴間範圍和洗手盆位置改動。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	1/F 1樓	C	150, 200	3,000, 3,350

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
2/F
2樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	2/F 2樓	A	150, 200	3,150, 3,500
		B	150, 200	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
3/F, 5/F - 12/F, 15/F - 23/F & 25/F- 26/F
3樓、5樓至12樓、15樓至23樓及25樓至26樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	3/F, 5/F - 12/F, 15/F - 23/F & 25/F - 26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓	A	150, 200	3,150, 3,500
		B	150, 200	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
27/F
27樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	27/F 27樓	A	150, 200	3,100, 3,150, 3,400, 3,450, 3,500
		B	150, 200	3,150, 3,500
		C	150, 200	3,150, 3,200, 3,400, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
28/F
28樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	28/F 28樓	A	150	3,200, 3,500
		B	150, 200	3,000, 3,100, 3,150, 3,450, 3,500
		C	150, 300	3,000, 3,050, 3,450, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
29/F
29樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	29/F 29樓	B	150, 200	3,500
		C	150, 200	3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 2
第2座
Roof
天台



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 2 第2座	Roof 天台	B	Not Applicable 不適用	Not Applicable 不適用
		C	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 3
第3座
2/F
2樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 3 第3座	2/F 2樓	A	150, 200	3,150, 3,500
		B	150	3,050, 3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 3
第3座
3/F, 5/F - 12/F, 15/F - 23/F & 25/F
3樓、5樓至12樓、15樓至23樓及25樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 3 第3座	3/F, 5/F - 12/F, 15/F - 23/F 3樓、5樓至12樓、15樓至23樓	A	150, 200	3,150, 3,500
		B	150	3,050, 3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150	3,150, 3,500
	25/F 25樓	A	150, 200	3,150, 3,200, 3,500
		B	150	3,100, 3,500, 3,200
		C	150, 200	3,150, 3,500
		D	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 3
第3座
26/F
26樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 3 第3座	26/F 26樓	A	150, 300	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 3
第3座
27/F
27樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 3 第3座	27/F 27樓	A	150, 300	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 3
第3座
28/F
28樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 3 第3座	28/F 28樓	A	150, 200, 300	2,850, 3,100, 3,150, 3,200, 3,500, 6,500
		C	150, 200	3,150, 3,200, 3,500
		D	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 3
第3座
29/F
29樓



AS-IS PART PLAN OF UNIT A, 29/F
29樓A 單位之部分現狀平面圖

Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

\# This part of Unit A have been altered by way of minor works or exempted building works under Building Ordinance after completion of the development, the latest condition of which is shown on as-is part plan.The alteration works are as follows:
A wall in master bathroom has been amended to a glass panel.
A單位此部份因在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而有所改動，現狀請參閱有關部份平面圖。該等改動如下：
主人浴室一堵牆壁改動為玻璃屏。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 3 第3座	29/F 29樓	A	150, 300	3,000, 3,150, 3,500
		C	150	3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 3
第3座
Roof
天台



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 3 第3座	Roof 天台	A	Not Applicable 不適用	Not Applicable 不適用
		C	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 5
第5座
2/F
2樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 5 第5座	2/F 2樓	A	150, 175	3,150, 3,500
		B	150, 175	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 5
第5座
3/F, 5/F - 12/F, 15/F - 18/F
3樓、5樓至12樓、15樓至18樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 5 第5座	3/F, 5/F - 12/F & 15/F - 17/F 3樓、5樓至12樓及15樓至17樓	A	150, 175	3,150, 3,500
		B	150, 175	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,500
	18/F 18樓	A	150, 175	2,850, 3,150, 3,500
		B	150, 175	3,100, 3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 5
第5座
19/F
19樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 5 第5座	19/F 19樓	A	150, 250	3,150, 3,200, 3,500
		B	150, 175	3,150, 3,200, 3,500
		C	150, 250	3,150, 3,500
		D	150, 250	3,150, 3,200, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 5
第5座
20/F
20樓



AS-IS PART PLAN OF UNIT A, 20/F
20樓A 單位之部分現狀平面圖

Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

^ This part of Unit A have been altered by way of minor works or exempted building works under Building Ordinance after completion of the development, the latest condition of which is shown on as-is part plan.The alteration works are as follows:
#Direction of door between master bedroom and master bathroom has been amended.
^Direction of glass door in master bathroom has been amended.

^ A單位此部份因在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而有所改動，現狀請參閱有關部份平面圖。該等改動如下：
#主人睡房與主人浴室之間的門方向改動。
^主人浴室玻璃門方向改動。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 5 第5座	20/F 20樓	A	150, 200	3,150, 3,200, 3,500
		B	150, 175	3,150, 3,200, 3,500, 6,500
		C	150, 175	3,150, 3,500
		D	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 5
第5座
21/F
21樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 5 第5座	21/F 21樓	B	150, 175	3,000, 3,400, 3,500
		C	150, 175	3,500
		D	150, 200	3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 5
第5座
Roof
天台



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 5 第5座	Roof 天台	B	Not Applicable 不適用	Not Applicable 不適用
		C	Not Applicable 不適用	Not Applicable 不適用
		D	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 6
第6座
2/F
2樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 6 第6座	2/F 2樓	A	150, 175	3,150, 3,500
		B	150, 175	3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 6
第6座
3/F, 5/F - 12/F, 15/F - 18/F
3樓、5樓至12樓、15樓至18樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 6 第6座	3/F, 5/F - 12/F & 15/F - 17/F 3樓、5樓至12樓及15樓至17樓	A	150, 175	3,150, 3,500
		B	150, 175	3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,500
	18/F 18樓	A	150, 175	3,150, 3,200, 3,500
		B	150, 175	3,150, 3,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 6
第6座
19/F
19樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 6 第6座	19/F 19樓	A	150, 250	3,150, 3,200, 3,500
		B	150, 175	3,150, 3,200, 3,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 6
第6座
20/F
20樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 6 第6座	20/F 20樓	A	150	2,850, 3,150, 3,200, 3,500
		B	150, 200	3,100, 3,150, 3,200, 3,500, 6,500
		C	150, 200	3,150, 3,500
		D	150, 200	3,150, 3,300, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 6
第6座
21/F
21樓



Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 6 第6座	21/F 21樓	B	150, 200	3,000, 3,400, 3,500
		C	150, 200, 300	3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 6
第6座
Roof
天台



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 6 第6座	Roof 天台	B	Not Applicable 不適用	Not Applicable 不適用
		C	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 7
第7座
2/F
2樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 7 第7座	2/F 2樓	A	150, 200	3,150, 3,500
		B	150, 175, 200	3,050, 3,150, 3,500
		C	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 7
第7座
3/F, 5/F - 12/F, 15/F - 18/F
3樓、5樓至12樓、15樓至18樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 7 第7座	3/F, 5/F - 12/F & 15/F - 17/F 3樓、5樓至12樓及15樓至17樓	A	150, 200	3,150, 3,500
		B	150, 175, 200	3,050, 3,150, 3,500
		C	150	3,150, 3,500
	18/F 18樓	A	150, 200	3,150, 3,200, 3,500
		B	150, 175, 200	3,050, 3,150, 3,500
		C	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 7
第7座
19/F
19樓



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 7 第7座	19/F 19樓	A	150, 200	3,150, 3,500
		B	150, 175, 250	3,150, 3,200, 3,500
		C	150	3,150, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 7
第7座
20/F
20樓



AS-IS PART PLAN OF UNIT B, 20/F
20樓B 單位之部分現狀平面圖

Notes 附註:

(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

This part of Unit B have been altered by way of minor works or exempted building works under the Buildings Ordinance after completion of the development, the latest condition of which is shown on the above as-is part plan. The alteration works are as follows:
A basin in bathroom has been removed and position of a basin has been amended.
B單位此部份因在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而所有改動，現狀請參閱有關部份平面圖。該等改動如下：
一個洗手盆被移除，一個洗手盆位置改動。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 7 第7座	20/F 20樓	A	150, 175, 200	2,850, 3,200 3,500
		B	150, 250	3,100, 3,150, 3,200, 3,500
		C	150, 250	3,100, 3,150, 3,200, 3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 7
第7座
21/F
21樓



AS-IS PART PLAN OF UNIT B, 21/F
21樓B 單位之部分現狀平面圖

AS-IS PART PLAN OF UNIT B, 21/F
21樓B 單位之部分現狀平面圖



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

^ This part of Unit B have been altered by way of minor works or exempted building works under Building Ordinance after completion of the development, the latest condition of which is shown on as-is part plan.The alteration works are as follows:
#A basin has been removed and position of a basin in bathroom 1 has been amended.
^A wall has been added, position of a glass door and basins in master bathroom has been amended.
B單位此部份因在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而有所改動，現狀請參閱有關部份平面圖。該等改動如下：
#浴室1一個洗手盆被移除，一個洗手盆位置改動。
^主人浴室添加一堵牆壁、玻璃門、淋浴間範圍和洗手盆位置改動。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 7 第7座	21/F 21樓	B	150, 200, 250	3,400, 3,500
		C	150, 175, 200	3,500

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

TOWER 7
第7座
Roof
天台



Notes 附註:
(1) The dimensions of floor plans are all structural dimensions in in millimetre.
樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
(2) Please refer to page 22 to 23 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
請參閱本售樓說明書第22至23頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Scale 比例
Metre 米 0 1 5

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Development as provided in the approved building plans are:
按發展項目經批准的建築圖則所規定，發展項目每個住宅物業的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower Name 大廈名稱	Floor 樓層	Unit 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Floor-to-Floor Height of each residential property (m) 每個住宅物業的層與層之間的高度 (米)
Tower 7 第7座	Roof 天台	B	Not Applicable 不適用	Not Applicable 不適用
		C	Not Applicable 不適用	Not Applicable 不適用

The internal areas of the residential properties on the upper floors will be generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 1 第1座	G/F & 1/F (Duplex) 地下及1樓(複式)	A	244.000 (2,626) Balcony 露台 : - Utility Platform 工作平台 : -	--	--	--	--	74.879 (806)	--	--	--	--	--
		C	210.670 (2,268) Balcony 露台 : - Utility Platform 工作平台 : -	--	--	--	--	69.376 (747)	--	--	--	--	--
	2/F 2樓	A	134.284 (1,445) Balcony 露台 : 6.660 (72) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	132.896 (1,430) Balcony 露台 : 6.660 (72) Utility Platform 工作平台 : -	--	--	--	--	--	--	--	--	--	--
		C	116.220 (1,251) Balcony 露台 : 4.470 (48) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	3/F, 5/F - 12/F, 15/F - 23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓	A	134.284 (1,445) Balcony 露台 : 6.660 (72) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	134.396 (1,447) Balcony 露台 : 6.660 (72) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	116.220 (1,251) Balcony 露台 : 4.470 (48) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 1 第1座	26/F 26樓	A	256.736 (2,764) Balcony 露台 : 6.660 (72) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	116.220 (1,251) Balcony 露台 : 4.470 (48) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓(三層頂層單位)	A	620.637 (6,681) Balcony 露台 : - Utility Platform 工作平台 : -	--	--	--	10.402 (112)	--	--	149.988 (1,614)	33.499 (361)	--	--
	27/F 27樓	B	134.007 (1,442) Balcony 露台 : 6.660 (72) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	116.220 (1,251) Balcony 露台 : 4.470 (48) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	28/F & 29/F (Duplex) 28樓及29樓(複式)	C	225.007 (2,422) Balcony 露台 : 3.900 (42) Utility Platform 工作平台 : 1.500 (16)	--	--	--	1.980 (21)	--	--	75.860 (817)	11.185 (120)	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 2 第2座	G/F & 1/F (Duplex) 地下及1樓(複式)	C	209.100 (2,251) Balcony 露台 : - Utility Platform 工作平台 : -	--	--	--	--	91.993 (990)	--	--	--	--	--
	2/F 2樓	A	130.339 (1,403) Balcony 露台 : 6.450 (69) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	130.851 (1,408) Balcony 露台 : 5.299 (57) Utility Platform 工作平台 : -	--	--	--	--	--	--	--	--	--	--
		C	115.595 (1,244) Balcony 露台 : 4.620 (50) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	3/F, 5/F - 12/F, 15/F - 23/F & 25/F - 26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓	A	130.339 (1,403) Balcony 露台 : 6.450 (69) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	132.351 (1,425) Balcony 露台 : 5.299 (57) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	115.595 (1,244) Balcony 露台 : 4.620 (50) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 2 第2座	27/F & 28/F (Duplex) 27樓及28樓(複式)	A	224.146 (2,413) Balcony 露台 : 6.450 (69) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	27/F 27樓	B	132.767 (1,429) Balcony 露台 : 5.299 (57) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	115.595 (1,244) Balcony 露台 : 4.620 (50) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	28/F & 29/F (Duplex) 28樓及29樓(複式)	B	329.750 (3,549) Balcony 露台 : 5.299 (57) Utility Platform 工作平台 : 1.500 (16)	--	--	--	76.583 (824)	--	--	93.198 (1,003)	15.704 (169)	--	--
		C	222.791 (2,398) Balcony 露台 : 3.900 (42) Utility Platform 工作平台 : 1.500 (16)	--	--	--	2.484 (27)	--	--	74.870 (806)	10.971 (118)	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 3 第3座	2/F 2樓	A	114.050 (1,228) Balcony 露台 : 4.500 (48) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	116.552 (1,255) Balcony 露台 : 4.500 (48) Utility Platform 工作平台 : 1.582 (17)	--	--	--	--	--	--	--	--	--	--
		C	85.245 (918) Balcony 露台 : 3.278 (35) Utility Platform 工作平台 : -	--	--	--	--	--	--	--	--	--	--
		D	87.281 (939) Balcony 露台 : 3.750 (40) Utility Platform 工作平台 : 1.583 (17)	--	--	--	--	--	--	--	--	--	--
	3/F, 5/F - 12/F, 15/F - 23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓	A	114.050 (1,228) Balcony 露台 : 4.500 (48) Utility Platform 工作平台 : 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	116.552 (1,255) Balcony 露台 : 4.500 (48) Utility Platform 工作平台 : 1.582 (17)	--	--	--	--	--	--	--	--	--	--
		C	86.745 (934) Balcony 露台 : 3.278 (35) Utility Platform 工作平台 : 1.568 (17)	--	--	--	--	--	--	--	--	--	--
		D	87.281 (939) Balcony 露台 : 3.750 (40) Utility Platform 工作平台 : 1.583 (17)	--	--	--	--	--	--	--	--	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 3 第3座	26/F 26樓	A	196.910 (2,120) Balcony 露台 : 4.500 (48) Utility Platform 工作平台 : 1.582 (17)	--	--	--	18.655 (201)	--	--	--	--	--	--
		C	86.745 (934) Balcony 露台 : 3.278 (35) Utility Platform 工作平台 : 1.568 (17)	--	--	--	--	--	--	--	--	--	--
		D	87.281 (939) Balcony 露台 : 3.750 (40) Utility Platform 工作平台 : 1.583 (17)	--	--	--	--	--	--	--	--	--	--
	27/F 27樓	A	202.746 (2,182) Balcony 露台 : 4.500 (48) Utility Platform 工作平台 : 1.582 (17)	--	--	--	--	--	--	--	--	--	--
		C	86.745 (934) Balcony 露台 : 3.278 (35) Utility Platform 工作平台 : 1.568 (17)	--	--	--	--	--	--	--	--	--	--
		D	87.281 (939) Balcony 露台 : 3.750 (40) Utility Platform 工作平台 : 1.583 (17)	--	--	--	--	--	--	--	--	--	--
	28/F & 29/F (Duplex) 28樓及29樓 (複式)	A	314.271 (3,383) Balcony 露台 : 4.500 (48) Utility Platform 工作平台 : 1.582 (17)	--	--	--	70.359 (757)	--	--	76.143 (820)	15.274 (164)	--	--
	28/F 28樓	C	86.745 (934) Balcony 露台 : 3.278 (35) Utility Platform 工作平台 : 1.568 (17)	--	--	--	--	--	--	--	--	--	--
		D	87.281 (939) Balcony 露台 : 3.750 (40) Utility Platform 工作平台 : 1.583 (17)	--	--	--	--	--	--	--	--	--	--
	29/F 29樓	C	165.201 (1,778) Balcony 露台 : 3.750 (40) Utility Platform 工作平台 : 1.583 (17)	--	--	--	3.292 (35)	--	--	117.289 (1,262)	11.103 (120)	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 5 第5座	2/F 2樓	A	130.001 (1,399) Balcony 露台 : 6.379 (69) Utility Platform 工作平台 : 1.583 (17)	--	--	--	--	--	--	--	--	--	--
		B	128.372 (1,382) Balcony 露台 : 6.379 (69) Utility Platform 工作平台 : -	--	--	--	--	--	--	--	--	--	--
		C	82.713 (890) Balcony 露台 : 3.352 (36) Utility Platform 工作平台 : 1.583 (17)	--	--	--	--	--	--	--	--	--	--
		D	82.871 (892) Balcony 露台: 3.728 (40) Utility Platform 工作平台: 1.560 (17)	--	--	--	--	--	--	--	--	--	--
	3/F, 5/F - 12/F & 15/F - 18/F 3樓、5樓至12樓及15樓至18樓	A	130.001 (1,399) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.582 (17)	--	--	--	--	--	--	--	--	--	--
		B	129.872 (1,398) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	82.713 (890) Balcony 露台: 3.352 (36) Utility Platform 工作平台: 1.583 (17)	--	--	--	--	--	--	--	--	--	--
		D	82.871 (892) Balcony 露台: 3.728 (40) Utility Platform 工作平台: 1.560 (17)	--	--	--	--	--	--	--	--	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 5 第5座	19/F & 20/F (Duplex) 19樓及20樓(複式)	A	223.226 (2,403) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.582 (17)	--	--	--	2.214 (24)	--	--	--	--	--	--
	19/F 19樓	B	129.975 (1,399) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	82.713 (890) Balcony 露台: 3.352 (36) Utility Platform 工作平台: 1.583 (17)	--	--	--	--	--	--	--	--	--	--
		D	83.469 (898) Balcony 露台: 3.728 (40) Utility Platform 工作平台: 1.560 (17)	--	--	--	--	--	--	--	--	--	--
	20/F & 21/F (Duplex) 20樓及21樓 (複式)	B	287.956 (3,100) Balcony 露台: 6.379 (69) Utility Platform 工作平台: –	--	--	--	64.721 (697)	--	--	80.267 (864)	8.777 (94)	--	--
		C	162.290 (1,747) Balcony 露台: 3.352 (36) Utility Platform 工作平台: 1.583 (17)	--	--	--	--	--	--	55.168 (594)	8.810 (95)	--	--
		D	157.065 (1,691) Balcony 露台: 3.728 (40) Utility Platform 工作平台: –	--	--	--	0.736 (8)	--	--	42.742 (460)	10.137 (109)	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 第6座	2/F 2樓	A	127.492 (1,372) Balcony 露台: 6.379 (69) Utility Platform 工作平台: –	--	--	--	--	--	--	--	--	--	--
		B	128.218 (1,380) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	76.461 (823) Balcony 露台: – Utility Platform 工作平台: –	--	--	--	2.871 (31)	--	--	--	--	--	--
		D	77.388 (833) Balcony 露台: – Utility Platform 工作平台: –	--	--	--	2.871 (31)	--	--	--	--	--	--
	3/F, 5/F - 12/F & 15/F - 18/F 3樓、5樓至12樓及15樓至18樓	A	128.992 (1,388) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	128.218 (1,380) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	81.546 (878) Balcony 露台: 3.622 (39) Utility Platform 工作平台: 1.545 (17)	--	--	--	--	--	--	--	--	--	--
		D	82.428 (887) Balcony 露台: 3.622 (39) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 第6座	19/F & 20/F (Duplex) 19樓及20樓(複式)	A	220.776 (2,376) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.500 (16)	--	--	--	5.818 (63)	--	--	--	--	--	--
	19/F 19樓	B	126.702 (1,364) Balcony 露台: 6.379 (69) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	81.546 (878) Balcony 露台: 3.622 (39) Utility Platform 工作平台: 1.545 (17)	--	--	--	--	--	--	--	--	--	--
		D	82.428 (887) Balcony 露台: 3.622 (39) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	20/F & 21/F (Duplex) 20樓及21樓 (複式)	B	279.398 (3,007) Balcony 露台: 6.379 (69) Utility Platform 工作平台: –	--	--	--	63.560 (684)	--	--	78.443 (844)	9.510 (102)	--	--
	20/F 20樓	C	81.546 (878) Balcony 露台: 3.622 (39) Utility Platform 工作平台: 1.545 (17)	--	--	--	--	--	--	--	--	--	--
		D	82.428 (887) Balcony 露台: 3.622 (39) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	21/F 21樓	C	157.034 (1,690) Balcony 露台: 3.622 (39) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	97.656 (1,051)	8.075 (87)	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 第7座	2/F 2樓	A	128.628 (1,385) Balcony 露台: 6.488 (70) Utility Platform 工作平台: –	--	--	--	--	--	--	--	--	--	--
		B	131.493 (1,415) Balcony 露台: 6.487 (70) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	78.797 (848) Balcony 露台: 3.705 (40) Utility Platform 工作平台: 1.583 (17)	--	--	--	--	--	--	--	--	--	--
	3/F, 5/F - 12/F & 15/F - 18/F 3樓、5樓至12樓及15樓至18樓	A	130.128 (1,401) Balcony 露台: 6.488 (70) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		B	131.493 (1,415) Balcony 露台: 6.487 (70) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	78.797 (848) Balcony 露台: 3.705 (40) Utility Platform 工作平台: 1.583 (17)	--	--	--	--	--	--	--	--	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Tower 座數	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 第7座	19/F & 20/F (Duplex) 19樓及20樓(複式)	A	219.338 (2,361) Balcony 露台: 6.488 (70) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
	19/F 19樓	B	132.573 (1,427) Balcony 露台: 6.487 (70) Utility Platform 工作平台: 1.500 (16)	--	--	--	--	--	--	--	--	--	--
		C	78.797 (848) Balcony 露台: 3.705 (40) Utility Platform 工作平台: 1.583 (17)	--	--	--	--	--	--	--	--	--	--
	20/F & 21/F (Duplex) 20樓及21樓 (複式)	B	310.018 (3,337) Balcony 露台: 6.487 (70) Utility Platform 工作平台: 1.500 (16)	--	--	--	73.256 (789)	--	--	74.757 (805)	16.955 (183)	--	--
		C	159.235 (1,714) Balcony 露台: 3.705 (40) Utility Platform 工作平台: –	--	--	--	--	--	--	48.484 (522)	10.931 (118)	--	--

The saleable area of each residential property and the floor areas of balcony, utility platform and verandah (if any) to the extent that it forms part of the residential property are calculated in accordance with section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of other specified items (if any), to the extent that they form part of the residential property (not included in saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.
每個住宅物業的實用面積以及構成住宅物業的一部份的範圍內的露台、工作平台及陽台(如有) 之樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。在構成住宅物業的一部份的範圍內的其他指明項目 (如有) 的面積 (不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Notes 附註:
1. The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
   上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。
2. There is no verandah in the residential properties in the Development.
   發展項目住宅物業並無陽台。

B2/F
地庫2

N
R131
M05
M04
M03
M02
M01
R132
R133
R133A
R135
R136
R137
R138
R139
R140
R141
R142
R143
R146
R147
R148
R149
R150
R151
R152
R155
R156
R157
R158
R159
R160
R161
R162
R163
R163A
R168
R169
R170
R171
R265
R263
R263A
R262
R261
R260
R271
R270
R275
R273A
R269
R268
R273
R272
R266
R267
R276
R277
R278
R279
R280
R281
R282
R283
R283A
R285
R286
R287
R208
R207
R206
R205
R203A
R203
R202
R201
R200
R199
R198
R197
R143A
R145
R193A
R196
R195
R193
R192
R191
R153A
R153
R221
R220
R219
R218
R217
R216
R215
R213A
R213
R212
R211
R210
R209
R190
R189
R188
R187
R186
R185
R167
R166
R183A
R183
R165
R178
R177
R176
R175
R259
R258
R227
R228
R229
R230
R231
R222
R223
R223A
R225
R226
R257
R256
R255
R253A
R253
R232
R233
R233A
R235
R252
R251
R250
R249
R248
R247
R246
R245
R243A
R243
R242
R241
R240
R239
R238
R237
R236
R182
R181
R180
R179
R173A
R173
R172
Residential Parking Space
住宅停車位
Motorcycle Parking Space
電單車停車位
Scale 比例
Metre 米
0
20

Schedule of Location, Number, Dimensions and Area of Parking Spaces 停車位的位置、數目、尺寸及面積表 :

Type of Parking Space 停車位類別	Location 位置	Number 數目	Dimensions (L x W) (m) 尺寸 (長x闊) (米)	Area of Each Parking Space (sq.m.) 每個停車位面積 (平方米)
Residential Parking Space 住宅停車位	B2/F 地庫2	157	5.0 x 2.5	12.5
Motorcycle Parking Space 電單車停車位		5	2.4 x 1.0	2.4

B1/F
地庫1

R005
V001
V002
V003
V003A
V005
R006
R007
R008
R009
R010
R011
R003A
R003
R002
R001
R073A
R073
R072
R071
R070
R069
R068
R067
R066
R065
R063A
R012
R013
R013A
R015
R016
R017
R075
R076
R077
R078
R079
R080
R081
R082
R083
R083A
R085
R086
R062
R061
R060
R059
R058
R022
R021
R018
R019
R020
R098
R097
R096
R095
R093A
R093
R092
R091
R090
R089
R088
R087
R063
R023
R023A
R099
R100
R101
R102
R103
R103A
R105
R106
R107
R108
R057
R056
R055
R053A
R053
R052
R031
R030
R051
R050
R025
R026
R027
R028
R029
R032
R033
R033A
R129
R130
R128
R127
R126
R125
R123A
R123
R122
R121
R109
R110
R111
R112
R045
R043A
R043
R042
R035
R036
R037
R038
R120
R119
R118
R117
R116
R115
R113A
R113
R049
R048
R047
R046
R041
R040
R039
Residential Parking Space
住宅停車位
Visitors' Parking Space
訪客停車位
Accessible Residential Parking Space
暢通易達住宅停車位
Accessible Visitors' Parking Space
暢通易達訪客停車位
Refuse Collection Vehicle Parking Space
垃圾車停車位
Scale 比例
Metre 米
0
20

Schedule of Location, Number, Dimensions and Area of Parking Spaces 停車位的位置、數目、尺寸及面積表 :

Type of Parking Space 停車位類別	Location 位置	Number 數目	Dimensions (L x W) (m) 尺寸 (長x闊) (米)	Area of Each Parking Space (sq.m.) 每個停車位面積 (平方米)
Residential Parking Space 住宅停車位	B1/F 地庫1	127	5.0 x 2.5	12.5
Visitors' Parking Space 訪客停車位		4	5.0 x 2.5	12.5
Accessible Residential Parking Space 暢通易達住宅停車位		3	5.0 x 3.5	17.5
Accessible Visitors' Parking Space 暢通易達訪客停車位		1	5.0 x 3.5	17.5
Refuse Collection Vehicle Parking Space 垃圾車停車位		1	12.0 x 5.0	60.0

G/F
地下



Scale 比例
Metre 米 0 20

Schedule of Location, Number, Dimensions and Area of Parking Spaces 停車位的位置、數目、尺寸及面積表 :

Type of Parking Space 停車位類別	Location 位置	Number 數目	Dimensions (L x W) (m) 尺寸 (長x闊) (米)	Area of Each Parking Space (sq.m.) 每個停車位面積 (平方米)
Loading and Unloading Space 上落貨車位	G/F 地下	6	11.0 x 3.5	38.5

1. A preliminary deposit of 5% of the purchase price is payable on the signing of the preliminary agreement for sale and purchase (the "preliminary agreement");

2. The preliminary deposit paid by the purchaser on the signing of the preliminary agreement will be held by a firm of solicitors acting for the owner, as stakeholders;

3. If the purchaser fails to execute the agreement for sale and purchase within 5 working days after the date on which the purchaser enters into the preliminary agreement –

   (i) the preliminary agreement is terminated;
   (ii) the preliminary deposit is forfeited; and
   (iii) the owner does not have any further claim against the purchaser for the failure.

1. 在簽署臨時買賣合約 (“該臨時合約”) 時須支付款額為售價5%的臨時訂金；

2. 買方在簽署該臨時合約時支付的臨時訂金，會由代表擁有人行事的律師事務所以保證金保存人的身分持有；

3. 如買方沒有於訂立該臨時合約的日期之後5個工作日內簽立買賣合約—

   (i) 該臨時合約即告終止；
   (ii) 有關的臨時訂金即予沒收；及
   (iii) 擁有人不得就買方沒有簽立買賣合約而針對買方提出進一步申索。

A. COMMON PARTS OF THE DEVELOPMENT

1. **"Common Areas"** means the Development Common Areas, the Carpark Common Areas and the Residential Common Areas.

2. **"Common Facilities"** means the Development Common Facilities, the Carpark Common Facilities and the Residential Common Facilities.

3. **"Carpark Common Areas"** means those parts of the Lot (as defined in the DMC) and the Development (as defined in the DMC) (excluding those parking spaces shown and delineated on the car park layout plan approved by the Building Authority) and all other common parts specified in Schedule 1 to the Building Management Ordinance (Cap.344) (if any) within the Lot and the Development designed or intended for the common use and benefit of the Owners (as defined in the DMC) of the Car Parks (as defined in the DMC) (which do not form part of the Units (as defined in the DMC), the Development Common Areas or the Residential Common Areas) and also serving the Disabled Car Parking Spaces (as defined in the DMC) and the Visitors' Car Parks (as defined in the DMC) and not otherwise specifically assigned to or for the exclusive use of the Owner of a particular Car Park and shall include but not limited to access areas, air-conditioning plant rooms, circulation passages, corridors, driveways, EV charging meter rooms, fan rooms, hose reels, staircases and landings. The Carpark Common Areas are for the purpose of identification shown and coloured yellow on the plans (certified as to their accuracy by the Authorized Person (as defined in the DMC)) annexed to the DMC.

4. **"Carpark Common Facilities"** means those facilities and equipment for the common use and benefit of the Car Parks and also serving the Disabled Car Parking Spaces and the Visitors' Car Parks but not other parts of the Development and not for the use and benefit of a particular Car Park exclusively and shall include but not limited to Common EV Facilities, electrical and mechanical installation, fire services equipment and installation, lighting, mechanical ventilation system, plant and machinery, plumbing and drainage system, security system but excluding the Development Common Facilities and the Residential Common Facilities.

5. **"CCTV Imaging Device"** means the CCTV imaging device referred to in Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers, Application of the Buildings Ordinance and Regulations 93 – Planning and Design of Drainage Works issued by the Buildings Department and which is required by the Building Authority to be provided for the inspection of the external drainage pipes concealed by architectural features of each tower of Residential Units (as defined in the DMC) and such term shall include all such wires, cables, equipment, apparatus, and such other electrical or other installations or otherwise for or in relation to such device.

6. **"Common EV Facilities"** means all such facilities installed or to be installed within the Carpark Common Areas for the common use and benefit of the Car Parking Spaces (as defined in the DMC), the Visitors' Car Parks and the Disabled Car Parking Spaces for the purpose of or in relation to the charging of electric motor vehicles or electric motor cycles licensed under the Road Traffic Ordinance (Cap.374) parking at the Car Parking Spaces, the Visitors' Car Parks and the Disabled Car Parking Spaces; such facilities shall not serve any of the Car Parking Spaces, the Visitors' Car Parks and the Disabled Car Parking Spaces exclusively or belong to any of the Owner of the Car Parking Spaces and shall include but not limited to such apparatus, cables, ducts, equipment, trunking, wires and such other electrical or other installations or otherwise for or in relation to such purpose. Location(s) of the Common EV Facilities are shown on the Approved Plans (as defined in the DMC), a copy of which will be deposited at the management office in the Development for inspection by the Owners during normal office hours free of costs and charges.

7. **"Development Common Areas"** means the whole of the Lot and the Development which are not otherwise specifically assigned to or for the exclusive use of an Owner and are designed or intended for common use and benefit of the Owners (which do not form part of the Units, the Residential Common Areas or the Carpark Common Areas) and shall include but not limited to foundations, structural walls, load bearing walls, columns, beams and floor slabs (including water-proofing membrane) of the Development (which do not form part of the Units, the Residential Common Areas or the Carpark Common Areas), enclosing walls of the Development Common Areas (but in the case of such enclosing walls adjoining any Unit(s), excluding the plaster and covering of the internal surface of such enclosing walls within the relevant Unit(s)), entrances, sprinkler water tank, fire service water tank, fire service & sprinkler booster pump room, fire service control room, fresh and flushing water pump room for podium, generator room, main switch rooms, master water meter room, caretakers office, pipe ducts, potable water pump room for podium, lift shafts, refuse storage and material recovery chamber with vehicular access, staircases and landings, transfer pump room, transformer rooms, water check meter cabinet, such part of the Slope and Retaining Structures within the Lot and all other common parts specified in Schedule 1 to the Building Management Ordinance (Cap.344) (if any) within the Lot and the Development designed or intended for common use and benefit of the Owners and not otherwise specifically assigned to or for the exclusive use of an Owner (which do not form part of the Units, the Residential Common Areas or the Carpark Common Areas). The Development Common Areas are for the purpose of identification shown and coloured orange on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC.

8. **"Development Common Facilities"** means

   (a) Such of air-conditioning system, electrical generator, fire alarm system, fire hydrant/hose reel system, fire service control, water tanks, fuel tank, gutters, main switch, master meter, mechanical ventilation system, pipes, plant and machinery, drains, sewers, surface channel with cover, lifts, aerial broadcast distribution facilities, telecommunication broadcasting equipment, telecommunications network facilities, wires and cables, electrical and mechanical installation servicing the Development Common Areas and other services facilities whether ducted or otherwise which are or at any time may be in, under or over or passing through the Lot and the Development through which water, sewage, gas, electricity and any other services are supplied to the Lot and the Development or any part or parts thereof which are for the use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit;

   (b) Lighting including façade lighting within the Development which are for the use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit;

   (c) Automatic sprinkler system, fire detection and alarm system and fire hydrant and hose reel system within the Development which are for the use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit;

   (d) Burglar alarm, metal gate, manned gate, drop-gate and security system(s) (if any) which are for the use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit;

   and other facilities and systems for the common use and benefit of the Lot and the Development and not for the use or benefit of a particular Unit exclusively.

   For avoidance of doubt, the term "Development Common Facilities" shall not include those facilities, equipment and other like structures forming part of the Residential Common Facilities or the Carpark Common Facilities.

9. **"External Walls"** means external walls of the Development or any part thereof including curtain walls (including the cast-in anchors, gasket, glass panels, window frames, window sealant and such other components of the curtain wall, the non-openable windows therein or thereto and cast-in anchors, gasket, glass panels, window frames, window sealant and such other components of such non-openable windows but excluding all openable windows installed therein and the cast-in anchors, frames enclosing the glass panels of the openable windows, gasket, glass panels, handles, hinges, locks, window sealant and such other components of such openable windows), non-structural prefabricated external walls, architectural features, louvre, parapet walls, the curbs of the Non-enclosed Area (as defined in the DMC) and the windows and window frames of the Common Areas but excluding the internal surface of the concrete walls facing the Units, the balustrade/fences/glass parapets of the Non-enclosed Area and flat roofs or their replacement and the windows (whether openable or non-openable) (other than those non-openable windows installed in or to curtain wall), window frames and sealant around window frames of the Units.

10. **"Noise Mitigation Measures"** means all or any of the noise mitigation measures approved by the Director of Environmental Protection provided within the Development and any subsequent amendments thereto (if any) approved by the Director of Environmental Protection including maintenance windows, acoustic fins and acoustic balconies and, for the purpose of identification, as shown on the plans annexed to the DMC.

11. **"Recreational Areas"** means the areas intended for recreational use by the residents of the Residential Units and their bona fide visitors which shall include but not limited to such areas on the Basement (B2) Floor, Basement (B1) Floor, Ground Floor and 1st Floor of Towers 5, 6 and 7 of the Development where Recreational Facilities, including but not limited to badminton court, female changing room & lavatory, function rooms, gymnasium, indoor swimming pool, Jacuzzi, indoor tennis court, male changing room & lavatory, outdoor swimming pool, outdoor units plant area, reading area, sauna and accessible unisex toilets are located.

12. **"Recreational Facilities"** means the recreational facilities and facilities ancillary thereto provided or installed for the common use and benefit of the residents of the Residential Units and their bona fide visitors and of no other person or persons pursuant to Special Condition No.(11)(a) of the Government Grant (as defined in the DMC).

13. **"Residential Common Areas"** means those parts of the Lot and the Development designed or intended for the common use and benefit of the Owners of the Residential Units and not otherwise specifically assigned to or for the exclusive use of an Owner of a Residential Unit (which do not form part of the Units, the Development Common Areas or the Carpark Common Areas) and shall include but not limited to :-

(a) the Recreational Areas;

(b) the Greenery Area;

(c) Noise Mitigation Measures (excluding those forming part or parts of a Residential Unit);

(d) potable water tanks, fires service water tanks, flushing water tanks, accessible unisex toilets, access roads, air ducts, air-conditioning platforms, cable ducts, communal antenna broadcast distribution cabinets, corridors, covered landscape, Disabled Car Parking Spaces, Visitors' Car Parks, check meter cabinet, driveways, electrical meter cabinets, electric meter rooms, electrical rooms, entrance lobbies, filtration plant rooms for Recreational Facilities, fire service and sprinkler water pump rooms, fire service booster pump rooms, fire service pipe ducts, fire service water meter cabinets, fire service water pump rooms, fireman lift lobbies, flat roofs (excluding those forming part of a Residential Unit), flushing water pump rooms, generator rooms, hose reels, lift lobbies, lift machine rooms, lift pits, lift shafts, loading and unloading spaces, main switch rooms, pavements, pipe ducts, plant roofs, potable water pump rooms, ramps, refuse storage & material recovery rooms, staff rooms, staircase pressurization room, staircases and landings, submain switch rooms, telecommunications and broadcasting rooms, transfer pump rooms, upper roofs, walkways, water meter cabinets, working spaces and manoeuvring spaces for or in connection with the operation of the CCTV Imaging Device and/or the carrying out of inspection, maintenance, repair or related works for the external drainage pipes concealed by architectural features of each tower of Residential Units;

(e) External Walls of the Development including non-structural prefabricated external walls, the locations of which are for the purpose of identification shown and coloured violet on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC;

(f) enclosing walls of the Residential Common Areas (but in the case of such enclosing walls adjoining any Unit(s), excluding the plaster and covering of the internal surface of such enclosing walls within the relevant Unit(s));

(g) beams, columns, floor slabs, partitions, structural walls and other structural elements and supports of or within Residential Units or any of them;

and all other common parts specified in Schedule 1 to the Building Management Ordinance (Cap.344) (if any) within the Lot and the Development designed or intended for the common use and benefit of the Owners of the Residential Units and not otherwise specifically assigned to or for the exclusive use of an Owner of a Residential Unit.

The Residential Common Areas are for the purpose of identification shown and coloured green and violet on the plans (certified as to their accuracy by the Authorized Person) annexed to the DMC.

14. **"Residential Common Facilities"** means those facilities and ancillary equipment for the common use and benefit of the Owners of the Residential Units and not for the use and benefit of a particular Residential Unit exclusively and shall include but not limited to the CCTV Imaging Device, Recreational Facilities, air-conditioning or mechanical installation, burglar alarm, centralized air-conditioning system, drains, electrical equipment, fire-fighting system, gas pipes, gutters, lifts, lifts and manual fire alarm, lighting, metal gate, pipes, security system, sewers, water pumps, water tanks, wires and cables for the use and benefit of the Residential Units but excluding the Development Common Facilities and the Carpark Common Facilities.

15. **"Slope and Retaining Structures"** means all slopes, slope treatment works, retaining walls and other structures within or outside the Lot, the maintenance of which is the liability of the Owners under the Government Grant or the DMC. The Slope and Retaining Structures are for the purposes of identification only shown and coloured red on the Slopes and Retaining Walls Plan (certified as to their accuracy by the Authorized Person) annexed to the DMC.

B. NUMBER OF UNDIVIDED SHARES ASSIGNED TO EACH RESIDENTIAL PROPERTY IN THE DEVELOPMENT

Tower	Floor	Flat	No. of Undivided Shares allocated to each Residential Unit
TOWER 1	G/F – 1/F (Duplex)	A@	2,515
		C@	2,176
	2/F	A	1,343
		B	1,329
		C	1,162
	3/F, 5/F, 6/F, 7/F, 8/F, 9/F, 10/F, 11/F, 12/F, 15/F, 16/F, 17/F, 18/F, 19/F, 20/F, 21/F, 22/F, 23/F, 25/F	A	1,343
		B	1,344
		C	1,162
	26/F	A	2,567
		C	1,162
	27/F – 29/F (Triplex)	A#*	6,400
	27/F	B	1,340
		C	1,162
	28/F – 29/F (Duplex)	C#*	2,339

Tower	Floor	Flat	No. of Undivided Shares allocated to each Residential Unit
TOWER 2	G/F – 1/F (Duplex)	C@	2,183
	2/F	A	1,303
		B	1,309
		C	1,156
	3/F, 5/F, 6/F, 7/F, 8/F, 9/F, 10/F, 11/F, 12/F, 15/F, 16/F, 17/F, 18/F, 19/F, 20/F, 21/F, 22/F, 23/F, 25/F, 26/F	A	1,303
		B	1,324
		C	1,156
	27/F – 28/F (Duplex)	A	2,241
	27/F	B	1,328
		C	1,156
	28/F – 29/F (Duplex)	B#*	3,483
		C#*	2,315

Tower	Floor	Flat	No. of Undivided Shares allocated to each Residential Unit
TOWER 3	2/F	A	1,141
		B	1,166
		C	852
		D	873
	3/F, 5/F, 6/F, 7/F, 8/F, 9/F, 10/F, 11/F, 12/F, 15/F, 16/F, 17/F, 18/F, 19/F, 20/F, 21/F, 22/F, 23/F, 25/F	A	1,141
		B	1,166
		C	867
		D	873
	26/F	A#	1,988
		C	867
		D	873
	27/F	A	2,027
		C	867
		D	873
	28/F – 29/F (Duplex)	A#*	3,304
	28/F	C	867
		D	873
	29/F	C#*	1,784

Tower	Floor	Flat	No. of Undivided Shares allocated to each Residential Unit
TOWER 5	2/F	A	1,300
		B	1,284
		C	827
		D	829
	3/F, 5/F, 6/F, 7/F, 8/F, 9/F, 10/F, 11/F, 12/F, 15/F, 16/F, 17/F, 18/F	A	1,300
		B	1,299
		C	827
		D	829
	19/F – 20/F (Duplex)	A#	2,234
	19/F	B	1,300
		C	827
		D	835
	20/F – 21/F (Duplex)	B#*	3,033
		C*	1,687
		D#*	1,624

Tower	Floor	Flat	No. of Undivided Shares allocated to each Residential Unit
TOWER 6	2/F	A	1,275
		B	1,282
		C#	767
		D#	777
	3/F, 5/F, 6/F, 7/F, 8/F, 9/F, 10/F, 11/F, 12/F, 15/F, 16/F, 17/F, 18/F	A	1,290
		B	1,282
		C	815
		D	824
	19/F – 20/F (Duplex)	A#	2,214
	19/F	B	1,267
		C	815
		D	824
	20/F – 21/F (Duplex)	B#*	2,945
	20/F	C	815
		D	824
	21/F	C*	1,676

Tower	Floor	Flat	No. of Undivided Shares allocated to each Residential Unit
TOWER 7	2/F	A	1,286
		B	1,315
		C	788
	3/F, 5/F, 6/F, 7/F, 8/F, 9/F, 10/F, 11/F, 12/F, 15/F, 16/F, 17/F, 18/F	A	1,301
		B	1,315
		C	788
	19/F – 20/F (Duplex)	A	2,193
	19/F	B	1,326
		C	788
	20/F – 21/F (Duplex)	B#*	3,265
		C*	1,652

Remarks:
1. The floor numbering for the Towers in the Development is such that there are no floor numbers 4/F, 13/F, 14/F and 24/F.
2. # This Residential Unit includes flat roof(s) thereof.
3. * This Residential Unit includes roof(s) and stairhood thereof.
4. @ This Residential Unit includes garden(s) thereof.

C. TERM OF YEARS FOR WHICH THE MANAGER OF THE DEVELOPMENT IS APPOINTED

Subject to the provisions of the Building Management Ordinance (Cap.344), the management of the Lot and the Development shall for an initial period of two years from the date of the DMC be undertaken by the Management Company (as defined in the DMC). Prior to the formation of the Corporation (as defined in the DMC), the Owners' Committee (as defined in the DMC) may at any time terminate the Manager's appointment without compensation by giving not less than three (3) months' notice in writing to the Manager and by a resolution passed by a majority of votes of Owners voting either personally or by proxy in an Owners' meeting convened under the DMC and supported by the Owners of not less than 50% of the Undivided Shares in aggregate (excluding the Undivided Shares allocated to the Common Areas and Common Facilities).

D. BASIS ON WHICH THE MANAGEMENT EXPENSES ARE SHARED AMONG THE OWNERS OF THE RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

1. Where any expenditure relates to or is for the benefit of the Lot and the Development (but does not relate solely to or is not solely for the benefit of any Unit, Residential Common Areas, Carpark Common Areas, Residential Common Facilities or Carpark Common Facilities), the Development Common Areas and/or the Development Common Facilities, the full amount of such expenditure shall be apportioned between all the Owners of the Development in proportion to the number of Management Shares (as defined in the DMC) held by them.

2. Where any expenditure relates solely to or is solely for the benefit of the Residential Units (but does not relate solely to or is not solely for the benefit of any particular Residential Unit), the Residential Common Areas and/or the Residential Common Facilities, the full amount of such expenditure shall be apportioned between the Owners of the Residential Units in proportion to the number of Management Shares held by them.

3. Where any expenditure relates solely to or is solely for the benefit of a Unit, the full amount of such expenditure shall be borne by the Owner of such Unit.

4. The number of Management Shares allocated to a Residential Unit is the same as the number of Undivided Shares allocated to that Residential Unit.

E. BASIS ON WHICH THE MANAGEMENT FEE DEPOSIT IS FIXED

The management fee deposit payable in respect of each Residential Unit shall be equivalent to two (2) months' Management Fee for that Residential Unit.

F. AREA IN THE DEVELOPMENT RETAINED BY THE OWNER FOR THE OWNER'S OWN USE

Not applicable.

A. 發展項目的公用部份

1. 「**公用地方**」是指發展項目公用地方、停車場公用地方及住宅公用地方。

2. 「**公用設施**」是指發展項目公用設施、停車場公用設施及住宅公用設施。

3. 「**停車場公用地方**」是指設定或擬供停車位（在公契中定義）（不構成單位（在公契中定義）、發展項目公用地方或住宅公用地方的一部份）業主（在公契中定義）的共同使用與享用，以及服務傷殘人士停車位（在公契中定義）及訪客停車位（在公契中定義），而並非特別轉讓或供個別停車位的業主獨家使用的該地段（在公契中定義）及發展項目（在公契中定義）內的部份（不包括在經建築事務監督批准的停車場佈局圖上標明及顯示的停車位）和《建築物管理條例》（第344章）附表一指定的所有其他公用部份（如有），包括但不限於入口區域、 空調機房、循環通道、走廊、行車道、電動車輛充電錶房、通風機房、消防喉轆、樓梯及梯台。停車場公用地方在公契附夾的圖則上（經認可人士（在公契中定義）核實為準確）以黃色顯示，僅供識別。

4. 「**停車場公用設施**」是指供停車位共同使用與享用以及服務傷殘人士停車位及訪客停車位，而非發展項目其他部份，且並不是供某特定停車位的獨家使用與享用的該等設施及裝備，包括但不限於電動車輛公用設施、機電裝置、消防設備及裝置、照明、機械通風系統、機器與設備、水管及排水系統、保安系統，但不包括發展項目公用設施及住宅公用設施。

5. 「**閉路電視攝像設備**」是指在屋宇署發出的「認可人士、註冊結構工程師註冊岩土工程幬業備考（應用《建築物條例》及規例）93 - 規劃及設計排水工程」內提及，並由建築事務監督要求提供以檢查每幢住宅單位（在公契中定義）大廈中被建築裝飾遮藏的外部排水喉管的閉路電視攝像設備。此詞亦包括為此設備而設或與其有關的所有該等電線、電纜、設備、器具及其他電力或其他裝置。

6. 「**電動車輛公用設施**」是指安裝或擬安裝於停車場公用地方內供停車位（在公契中定義）、訪客停車位及傷殘人士停車位的共同使用與享用，以供停泊在停車位、訪客停車位及傷殘人士停車位內按《道路交通條例》（第374章）領牌的電動車輛或電動電單車作充電之用途或相關用途的一切該等設施；該等設施不得獨家服務任何停車位、訪客停車位及傷殘人士停車位，或屬於任何停車位業主，其包括但不限於該等器具、電纜、管道、設備、線槽、電線及用作或有關該用途的其他電力或其他裝置。電動車輛公用設施的位置在已批核圖則（在公契中定義）上顯示，其複印本將存放於發展項目管理處以供業主於正常辦公時間內免費查閱。

7. 「**發展項目公用地方**」是指整個該地段及發展項目內並非特別轉讓或供予個別業主獨家使用，而設定或擬供業主共同使用與享用的所有地方（不構成單位、住宅公用地方或停車場公用地方的一部份），包括但不限於：地基、結構牆、承重牆、發展項目的柱、樑及樓板（包括防水膜）（不構成單位、住宅公用地方或停車場公用地方的一部份）、發展項目公用地方的圍封牆（但如該圍封牆與任何單位毗連，則不包括相關單位內該圍封牆的內面之灰泥及覆蓋物）、入口、灑水器水缸、消防水缸、消防及灑水器增壓泵房、消防控制室、供平台的食水及沖廁水泵房、發電機房、總電掣房、總水錶房、管理人辦公室、管道槽、供平台的食水泵房、升降機槽、垃圾及物料回收室連車輛通道、樓梯及梯台、輸送泵房、變壓器房、檢查水錶櫃、該地段內斜坡及擋土構築物的該等部份，以及《建築物管理條例》（第344章）第一附表指定的該地段及發展項目內設定或擬供業主共同使用與享用，並非特別轉讓給或供予個別業主獨家使用的所有其他公用地方（如有）（不構成單位、住宅公用地方或停車場公用地方的一部份）。發展項目公用地方在公契附夾的圖則上（經認可人士核實為準確）以橙色顯示，僅供識別。

8. 「**發展項目公用設施**」是指

(a) 服務發展項目公用地方的該等空調系統、電子發電機、火警警報系統、消防栓／消防喉轆系統、消防控制、水缸、燃料缸、雨水渠、總電掣、總儀錶、機械通風系統、管道、機器與設備、排水渠、污水渠、表面有蓋渠道、升降機、天線廣播分導設施、電訊廣播設備、電訊網絡設施、電線及電纜、機電裝置及供該地段及發展項目使用與享用，並非供個別單位使用或享用的現時或任何時候在該地段及發展項目之內、之下、之上或通過該地段及發展項目，將水、污水、煤氣、電力及任何其他服務輸送到該地段及發展項目或其中任何部份的服務設施（不論是否套上導管）；

(b) 發展項目內供該地段及發展項目使用與享用，並非供個別單位使用或享用的照明，包括外牆照明；

(c) 發展項目內供該地段及發展項目使用與享用，並非供個別單位使用或享用的自動灑水器系統、火警偵察及警報系統及消防栓及消防喉轆系統；

(d) 供該地段及發展項目使用與享用，並非供個別單位使用或享用的防盜警鐘、金屬鐵閘門、人手操作的閘門、升降式閘門及保安系統（如有）；

和供該地段及發展項目共同使用與享用，並非供個別單位獨家使用或享用的其他設施及系統。

為釋疑慮，「發展項目公用設施」一詞不包括構成住宅公用設施或停車場公用設施一部份的該等設施、設備及其他類似構築物。

9. 「**外牆**」是指發展項目的外牆或其中任何部份，包括幕牆（包括錨固、墊圈、玻璃面板、窗框、窗戶密封膠及幕牆的其他零件、在其中或其上的不可開合窗戶及錨固、墊圈、玻璃面板、窗框、窗戶密封膠及不可開合窗戶的其他零件，但不包括在安裝在其中的所有可開合窗戶及錨固、圍著可開合窗戶玻璃面板的框架、墊圈、玻璃面板、把手、鉸鏈、鎖、窗戶密封膠及可開合窗戶的其他零件）、非結構預製外牆、建築裝飾、百葉、護牆、非圍封範圍（在公契中定義）的底邊，以及公用地方的窗戶及窗框，但不包括對著單位一邊的混凝土牆的對內表面、非圍封範圍及平台的欄杆/圍欄/玻璃護牆或其替代，以及單位的窗戶（不論可否開合）（該等安裝於幕牆或其中的不可開合窗戶除外）、窗框及窗框周圍的密封膠。

10. 「**噪音緩解措施**」是指由環境保護署署長批核於發展項目內提供的所有或任何噪音緩解措施及其任何由環境保護署署長批核的其後修訂（如有），包括維修窗、隔音鰭及減音露台，其在公契附夾的圖則上顯示，僅供識別。

11. 「**康樂區域**」是指擬供住宅單位住客及其真正訪客用作康樂用途的區域，包括但不限於地庫（B2）層、地庫（B1）層、地下及發展項目第5、6及7座的1樓康樂設施位於的該等範圍，該等康樂設施包括但不限於羽毛球場、女更衣室及洗手間、宴會廳、健身室、室內游泳池、按摩池、室內網球場、男更衣室及洗手間、室外游泳池、室外機器範圍、閱讀區、桑拿室及暢通易達性別友善廁所。

12. 「**康樂設施**」是指依照政府批地文件（在公契中定義）特別條款第(11)(a)條提供或安裝予住宅單位住客及其真正訪客而非任何其他人士共同使用與享用的康樂設施及其輔助設施。

13. 「**住宅公用地方**」是指在該地段及發展項目內設定或擬供住宅單位業主的共同使用與享用而非特別轉讓或供個別住宅單位業主獨家使用的部份（不構成單位、發展項目公用地方或停車場公用地方的一部份），包括但不限於：-

(a) 康樂區域；

(b) 綠化地方；

(c) 噪音緩解措施（構成住宅單位的一部份者除外）；

(d) 食水水缸、消防水缸、沖廁水水缸、暢通易達性別友善廁所、通行道路、風管、空調機平台、電纜槽、公用天線廣播分導櫃、走廊、有蓋園林、傷殘人士停車位、訪客停車位、檢查錶櫃、行車道、電錶櫃、電錶房、電子房、入口大堂、供康樂設施的濾水機房、消防及消防灑水器泵房、消防增壓泵房、消防管道槽、消防水錶櫃、消防水泵房、消防員升降機大堂、平台（不包括構成住宅單位的一部份者）、沖廁水泵房、發電機房、消防喉轆、升降機大堂、升降機機房、升降機井道、升降機槽、上落貨車位、總電掣房、行人路、管道槽、綠化天台、食水泵房、斜路、垃圾及物料回收房、工作人員房、樓梯增壓房、樓梯及梯台、分總電掣房、電訊及廣播房、輸送泵房、上層天台、行人道、水錶櫃、有關閉路電視攝像設備的操作及/或為每幢住宅單位大廈中被建築裝飾遮藏的外部排水喉管進行檢查、維護、修理或相關工作的工作空間和操作空間；

(e) 發展項目之外牆包括非結構預製外牆，其位置在公契附夾的圖則上（經認可人士核實為準確）以紫色顯示，僅供識別；

(f) 住宅公用地方的圍封牆（但如該圍封牆與任何單位毗連，則不包括相關單位內該圍封牆的內面之灰泥及覆蓋物）；

(g) 住宅單位的或其內的樑、柱、樓板、間隔、結構牆及其他結構元件及支撐物或任何之一；

以及《建築物管理條例》（第344章）第一附表指定的該地段及發展項目內設定或擬供住宅單位業主共同使用與享用，而非特別轉讓或供個別住宅單位業主獨家使用的所有其他公用部份。

住宅公用地方在公契附夾的圖則上（經認可人士核實為準確）以綠色及紫色顯示，僅供識別。

14. 「**住宅公用設施**」是指為住宅單位業主的共同使用與享用而不是供個別特定住宅單位獨家使用與享用的該等設施及輔助裝備，包括但不限於供住宅單位的使用與享用的閉路電視攝像設備、康樂設施、空調或機械通風裝置、防盜警鐘、中央空調系統、排水渠、電子設備、滅火系統、氣體管、雨水渠、升降機、升降機及手動火警鐘、照明、金屬閘門、管道、保安系統、污水渠、水泵、水缸、電線及電纜，但不包括發展項目公用設施及停車場公用設施。

15. 「**斜坡及擋土構築物**」是指該地段以內或以外，根據政府批地文件或公契須由業主負責維修的所有斜坡、斜坡整理工程、護土牆及其他構築物。斜坡及擋土構築物在公契附夾的斜坡及護土牆圖則上（經認可人士核實為準確）以紅色顯示，僅供識別。

B. 分配予發展項目中的每個住宅物業的不分割份數的數目

座數	樓層	單位	每個住宅單位獲分配的不分割份數的數目
第1座	地下 – 1樓 (複式)	A@	2,515
		C@	2,176
	2樓	A	1,343
		B	1,329
		C	1,162
	3樓、5樓、6樓、 7樓、8樓、9樓、 10樓、11樓、 12樓、15樓、 16樓、17樓、 18樓、19樓、 20樓、21樓、 22樓、23樓、25樓	A	1,343
		B	1,344
		C	1,162
	26樓	A	2,567
		C	1,162
	27樓 – 29樓 (三層頂層單位)	A#*	6,400
	27樓	B	1,340
		C	1,162
	28樓 – 29樓 (複式)	C#*	2,339
第2座	地下 – 1樓 (複式)	C@	2,183
	2樓	A	1,303
		B	1,309
		C	1,156
	3樓、5樓、6樓、 7樓、8樓、9樓、 10樓、11樓、 12樓、15樓、 16樓、17樓、 18樓、19樓、 20樓、21樓、 22樓、23樓、 25樓、26樓	A	1,303
		B	1,324
		C	1,156
	27樓 – 28樓 (複式)	A	2,241
	27樓	B	1,328
		C	1,156
	28樓 – 29樓 (複式)	B#*	3,483
		C#*	2,315
第3座	2樓	A	1,141
		B	1,166
		C	852
		D	873
	3樓、5樓、6樓、 7樓、8樓、9樓、 10樓、11樓、 12樓、15樓、 16樓、17樓、 18樓、19樓、 20樓、21樓、 22樓、23樓、25樓	A	1,141
		B	1,166
		C	867
		D	873
	26樓	A#	1,988
		C	867
		D	873
	27樓	A	2,027
		C	867
		D	873
	28樓 – 29樓 (複式)	A#*	3,304
	28樓	C	867
		D	873
	29樓	C#*	1,784

座數	樓層	單位	每個住宅單位獲分配的不分割份數的數目
第5座	2樓	A	1,300
		B	1,284
		C	827
		D	829
	3樓、5樓、6樓、7樓、8樓、9樓、10樓、11樓、12樓、15樓、16樓、17樓、18樓	A	1,300
		B	1,299
		C	827
		D	829
	19樓 – 20樓 (複式)	A#	2,234
	19樓	B	1,300
		C	827
		D	835
	20樓 – 21樓 (複式)	B#*	3,033
		C*	1,687
		D#*	1,624

座數	樓層	單位	每個住宅單位獲分配的不分割份數的數目
第6座	2樓	A	1,275
		B	1,282
		C#	767
		D#	777
	3樓、5樓、6樓、7樓、8樓、9樓、10樓、11樓、12樓、15樓、16樓、17樓、18樓	A	1,290
		B	1,282
		C	815
		D	824
	19樓 – 20樓 (複式)	A#	2,214
	19樓	B	1,267
		C	815
		D	824
	20樓 – 21樓 (複式)	B#*	2,945
	20樓	C	815
		D	824
	21樓	C*	1,676

座數	樓層	單位	每個住宅單位獲分配的不分割份數的數目
第7座	2樓	A	1,286
		B	1,315
		C	788
	3樓、5樓、6樓、7樓、8樓、9樓、10樓、11樓、12樓、15樓、16樓、17樓、18樓	A	1,301
		B	1,315
		C	788
	19樓 – 20樓 (複式)	A	2,193
	19樓	B	1,326
		C	788
	20樓 – 21樓 (複式)	B#*	3,265
		C*	1,652

註:

1. 發展項目內住宅大樓不設4樓、13樓、14樓及24樓。
2. # 此住宅單位包括平台。
3. * 此住宅單位包括天台及梯屋。
4. @ 此住宅單位包括花園。

C. 有關發展項目的管理人的委任年期

在不抵觸《建築物管理條例》（第344章）的情況下，該地段和發展項目之管理將由管理公司（在公契中定義）負責，管理之首屆任期為由公契之日期起計兩年。在成立法團（在公契中定義）之前，業主委員會（在公契中定義）可向管理公司給予不少於三（3）個曆月的書面通知終止對其的委任，並無需給予補償，該決議需由多數業主無論親身或由其代表於根據公契召開的業主大會投票通過，並得到其擁有的不分割份數不低於不分割份數總量50%（不包括分配給公用地方和公用設施的不分割份數）的業主支持。

D. 管理開支按甚麼基準在發展項目中的住宅物業的擁有人之間分擔

1. 如果任何開支涉及/或有利於該地段及發展項目（但並非僅涉及/或僅有利於任何單位、住宅公用地方、停車場公用地方、住宅公用設施或停車場公用設施）、發展項目公用地方及/或發展項目公用設施，則該等開支的全部款項需由發展項目的全體業主按他們持有的管理份數（在公契中定義）的比例進行分攤。

2. 如果任何開支僅涉及/或僅有利於住宅單位（但並非僅涉及/或僅有利於個別特定住宅單位）、住宅公用地方及/或住宅公用設施，則該等開支的全部款項需由住宅單位的業主按他們持有的管理份數的比例進行分攤。

3. 如果任何開支僅涉及/或僅有利於某個單位，則該等開支的全部款項需由該單位業主承擔。

4. 分配予每個住宅單位的管理份數數目與分配予該住宅單位的不分割份數數目相同。

E. 計算管理費按金的基準

每個住宅單位需支付的管理費按金相等於該住宅單位兩（2）個月的管理費。

F. 擁有人在發展項目中保留作自用的範圍

不適用。

1. The Lot number of the land on which the Development is situated:
Kowloon Inland Lot No.11257 ("**the Lot**")

2. The term of years under Conditions of Sale No.20268 ("**the Land Grant**"):
50 years commencing from 30 March 2016

3. The user restrictions applicable to that land:
Special Condition No.(4) of the Land Grant provides that:

The Lot or any part thereof or any building or part of any building erected or to be erected thereon shall not be used for any purpose other than for private residential purposes.

Special Condition No.(39) of the Land Grant provides that:

No grave or columbarium shall be erected or made on the Lot, nor shall any human remains or animal remains whether in earthenware jars, cinerary urns or otherwise be interred therein or deposited thereon.

4. Special Condition No.(2) of the Land Grant provides that:

(a) The Purchaser acknowledges that as at the date of the Land Grant, certain boundary walls and structures erected on the piece or parcel of land registered in the Land Registry as Kowloon Inland Lot No.10640 ("**the Adjoining Lot**") encroach onto the Lot (collectively "**the Encroaching Structures**") and that the Lot is granted subject to the existence of the Encroachment. Without prejudice to the generality of the provisions of General Condition No.5 of the Land Grant, the Purchaser shall be deemed to have satisfied himself as to and have accepted the state and condition of the Lot as existing on the date of the Land Grant subject to the existence of the Encroaching Structures, and no objection or claim whatsoever shall be made or raised by the Purchaser in respect of or on account of the same.

(b) The Government gives no warranty, expressed or implied, as to the physical state, condition and safety of the Encroaching Structures or any part thereof, or as to whether the Encroaching Structures was erected or installed or has remained in existence in compliance with the provisions of the Buildings Ordinance, any regulations made thereunder and any amending legislation, or as to whether the Encroaching Structures will be demolished, removed or rectified. The Government shall be under no responsibility, obligation or liability whatsoever to the Purchaser or any other persons in respect of the Encroaching Structures or the existence, maintenance, repair, removal or demolition of the Encroaching Structures or any loss, damage, nuisance or disturbance caused to or suffered by the Purchaser or any other persons by reason of or arising out of or incidental to the Encroaching Structures or the existence, maintenance, repair, removal or demolition of the Encroaching Structures or the carrying out of any works by the Purchaser or any other persons in relation thereto or the taking of steps or legal proceedings or actions against the registered owners or occupiers of the Adjoining Lot or any other persons in respect thereof.

(c) The Purchaser shall at all times indemnify and keep indemnified the Government from and against all liabilities, losses, damages, claims, costs, expenses, charges, demands, actions and proceedings whatsoever arising whether directly or indirectly out of or in connection with the Encroaching Structures or the existence, maintenance, repair, demolition or removal of the Encroaching Structures.

(d) For the avoidance of doubt, the existence of the Encroaching Structures and the fact that the Lot is granted subject to the existence of the same shall not in any way relieve the Purchaser of or release, discharge, lessen or vary the Purchaser's obligations under the Land Grant or affect or prejudice in any way the rights and remedies of the Government under the Land Grant in respect of any breach, non-compliance, non-observance or non-performance by the Purchaser of his obligations under the Land Grant.

5. Special Condition No.(3) of the Land Grant provides that:

The Purchaser shall develop the Lot by the erection thereon of a building or buildings complying in all respects with the Conditions of the Land Grant and all Ordinances, bye-laws and regulations relating to building, sanitation and planning which are or may at any time be in force in Hong Kong, such building or buildings to be completed and made fit for occupation on or before the 31st day of December 2021.

6. Special Condition No.(6) of the Land Grant provides that:

(a) Except with the prior written consent of the Director of Lands ("**the Director**"), no building or structure, projection or support for any building or structure shall be erected, constructed or placed on, over or above the ground level or levels of those portions of the Lot shown coloured pink hatched black and pink hatched black stippled black on the plan annexed to the Land Grant (collectively "**the Non-building Areas**") except the following:

(i) boundary walls or fences or both as may be approved by the Director of Planning and in all respects to the satisfaction of the Director of Planning to achieve physical porosity of not less than 50% along the horizontal plane per linear metre from one metre above the general formation level of the adjacent pedestrian street or path;

(ii) landscaping features and associated facilities; and

(iii) minor structure for footbridge connection or covered walkway as may be approved by the Director of Planning.

(b) For the purposes of Special Condition No.(6) of the Land Grant, the decision of the Director of Planning as to what constitutes the ground level or levels of the Non-building Areas, what constitutes the general formation level of the adjacent pedestrian street or path referred to in Special Condition No.(6)(a)(i) of the Land Grant and what constitutes the landscaping features and associated facilities referred to in Special Condition No.(6)(a)(ii) of the Land Grant shall be final and binding on the Purchaser.

7. Special Condition No.(7) of the Land Grant provides that:

Notwithstanding the user restriction stipulated in Special Condition No.(4) of the Land Grant and subject to Special Condition No.(6) of the Land Grant, no air sensitive uses including but not limited to domestic use and outdoor recreation facilities such as exercise area, gardens with seats, playground, swimming pool and ball courts shall be erected, constructed or provided on or over those portions of the Lot shown coloured pink stippled black and pink hatched black stippled black on the plan annexed to the Land Grant. For the purposes of Special Condition No.(7) of the Land Grant, the decision of the Director of Environmental Protection as to what constitutes air sensitive uses shall be final and binding upon the Purchaser.

8. Special Condition No.(8)(b) of the Land Grant provides that:

The Purchaser shall at his own expense and within such time limits as shall be stipulated by the Director carry out and implement the Approved Noise Mitigation Measures (as defined in the Land Grant) in all respects to the satisfaction of the Director.

9. Special Condition No.(9) of the Land Grant provides that:

In the event that the Approved Noise Mitigation Measures comprise the erection or construction of noise barrier or noise barriers on the Lot with projection extending beyond the boundary of the Lot and over and above any portion of the adjoining Government land ("**the Noise Barrier**"), the following conditions shall apply:

(a) the Purchaser shall at his own expense design, erect and construct the Noise Barrier in accordance with the plans approved by the Building Authority and in all respects in compliance with the Buildings Ordinance, any regulations made thereunder and any amending legislation;

(b) no foundation or support for the Noise Barrier may be erected on, upon or underneath any Government land adjoining the Lot;

(c) no alteration, addition, replacement or attachment whatsoever shall be made or affixed to or upon the Noise Barrier or any part or parts thereof except with the prior written approval of the Director;

(d) the Purchaser shall at all times and at his own expense uphold, maintain and repair the Noise Barrier or (where approved by the Director) any replacement thereof in good and substantial repair and condition in all respects to the satisfaction of the Director and if temporary traffic closure or diversion shall be required for carrying out any works under Special Condition No.(9)(d) of the Land Grant, written agreement of the Commissioner of Transport on the temporary traffic arrangement shall have been obtained before commencement of any works;

(e) the Noise Barrier shall not be used for any purpose other than for noise barrier and the Purchaser shall not use or suffer or allow to be used the Noise Barrier or any part or parts thereof for advertising or for the display of any signs, notices or posters whatsoever except with the prior written consent of the Director;

(f) subject to the prior written approval of the Director, the Purchaser, his contractors, workmen or any other persons authorized by the Purchaser shall be permitted to enter into the Government land adjoining the Lot with or without tools, equipment, plant, machinery or motor vehicles for the purposes of carrying out any erection, construction, inspection, repair, maintenance, cleaning, renewing and replacement of the part or parts of the Noise Barrier projecting over the Government land in accordance with Special Condition No.(9) of the Land Grant;

(h) the Purchaser shall at all times take such precautions as may be necessary to prevent any damage or injury being caused to any Government land adjoining the Lot and the Noise Barrier or to any persons or vehicles

entering or using any Government land adjoining the Lot and the Noise Barrier as a result of the erection, construction, repair, maintenance, alteration, use, demolition or removal of the Noise Barrier;

(i) the Director shall, at any time and at his absolute discretion, have the right to serve upon the Purchaser a written notice requiring the Purchaser to demolish and remove the part or parts of the Noise Barrier that project over the Government land without any replacement within six calendar months from the date of the written notice and upon receipt of such written notice, the Purchaser shall at his own expense demolish and remove the aforesaid part or parts of the Noise Barrier within such period as stipulated in such written notice and in all respects to the satisfaction of the Director;

(j) in the event of the non-fulfilment of any of the Purchaser's obligations under Special Condition No.(9) of the Land Grant, the Director may carry out the necessary works and the Purchaser shall pay to the Director on demand the cost of such works;

(k) the Purchaser shall at all times permit the Director, his officers, contractors, agents and workmen and any persons authorized by the Director with or without tools, equipment, plant, machinery or motor vehicles, the right of free and unrestricted ingress, egress and regress to, from and through the Lot or any part thereof and any building or buildings erected or to be erected thereon for the purpose of inspecting, checking, and supervising any works to be carried out in accordance with Special Condition Nos. (9)(a), (9)(d) and (9)(i) of the Land Grant and carrying out any works in accordance with Special Condition No.(9)(j) of the Land Grant or any other works which the Director may consider necessary;

(m) the Purchaser shall at all times indemnify and keep indemnified the Government, the Director and his officers, contractors, agents and workmen and any persons authorized by the Director under Special Condition No.(9)(k) of the Land Grant from and against all liabilities, losses, damages, claims, costs, expenses, charges, demands, actions and proceedings whatsoever arising whether directly or indirectly out of or in connection with the erection, construction, presence, repair, maintenance, alteration, use, demolition or removal of the Noise Barrier or in connection with the works under Special Condition No.(9)(j) of the Land Grant.

10. Special Condition No.(11)(a) of the Land Grant provides that:

The Purchaser may erect, construct and provide within the Lot such recreational facilities and facilities ancillary thereto ("**the Facilities**") as may be approved in writing by the Director. The type, size, design, height and disposition of the Facilities shall also be subject to the prior written approval of the Director.

Special Condition No.(11)(c) of the Land Grant provides that:

In the event that any part of the Facilities is exempted from the gross floor area calculations pursuant to Special Condition No.(11)(b) of the Land Grant ("**the Exempted Facilities**"):

(i) the Exempted Facilities shall be designated as and form part of the Common Areas referred to in Special Condition No.(18)(a)(v) of the Land Grant;

(ii) the Purchaser shall at his own expense maintain the Exempted Facilities in good and substantial repair and condition and shall operate the Exempted Facilities to the satisfaction of the Director; and

(iii) the Exempted Facilities shall only be used by the residents of the residential block or blocks erected or to be erected on the Lot and their bona fide visitors and by no other person or persons.

11. Special Condition No.(12) of the Land Grant provides that:

No tree growing on the Lot or adjacent thereto shall be removed or interfered with without the prior written consent of the Director who may, in granting consent, impose such conditions as to transplanting, compensatory landscaping or replanting as he may deem appropriate.

12. Special Condition No.(13)(b) of the Land Grant provides that:

(i) Not less than 20% of the area of the Lot shall be planted with trees, shrubs or other plants.

(ii) Not less than 50% of the 20% referred to in Special Condition No.(13)(b)(i) of the Land Grant ("**the Greenery Area**") shall be provided at such location or level as may be determined by the Director at his sole discretion so that the Greenery Area shall be visible to pedestrians or accessible by any person or persons entering the Lot.

(iii) The decision of the Director on which landscaping works proposed by the Purchaser constitutes the 20% referred to in Special Condition No.(13)(b)(i) of the Land Grant shall be final and binding on the Purchaser.

(iv) The Director at his sole discretion may accept other non-planting features proposed by the Purchaser as an alternative to planting trees, shrubs or other plants.

Special Condition No.(13)(c) of the Land Grant provides that:

The Purchaser shall at his own expense landscape the Lot in accordance with the approved landscape plan in all respects to the satisfaction of the Director, and no amendment, variation, alteration, modification or substitution of the approved landscape plan shall be made without the prior written consent of the Director.

Special Condition No.(13)(d) of the Land Grant provides that:

The Purchaser shall thereafter at his own expense maintain and keep the landscaped works in a safe, clean, neat, tidy and healthy condition all to the satisfaction of the Director.

Special Condition No.(13)(e) of the Land Grant provides that:

The area or areas landscaped in accordance with Special Condition No.(13) of the Land Grant shall be designated as and form part of the Common Areas referred to in Special Condition No.(18)(a)(v) of the Land Grant.

13. Special Condition No.(21)(a)(i) of the Land Grant provides that:

Spaces shall be provided within the Lot to the satisfaction of the Director for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building or buildings erected or to be erected on the Lot and their bona fide guests, visitors or invitees ("**the Residential Parking Spaces**") at a rate to be calculated by reference to the respective type(s) and size(s) of the residential units or houses erected or to be erected on the Lot as set out in Special Condition No.(21)(a)(i) of the Land Grant.

Special Condition No.(21)(a)(iii) of the Land Grant provides that:

Additional spaces shall be provided within the Lot to the satisfaction of the Director for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the bona fide guests, visitors or invitees of the residents of the building or buildings erected or to be erected on the Lot at rates prescribed therein or at such other rates as may be approved by the Director.

Special Condition No.(21)(a)(iv) of the Land Grant provides that:

The spaces provided under Special Condition Nos.(21)(a)(i) (as may be varied under Special Condition No.(23) of the Land Grant) and (21)(a)(iii) of the Land Grant shall not be used for any purpose other than those respectively stipulated therein and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

Special Condition No.(21)(b)(i) of the Land Grant provides that:

Out of the spaces provided under Special Condition Nos.(21)(a)(i) (as may be varied under Special Condition No.(23) of the Land Grant) and (21)(a)(iii) of the Land Grant, the Purchaser shall reserve and designate such number of spaces for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation ("**the Parking Spaces for the Disabled Persons**") as the Building Authority may require or approve provided that a minimum of one space shall be so reserved and designated out of the spaces provided under Special Condition No.(21)(a)(iii) of the Land Grant and that the Purchaser shall not reserve or designate all of the spaces provided under Special Condition No.(21)(a)(iii) of the Land Grant to become the Parking Spaces for the Disabled Persons.

Special Condition No.(21)(b)(ii) of the Land Grant provides that:

The Parking Spaces for the Disabled Persons shall not be used for any purpose other than for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building or buildings erected or to be erected on the Lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

Special Condition No.(21)(c)(i) of the Land Grant provides that:

Spaces shall be provided within the Lot to the satisfaction of the Director for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the building or buildings erected or to be erected on the Lot and their bona fide guests, visitors or invitees ("**the Motor Cycle Parking Spaces**"), at the prescribed rate or at such other rates as may be approved by the Director.

Special Condition No.(21)(c)(ii) of the Land Grant provides that:

The Motor Cycle Parking Spaces (as may be varied under Special Condition No.(23) of the Land Grant) shall not be used for any purpose other than for the purpose set out in Special Condition No.(21)(c)(i) of the Land Grant and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

14. Special Condition No.(22) of the Land Grant provides that:

(a) Spaces shall be provided within the Lot to the satisfaction of the Director for the loading and unloading of goods vehicles at the prescribed rate or at such other rates as may be approved by the Director subject to a minimum of one loading and unloading space for each block of residential units erected or to be erected on the Lot, such loading and unloading space to be located adjacent to or within each block of residential units.

(b) Each of the loading and unloading spaces shall be of prescribed measurements and such spaces shall not be used for any purpose other than for the loading and unloading of goods vehicles in connection with the building or buildings erected or to be erected on the Lot.

15. Special Condition No.(25)(a) of the Land Grant provides that:

Notwithstanding that the Conditions of the Land Grant shall have been observed and complied with to the satisfaction of the Director, the Residential Parking Spaces and the Motor Cycle Parking Spaces shall not be:

(i) assigned except

(I) together with undivided shares in the Lot giving the right of exclusive use and possession of a residential unit or units in the building or buildings erected or to be erected on the Lot; or

(II) to a person who is already the owner of undivided shares in the Lot with the right of exclusive use and possession of a residential unit or units in the building or buildings erected or to be erected on the Lot; or

(ii) underlet except to residents of the residential units in the building or buildings erected or to be erected on the Lot.

Provided that in any event not more than three in number of the total of the Residential Parking Spaces and the Motor Cycle Parking Spaces shall be assigned to the owner or underlet to the resident of any one residential unit in the building or buildings erected or to be erected on the Lot.

16. Special Condition No.(27) of the Land Grant provides that:

The parking, loading and unloading spaces indicated on the car park layout plan approved by and deposited with the Director shall not be used for any purpose other than for the purposes set out respectively in Special Condition Nos.(21) and (22) of the Land Grant. The Purchaser shall maintain the parking, loading and unloading spaces and other areas, including but not restricted to the lifts, landings and manoeuvring and circulation areas, in accordance with the said approved plan and shall not alter the layout except with the prior written consent of the Director. Except for the parking spaces indicated on the said approved plan, no part of the Lot or any building or structure thereon shall be used for parking purposes.

17. Special Condition No.(29) of the Land Grant provides that:

The Purchaser shall not cut away, remove or set back any Government land adjacent to or adjoining the Lot or carry out any building-up, filling-in or any slope treatment works of any kind whatsoever on any Government land except with the prior written consent of the Director who may, at his sole discretion, give his consent subject to such terms and conditions as he sees fit, including the grant of additional Government land as an extension to the Lot at such premium as he may determine.

18. Special Condition No.(30)(a) of the Land Grant provides that:

Where there is or has been any cutting away, removal or setting back of any land, or any building-up or filling-in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the Lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the Lot or any part thereof or any other works required to be done by the Purchaser under the Conditions of the Land Grant, or for any other purpose, the Purchaser shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the Lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Purchaser shall at all times during the term agreed to be granted by the Land Grant maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director.

Special Condition No.(30)(c) of the Land Grant provides that:

In the event that as a result of or arising out of any formation, levelling, development or other works done by the Purchaser or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land, within the Lot or from any adjacent or adjoining Government or leased land, the Purchaser shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify the Government, its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, landslip or subsidence.

Special Condition No.(30)(d) of the Land Grant provides that:

In addition to any other rights or remedies in the Land Grant provided for breach of any of the Conditions, the Director shall be entitled by notice in writing to call upon the Purchaser to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support, protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the Purchaser shall neglect or fail to comply with the notice to the satisfaction to the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the Purchaser shall on demand repay to the Government the cost thereof, together with any administrative and professional fees and charges.

19. Special Condition No.(32) of the Land Grant provides that:

Where prestressed ground anchors have been installed, upon development or redevelopment of the Lot or any part thereof, the Purchaser shall at his own expense carry out regular maintenance and regular monitoring of the prestressed ground anchors throughout their service life to the satisfaction of the Director and shall supply to the Director such reports and information on all such monitoring works as the Director may from time to time in his absolute discretion require. If the Purchaser shall neglect or fail to carry out the required monitoring works, the Director may forthwith execute and carry out the monitoring works and the Purchaser shall on demand repay to the Government the cost thereof.

20. Special Condition No.(34) of the Land Grant provides that:

The Purchaser shall take or cause to be taken all proper and adequate care, skill and precautions at all times, and particularly when carrying out construction, maintenance, renewal or repair work ("**the Works**"), to avoid causing any damage, disturbance or obstruction to any Government or other existing drain, waterway or watercourse, water main, road, footpath, street furniture, sewer, nullah, pipe, cable, wire, utility service or any other works or installations being or running upon, over, under or adjacent to the Lot or any part thereof (collectively "**the Services**"). The Purchaser shall prior to carrying out any of the Works make or cause to be made such proper search and enquiry as may be necessary to ascertain the present position and levels of the Services, and shall submit his proposals for dealing with any of the Services which may be affected by the Works in writing to the Director for his approval in all respects, and shall not carry out any work whatsoever until the Director shall have given his written approval to the Works and to such aforesaid proposals. The Purchaser shall comply with and at his own expense meet any requirements which may be imposed by the Director in respect of the Services in granting the aforesaid approval, including the cost of any necessary diversion, relaying or reinstatement. The Purchaser shall at his own expense in all respects repair, make good and reinstate to the satisfaction of the Director any damage, disturbance or obstruction caused to the Lot or any of the Services in any manner arising out of the Works (except for nullah, sewer, storm-water drain or water main, the making good of which shall be carried out by the Director, unless the Director elects otherwise, and the Purchaser shall pay to the Government on demand the cost of such works). If the Purchaser fails to carry out any such necessary diversion, relaying, repairing, making good and reinstatement of the Lot or any part thereof or of any of the Services to the satisfaction of the Director, the Director may carry out any such diversion, relaying, repairing, making good or reinstatement as he considers necessary

and the Purchaser shall pay to the Government on demand the cost of such works.

21. Special Condition No.(36)(b) of the Land Grant provides that:

The Purchaser shall at his own expense and within such time limit as shall be stipulated by the Director of Environmental Protection carry out and implement the recommendations in the sewerage impact assessment ("SIA" as defined in Special Condition No.(36)(a) of the Land Grant) as approved by the Director of Environmental Protection in all respects to the satisfaction of the Director of Environmental Protection.

Notes:
The expression "Purchaser" as mentioned in this section means the Purchaser under the Land Grant and where the context so admits or requires includes his executors, administrators and assigns and in case of a corporation its successors and assigns.

1. 發展項目所在土地的地段編號：

九龍內地段第11257號（下稱「**該地段**」）

2. 賣地條件第20268號（下稱「**批地文件**」）規定的年期：

由2016年3月30日起計50年

3. 適用於該土地的用途限制：

批地文件特別條款第(4)條規定：

該地段或其任何部份或任何在該地段上已興建或將興建的建築物或其任何部份不得用作私人住宅用途以外的任何其他用途。

批地文件特別條款第(39)條規定：

不准在該地段興建或製作墳墓或骨灰龕，亦不准在其內或其上用泥壇、骨灰盒或其他形式埋葬或存放人類遺骸或動物遺骸。

4. 批地文件特別條款第(2)條規定：

(a) 買方確認截至批地文件的日期，搭建於在土地註冊處登記為九龍內地段第10640號的土地（下稱「**毗鄰地段**」）的某些圍牆及構築物侵佔了該地段（以下統稱「**侵佔構築物**」），並確認該地段是在侵佔構築物存在下批出的。茲毋損批地文件一般條款第5條之條文的一般性，買方將被當作已滿意及接納在侵佔構築物存在下批出的該地段在批地文件的日期之情況及狀況，買方亦不得就或因上述情況及狀況作出或提出任何反對或申索。

(b) 政府對侵佔構築物或在其中的任何部份之實際情況、狀況及安全，或對侵佔構築物之搭建或安裝或持續存在是否符合《建築物條例》、任何根據《建築物條例》訂立的規例及任何修訂法例的條文，或對侵佔構築物會否將被清拆、清除或更正，並不作出不論明示或隱含的保證。政府對買方或任何其他人就侵佔構築物或侵佔構築物的存在、保養、維修、清除或清拆，或買方或任何其他人招致或蒙受由侵佔構築物或侵佔構築物的存在、保養、維修、清除或清拆或買方或任何其他人就上述事宜進行工程而引致或附帶的任何損失、損害、滋擾或妨擾，或對毗鄰地段的註冊業主或佔用人或任何其他有關人士採取的步驟或法律程序或訴訟，無須負上任何責任、義務或法律責任。

(c) 買方須時刻就因或有關侵佔構築物或侵佔構築物的存在、保養、維修、清拆或清除，而直接或間接產生的所有法律責任、損失、損害、索償、費用、開支、收費、要求、訴訟及法律程序，向政府作出彌償及保持彌償。

(d) 為免存疑，侵佔構築物的存在及該地段是根據該侵佔構築物的存在而批出之事實，並不會以任何形式免除買方或解除、撤銷、減輕或更改買方於批地文件的義務，亦不會以任何形式影響或損害政府根據批地文件而擁有就買方違反、不遵從、不遵守或不履行其批地文件的義務之權利及濟助。

5. 批地文件特別條款第(3)條規定：

買方須在該地段上興建一項或多項建築物以發展該地段，並須在所有方面符合批地文件的條款和香港不時有效及有關建築、衛生及規劃的一切條例、附例及規例，該建築物或該等建築物須於2021年12月31日或之前完成和可供佔用。

6. 批地文件特別條款第(6)條規定：

(a) 除非事前獲地政總署署長（下稱「**署長**」）書面同意，不得在批地文件夾附的圖則上以粉紅色間黑斜線及粉紅色間黑斜線綴黑點所示的該地段之部份（以下統稱「**非建築用地**」）、在其上或在其地面水平以上搭建、興建或放置建築物或構築物，或任何建築物或構築物的伸出物或支撐物，但下述者除外：

(i) 為了達致從相鄰街道或路徑的一般平整水平的一米以上，沿橫向平面每直線米不少於50%孔隙率，由規劃署署長批准的邊界牆或圍欄或兩者，並使規劃署署長全面滿意；

(ii) 園景設施及相關設施；及

(iii) 由規劃署署長批准的連接行人天橋或有蓋行人道的小型結構。

(b) 就批地文件特別條款第(6)條而言，規劃署署長對何謂「非建築用地」地面水平、何謂批地文件特別條款第(6)(a)(i)條所述之相鄰街道或路徑的一般平整水平以及何謂「批地文件」特別條款第(6)(a)(ii)條所述之園景設施及相關設施的決定，均為最終決定並對買方具約束力。

7. 批地文件特別條款第(7)條規定：

儘管批地文件特別條款第(4)條所規定的用途限制及受限於批地文件特別條款第(6)條，不得在「批地文件」夾附的圖則上以粉紅色綴黑點及粉紅色間黑斜線綴黑點所示的該地段部份或在其上搭建、興建或提供易受空氣污染影響的用途的設施，其中包括但不限於住宅用途及戶外康樂設施例如操場、設置座椅的花園、遊樂場、游泳池及球場。就批地文件特別條款第(7)條而言，規劃署署長對何謂易受空氣污染影響的用途的決定為最終決定並對買方具約束力。

8. 批地文件特別條款第(8)(b)條規定：

買方須自費在署長訂明的時限內進行及實施經批准的噪音緩解措施（在「批地文件」中定義），以使署長在所有方面滿意。

9. 批地文件特別條款第(9)條規定：

如經批准的噪音緩解措施包含在該地段搭建或興建連同延伸至該地段界線外及毗鄰的政府土地之任何部份之上及以上的伸出物的隔音屏障（下稱「**隔音屏障**」），則以下條件適用：

(a) 買方須根據建築事務監督批准的圖則，並全面遵從《建築物條例》、根據該條例訂立的規例及任何修改法例，自費設計、搭建及興建隔音屏障；

(b) 不得在毗鄰該地段的任何政府土地或在其之上或之下搭建隔音屏障的地基或支架；

(c) 除非得到署長的事先書面同意，不得在隔音屏障或其任何部份或其上進行或加附任何更改、增補、更換或附加；

(d) 買方須時刻及自費維持、保養及維修隔音屏障或（在署長批准下）進行任何更換，令其維持在良好和修繕妥當的狀況以使署長全面滿意。另外，如因進行依據批地文件特別條款第(9)(d)條的工程而需要進行臨時交通封路或改道，在開展任何工程之前須取得運輸署署長有關該等臨時交通安排的書面同意；

(e) 除非得到署長的事先書面同意，隔音屏障不得用作隔音以外的用途，買方亦不得使用或容忍或容許隔音屏障或其任何部份作廣告宣傳或展示任何標誌、告示或海報；

(f) 在得到署長的事先書面批准下，買方、買方的承建商、工人或任何其他獲買方授權的人士將獲准許進入毗鄰該地段的政府土地（不論是否攜帶工具、設備、機器、機械或駕車與否），以根據批地文件特別條款第(9)條，對伸出在政府土地上的隔音屏障的部份進行任何搭建、興建、檢查、維修、保養、清潔、更新及更換工程；

(h) 買方須時刻採取必要的預防措施，避免因搭建、興建、維修、保養、更改、使用、拆除或移除隔音屏障，而對任何毗鄰該地段的政府土地及隔音屏障，或進入或使用任何毗鄰該地段的政府土地及隔音屏障的任何人士或車輛，造成任何損害或傷害；

(i) 署長有權時刻及以其絕對酌情權向買方送達書面通知，要求買方於該書面通知的日期起六個月內，在沒有任何更換下拆除及移除伸出在政府土地上的隔音屏障的部份；另外買方須在收到該書面通知後，於上述書面通知列明的時限內自費拆除及移除上述的隔音屏障的部份，以使署長全面滿意；

(j) 署長可在買方未有履行批地文件特別條款第(9)條的任何義務的情況下，進行必要的工程，買方並須在署長要求下支付有關工程的費用；

(k) 買方須時刻准許署長、署長的官員、承建商、代理人及工人及任何獲署長授權的人員，自由及不受限制地進出及再進出及行經及通過該地段或其任何部份及在其上搭建或擬搭建的任何建築物（不論是否攜帶工具、設備、機器、機械或駕車與否），以檢查、檢視及監督任何根據批地文件特別條款第(9)(a)、(9)(d)及(9)(i)條進行的工程，及進行任何根據批地文件特別條款第(9)(j)條所述的工程或任何其他署長認為必要的工程；

(m) 買方須時刻就因或有關隔音屏障的搭建、興建、存在、維修、保養、更改、使用、清拆或清除或有關根據批地文件特別條款第(9)(j)條進行的工程，而直接或間接產生的所有法律責任、損失、損害、索償、費用、開支、收費、要求、訴訟及法律程序，向政府、署長及其官員、承建商、代理人及工人及任何獲署長根據批地文件特別條款第(9)(k)條授權的人員作出彌償及保持彌償。

10. 批地文件特別條款第(11)(a)條規定：

買方可在該地段興建、建造及提供經署長書面批准的康樂設施及附屬設施（下稱「**設施**」）。設施的類型、大小、設計、高度和規劃須事前獲得署長書面批准。

批地文件特別條款第(11)(c)條規定：

如設施的任何部份根據批地文件特別條款第(11)(b)條獲豁免計入總樓面面積（下稱「**獲豁免設施**」）：

(i) 獲豁免設施須被劃為並構成批地文件特別條款第(18)(a)(v)條所指的公用地方；

(ii) 買方須自費以良好及充足維修的狀態保養獲豁免設施，並須營運獲豁免設施，以使署長滿意；及

(iii) 獲豁免設施只可供現已或將會於該地段上興建之住宅大樓的居民及其真正訪客而非其他人士使用。

11. 批地文件特別條款第(12)條規定：

如非事先獲署長書面同意，概不可移除或干預任何現於該地段或毗連土地生長的樹木，而署長可於給予同意時施加其視為恰當的移植、補償園景工程或再植條件。

12. 批地文件特別條款第(13)(b)條規定：

(i) 該地段不少於20% 的面積須種植樹木、灌木或其他植物；

(ii) 批地文件特別條款第(13)(b)(i)所述的20% 其中不少於50% 的部份（下稱「**綠化範圍**」）須按照由署長自行酌情決定的位置或水平提供，以便該綠化範圍能被行人看見或讓進入該地段的人們可以進入；

(iii) 署長就何等有關買方所提議之園景美化工程構成特別條款第(13)(b)(i)所述的20% 的決定，是最終並對買方有約束力；及

(iv) 署長可以自行酌情接受買方以其他非植物替代種植樹木、灌木或其他植物的提議。

批地文件特別條款第(13)(c)條規定：

買方須按照經批核的園景設計圖自費在該地段進行園景美化工程以全面令署長滿意，及在沒有署長事前的書面同意的情況下，不得修訂、變更、改動，修改或替換經批核的園景設計圖。

批地文件特別條款第(13)(d)條規定：

買方此後須自費維護並保持園景美化工程處於一個安全、清潔、整齊、整潔及健康的狀況以全面令署長滿意。

批地文件特別條款第(13)(e)條規定：

根據批地文件特別條款第(13)條進行園景美化工程之範圍須被劃為並構成根據批地文件特別條款第(18)(a)(v)條所述的公用地方之部份。

13. 批地文件特別條款第(21)(a)(i)條規定：

須按特定比率在該地段內提供車位以停泊按《道路交通條例》及其下的規例及任何修訂法例獲發牌並屬於該地段上已興建或將興建的建築物之住客及其真正賓客、訪客或獲邀請者的汽車（下稱「**住客車位**」），以令署長滿意。有關比率的計算參照根據批地文件特別條款第(21)(a)(i)條所列出的該地段上已興建或將興建的住宅單位或獨立屋之各自的類型及面積計算。

批地文件特別條款第(21)(a)(iii)條規定：

須按指定的比率或署長同意採用之其他比率，在該地段內提供額外的車位以停泊按《道路交通條例》及其下的規例及任何修訂法例獲發牌並屬於該地段上已興建或將興建的建築物之住客的真正賓客、訪客或獲邀請者的汽車，以令署長滿意。

批地文件特別條款第(21)(a)(iv)條規定：

按批地文件特別條款第(21)(a)(i)（可按批地文件特別條款第(23)條變更）及(21)(a)(iii)條提供的車位只能用作分別規定的用途並不可作其他用途，尤其不得用於儲存、展示或展出汽車以供出售或其他用途或用於提供車輛清潔及美容服務。

批地文件特別條款第(21)(b)(i)條規定：

在按批地文件特別條款第(21)(a)(i)（可按批地文件特別條款第(23)條變更）及(21)(a)(iii)條提供的車位中，買方須預留及指定車位供於《道路交通條例》及其下的規例及任何修訂法例中定義的傷殘人士停泊汽車（下稱「**傷殘人士專用車位**」），傷殘人士專用車位需符合建築事務監督要求或批准的數目，但須在按批地文件特別條款第(21)(a)(iii)條提供的車位中預留及指定最少一個此類車位，及買方不得預留或指定所有該等按批地文件特別條款第(21)(a)(iii)條提供的車位作傷殘人士專用車位。

批地文件特別條款第(21)(b)(ii)條規定：

傷殘人士專用車位不得用作於《道路交通條例》及其下的規例及任何修訂法例中定義的傷殘人士停泊並屬於該地段上已興建或將興建的建築物之住客及其真正賓客、訪客或獲邀請者的汽車以外的任何用途，尤其不得用於儲存、展示或展出汽車以供出售或其他用途或用於提供車輛清潔及美容服務。

批地文件特別條款第(21)(c)(i)條規定：

須按指定的比率或署長同意採用之其他比率，在該地段內提供車位以停泊按《道路交通條例》及其下的規例及任何修訂法例獲發牌並屬於該地段上已興建或將興建的建築物之住客及其真正賓客、訪客或獲邀請者的電單車（下稱「**電單車車位**」），以令署長滿意。

批地文件特別條款第(21)(c)(ii)條規定：

電單車車位（可按批地文件特別條款第 (23) 條變更）不得用作批地文件特別條款第(21)(c)(i)條規定以外的任何用途，尤其不得用於儲存、展示或展出汽車以供出售或其他用途或用於提供車輛清潔及美容服務。

14. 批地文件特別條款第(22)條規定：

(a) 須按指定的比率或署長同意採用之其他比率，在該地段內提供上落貨車位，以令署長滿意，惟須為每幢已興建或將興建的住宅大樓提供最少一個上落貨車位，上落貨車位並須位於每幢住宅大樓附近或之內。

(b) 每個上落貨車位須符合指定的尺寸，及該等上落貨車位不得用作與在該地段上已建或擬建的建築物有關的上落貨以外的任何用途。

15. 批地文件特別條款第(25)(a)條規定：

即使批地文件的條款已獲遵從及符合達至署長滿意，住客車位及電單車車位不得：

(i) 轉讓，除非

(I) 連同賦予就該地段上已興建或將興建的建築物的住宅單位的獨家使用及管有權的不分割份數一併轉讓；或

(II) 予一名已擁有賦予就該地段上已興建或將興建的建築物的住宅單位的獨家使用及管有權的不分割份數的人士；或

(ii) 出租，除非租予該地段上已興建或將興建的建築物的住宅單位的住客。

惟在任何情況下，不得把合共超過3個住客車位及電單車車位轉讓予該地段上已興建或將興建的建築物的任何一個住宅單位的業主或出租予任何一個住宅單位的住客。

16. 批地文件特別條款第(27)條規定：

經署長批准及存放於署長處的停車場佈局圖上標示的泊車位及上落貨車位不得用作任何於批地文件特別條款第 (21) 及 (22) 條分別列明之用途以外的用途。買方須按照前述佈局圖維持該等泊車位、上落貨車位及包括但不限於升降機、樓梯平台和迴旋及循環區域的其他範圍，及除有署長批出的事前書面同意外不得變更該佈局。除在前述經批准的佈局圖上標示為泊車位的位置外，該地段或其上任何建築物或構築物的任何部份不得用作泊車用途。

17. 批地文件特別條款第(29)條規定：

未經署長預先書面同意，買方不得削去、移除或土地後移毗鄰或毗連該地段的任何政府土地或在任何政府土地上進行任何堆積或堆填或任何類型的斜坡處理工程。署長可自行酌情作出同意並施加他認為合適的條件，包括支付他可決定的地價後授予額外的政府土地作為該地段的延伸。

18. 批地文件特別條款第(30)(a)條規定：

如該地段或任何政府土地內現時或以往曾經進行過任何削土、移土或土地後移工程、或堆積或堆填或任何類型的斜坡處理工程，不論事前是否獲署長書面同意，而該等工程是為了或關乎該地段或其任何部份的形成、平整或發展的目的或買方按此等條款而須要完成的工程的目的或其他任何的目的，買方須自費進行及建造現時或日後或其後任何時候必須的該等斜坡處理工程、護土牆或其他支撐、防護、排水或附屬或其他工程，以保護和支撐該地段內的土地及任何相鄰或毗鄰的政府土地或已批租土地，同時避免及防止其後發生滑土、山泥傾瀉或地陷。買方應時刻在批地文件協定的整個批租年期內自費保養上述土地、斜坡處理工程、護土牆或其他支撐、防護、排水或附屬或其他工程，以保持其良好充足的維修狀態，以使署長滿意。

批地文件特別條款第(30)(c)條規定：

若買方進行的形成、平整、發展或其他工程或其他因素導致該地段或任何相鄰或毗鄰政府或已批租土地在任何時候發生任何滑土、山泥傾瀉或地陷，買方須自費將之回復原貌及修復以使署長滿意，並就因此等滑土、山泥傾瀉或地陷而引致其蒙受或招致的任何費用、支出、損失、索償及申索，向政府、其代理人及承建商作出彌償及保持彌償。

批地文件特別條款第(30)(d)條規定：

除批地文件內訂明有關違反此等批地條款而賦予的任何權利或補償外，署長有權以書面通知要求買方進行、建造及保養上述土地、斜坡處理工程、護土牆或其他支撐、防護、排水或附屬或其他工程或要求將發生滑土、山泥傾瀉或地陷之處回後原貌及修復。如買方忽略或沒有於指明時間內履行該通知內的要求，署長可立即執行及展開所須的工程而買方須在收到通知要求後向政府償還相關的成本與及任何行政或專業費用和支出。

19. 批地文件特別條款第(32)條規定：

如該地段或其任何部份發展或重新發展時已安裝預應力地錨，買方須在該預應力地錨的整個使用周期自費進行定期維修和定期監察，以使署長滿意。買方並須按署長不時全權酌情的要求下，提供所有監察工程的報告及資料。如買方忽略或沒有執行指定的監察工程，署長可立即執行及展開該監察工程，而買方須於政府要求時償還有關的費用。

20. 批地文件特別條款第(34)條規定：

買方須時刻採取或達致採取一切恰當及足夠的謹慎、能力和預防措施，尤其是進行建造、保養、更新或修理工程（下稱「**工程**」）時，以免損害、干擾或阻礙該地段或其任何部份之上、上面、之下或毗鄰的任何政府或其他的現有排水渠、水路或水道、總水喉、道路、行人路、街道設施、污水渠、明渠、管道、電纜、電線、公用事業設施或任何其他工程或裝置（以下統稱「**服務設施**」）。買方須在進行工程前按需要進行或達致進行妥善勘測及查詢，以確定服務設施的現有位置及水平高度，並須向署長提交計劃書，述明其建議如何處理可能受工程影響的服務設施，以獲取署長在所有方面的批准。買方須待署長書面批准買方的工程及計劃書後，方可展開工程。買方須自費符合所有署長在作出批准時施加的任何要求，包括任何必需的改道、重鋪或還原工程的費用。如因工程對該地段或任何服務設施造成任何損害、干擾或阻礙，買方須自費全面地進行修理、復修及還原工程，以使署長滿意（除非署長另作選擇，明渠、污水管、雨水渠、總水管之復修工程將由署長負責，而買方則須在政府要求時支付有關工程的費用）。若買方未有在該地段或其任何部份或對任何服務設施展開任何所需的改道、重鋪、修理、復修及還原工程致使署長滿意，署長可展開任何其認為需要之改道、重鋪、修理、復修及還原工程，而買方則須在政府要求時支付有關工程的費用。

21. 批地文件特別條款第(36)(b)條規定：

買方須自費在環境保護署署長訂明的時限內進行及實施環境保護署署長批准的污水收集系統影響評估（下稱「**污水收集系統影響評估**」，在批地文件特別條款第(36)(a)條中定義）內的建議，以使環境保護署署長在所有方面滿意。

備註：
本節中提述 「買方」一詞指根據批地文件中的買方和如文意允許或要求的情況下包括其遺囑執行人、遺產管理人、承讓人及（如為法團）其繼承人及承讓人。

A. Facilities that are required under the land grant to be constructed and provided for the Government, or for public use

Not Applicable

B. Facilities that are required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Development

Not Applicable

C. Open space that is required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Development

Not Applicable

D. Part of the land (on which the Development is situated) that is dedicated to the public for the purposes of regulation 22(1) of the Building (Planning) Regulations (Cap 123 sub. leg. F)

Not applicable

A. 根據批地文件規定須興建並提供予政府或供公眾使用的任何設施

不適用

B. 根據批地文件規定須由發展項目中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何設施

不適用

C. 根據批地文件規定須由發展項目中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何休憩用地

不適用

D. 發展項目所位於的土地中為施行《建築物(規劃)規例》(第123章，附屬法例F)第22(1)條而撥供公眾用途的任何部分

不適用

1. The purchaser is recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for the purchaser in relation to the transaction.

2. If the purchaser instructs such separate firm of solicitors to act for the purchaser in relation to the transaction, that firm will be able to give independent advice to the purchaser.

3. If the purchaser instructs the firm of solicitors acting for the owner to act for the purchaser as well, and a conflict of interest arises between the owner and the purchaser:-

   (i) that firm may not be able to protect the purchaser's interests; and
   (ii) the purchaser may have to instruct a separate firm of solicitors.

4. In the case of paragraph (3)(ii) above, the total solicitors' fees payable by the purchaser may be higher than the fees that would have been payable if the purchaser had instructed a separate firm of solicitors in the first place.

1. 現建議買方聘用一間獨立的律師事務所(代表擁有人行事者除外)，以在交易中代表買方行事。

2. 如買方聘用上述的獨立的律師事務所，以在交易中代表買方行事，該律師事務所將會能夠向買方提供獨立意見。

3. 如買方聘用代表擁有人行事的律師事務所同時代表買方行事，而擁有人與買方之間出現利益衝突：－

   (i) 該律師事務所可能不能夠保障買方的利益；及
   (ii) 買方可能要聘用一間獨立的律師事務所。

4. 如屬上述(3)(ii)段的情況，買方須支付的律師費用總數，可能高於如買方自一開始即聘用一間獨立的律師事務所便須支付的費用。

The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 28.30 metres above Hong Kong Principal Datum.
毗連建築物的一段緊急車輛通道為香港主水平基準以上28.30米。



CROSS - SECTION A
橫截面圖 A

KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

The part of Sheung Shing Street adjacent to the building is 29.46 metres above Hong Kong Principal Datum.
毗連建築物的一段常盛街為香港主水平基準以上29.46米。



CROSS - SECTION B
橫截面圖 B



KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

- The part of Sheung Shing Street adjacent to the building is 27.59 metres above Hong Kong Principal Datum.
  毗連建築物的一段常盛街為香港主水平基準以上27.59米。
- The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 28.00 metres above Hong Kong Principal Datum.
  毗連建築物的一段緊急車輛通道為香港主水平基準以上28.00米。

TOWER 6
第6座



CROSS - SECTION C
橫截面圖 C



KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

- The part of Sheung Shing Street adjacent to the building is 27.96 metres above Hong Kong Principal Datum.
  毗連建築物的一段常盛街為香港主水平基準以上27.96米。
- The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 26.64 metres above Hong Kong Principal Datum.
  毗連建築物的一段緊急車輛通道為香港主水平基準以上26.64米。
- The part of Footpath adjacent to the building is 29.34 metres above Hong Kong Principal Datum.
  毗連建築物的一段行人徑為香港主水平基準以上29.34米。

TOWER 7
第7座



CROSS - SECTION D
橫截面圖 D



KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

- The part of Sheung Shing Street adjacent to the building is 28.00 metres above Hong Kong Principal Datum.
  毗連建築物的一段常盛街為香港主水平基準以上28.00米。
- The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 28.40 metres above Hong Kong Principal Datum.
  毗連建築物的一段緊急車輛通道為香港主水平基準以上28.40米。

TOWER 5
第5座



CROSS - SECTION E
橫截面圖 E



KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

- The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 28.30 metres above Hong Kong Principal Datum.
  毗連建築物的一段緊急車輛通道為香港主水平基準以上28.30米。
- The part of Footpath adjacent to the building is 28.60 metres above Hong Kong Principal Datum.
  毗連建築物的一段行人徑為香港主水平基準以上28.60米。

TOWER 2
第2座



CROSS - SECTION F
橫截面圖 F



KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

- The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 28.30 metres above Hong Kong Principal Datum.
  毗連建築物的一段緊急車輛通道為香港主水平基準以上28.30米。
- The part of Footpath adjacent to the building is 27.80 metres above Hong Kong Principal Datum.
  毗連建築物的一段行人徑為香港主水平基準以上27.80米。

TOWER 1
第1座



CROSS - SECTION G
橫截面圖 G



KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

- The part of Sheung Shing Street adjacent to the building is 28.70 metres above Hong Kong Principal Datum.
  毗連建築物的一段常盛街為香港主水平基準以上28.70米。
- The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 26.64 to 28.15 metres above Hong Kong Principal Datum.
  毗連建築物的一段緊急車輛通道為香港主水平基準以上26.64至28.15米。

TOWER 6
第6座



CROSS - SECTION H
橫截面圖 H



KEY PLAN
示意圖

Legend 圖例 :

Height in metres above Hong Kong Principal Datum (HKPD).
香港主水平基準以上高度（米）。

Dotted line denotes the lowest residential floor.
虛線為最低住宅樓層水平。

Boundary of the Development.
發展項目的界線。

TOWER 1
第1座



ELEVATION A
立面圖 A

ELEVATION B
立面圖 B



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 1
第1座

ELEVATION C
立面圖 C



ELEVATION D
立面圖 D

KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 2
第2座



ELEVATION A
立面圖 A



ELEVATION B
立面圖 B



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。



ELEVATION C
立面圖 C

TOWER 2
第2座

ELEVATION D
立面圖 D

KEY PLAN
示意圖

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 3
第3座

ELEVATION A
立面圖 A



ELEVATION B
立面圖 B



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 3
第3座



ELEVATION C
立面圖 C

ELEVATION D
立面圖 D

KEY PLAN
示意圖

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 5
第5座



ELEVATION A
立面圖 A

ELEVATION B
立面圖 B



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 5
第5座



ELEVATION C
立面圖 C



ELEVATION D
立面圖 D



KEY PLAN
示意圖

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 6
第6座



ELEVATION A
立面圖 A



ELEVATION B
立面圖 B



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 6
第6座



ELEVATION C
立面圖 C



ELEVATION D
立面圖 D



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 7
第7座



ELEVATION A
立面圖 A



ELEVATION B
立面圖 B



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

TOWER 7
第7座



ELEVATION C
立面圖 C



ELEVATION D
立面圖 D



KEY PLAN
示意圖

* Maintenance Window
維修窗戶

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

PODIUM
基座

ELEVATION A
立面圖 A

ELEVATION B
立面圖 B

ELEVATION C
立面圖 C

ELEVATION D
立面圖 D

ELEVATION E
立面圖 E



ELEVATION F
立面圖 F

ELEVATION G
立面圖 G

ELEVATION H
立面圖 H



ELEVATION J
立面圖 J



ELEVATION L
立面圖 L



ELEVATION M
立面圖 M



ELEVATION N
立面圖 N



ELEVATION O
立面圖 O



ELEVATION P
立面 P

ELEVATION Q
立面 Q

ELEVATION R
立面 R



ELEVATION K
立面圖 K

KEY PLAN
示意圖

Authorized Person for the Development certified that the elevations shown on this plan:
(a) are prepared on the basis of the approved building plans for the Development as of 25th November 2020; and
(b) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖顯示的立面：
(a) 以2020年11月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
(b) 大致上與本項目的外觀一致。

Common Facilities 公用設施	Floor 樓層	Covered 有上蓋遮蓋		Uncovered 無上蓋遮蓋		Total Area 總面積	
		Area (sq. m.) 面積（平方米）	Area (sq. ft.) 面積（平方呎）	Area (sq. m.) 面積（平方米）	Area (sq. ft.) 面積（平方呎）	Area (sq. m.) 面積（平方米）	Area (sq. ft.) 面積（平方呎）
Residents' clubhouse (including any recreational facilities for residents' use) 住客會所（包括供住客使用的任何康樂設施）	B2/F 地庫2	837.245	9,012	N/A 不適用	N/A 不適用	837.245	9,012
	B1/F 地庫1	92.820	999	N/A 不適用	N/A 不適用	92.820	999
	G/F 地下	240.092	2,584	505.890	5,445	745.982	8,030
	1/F 1樓	925.394	9,961	N/A 不適用	N/A 不適用	925.394	9,961
Communal garden or play area for residents' use on the roof, or on any floor between the roof and the lowest residential floor, of a building in the Development (whether known as a communal sky garden or otherwise) 位於發展項目中的建築物的天台或在天台和最低一層住宅樓層之間的任何一層的、供住客使用的公用花園或遊樂地方 (不論是稱為公用空中花園或有其他名稱)	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
Communal garden or play area for residents' use below the lowest residential floor of a building in the Development (whether known as a covered and landscaped play area or otherwise) 位於發展項目中的建築物的最低一層住宅樓層以下的、供住客使用的公用花園或遊樂地方 (不論是稱為有蓋及園景的遊樂場或有其他名稱)	G/F 地下	1,025.272	11,036	2,056.315	22,134	3,081.587	33,170

Note 附註:
The above areas have been converted to square feet based on a conversion rate of 1 square metre = 10.764 square feet and rounded off to the nearest integer and the area shown in sq.ft. may be slightly different from that shown in sq.m.
上述所列之面積以1平方米 = 10.764平方呎換算至平方呎，並四捨五入至整數。以平方呎計算之面積與以平方米計算之面積可能有些微差異。

INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT 閱覽圖則及公契

1. Copies of outline zoning plans relating to the Development are available for inspection at www.ozp.tpb.gov.hk

2. (a) Copies of the following document are available for inspection at the place at which the residential property is offered to be sold –
every Deed of Mutual Covenant in respect of the specified residential property that has been executed.

   (b) The inspection is free of charge.

1. 備有關乎本發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為 www.ozp.tpb.gov.hk

2. (a) 以下文件的文本存放在發售住宅物業的售樓處，以供閱覽 –
指明住宅物業的每一已簽立的公契。

   (b) 無須為閱覽付費。

1. Exterior Finishes				
Item		**Description**		
(a)	External Wall	Type of finishes	Residential tower	Curtain wall, ceramic tiles, aluminium cladding, natural stone cladding, aluminium grille and aluminium louvre
			Podium	Curtain wall, glass wall, ceramic tiles, aluminium cladding, natural stone cladding, aluminium grille and aluminium louvre
(b)	Window	Material of frame	Fluorocarbon coated aluminium frame	
		Material of glass	Living/dining room, bedroom, family room, store and closet	Insulated Glazing Unit (IGU) with low-e coating glass and tempered glass
			Master bathroom, bathroom, powder room, utility room, lavatory and filtration plant room	Tinted acid-etched glass
			Kitchen	Tinted heat strengthened glass and tinted glass
(c)	Bay Window	Material of bay window and window sill finishes	Not applicable	
(d)	Planter	Type of finishes	Natural stone planter at Private Garden of Unit A & C at G/F & 1/F of Tower 1 (Duplex), Private Garden of Unit C at G/F & 1/F of Tower 2 (Duplex) and Roof of Unit A at 28/F & 29/F of Tower 3 (Duplex).	
(e)	Verandah or Balcony	Type of finishes	Balcony	Installed with laminated tempered glass balustrade with aluminium capping
			Floor	Natural stone
			Wall	Natural stone, ceramic tiles and aluminium cladding
			Ceiling	Aluminium ceiling panel
		Whether balcony is covered	Balconies are covered	
		Verandah	Not applicable	
(f)	Drying Facilities for Clothing	Type and material	Not applicable	

2. Interior finishes		
Item		**Description**
(a)	Lobby	**Tower entrance lobby at G/F & shuttle lift lobby at B2/F, B1/F & G/F:** Floor finished with natural stone on exposed surfaces. Wall finished with natural stone, stainless steel, glass, mirror and leather on exposed surfaces. Ceiling finished with wood veneer, mirror, aluminium and gypsum board with emulsion paint. **Private lift lobby of residential units:** All units (Except Unit A & C at G/F & 1/F of Tower 1 (Duplex), Unit A at 15/F of Tower 1, Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex), Unit B at 27/F of Tower 1 and Unit C at G/F & 1/F of Tower 2 (Duplex), Unit A at 17/F of Tower 5): Floor finished with natural stone on exposed surfaces. Wall finished with natural stone, stainless steel and glass on exposed surfaces. Ceiling finished with stainless steel and gypsum board with emulsion paint. For Unit A at 15/F of Tower 1: Floor finished with marble stone. Wall finished with sintered stone and veneer feature wall. Ceiling finished with gypsum board with ECO paint. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex): Floor finished with cement sand screed. Wall and ceiling finished with plaster and emulsion paint and wall finishes up to ceiling. For Unit A at 17/F of Tower 5: Floor finished with timber floor tiles. Wall finished with special paint. Ceiling finished with gypsum board with emulsion paint.

2. Interior finishes		
Item		**Description**
(a)	Lobby	No private lift lobby for Unit A & C at G/F & 1/F of Tower 1 (Duplex), Unit B at 27/F of Tower 1 and Unit C at G/F & 1/F of Tower 2 (Duplex). **Residential floors lift lobby in Tower 1, Tower 2 and Tower 7:** Floor finished with natural stone. Wall finished with natural stone. Ceiling finished with gypsum board with emulsion paint. **Residential floors lift lobby in Tower 3, Tower 5 and Tower 6:** Floor finished with tiles. Wall finished with plaster and emulsion paint. Ceiling finished with aluminium panel.
(b)	Internal wall and ceiling	**Living/dining room and bedroom:** All units (Except Unit A at 15/F of Tower 1 and Unit A at 17/F of Tower 5) Wall and ceiling finished with plaster and emulsion paint. Gypsum board bulkhead and false ceiling finished with emulsion paint. For Unit A at 15/F of Tower 1: Living/dining room: Wall finished with marble stone feature wall, veneer and wooden strips feature wall and wallpaper, and ceiling finished with gypsum board with ECO paint. Bedroom: Wall finished with fabric feature wall and wallpaper, and ceiling finished with ECO paint. For Unit A at 17/F of Tower 5: Living/dining room: Wall finished with special Paint, marble, wallpaper. Bulkhead and false ceiling finished with special paint. Bedroom: Wall finished with special Paint, wallpaper. Gypsum board bulkhead and false ceiling finished with emulsion paint.
(c)	Internal floor	**Living/dining room:** All units (Except Unit A at 15/F of Tower 1, Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, Unit A at 17/F of Tower 5): Engineered timber flooring and skirting, part of the living room floor finished with natural stone. For Unit A at 15/F of Tower 1: Floor finished with marble tile with wooden skirting. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1: Floor finished with cement sand screed and no skirting provided. For Unit A at 17/F of Tower 5: Floor finished with timber floor tiles with recess skirting. **Bedroom:** All units (Except Unit A at 15/F of Tower 1, Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, Unit A at 17/F of Tower 5): Engineered timber flooring and skirting. For Unit A at 15/F of Tower 1: Floor finished with wooden flooring with wooden skirting. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1: Floor finished with cement sand screed and no skirting provided. For Unit A at 17/F of Tower 5: Floor finished with timber floor tiles with wooden skirting.
(d)	Bathroom	**Master bathroom/bathroom:** All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1): Floor finished with natural stone on exposed surfaces. Wall finished with natural stone on exposed surfaces and up to false ceiling. Wall behind vanity counter and mirror cabinets partially finished with ceramic tiles. Ceiling finished with aluminium, stainless steel, mirror and gypsum board with emulsion paint. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1: Floor finished with cement sand screed. Wall and ceiling finished with plaster and emulsion paint and wall finishes up to ceiling.

2. Interior finishes		
Item		**Description**
(e)	Kitchen	All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1): Floor finished with natural stone on exposed surfaces, floor under kitchen cabinet finished with ceramic tiles. Wall finished with natural stone and stainless steel on exposed surfaces and up to false ceiling. Wall behind kitchen cabinet finished with ceramic tiles. The cooking bench finished with natural stone. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1: Floor finished with cement sand screed. Wall and ceiling finished with plaster and emulsion paint and wall finishes up to ceiling. No cooking bench provided. For the following units, ceiling finished with wood veneer, stainless steel and gypsum board with emulsion paint: Unit A & C at G/F & 1/F of Tower 1 (Duplex); Unit A at 26/F of Tower 1; Unit C at 28/F & 29/F of Tower 1 (Duplex); Unit C at G/F & 1/F of Tower 2 (Duplex); Unit A at 27/F & 28/F of Tower 2 (Duplex); Unit B & C at 28/F & 29/F of Tower 2 (Duplex); Unit A at 26/F of Tower 3; Unit A at 27/F of Tower 3; Unit A at 28/F & 29/F of Tower 3 (Duplex); Unit A at 19/F & 20/F of Tower 5 (Duplex); Unit B at 20/F & 21/F of Tower 5 (Duplex); Unit A at 19/F & 20/F of Tower 6 (Duplex); Unit B at 20/F & 21/F of Tower 6 (Duplex); Unit A at 19/F & 20/F of Tower 7 (Duplex); Unit B at 20/F & 21/F of Tower 7 (Duplex); For the following units, ceiling finished with aluminium and gypsum board with emulsion paint: Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1; Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-27/F of Tower 1; Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2; Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F of Tower 3; Unit C at 29/F of Tower 3; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 5; Unit B, C & D at 2/F-3/F, 5/F-12/F, 15 /F-19/F of Tower 5; Unit C at 20/F & 21/F of Tower 5 (Duplex); Unit D at 20/F & 21/F of Tower 5 (Duplex); Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6; Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6; Unit C at 21/F of Tower 6; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 7; Unit C at 20/F & 21/F of Tower 7 (Duplex)

3. Interior fittings		
Item		**Description**
(a)	Doors	**Main entrance and Private lift lobby of residential units door :** All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, Main Entrance Door of Unit A at 17/F of Tower 5): Solid core timber door and timber door frame with wood veneer and stainless steel finishes; fitted with architraves, lockset, door closer and eye viewer. For main entrance and private lift lobby of residential units door of Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex), solid core timber door with door closer. For main entrance door of Unit A at 17/F of Tower 5, fire rated solid timber door and timber door frame with wood veneer finishes, fitted with architraves, electric door lock and handle. **Doorway from private area to Common Area:** All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1): Solid core timber door and timber door frame with wood veneer and stainless steel finishes, fitted with architraves, lockset, door closer and eye viewer. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, solid core timber door and timber door frame with wood veneer; fitted with lockset and door closer. **Doorway from private area to common area inside unit:** For the following units, solid core timber door and timber door frame with wood veneer, fitted with architraves and lockset: Unit A at 26/F of Tower 1; Unit B at 27/F of Tower 1; Unit C at 28/F & 29/F of Tower 1 (Duplex); Unit B at 28/F & 29/F of Tower 2 (Duplex); Unit C at 28/F & 29/F of Tower 2 (Duplex); Unit C at 20/F & 21/F of Tower 5 (Duplex); Unit C at 20/F & 21/F of Tower 7 (Duplex) For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, solid core timber door. **Kitchen door:** All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, Unit A at 17/F of Tower 5): Fire rated solid core timber door and timber door frame with wood veneer; fitted with door closer. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, solid core timber door with door closer. For Unit A at 17/F of Tower 5: Fire rated solid timber door and timber door frame with wood veneer finishes, fitted with architraves and lockset. **Bedroom door:** All units (Except Unit A at 15/F of Tower 1, Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, Unit A at 17/F of Tower 5): Solid core timber door and timber door frame with wood veneer, fitted with architraves and lockset. For Unit A at 15/F of Tower 1: Solid core timber door and timber door frame with wood veneer, fitted with lockset. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, solid core timber door. For Unit A at 17/F of Tower 5: Solid timber door and timber door frame with wood veneer finishes, fitted with architraves and lockset. **Store door:** All units (Except Unit C at G/F & 1/F of Tower 1 (Duplex), Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex), Unit B at 27/F of Tower 1 and Unit C at G/F & 1/F of Tower 2 (Duplex)): Solid core timber door and timber door frame with wood veneer, fitted with architraves and lockset. For Unit C at G/F & 1/F of Tower 1 (Duplex) and Unit C at G/F & 1/F of Tower 2 (Duplex), glass door with aluminium frame. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1, solid core timber door. **Closet door:** All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex)) : Solid core timber door and timber door frame with wood veneer, fitted with lockset. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex), solid core timber door.

3. Interior fittings		
Item		**Description**
(a)	Doors	**Master bathroom door:** All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1): Solid core timber door and timber door frame with wood veneer finishes; fitted with architraves and lockset. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex), solid core timber door. For the following units, solid core timber door and timber door frame with wood veneer and wood louver; fitted with architraves and lockset: Unit A at 27/F & 28/F of Tower 2 (Duplex); Unit B at 27/F of Tower 2; Unit A at 26/F of Tower 3; Unit A at 27/F of Tower 3; Unit C at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5; Unit A at 19/F & 20/F of Tower 5 (Duplex); Unit C at 19/F of Tower 5; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6; Unit A at 19/F & 20/F of Tower 6 (Duplex); Unit B at 19/F of Tower 6; Unit B at 20/F & 21/F of Tower 6 (Duplex); Unit C at 21/F of Tower 6; Unit B at 19/F of Tower 7; Unit B at 20/F & 21/F of Tower 7 (Duplex); Unit C at 20/F & 21/F of Tower 7 (Duplex) **Bathroom and powder room door:** Solid core timber door and timber door frame with wood veneer; fitted with architraves and lockset, except the following units: For the following units, solid core timber door and timber door frame with wood veneer and wood louver; fitted with architraves and lockset: Powder room of Unit A at G/F & 1/F of Tower 1 (Duplex); Bathroom 2 of Unit C at G/F & 1/F of Tower 1 (Duplex); Bathroom 4 of Unit C at G/F & 1/F of Tower 1 (Duplex) (For the door between Bathroom 4 and Bedroom 4); Bathroom 3 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1; Bathroom 2 of Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1; Powder room of Unit A at 26/F of Tower 1; Bathroom 2 of Unit A at 26/F of Tower 1; Bathroom 4 of Unit A at 26/F of Tower 1; Bathroom 2 of Unit C at 26/F of Tower 1; Bathroom 2 of Unit C at 27/F of Tower 1; Bathroom 3 & 4 of Unit C at 28/F & 29/F of Tower 1 (Duplex); Bathroom 2 of Unit C at G/F & 1/F of Tower 2 (Duplex); Bathroom 4 of Unit C at G/F & 1/F of Tower 2 (Duplex) (For the door between Bathroom 4 and Bedroom 4); Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2; Bathroom 2 of Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2; Bathroom 2 of Unit B at 27/F of Tower 2; Bathroom 2 of Unit C at 27/F of Tower 2; Powder room of Unit B at 28/F & 29/F of Tower 2 (Duplex); Bathroom 2 & 4 of Unit B at 28/F & 29/F of Tower 2 (Duplex); Bathroom 3 & 4 of Unit C at 28/F & 29/F of Tower 2 (Duplex); Bathroom 3 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3; Bathroom 3, 4 & Powder Room of Unit A at 26/F & 27/F of Tower 3; Bathroom 2, 3, 4, 5 & Powder Room of Unit A at 28/F & 29/F of Tower 3 (Duplex);

3. Interior fittings		
Item		**Description**
(a)	Doors	Bathroom 2 of Unit C at 29/F of Tower 3; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5; Bathroom 2 of Unit D at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5; Bathroom 3 of Unit A at 19/F & 20/F of Tower 5 (Duplex); Bathroom 2 of Unit B at 19/F of Tower 5; Bathroom 2 of Unit D at 19/F of Tower 5; Bathroom 3 of Unit B at 20/F & 21/F of Tower 5 (Duplex); Bathroom 3 of Unit C at 20/F & 21/F of Tower 5 (Duplex); Bathroom 2, 3 & Powder Room of Unit D at 20/F & 21/F of Tower 5 (Duplex); Bathroom 2 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6; Bathroom 2 of Unit C at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6 (For Bathroom door and the door between Bathroom 2 and Bedroom 2); Bathroom 2 of Unit D at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6 (For the door between Bathroom 2 and Bedroom 2); Bathroom 3 & 4 of Unit A at 19/F & 20/F of Tower 6 (Duplex); Bathroom 2 of Unit B at 19/F of Tower 6; Bathroom 3 & 5 of Unit B at 20/F & 21/F of Tower 6 (Duplex); Bathroom 2 of Unit D at 20/F of Tower 6; Bathroom 2 & 3 of Unit C at 21/F of Tower 6; Bathroom 3 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7; Bathroom 2, 4 & Powder Room of Unit A at 19/F & 20/F of Tower 7 (Duplex); Bathroom 3 of Unit B at 19/F of Tower 7; Bathroom 2 & 4 of Unit B at 20/F & 21/F of Tower 7 (Duplex); Bathroom 5 of Unit B at 20/F & 21/F of Tower 7 (Duplex) (For the door between Bathroom 5 and living/dining room); Bathroom 3 of Unit C at 20/F & 21/F of Tower 7 (Duplex) For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1 , solid core timber door, except the following bathrooms: For following bathrooms, solid core timber door with wood louver: Bathroom 6 & 7 of Unit A at at 27/F, 28/F & 29/F of Tower 1 (Triplex); Bathroom 1 of Unit B at 27/F of Tower 1 **Utility Room Door:** For all units (Except Unit B at 20/F & 21/F of Tower 5 (Duplex)): Solid core timber door and timber door frame with wood veneer finishes, fitted with architraves, lockset and door closer. For Unit B at 20/F & 21/F of Tower 5 (Duplex), solid core timber door and timber door frame with wood veneer finishes and wood louver; fitted with architraves, lockset and door closer. **Balcony/Utility Platform/Roof/Flat Roof Door:** Glass door with fluorocarbon coated aluminium frame. **Filtration Plant Room Door:** Solid core timber door and timber door frame with wood veneer finishes with lockset. **Lavatory Door:** Glass door with aluminium frame. **Door from Private Garden to Common Area:** Aluminium door with lockset. **Door from Living/Dining Room/Kitchen to Private Garden and Stair to Pool Deck:** Glass door with fluorocarbon coated aluminium frame.

3. Interior fittings		
Item		**Description**
(b)	Bathroom	All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1): Wooden mirror cabinet with glass and stainless steel. Wooden vanity counter with stainless steel, wood veneer and glass. Natural stone countertop. Vitreous china water closet. For Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) (no bathroom cabinet provided): Vitreous china water closet. Vitreous china wash basin with chrome plated basin mixer. Chrome plated shower set provided inside shower compartments of Master Bathroom, Bathroom 2 and 3. Enameled steel bathtub in size of 1500mm(L) x 700mm(W), chrome plated mixer and chrome plated shower set provided inside Master Bathroom, Bathroom 2, 5, 6 and 7. For Bathroom 1 of Unit B at 27/F of Tower 1 (no bathroom cabinet and bathing facilities provided): Vitreous china water closet. Vitreous china wash basin with chrome plated basin mixer. For following units, natural stone wash basin with PVD polished gold colour basin mixer provided in the master bathroom: Unit A & C at G/F & 1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit B at 20/F & 21/F of Tower 7 (Duplex) ; For following units, natural stone wash basin with PVD polished gold colour basin mixer provided in powder room: Unit A & C at G/F & 1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit C & D at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit C at 20/F & 21/F of Tower 7 (Duplex) ;

3. Interior fittings		
Item		**Description**
(b)	Bathroom	For following units, vitreous china wash basin with PVD polished gold colour basin mixer provided in the master bathroom: Unit C at 29/F of Tower 3 ; Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Unit C at 21/F of Tower 6 ; Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For following units, vitreous china wash basin with PVD polished gold colour basin mixer provided in the bathroom: Unit A & C at G/F & 1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit C at 29/F of Tower 3 ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit C at 21/F of Tower 6 ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit B at 20/F & 21/F of Tower 7 (Duplex) ; Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For following units, vitreous china wash basin with chrome plated basin mixer provided in master bathroom and bathroom: Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-27/F of Tower 1 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F of Tower 3 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 5 ; Unit B, C & D at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6 ; Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 7 ;

3. Interior fittings		
Item		**Description**
(b)	Bathroom	**Shower compartment inside master bathroom:** For the following units, shower compartment inside master bathroom equipped with PVD polished gold colour shower set, PVD polished gold colour wall mounted water jets and PVD polished gold colour ceiling mounted shower head: Unit A & C at G/F & 1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit B at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, shower compartment inside master bathroom is equipped with mirror steel shower panel: Unit C at 29/F of Tower 3 ; Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Unit C at 21/F of Tower 6; Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, shower compartment inside master bathroom is equipped with polished stainless steel shower panel: Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-27/F of Tower 1 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F of Tower 3 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 5 ; Unit B, C & D at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6 ; Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 7 ;

3. Interior fittings		
Item		**Description**
(b)	Bathroom	**Shower compartment inside bathroom:** For the following units, shower compartment inside bathroom is equipped with mirror steel shower panel: Bathroom 2 of Unit A at G/F & 1/F of Tower 1 (Duplex) ; Bathroom 3 of Unit A at 26/F of Tower 1 ; Bathroom 3 of Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Bathroom 3 of Unit B at 28/F & 29/F of Tower 2 (Duplex) ; Bathroom 3 of Unit A at 27/F of Tower 3 ; Bathroom 2, 3 & 5 of Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Bathroom 3 of Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Bathroom 2 of Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 3 of Unit B at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, shower compartment inside bathroom is equipped with PVD polished gold colour shower column: Bathroom 3 of Unit A at G/F & 1/F of Tower 1 (Duplex) ; Bathroom 4 of Unit C at G/F & 1/F of Tower 1 (Duplex) ; Bathroom 4 of Unit A at 26/F of Tower 1 ; Bathroom 3 of Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Bathroom 4 of Unit C at G/F & 1/F of Tower 2 (Duplex) ; Bathroom 1 of Unit B at 28/F & 29/F of Tower 2 (Duplex) ; Bathroom 3 of Unit C at 28/F & 29/F of Tower 2 (Duplex) ; Bathroom 4 of Unit A at 26/F of Tower 3 ; Bathroom 4 of Unit A at 27/F of Tower 3 ; Bathroom 4 of Unit A at 28/F & 29F of Tower 3 (Duplex) ; Bathroom 2 & 4 of Unit C at 29/F of Tower 3 ; Bathroom 2 of Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Bathroom 3 & 4 of Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 2 of Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Bathroom 3 & 4 of Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 2 & 3 of Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 2 of Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 3 & 4 of Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Bathroom 2 of Unit C at 21/F of Tower 6 ; Bathroom 3 of Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Bathroom 1, Bathroom 2 & Bathroom 5 of Unit B at 20/F & 21/F of Tower 7 (Duplex) ; Bathroom 3 of Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, shower compartment inside bathroom equipped with chrome plated shower column: Bathroom 3 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Bathroom 3 of Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 1 ; Bathroom 3 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2 ; Bathroom 3 of Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Bathroom 3 of Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3 ; Bathroom 2 of Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F of Tower 3 ; Bathroom 3 of Unit A at 2/F-3/F, 5/F-12/F & 15/F-18/F of Tower 5 ; Bathroom 3 of Unit B at 2/F-3/F, 5/F-12/F & 15/F-19/F of Tower 5 ; Bathroom 2 of Unit C & D at 2/F-3/F, 5/F-12/F & 15/F-19/F of Tower 5 ; Bathroom 3 of Unit A at 2/F-3/F, 5/F-12/F & 15/F-18/F of Tower 6 ; Bathroom 3 of Unit B at 2/F-3/F, 5/F-12/F & 15/F-19/F of Tower 6 ; Bathroom 2 of Unit C & D at 2/F-3/F, 5/F-12/F & 15/F-20/F of Tower 6 ; Bathroom 2 of Unit A at 2/F-3/F, 5/F-12/F & 15/F-18/F of Tower 7 ; Bathroom 3 of Unit B at 2/F-3/F, 5/F-12/F & 15/F-19/F of Tower 7 ; Bathroom 2 of Unit C at 2/F-3/F, 5/F-12/F & 15/F-19/F of Tower 7 ;

3. Interior fittings		
Item		**Description**
(b)	Bathroom	**Bathtub inside master bathroom:** For the following units, acrylic bathtub with water jet in size of 1800mm(L) x 800mm(W) x 460mm(H), PVD polished gold colour mixer and PVD polished gold colour shower set provided inside master bathroom: Unit A & C at G/F & 1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit B at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, enameled steel bathtub in size of 1800mm(L) x 800mm(W) x 410mm(H), PVD polished gold colour mixer and PVD polished gold colour shower set provided inside master bathroom: Unit C at 29/F of Tower 3 ; Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Unit C at 21/F of Tower 6 ; Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, enameled steel bathtub in size of 1600mm(L) x 700mm(W) x 410mm(H), chrome plated mixer and chrome plated shower set provided inside master bathroom: Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-27/F of Tower 1 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F of Tower 3 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 5 ; Unit B, C & D at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6 ; Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 7 ;

3. Interior fittings		
Item		**Description**
(b)	Bathroom	**Bathtub inside bathroom:** For the following units, enameled steel bathtub in size of 1600mm(L) x 700mm(W) x 410mm(H), PVD polished gold colour mixer and PVD polished gold colour shower set provided inside bathroom: Bathroom 2 of Unit A at G/F & 1/F of Tower 1 (Duplex) ; Bathroom 2 of Unit C at G/F & 1/F of Tower 1 (Duplex) ; Bathroom 2 & 3 of Unit A at 26/F of Tower 1 ; Bathroom 4 of Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Bathroom 2 of Unit C at G/F & 1/F of Tower 2 (Duplex) ; Bathroom 2, 3 & 4 of Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Bathroom 2, 3 & 4 of Unit B at 28/F & 29/F of Tower 2 (Duplex) ; Bathroom 4 of Unit C at 28/F & 29/F of Tower 2 (Duplex) ; Bathroom 2 & 3 of Unit A at 26/F of Tower 3 ; Bathroom 2 & 3 of Unit A at 27/F of Tower 3 ; Bathroom 2, 3 & 5 of Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Bathroom 3 of Unit C at 29/F of Tower 3 ; Bathroom 3 & 4 of Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Bathroom 2 & 5 of Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 3 of Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 2, 3 & 4 of Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Bathroom 2 & 5 of Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Bathroom 3 & 4 of Unit C at 21/F of Tower 6; Bathroom 2 & 4 of Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Bathroom 3 & 4 of Unit B at 20/F & 21/F of Tower 7 (Duplex) ; Bathroom 2 of Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, enameled steel bathtub in size of 1600mm(L) x 700mm(W) x 410mm(H), chrome plated mixer and chrome plated shower set provided inside bathroom: Bathroom 2 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Bathroom 3 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Bathroom 2 of Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-27/F of Tower 1 ; Bathroom 2 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2 ; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Bathroom 2 of Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Bathroom 2 of Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3 ; Bathroom 2 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 5 ; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5 ; Bathroom 2 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6 ; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6 ; Bathroom 3 of Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7 ; Bathroom 2 of Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 7 ;

3. Interior fittings		
Item		**Description**
(b)	Bathroom	**Other fittings inside master bathroom, bathroom & powder room:** For the following units, 24K gold robe hook, 24K gold toilet paper holder and 24K gold towel bar is provided inside master bathroom & bathroom : Unit A & C at G/F &1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit C at 29/F of Tower 3 ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit C at 21/F of Tower 6 ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit B at 20/F & 21/F of Tower 7 (Duplex) ; Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For the following units, 24K gold robe hook and 24K gold toilet paper holder is provided inside powder room : Unit A & C at G/F & 1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit C at 20/F & 21/F of Tower 7 (Duplex) ;

3. Interior fittings		
Item		**Description**
(b)	Bathroom	For the following units, chrome plated robe hook, chrome plated toilet paper holder and chrome plated towel bar is provided inside master bathroom & bathroom: Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-27/F of Tower 1 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F of Tower 3 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 5 ; Unit B, C & D at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6 ; Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 7 ; All units (Except Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) and Unit B at 27/F of Tower 1) equipped with chrome plated illuminated mirror inside master bathroom. For the following units, chrome plated illuminated mirror is provided inside bathroom: Bathroom 2 of Unit A at G/F & 1/F of Tower 1 (Duplex) ; Bathroom 3 of Unit A at 26/F of Tower 1 ; Bathroom 3 of Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Bathroom 3 of Unit B at 28/F & 29/F of Tower 2 (Duplex) ; Bathroom 3 of Unit A at 27/F of Tower 3 ; Bathroom 2, 3, & 5 of Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Bathroom 3 of Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Bathroom 2 of Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Bathroom 3 of Unit B at 20/F & 21/F of Tower 7 (Duplex) ; All units with lavatory inside the Utility Room equipped with vitreous china water closet, vitreous china wash basin with chrome plated mixer & shower set, chrome plated robe hook and chrome plated toilet paper holder. For appliances brand name and model number, please refer to the “Appliances Schedule”.

Water supply system	Type	Material
	Cold Water Supply	Copper water pipes
	Hot Water Supply	Copper water pipes with thermal insulation

3. Interior fittings			
Item		**Description**	
(c)	Kitchen	Stainless steel sink and chrome plated sink mixer. For following units, wooden cabinet fitted with high gloss lacquer and wood veneer door panel: Unit A & C at G/F & 1/F of Tower 1 (Duplex) ; Unit A at 26/F of Tower 1 ; Unit C at 28/F & 29/F of Tower 1 (Duplex) ; Unit C at G/F & 1/F of Tower 2 (Duplex) ; Unit A at 27/F & 28/F of Tower 2 (Duplex) ; Unit B & C at 28/F & 29/F of Tower 2 (Duplex) ; Unit A at 26/F of Tower 3 ; Unit A at 27/F of Tower 3 ; Unit A at 28/F & 29/F of Tower 3 (Duplex) ; Unit C at 29/F of Tower 3 ; Unit A at 19/F & 20/F of Tower 5 (Duplex) ; Unit B at 20/F & 21/F of Tower 5 (Duplex) ; Unit C at 20/F & 21/F of Tower 5 (Duplex) ; Unit D at 20/F & 21/F of Tower 5 (Duplex) ; Unit A at 19/F & 20/F of Tower 6 (Duplex) ; Unit B at 20/F & 21/F of Tower 6 (Duplex) ; Unit C at 21/F of Tower 6 ; Unit A at 19/F & 20/F of Tower 7 (Duplex) ; Unit B at 20/F & 21/F of Tower 7 (Duplex) ; Unit C at 20/F & 21/F of Tower 7 (Duplex) ; For following units, wooden cabinet fitted with glass and wood veneer door panel: Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 1 ; Unit C at 2/F-3/F, 5/F-12/F, 15/F-23/F, 25/F-27/F of Tower 1 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F of Tower 2 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F of Tower 2 ; Unit A & B at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F of Tower 3 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F of Tower 3 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 5 ; Unit B, C & D at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 5 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 6 ; Unit B at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 6 ; Unit C & D at 2/F-3/F, 5/F-12/F, 15/F-20/F of Tower 6 ; Unit A at 2/F-3/F, 5/F-12/F, 15/F-18/F of Tower 7 ; Unit B & C at 2/F-3/F, 5/F-12/F, 15/F-19/F of Tower 7 ; For following units, no kitchen cabinet, no other fittings and equipment: Unit A at 27/F, 28/F & 29/F of Tower 1 (Triplex) ; Unit B at 27/F of Tower 1	
		Water supply system	Copper water pipes for cold water supply and copper water pipes with thermal insulation for hot water supply
		Type of all other fittings and equipment	For the appliances brand name and model number, please refer to the “Appliances Schedule”
(d)	Bedroom	Type and material of fittings (including built-in wardrobe)	Not applicable (Except Unit A at 15/F of Tower 1 and Unit A at 17/F of Tower 5) Unit A at 15/F of Tower 1: Master Bedroom: Curtain track with fabric curtain, built-in wooden wardrobe with steel-framed glass doors, built-in wooden bedside table with a marble countertop, built-in wooden dressing table with a steel-framed glass mirror, built-in wooden bed frame with electric bed hinge connected to a wooden headboard with faux leather finish. Bedroom 2: Curtain track with fabric curtain, built-in wooden cabinet with wood veneer door panels, built-in wooden bookcase with wooden shelves, built-in hydraulic wooden bed frame connected to a wooden headboard with fabric finish. Bedroom 3: Curtain track with fabric curtain, built-in wooden wardrobe with metal hanging wardrobe rack and natural stone countertop cabinet, built-in hydraulic wooden bed frame with fabric finish.

3. Interior fittings				
Item		**Description**		
(d)	Bedroom	Type and material of fittings (including built-in wardrobe)	Unit A at 17/F of Tower 5: Master Bedroom: Timber wardrobe with makeup counter: Outside finished with special paint, shelf and table finished with marble, makeup mirror with metal frame; inside and shelf finished with plaster laminate. Timber TV counter: Outside finished with natural stone; inside finished with plastic laminate. Curtain apply with blackout and gauze fabric. Bedroom 2: Timber wardrobe: Outside finished with special paint, shelf and table finished with marble, mirror with metal frame; inside and shelf finished with plaster laminate. Curtain apply with blackout and gauze fabric. Bedroom 3: Timber wardrobe: Outside finished with veneer; inside finished with plaster laminate. Curtain apply with blackout and gauze fabric.	
(e)	Telephone	Location and number of connection points	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"	
(f)	Aerials	Location and number of connection points	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"	
(g)	Electrical installations	Electrical fittings (including safety devices)	Electrical fittings	Faceplate for all switches and power sockets
			Safety devices	Three phases electricity supply with miniature circuit breaker distribution board
		Whether conduits are concealed or exposed	Conduits are partly concealed and partly exposed [1]	
		Location and number of power points and air-conditioner points	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"	
(h)	Gas supply	Type	Towngas	
		System	Gas supply pipe is provided and connected to gas hob and gas water heater	
		Location	For the location of gas hob and gas water heater, please refer to the "Appliances Schedule"	
(i)	Washing machine connection point	Location	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"	
		Design	15mm diameter water point and 40mm diameter drain point are provided for washing machine	
(j)	Water supply	Material of water pipes	Copper water pipes for cold water supply and copper water pipes with thermal insulation for hot water supply	
		Whether water pipes are concealed or exposed	Water pipes are partly concealed and partly exposed [2]	
		Whether hot water is available	Hot water supply to kitchen, master bathroom, bathroom, powder room and lavatory	

Remarks:
1. Other than those parts of the conduits concealed within concrete, the rest of them are exposed. The exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.
2. Other than those parts of the water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

4. Miscellaneous		
Item		**Description**
(a)	Lifts	**Residential Towers:** - 2 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 1: Lift no. L1 & L2 of Tower 1: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-27/F; - 1 no. of "Schindler" passenger lift (model no. 55MMR) serving the following floors of Residential Tower 1: Lift no. L4 of Tower 1: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F; - 1 no. of "Schindler" fireman's/ disabled lift (model no. 55MMR) serving the following floors of Residential Tower 1: Lift no. L3 of Tower 1: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-29/F; - 1 no. of "Schindler" private passenger lift (model no. 55MRL) serving the following floors of Residential Tower 1: Lift no. L5 of Tower 1: 27/F to roof floor (serving Unit A at 27/F, 28/F & 29/F (Triplex)) - 3 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 2: Lift no. L6, L7 & L9 of Tower 2: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F; - 1 no. of "Schindler" fireman's/ disabled lift (model no. 55MMR) serving the following floors of Residential Tower 2: Lift no. L8 of Tower 2: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-29/F; - 2 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 3: Lift no. L10 & L11 of Tower 3: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-28/F; - 1 no. of "Schindler" fireman's/ disabled lift (model no. 55MMR) serving the following floors of Residential Tower 3: Lift no. L12 of Tower 3: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-29/F; - 2 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 3: Lift no. L13 & L14 of Tower 3: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F, 15/F-23/F & 25/F-29/F; - 4 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 5: Lift no. L15, L16, L18 & L19 of Tower 5: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F & 15/F-20/F; - 1 no. of "Schindler" fireman's/ disabled lift (model no. 55MMR) serving the following floors of Residential Tower 5: Lift no. L17 of Tower 5: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F & 15/F-21/F; - 2 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 6: Lift no. L20 & L21 of Tower 6: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F & 15/F-20/F; - 1 no. of "Schindler" fireman's/ disabled lift (model no. 55MMR) serving the following floors of Residential Tower 6: Lift no. L22 of Tower 6: B2/F, B1/F, G/F-3/F, 5/F-12/F & 15/F-21/F; - 2 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 6: Lift no. L23 & L24 of Tower 6: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F & 15/F-21/F; - 3 nos. of "Schindler" passenger lifts (model no. 55MMR) serving the following floors of Residential Tower 7: Lift no. L25, L26 & L28 of Tower 7: B2/F, B1/F, G/F, 2/F-3/F, 5/F-12/F & 15/F-20/F; - 1 no. of "Schindler" fireman's/ disabled lift (model no. 55MMR) serving the following floors of Residential Tower 7: Lift no. L27 of Tower 7: B2/F, B1/F, G/F, 1/F-3/F, 5/F-12/F & 15/F-21/F; **Podium:** - 1 no. of "Schindler" fireman's/ disabled lift (model no. 55MRL) serving podium: Lift no. L29 of Podium: B2/F-1/F

4. Miscellaneous				
Item		**Description**		
(b)	Letter box	Material	Stainless steel letter box with nature stone frame	
(c)	Refuse collection	Means of refuse collection	Refuse will be collected by cleaner	
		Location of refuse room	Refuse Storage and Material Recovery Room is provided in the common area of all residential floors (Except 1/F & 29/F at Tower 1 & 2 and 21/F at Tower 7). Refuse Storage and Material Recovery Chamber is provided at B1/F	
(d)	Water meter, electricity meter and gas meter		Location	Whether they are separate or communal meters for residential properties
		Water meter	Inside common water meter cabinet on residential floors	Separate meter
		Electricity meter	Inside common electric meter room	Separate meter
		Gas meter	Inside kitchen of individual unit	Separate meter

5. Security facilities			
Item	**Description**		
Security facilities	Security system and equipment (including details of built-in provisions and their locations)	Access control & security system	Visitor panel with access card reader is installed at the main entrance lobby for resident access.
		CCTV	CCTV system is provided at residential entrance lobby, carpark floors, landscaped area, club house, B2/F to 1/F lift lobby and all the lifts connecting directly to the caretaker's office
	Details of built-in provisions	7-inch Touchable tablet for video door phone connecting to caretaker's office at the residential entrance lobby	
	Location of built-in provisions	For the location of video door phone, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"	

6. Appliances	
Item	**Description**
Appliances	For brand name and model number, please refer to the "Appliances Schedule".

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

1. 外部裝修物料				
細項		**描述**		
(a)	外牆	裝修物料的類型	住宅大樓	幕牆、瓷磚、鋁質覆蓋層板、天然石料覆蓋板、鋁質格柵及鋁質百葉
			基座	幕牆、玻璃幕牆、瓷磚、鋁質覆蓋層板、天然石料覆蓋板、鋁質格柵及鋁質百葉
(b)	窗	框的用料	氟化碳塗層鋁質窗框	
		玻璃的用料	客/飯廳、睡房、家庭廳、儲物房及衣帽間	採用雙層中空低輻射鍍膜玻璃及鋼化玻璃
			主人浴室、浴室、客廳洗手間、工作間、洗手間及過濾機房	有色酸蝕玻璃
			廚房	有色半鋼化玻璃及有色玻璃
(c)	窗台	窗台的用料及窗台板的裝修物料	不適用	
(d)	花槽	裝修物料的類型	天然石材花槽於第1座地下及1樓的A及C單位(複式)的私人花園，第2座地下及1樓的C單位(複式)的私人花園及第3座28樓及29樓的A單位(複式)的天台	
(e)	陽台或露台	裝修物料的類型	露台	裝有夾層鋼化玻璃欄杆連鋁質頂冚
			地台	天然石材
			牆身	天然石材、瓷磚及鋁質覆蓋層板
			天花	鋁質天花板
		露台是否有蓋	露台均有蓋	
		陽台	不適用	
(f)	乾衣設施	類型及用料	不適用	

2. 室內裝修物料		
細項		**描述**
(a)	大堂	**地下之住宅大樓入口大堂及地庫2、地庫1及地下之穿梭升降機大堂：** 地台外露位置鋪砌天然石材。 牆身外露位置鋪砌天然石材、不銹鋼、玻璃、鏡及皮革。 天花鋪設木飾面、鏡、鋁材及髹上乳膠漆之石膏板。 **住宅單位私人升降機大堂：** 所有單位（第1座地下及1樓之A及C單位（複式）、第1座15樓A單位、第1座27樓、28樓及29樓A單位（三層頂層單位）、第1座27樓B單位及第2座地下及1樓之C單位（複式）、第5座17樓A單位除外）： 地台外露位置鋪砌天然石材。 牆身外露位置鋪砌天然石材、不銹鋼及玻璃。 天花鋪砌不銹鋼及髹上乳膠漆之石膏板。 第1座15樓A單位： 地台鋪砌雲石。 牆身鋪砌岩板及木皮特色牆。 天花鋪砌石膏板及環保淨味油漆。 第1座27樓、28樓及29樓A單位（三層頂層單位）： 地台批盪。 牆身及天花批盪後髹上乳膠漆，而牆身裝修物料鋪至天花。 第1座地下及1樓之A及C單位（複式）， 第1座27樓 B單位及第2座地下及1樓之C單位（複式）不設私人升降機大堂。 第5座17樓A單位： 地台鋪砌木地板。 牆身髹上特別漆油。 天花鋪砌髹上乳膠漆之石膏板。

2. 室內裝修物料		
細項		**描述**
(a)	大堂	**住宅樓層升降機大堂於第1座、第2座及第7座：** 地台鋪砌天然石材。 牆身鋪砌天然石材。 天花舖砌髹上乳膠漆之石膏板。 **住宅樓層升降機大堂於第3座、第5座及第6座：** 地台鋪砌瓷磚。 牆身批盪後髹上乳膠漆。 天花鋪砌鋁板。
(b)	內牆及天花板	**客/飯廳及睡房：** 所有單位（第1座15樓A單位及第5座17樓A單位除外）： 牆身及天花批盪後髹上乳膠漆。假陣及假天花位置髹上乳膠漆之石膏板。 第1座15樓A單位： 客/飯廳： 牆身為雲石、木條子、木皮特色牆及牆紙。天花為石膏板及環保淨味油漆。 睡房： 牆身為布藝特色牆及牆紙。天花髹環保淨味油漆。 第5座17樓A單位： 客/飯廳： 牆身髹特別漆油、雲石及牆紙。假陣和假天花位置做特別漆油。 睡房： 牆身髹特別漆油、牆紙。假陣和假天花位置髹上乳膠漆之石膏板。
(c)	內部地板	**客/飯廳：** 所有單位（第1座15樓A單位、第1座27樓、28樓及29樓 A單位（三層頂層單位）及第1座27樓B單位、第5座17樓A單位除外）：地板及牆腳線為複合木，客廳部分地板位置鋪砌天然石材。 第1座15樓A單位： 雲石磚地台及木牆腳線。 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位： 地台批盪，不提供牆腳線。 第5座17樓A單位： 木地板地台和凹腳線。 **睡房：** 所有單位（第1座15樓A單位、第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位、第5座17樓A單位除外）：地板及牆腳線為複合木。 第1座15樓A單位： 木地板地台及木牆腳線。 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位： 地台批盪，不提供牆腳線。 第5座17樓A單位： 木地板地台和木牆腳線。
(d)	浴室	**主人浴室/浴室：** 所有單位（第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位除外）： 地台外露位置鋪砌天然石材。 假天花以下牆身外露位置鋪砌天然石材。 洗手盆及鏡櫃背部分牆身鋪砌瓷磚。 天花鋪砌鋁材、不銹鋼、鏡及髹上乳膠漆之石膏板。 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位： 地台批盪。 牆身及天花批盪後髹上乳膠漆，而牆身裝修物料鋪至天花。

2. 室內裝修物料		
細項		描述
(e)	廚房	所有單位（第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位除外）： 地台外露位置鋪砌天然石材，櫥櫃底之地台鋪砌瓷磚。 假天花以下牆身外露位置鋪砌天然石材及不銹鋼。 櫥櫃背之牆身鋪砌瓷磚。 灶台鋪砌天然石材。 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位： 地台批盪。 牆身及天花批盪後髹上乳膠漆，而牆身裝修物料鋪至天花。 不提供灶台。 以下單位之天花鋪設木飾面、不銹鋼及髹上乳膠漆之石膏板： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之B單位（複式）； 以下單位之天花鋪砌鋁材及髹上乳膠漆之石膏板： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B及C單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓C及D單位； 第3座29樓之C單位； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第5座2樓至3樓、5樓至12樓及15樓至19樓 B、C及D單位； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位； 第6座2樓至3樓、5樓至12樓及15樓至20樓C及D單位； 第6座21樓之C單位； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第7座2樓至3樓、5樓至12樓及15樓至19樓B及C單位； 第7座20樓及21樓之C單位（複式）

3. 室內裝置		
細項		描述
(b)	門	**入口及住宅單位私人升降機大堂大門：** 所有單位(第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位、第5座17樓A單位入口大門除外）： 實心木門及木門框配以木皮飾面及不銹鋼飾面，裝設封口線、門鎖、氣鼓及防盜眼。 第1座27樓、28樓及29樓A單位（三層頂層單位）入口及住宅單位私人升降機大堂大門 ，實心木門裝設氣鼓。 第5座17樓A單位入口大門，防火實心木門及木門框配以木皮飾面，裝設封口線、電子鎖及手抽。 **連接私人地方及公用地方門：** 所有單位(第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位除外)： 實心木門及木門框配以木皮飾面及不銹鋼飾面，裝設封口線、門鎖、氣鼓及防盜眼。 第1座27樓、28樓及29樓A單位（三層頂層單位） 及第1座27樓B單位，實心木門及木門框配以木皮飾面，裝設門鎖及氣鼓。 **連接私人地方及單位內之公用地方門：** 以下單位為實心木門及木門框配以木皮飾面，裝設封口線及門鎖： 第1座26樓A單位； 第1座27樓B單位； 第1座28樓及29樓C單位（複式）； 第2座28樓及29樓B單位（複式）； 第2座28樓及29樓C單位（複式）； 第5座20樓及21樓C單位（複式）； 第7座20樓及21樓C單位（複式）； 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位，實心木門。 **廚房門：** 所有單位(第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位、第5座17樓A單位除外）： 防火實心木門及木門框配以木皮飾面，裝設氣鼓。 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位，實心木門裝設氣鼓。 第5座17樓A單位： 防火實心木門及木門框配以木皮飾面，裝設封口線及門鎖。 **睡房門：** 所有單位(第1座15樓A單位、第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位、第5座17樓A單位除外）： 實心木門及木門框配以木皮飾面，裝設封口線及門鎖。 第1座15樓A單位： 實心木門及木門框配以木皮飾面及門鎖。 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位，實心木門。 第5座17樓A單位： 實心木門及木門框配以木皮飾面，裝設封口線及門鎖。 **儲物房門：** 所有單位(第1座地下及1樓之C單位（複式）、第1座27樓、28樓及29樓A單位 (三層頂層單位)、第1座27樓B單位及第2座地下及1樓之C單位（複式）除外）： 實心木門及木門框配以木皮飾面，裝設封口線及門鎖。 第1座地下及1樓之C單位（複式）及第2座地下及1樓之C單位（複式），鋁框玻璃門。 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位，實心木門。 **衣帽間門：** 所有單位（第1座27樓、28樓及29樓A單位（三層頂層單位）除外）： 實心木門及木門框配以木皮飾面，裝設門鎖。 第1座27樓、28樓及29樓A單位（三層頂層單位），實心木門。

3. 室內裝置		
細項		描述
(a)	門	**主人浴室門：** 所有單位（第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位除外）： 實心木門及木門框配以木皮飾面，裝設封口線及門鎖。 第1座27樓、28樓及29樓A單位（三層頂層單位），實心木門。 以下單位為實心木門及木門框配以木皮飾面及木百葉並裝設封口線及門鎖： 第2座27樓及28樓A單位（複式）； 第2座27樓B單位； 第3座26樓A單位； 第3座27樓A單位； 第5座2樓至3樓、5樓至12樓、15樓至19樓C單位； 第5座19樓及20樓A單位（複式）； 第5座19樓C單位； 第6座2樓至3樓、5樓至12樓、15樓至18樓A單位； 第6座19樓及20樓A單位（複式）； 第6座19樓B單位； 第6座20樓及21樓B單位（複式）； 第6座21樓C單位； 第7座19樓B單位； 第7座20樓及21樓B單位（複式）; 第7座20樓及21樓C單位（複式） **浴室及客廳洗手間門：** 實心木門及木門框配以木皮飾面，裝設封口線及門鎖，以下單位除外： 以下單位為實心木門及木門框配以木皮飾面及木百葉並裝設封口線及門鎖: 第1座地下及1樓A單位之客廳洗手間（複式）； 第1座地下及1樓C單位之浴室2（複式）； 第1座地下及1樓C單位之浴室4（複式）（浴室4與睡房4之間的門）； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓B單位之浴室3； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓C單位之浴室2； 第1座26樓A單位之客廳洗手間； 第1座26樓A單位之浴室2； 第1座26樓A單位之浴室4； 第1座26樓C單位之浴室2； 第1座27樓C單位之浴室2； 第1座28樓及29樓C單位之浴室3及4（複式）； 第2座地下及1樓C單位之浴室2（複式）； 第2座地下及1樓C單位之浴室4（複式）（浴室4與睡房4之間的門）； 第2座2樓至3樓、5樓至12樓、15樓至23樓 、 25樓及26樓B單位之浴室2； 第2座2樓至3樓、5樓至12樓、15樓至23樓 、 25樓及26樓C單位之浴室2； 第2座27樓B單位之浴室2； 第2座27樓C單位之浴室2； 第2座28樓及29樓B單位之客廳洗手間（複式）； 第2座28樓及29樓B單位之浴室2及4（複式）； 第2座28樓及29樓C單位之浴室3及4（複式）； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓A單位之浴室3； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓B單位之浴室2； 第3座26樓及27樓A單位之浴室3、4及客廳洗手間； 第3座28樓及29樓A單位之浴室2、3、4、5及客廳洗手間（複式）； 第3座29樓C單位之浴室2；

3. 室內裝置		
細項		描述
(a)	門	第5座2樓至3樓、5樓至12樓、15樓至19樓 B單位之浴室2； 第5座2樓至3樓、5樓至12樓、15樓至19樓 D單位之浴室2； 第5座19樓及20樓A單位之浴室3（複式）； 第5座19樓B單位之浴室2； 第5座19樓D單位之浴室2； 第5座20樓及21樓B單位之浴室3（複式）； 第5座20樓及21樓C單位之浴室3（複式）； 第5座20樓及21樓D單位之浴室2、3及客廳洗手間（複式）； 第6座2樓至3樓、5樓至12樓、15樓至18樓A單位之浴室2； 第6座2樓至3樓、5樓至12樓、15樓至19樓B單位之浴室2； 第6座2樓至3樓、5樓至12樓、15樓至20樓C單位之浴室2（浴室門及浴室2與睡房2之間的門）； 第6座2樓至3樓、5樓至12樓、15樓至20樓D單位之浴室2（浴室2與睡房2之間的門）； 第6座19樓及20樓A單位之浴室3及4（複式）； 第6座19樓B單位之浴室2； 第6座20樓及21樓B單位之浴室3及5（複式）； 第6座20樓D單位之浴室2； 第6座21樓C單位之浴室2及3； 第7座2樓至3樓、5樓至12樓、15樓至18樓A單位之浴室3； 第7座19樓及20樓A單位之浴室2、4及客廳洗手間（複式）； 第7座19樓B單位之浴室3； 第7座20樓及21樓B單位之浴室2及4（複式）； 第7座20樓及21樓B單位之浴室5（複式）（浴室5與客/飯廳之間的門）； 第7座20樓及21樓C單位之浴室3（複式）； 第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位，實心木門，以下浴室除外： 以下浴室為實心木門配以木百葉： 第1座27樓、28樓及29樓A單位之浴室6及7（三層頂層單位）； 第1座27樓B單位之浴室1 **工作間門：** 所有單位（第5座20樓及21樓B單位（複式）除外）： 實心木門及木門框配以木皮飾面，裝設封口線、門鎖及氣鼓。 第5座20樓及21樓B單位（複式），實心木門及木門框配以木皮飾面及木百葉並裝設封口線、門鎖及氣鼓。 **露台/工作平台/天台/平台門：** 玻璃門配以氟化碳塗層鋁質框。 **過濾機房門：** 實心木門及木門框配以木皮飾面，裝設門鎖。 **洗手間門：** 鋁框玻璃門。 **私人花園出公用地方的門：** 鋁門配以門鎖。 **客/飯廳/廚房出私人花園和樓梯去游泳池畔的門：** 玻璃門配以氟化碳塗層鋁質框。

3. 室內裝置		
細項		描述
(b)	浴室	所有單位（第1座27樓、28樓及29樓A單位（三層頂層單位）及第1座27樓B單位除外）： 木製鏡櫃配以玻璃及不銹鋼物料。 木製洗手盆櫃配以不銹鋼、木皮飾面及玻璃物料。天然石材檯面。 陶瓷坐廁。 第1座27樓、28樓及29樓 A單位（三層頂層單位)（不提供浴室櫃)： 陶瓷坐廁。 陶瓷洗手盆配鍍鉻龍頭。 主人浴室、浴室2及3之淋浴間裝設鍍鉻淋浴套裝。 主人浴室、浴室2、5、6及7裝設1500毫米長 x 700毫米闊搪瓷鋼鐵浴缸、鍍鉻龍頭及鍍鉻淋浴套裝。 第1座27樓 B單位 之浴室1（不提供浴室櫃及沐浴設備)： 陶瓷坐廁。 陶瓷洗手盆配鍍鉻龍頭。 以下單位之主人浴室為天然石材洗手盆配PVD拋光金色龍頭： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之B單位（複式）； 以下單位之客廳洗手間為天然石材洗手盆配拋光PVD拋光金色龍頭： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第5座20樓及21樓之C及D單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之C單位（複式）；

3. 室內裝置		
細項		描述
(b)	浴室	以下單位之主人浴室為陶瓷洗手盆配PVD拋光金色龍頭： 第3座29樓之C單位； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座21樓之C單位； 第7座20樓及21樓之C單位（複式）； 以下單位之浴室為陶瓷洗手盆配PVD拋光金色龍頭： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第3座29樓之C單位； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第6座21樓之C單位； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之B單位（複式）； 第7座20樓及21樓之C單位（複式）； 以下單位之主人浴室及浴室為陶瓷洗手盆配鍍鉻龍頭： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B及C單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓C及D單位； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第5座2樓至3樓、5樓至12樓及15樓至19樓B、C及D單位； 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位； 第6座2樓至3樓、5樓至12樓及15樓至20樓C及D單位； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第7座2樓至3樓、5樓至12樓及15樓至19樓B及C單位；

3. 室內裝置		
細項		描述
(b)	浴室	**主人浴室淋浴間：** 以下單位之主人浴室淋浴間裝設PVD拋光金色淋浴套裝連PVD拋光金色牆身噴水咀及PVD拋光金色天花淋浴花灑： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之B單位（複式）； 以下單位之主人浴室淋浴間裝設鏡鋼淋浴柱： 第3座29樓之C單位； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座21樓之C單位； 第7座20樓及21樓之C單位（複式）； 以下單位之主人浴室之淋浴間裝設拋光不銹鋼淋浴柱： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B及C單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓C及D單位； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第5座2樓至3樓、5樓至12樓及15樓至19樓B、C及D單位； 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位； 第6座2樓至3樓、5樓至12樓及15樓至20樓C及D單位； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第7座2樓至3樓、5樓至12樓及15樓至19樓B及C單位； **浴室淋浴間：** 以下單位之浴室之淋浴間裝設鏡鋼淋浴柱： 第1座地下及1樓A單位之浴室2（複式）； 第1座26樓A單位之浴室3； 第2座27樓及28樓A單位之浴室3（複式）； 第2座28樓及29樓B單位之浴室3（複式）； 第3座27樓A單位之浴室3； 第3座28樓及29樓A單位之浴室2、3及5（複式）； 第5座19樓及20樓A單位之浴室3（複式）； 第5座20樓及21樓B單位之浴室2（複式）； 第7座20樓及21樓B單位之浴室3（複式）；

3. 室內裝置		
細項		描述
(b)	浴室	以下單位之浴室淋浴間裝設PVD拋光金色淋浴柱： 第1座地下及1樓A單位之浴室3（複式）； 第1座地下及1樓C單位之浴室4（複式）； 第1座26樓 A單位之浴室4； 第1座28樓及29樓 C單位之浴室3（複式）； 第2座地下及1樓C單位之浴室4（複式）； 第2座28樓及29樓B單位之浴室1（複式）； 第2座28樓及29樓C單位之浴室3（複式）； 第3座26樓A單位之浴室4； 第3座27樓A單位之浴室4； 第3座28樓及29樓A單位之浴室4（複式）； 第3座29樓C單位之浴室2及4； 第5座19樓及20樓A單位之浴室2（複式）； 第5座20樓及21樓B單位之浴室3及4（複式）； 第5座20樓及21樓C單位之浴室2及3（複式）； 第5座20樓及21樓D單位之浴室2（複式）； 第6座20樓及21樓B單位之浴室3及4（複式）； 第6座21樓C單位之浴室2； 第7座19樓及20樓A單位之浴室3（複式）； 第7座20樓及21樓B單位之浴室1、浴室2及浴室5（複式）； 第7座20樓及21樓C單位之浴室3（複式）； 以下單位之浴室淋浴間裝設鍍鉻淋浴柱： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓A單位之浴室3； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓B單位之浴室2； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位之浴室3； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位之浴室3； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B及C單位之浴室3； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位之浴室3； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓C及D單位之浴室2； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位之浴室3； 第5座2樓至3樓、5樓至12樓及15樓至19樓B單位之浴室3； 第5座2樓至3樓、5樓至12樓及15樓至19樓C及D單位之浴室2； 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位之浴室3； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位之浴室3； 第6座2樓至3樓、5樓至12樓及15樓至20樓C及D單位之浴室2； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位之浴室2； 第7座2樓至3樓、5樓至12樓及15樓至19樓B單位之浴室3； 第7座2樓至3樓、5樓至12樓及15樓至19樓C單位之浴室2； **主人浴室浴缸：** 以下單位之主人浴室裝設1800毫米長 x 800毫米闊 x 460毫米高亞克力噴水浴缸、PVD拋光金色龍頭及PVD拋光金色淋浴套裝： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之B單位（複式）；

3. 室內裝置		
細項		描述
(b)	浴室	以下單位之主人浴室裝設1800毫米長 x 800毫米闊 x 410毫米高搪瓷鋼鐵浴缸、PVD拋光金色龍頭及PVD拋光金色淋浴套裝： 第3座29樓之C單位； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座21樓之C單位； 第7座20樓及21樓之C單位（複式）； 以下單位之主人浴室裝設1600毫米長 x 700毫米闊 x 410毫米高搪瓷鋼鐵浴缸、鍍鉻龍頭及鍍鉻淋浴套裝： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓 A及B單位； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B及C單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓 A及B單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓 C及D單位； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第5座2樓至3樓、5樓至12樓及15樓至19樓B、C及D單位； 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位； 第6座2樓至3樓、5樓至12樓及15樓至20樓C及D單位； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第7座2樓至3樓、5樓至12樓及15樓至19樓B及C單位； **浴室浴缸：** 以下單位之浴室裝設1600毫米長 x 700毫米闊 x 410毫米高搪瓷鋼鐵浴缸、PVD拋光金色龍頭及PVD拋光金色淋浴套裝： 第1座地下及1樓A單位之浴室2（複式）； 第1座地下及1樓C單位之浴室2（複式）； 第1座26樓A單位之浴室2及3； 第1座28樓及29樓C單位之浴室4（複式）； 第2座地下及1樓C單位之浴室2（複式）； 第2座27樓及28樓A單位之浴室2、3及4（複式）； 第2座28樓及29樓B單位之浴室2、3及4（複式）； 第2座28樓及29樓C單位之浴室4（複式）； 第3座26樓A單位之浴室2及3； 第3座27樓A單位之浴室2及3； 第3座28樓及29樓A單位之浴室2、3及 5（複式）； 第3座29樓C單位之浴室3； 第5座19樓及20樓A單位之浴室3及4（複式）； 第5座20樓及21樓B單位之浴室2及5（複式）； 第5座20樓及21樓D單位之浴室3（複式）； 第6座19樓及20樓A單位之浴室2、3及4（複式）； 第6座20樓及21樓B單位之浴室2及5（複式）； 第6座21樓C單位之浴室3及4； 第7座19樓及20樓A單位之浴室2及4（複式）； 第7座20樓及21樓B單位之浴室3及4（複式）； 第7座20樓及21樓C單位之浴室2（複式）；

3. 室內裝置		
細項		描述
(b)	浴室	以下單位之浴室裝設1600毫米長 x 700毫米闊 x 410毫米高搪瓷鋼鐵浴缸、鍍鉻龍頭及鍍鉻淋浴套裝： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓A單位之浴室2； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓B單位之浴室3； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位之浴室2； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位之浴室2； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B單位之浴室2； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位之浴室2； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓 A及B單位之浴室2； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位之浴室2； 第5座2樓至3樓、5樓至12樓及15樓至19樓B單位之浴室2； 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位之浴室2； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位之浴室2； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位之浴室3； 第7座2樓至3樓、5樓至12樓及15樓至19樓B單位之浴室2； **主人浴室、浴室及客廳洗手間內其他裝置：** 以下單位之主人浴室及浴室裝設24K鍍金掛衣鉤、24K鍍金廁紙架及24K鍍金毛巾棍： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第3座29樓之C單位； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第6座21樓之C單位； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之B單位（複式）； 第7座20樓及21樓之C單位（複式）； 以下單位之客廳洗手間裝設24K鍍金掛衣鉤及24K鍍金廁紙架： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之C單位（複式）；

3. 室內裝置			
細項		描述	
(b)	浴室	以下單位之主人浴室及浴室裝設鍍鉻掛衣鉤、鍍鉻廁紙架及鍍鉻毛巾棍： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B及C單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓C及D單位； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第5座2樓至3樓、5樓至12樓及15樓至19樓B、C及D單位； 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位； 第6座2樓至3樓、5樓至12樓及15樓至20樓C及D單位； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第7座2樓至3樓、5樓至12樓及15樓至19樓B及C單位； 所有單位之主人浴室設有鍍鉻發光鏡 (第1座27樓、28樓及29樓 A單位（三層頂層單位）及第1座27樓 B單位除外）。 以下單位之浴室設有鍍鉻發光鏡： 第1座地下及1樓A單位之浴室2（複式）； 第1座26樓 A單位之浴室3； 第2座27樓及28樓A單位之浴室3（複式）； 第2座28樓及29樓B單位之浴室3（複式）； 第3座27樓A單位之浴室3； 第3座28樓及29樓A單位之浴室2、3及5（複式）； 第5座19樓及20樓A單位之浴室3（複式）； 第5座20樓及21樓B單位之浴室2（複式）； 第7座20樓及21樓B單位之浴室3（複式）； 所有單位工作間之洗手間設有陶瓷坐廁、陶瓷洗手盆配鍍鉻龍頭及淋浴套裝、鍍鉻掛衣鉤及鍍鉻廁紙架。 有關設備品牌名稱及產品型號，請參閱「設備說明表」。
		供水系統	類型 / 用料
			冷水喉 / 銅喉
			熱水喉 / 配有隔熱絕緣保護之銅喉
(c)	廚房	不銹鋼洗滌盆配鍍鉻龍頭。 以下單位之木櫥櫃組合配高光烤漆及木皮門板： 第1座地下及1樓之A及C單位（複式）； 第1座26樓之A單位； 第1座28樓及29樓之C單位（複式）； 第2座地下及1樓之C單位（複式）； 第2座27樓及28樓之A單位（複式）； 第2座28樓及29樓之B及C單位（複式）； 第3座26樓之A單位； 第3座27樓之A單位； 第3座28樓及29樓之A單位（複式）； 第3座29樓之C單位； 第5座19樓及20樓之A單位（複式）； 第5座20樓及21樓之B單位（複式）； 第5座20樓及21樓之C單位（複式）； 第5座20樓及21樓之D單位（複式）； 第6座19樓及20樓之A單位（複式）； 第6座20樓及21樓之B單位（複式）； 第6座21樓之C單位； 第7座19樓及20樓之A單位（複式）； 第7座20樓及21樓之B單位（複式）； 第7座20樓及21樓之C單位（複式）； 以下單位之木櫥櫃組合配玻璃及木皮門板： 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第1座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓C單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至26樓A單位； 第2座2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓B及C單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓A及B單位； 第3座2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓C及D單位； 第5座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第5座2樓至3樓、5樓至12樓及15樓至19樓B、C及D單位；	

3. 室內裝置			
細項		描述	
(c)	廚房	以下單位之木櫥櫃組合配玻璃及木皮門板： 第6座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第6座2樓至3樓、5樓至12樓及15樓至19樓B單位； 第6座2樓至3樓、5樓至12樓及15樓至20樓C及D單位； 第7座2樓至3樓、5樓至12樓及15樓至18樓A單位； 第7座2樓至3樓、5樓至12樓及15樓至19樓B及C單位； 以下單位沒有櫥櫃、沒有其他裝置及設備： 第1座27樓、28樓及29樓 A單位（三層頂層單位）； 第1座27樓 B單位	
		供水系統	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣保護之銅喉
		所有其他裝置及設備的類型	有關設備品牌及產品型號，請參閱「設備說明表」
(d)	睡房	裝置(包括嵌入式衣櫃)的類型及用料	不適用 （第1座15樓A單位及第5座17樓A單位除外） 第1座15樓A單位： 主人睡房： 窗簾軌道及布藝窗簾、嵌入式木製衣櫃配鋼邊玻璃門板、嵌入式木製床頭櫃配雲石枱面、嵌入式木製梳妝枱配鋼邊玻璃鏡、嵌入式木製床架仿皮飾面配以電動床鉸連木製布藝飾面床頭板。 睡房2： 窗簾軌道及布藝窗簾、嵌入式木製儲物櫃配木皮門板、嵌入式木製書櫃配木製層板、嵌入式木製布藝飾面油壓床架連木製布藝床頭板。 睡房3： 窗簾軌道及布藝窗簾、嵌入式木製衣櫃配以金屬掛衣架、木製儲物櫃配天然石材枱面、嵌入式木製布藝飾面油壓床架。 第5座17樓A單位： 主人睡房： 木衣櫃連化妝枱: 櫃外配以特別油漆飾面，雲石層板和雲石枱面及金屬包框化妝鏡；櫃內配以膠板飾面和膠板層板。 木電視櫃: 櫃外配以天然雲石飾面；櫃內配以膠板飾面。 窗簾採用遮光布和紗布。 睡房 2： 木衣櫃: 櫃外配以特別漆油飾面，雲石層板和雲石枱面及金屬包框鏡；櫃內配以膠板飾面和膠板層板。 窗簾採用遮光布和紗布。 睡房 3： 木衣櫃: 櫃外配以木皮飾面；櫃內配以膠板飾面。 窗簾採用遮光布和紗布。
(e)	電話	接駁點的位置及數目	請參閱「住宅單位機電裝置位置及數量說明表」
(f)	天線	接駁點的位置及數目	請參閱「住宅單位機電裝置位置及數量說明表」
(g)	電力裝置	供電附件(包括安全裝置)	供電附件：提供電掣及插座之面板
			安全裝置：三相電力並備有微型斷路器配電箱
		導管是隱藏或外露	導管是部分隱藏及部分外露 [1]
		電插座及空調機接駁點的位置及數目	請參閱「住宅單位機電裝置位置及數量說明表」
(h)	氣體供應	類型	煤氣
		系統	煤氣喉接駁煤氣煮食爐及煤氣熱水爐
		位置	煤氣煮食爐及煤氣熱水爐的位置請參閱「設備說明表」
(i)	洗衣機接駁點	位置	請參閱「住宅單位機電裝置位置及數量說明表」
		設計	設有直徑15毫米來水及直徑40毫米去水接駁喉位供洗衣機
(j)	供水	水管的用料	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣保護之銅喉
		水管是隱藏或外露	水管是部分隱藏及部分外露 [2]
		有否熱水供應	廚房、主人浴室、浴室、客廳洗手間和洗手間供應熱水

備註：
1. 除部分隱藏於混凝土內之導管外，其他部分的導管均為外露。外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料覆蓋或掩藏。
2. 除部分隱藏於混凝土內之水管外，其他部分的水管均為外露。外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料覆蓋或掩藏。

4. 雜項		
細項		**描述**
(a)	升降機	**住宅大樓：** - 第1座住宅大樓裝有2部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第1座住宅大樓1號及2號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至27樓； - 第1座住宅大樓裝有1部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第1座住宅大樓4號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓； - 第1座住宅大樓裝有1部“迅達”消防/傷殘升降機（產品型號：55MMR）穿梭以下樓層： 第1座住宅大樓3號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至29樓； - 第1座住宅大樓裝有1部“迅達”私人住客升降機（產品型號：55MRL）穿梭以下樓層： 第1座住宅大樓5號升降機：27樓至天台（只供27樓、28樓及29樓A單位（三層頂層單位）使用）； - 第2座住宅大樓裝有3部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第2座住宅大樓6號、7號及9號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓； - 第2座住宅大樓裝有1部“迅達”消防/傷殘升降機（產品型號：55MMR）穿梭以下樓層： 第2座住宅大樓8號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至29樓； - 第3座住宅大樓裝有2部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第3座住宅大樓10號及11號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至28樓； - 第3座住宅大樓裝有1部“迅達”消防/傷殘升降機（產品型號：55MMR）穿梭以下樓層： 第3座住宅大樓12號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至29樓； - 第3座住宅大樓裝有2部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第3座住宅大樓13號及14號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓、15樓至23樓及25樓至29樓； - 第5座住宅大樓裝有4部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第5座住宅大樓15號、16號、18號及19號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓及15樓至20樓； - 第5座住宅大樓裝有1部“迅達”消防/傷殘升降機（產品型號：55MMR）穿梭以下樓層： 第5座住宅大樓17號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓及15樓至21樓； - 第6座住宅大樓裝有2部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第6座住宅大樓20號及21號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓及15樓至20樓； - 第6座住宅大樓裝有1部“迅達”消防/傷殘升降機（產品型號：55MMR）穿梭以下樓層： 第6座住宅大樓22號升降機：地庫2、地庫1、地下至3樓、5樓至12樓及15樓至21樓； - 第6座住宅大樓裝有2部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第6座住宅大樓23號及24號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓及15樓至21樓； - 第7座住宅大樓裝有3部“迅達”住客升降機（產品型號：55MMR）穿梭以下樓層： 第7座住宅大樓25號、26號及28號升降機：地庫2、地庫1、地下、2樓至3樓、5樓至12樓及15樓至20樓； - 第7座住宅大樓裝有1部“迅達”消防/傷殘升降機（產品型號：55MMR）穿梭以下樓層： 第7座住宅大樓27號升降機：地庫2、地庫1、地下、1樓至3樓、5樓至12樓及15樓至21樓； **基座：** - 基座裝有1部“迅達”消防/傷殘升降機（產品型號：55MRL）穿梭以下樓層： 基座29號升降機：地庫2至1樓

4. 雜項				
細項		**描述**		
(b)	信箱	用料	設有不銹鋼信箱及天然石材配框	
(c)	垃圾收集	垃圾收集的方法	由清潔工人收集垃圾	
		垃圾房的位置	所有住宅樓層之公用地方均設有垃圾及物料回收房(第1座及第2座1樓及29樓和第7座21樓除外)。另垃圾及物料回收站設於地庫1。	
(d)	水錶、電錶及氣體錶		位置	就住宅單位而言是獨立抑或公用的錶
		水錶	住宅大廈樓層之公共水錶櫃內	獨立錶
		電錶	公共電錶房內	獨立錶
		氣體錶	個別單位廚房內	獨立錶

5. 保安設施			
細項	**描述**		
保安設施	保安系統及設備(包括嵌入式的裝備的細節及其位置)	入口通道控制及保安系統	住宅入口大堂裝有視像對講機系統及智能讀咭機。
		閉路電視	住宅大廈入口大堂、停車場、園景、會所、地庫2至1樓升降機大堂及各升降機均裝有閉路電視連接管理處
	嵌入式的裝備的細節	裝配7吋輕觸式屏幕為主控台，控制視像對講系統，連接住客入口大堂管理處	
	嵌入式裝備的位置	視像對講機的位置請參閱「住宅單位機電裝置位置及數量說明表」	

6. 設備	
細項	**描述**
設備	有關品牌名稱及產品型號，請參閱「設備說明表」。

賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 1 第1座																
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓 (複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
				A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Master Bathroom 主人浴室	Television 電視機	Oolaa	BTV22	○	○	-	-	-	-	-	-	○	-	-		-	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	○	○	○	○	○	○	○	-	○	-		○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	-	○	○	○	○	○	○	○	○	-		○	○
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	-	○	-	-	-	-	-	-	-	-	-		-	-
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	-	-	○		-	-
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○		○	○
	Floor Heating System 地暖系統	COZY LIFE	-	○	○	-	-	-	-	-	-	○	-	○		-	○
Bathroom 1 浴室1	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H												○		
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL												-		
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H												○		
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	-	○	-	-	○	-	-	-	-	-		-	
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	-		○	
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	-	-	○		-	
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○		○	
	Floor Heating System 地暖系統	COZY LIFE	-	-	-	-	-	-	-	-	-	-	-	○		-	
Bathroom 3 浴室3	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-		-	-	-	-	-	-	-	-	○		-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○		○	○	○	○	○	○	○	○	-		○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	-		-	-	-	-	-	-	-	-	○		-	-
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	-		-	-	-	-	-	-	-	-	-		-	○
Bathroom 4 浴室4	Exhaust Fan 抽氣扇	Gelec	DPT10-24H		○							○					○
Bathroom 5 浴室5	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL											○			
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H											○			
Bathroom 6 浴室6	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL											○			
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H											○			
Bathroom 7 浴室7	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL											-			
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H											○			

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol "／" as shown in the above table denotes "Not applicable".
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"／"代表不適用。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 1 第1座																		
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓 (複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
				A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Powder Room 客廳洗手間	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	○							-		-			-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○							○		○			○
Lavatory 洗手間	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	-	-	○	-	-	○	-	○	-		○	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○		○	○	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	-	-	-	-	○	-	-	○	-	-		-	-	-
Indoor Pool 室內游泳池	Dehumidifier 抽濕機	Sustain E	HBD-07SL											○			
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1											○			

Note:
1. The symbol “○” as shown in the above table denotes “Provided”.
2. The symbol “-” as shown in the above table denotes “Not provided”.
3. The symbol “／” as shown in the above table denotes “Not applicable”.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表“○”代表提供。
2. 上表“-”代表不提供。
3. 上表“／”代表不適用。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 2 第2座																	
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓 (複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**			**27/F 27樓**		**27/F & 28/F (Duplex) 27樓及28樓 (複式)**	**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	
				C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**	**A**	**B**	**C**
Master Bathroom 主人浴室	Television 電視機	Oolaa	BTV22	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	-	-	○	-	-	○	-	-	-	-	○	-	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	-	○	○	○	○	○	○	○	○	○	○	○	-	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Floor Heating System 地暖系統	COZY LIFE	-	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
Bathroom 1 浴室1	Exhaust Fan 抽氣扇	Gelec	DPT15-34H														○	
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	○	-	-	○	-	-	○	-	-	-	-	○	-	
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Bathroom 3 浴室3	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL		-	-	-	-	-	-	-	-	-	-	-	○	○	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H		○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H		-	-	-	-	-	-	-	-	-	-	-	-	-	○
Bathroom 4 浴室4	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○												○	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○												○	○	○
Powder Room 客廳洗手間	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○												-	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○												○	○	○
Lavatory 洗手間	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	○	-	-	○	-	-	○	-	○	-	-	○	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	-	-	-	○	-	-	○	-	-	-	-	-	-	-	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol "／" as shown in the above table denotes "Not applicable".
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"／"代表不適用。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 3 第3座																				
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F 26樓**			**27/F 27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**C**	**D**	**A**	**C**	**D**	**A**	**C**	**D**	**C**
Master Bathroom 主人浴室	Television 電視機	Oolaa	BTV22	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	○	-	-	-	○	-	-	○	-	-	○	-	○	○	-	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	○
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Floor Heating System 地暖系統	COZY LIFE	-	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	-	○	-	-	-	○	-	-	○	-	-	○	-	-	○	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bathroom 3 浴室3	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	/	/	-	-	/	/	-	/	/	-	/	/	-	/	/	○
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	/	/	○	○	/	/	○	/	/	○	/	/	-	/	/	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	-	-	/	/	-	-	/	/	-	/	/	-	/	/	○	/	/	-
Bathroom 4 浴室4	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	/	/	/	/	/	/	/	/	-	/	/	-	/	/	-	/	/	○
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	/	/	/	/	/	/	/	/	○	/	/	○	/	/	○	/	/	○
Bathroom 5 浴室5	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	/	/	/	/	/	/	/	/	/	/	/	/	/	/	○	/	/	/
Powder Room 客廳洗手間	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	/	/	/	/	/	/	/	/	○	/	/	○	/	/	○	/	/	/
Lavatory 洗手間	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	-	-	○	-	-	-	○	-	-	○	-	-	○	-	-	○	-	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol "／" as shown in the above table denotes "Not applicable".
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"／"代表不適用。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 5 第5座																	
Location 位置	Appliance 設備	Brand Name 品牌	Model No. 型號	2/F 2樓				3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓				19/F & 20/F (Duplex) 19樓及20樓(複式)	19/F 19樓			20/F & 21/F (Duplex) 20樓及21樓(複式)		
				A	B	C	D	A	B	C	D	A	B	C	D	B	C	D
Master Bathroom 主人浴室	Television 電視機	Oolaa	BTV22	-	-	-	-	-	-	-	-	○	-	-	-	○	○	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	-	-	○	○	-	-	○	○	-	-	○	-	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	○	-	○	○	○	-	○	○	○	-	○	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	-	-	-	○	-	-	-	○	-	-	-	○	-	-	-
	Fresh Air Fan 鮮風扇	Gelec	DPT15-34H	-	-	○	-	-	-	○	-	-	-	○	-	-	-	-
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Floor Heating System 地暖系統	COZY LIFE	-	-	-	-	-	-	-	-	-	○	-	-	-	○	○	○
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	-	-	-	-	-	-	-	-	-	-	○	○	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bathroom 3 浴室3	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	／	／	○	○	／	／	○	○	／	／	○	○	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	-	-	／	／	-	-	／	／	-	-	／	／	-	-	-
Bathroom 4 浴室4	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	／	／	／	／	／	／	／	／	-	／	／	／	○	／	／
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	／	／	／	／	／	／	／	／	○	／	／	／	○	／	／
Bathroom 5 浴室5	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	／	／	／	／	／	／	／	／	／	／	／	／	○	／	／
Powder Room 客廳洗手間	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	／	／	／	／	／	／	／	／	○	／	／	／	○	○	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	／	／	／	／	／	／	／	／	-	／	／	／	-	-	-
Lavatory 洗手間	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol "／" as shown in the above table denotes "Not applicable".
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"／"代表不適用。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 6 第6座																				
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓 (複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓 (複式)**	**20/F 20樓**		**21/F 21樓**
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Master Bathroom 主人浴室	Television 電視機	Oolaa	BTV22	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	○	○	-	-	○	○	-	-	○	○	-	○	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	-	-	○	○	-	-	○	○	-	-	○	-	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	-	-	○	○	-	-	○	○	-	-	○	○	-	○	○	○
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Floor Heating System 地暖系統	COZY LIFE	-	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bathroom 3 浴室3	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	/	/	○	○	/	/	○	○	/	/	○	/	/	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	-	-	/	/	-	-	/	/	-	-	/	/	-	/	/	-
Bathroom 4 浴室4	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	/	/	/	/	/	/	/	/	-	/	/	/	○	/	/	○
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	/	/	/	/	/	/	/	/	○	/	/	/	○	/	/	○
Bathroom 5 浴室5	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	/	/	/	/	/	/	/	/	/	/	/	/	○	/	/	/
Powder Room 客廳洗手間	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	/	/	/	/	/	/	/	/	○	/	/	/	○	/	/	/
Lavatory 洗手間	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Fresh Air Fan 鮮風扇	Gelec	DPT10-24H	-	-	-	○	-	-	-	○	-	-	-	○	-	-	○	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol "／" as shown in the above table denotes "Not applicable".
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"／"代表不適用。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 7 第7座																
Location 位置	Appliance 設備	Brand Name 品牌	Model No. 型號	2/F 2樓			3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓			19/F & 20/F (Duplex) 19樓及20樓(複式)	19/F 19樓		20/F & 21/F (Duplex) 20樓及21樓(複式)	
				A	B	C	A	B	C	A	B	C	B	C
Master Bathroom 主人浴室	Television 電視機	Oolaa	BTV22	-	-	-	-	-	-	○	-	-	○	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	-	-	○	-	-	○	○	-	-	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	-	○	○	-	○	○	-	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	-	-	○	-	-	○	-	-	○	-	-
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○
	Floor Heating System 地暖系統	COZY LIFE	-	-	-	-	-	-	-	○	-	-	○	○
Bathroom 1 浴室1	Exhaust Fan 抽氣扇	Gelec	DPT15-34H										○	
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	○	-	-	○	-	-	-	-	○	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○
	Thermo Ventilator 浴室寶	Panasonic	FV-40BE2H	○	○	○	○	○	○	○	○	○	○	○
Bathroom 3 浴室3	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○		○	○		○	○		○	○
Bathroom 4 浴室4	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL							○			-	
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H							○			○	
Bathroom 5 浴室5	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL										○	
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H										○	
Powder Room 客廳洗手間	Exhaust Fan 抽氣扇	Gelec	DPT10-24H							○				○
Lavatory 洗手間	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	○	-	-	○	-	-	○	-	-
	Exhaust Fan 抽氣扇	Gelec	DPT10-24H	○	○	○	○	○	○	○	○	○	○	○

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol "／" as shown in the above table denotes "Not applicable".
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"／"代表不適用。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 1 第1座																
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F,5/F-12/F,15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
				A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Kitchen 廚房	Cooker Hood 抽油煙機	Wolf	ICBPW602718	-	○	-	-	-	-	-	-	-	-	-	-	-	○
			ICBPW362418	○	-	-	-	-	-	-	-	○	-	-	-	-	-
			ICBVU30S	○	-	-	-	-	-	-	-	○	-	-	-	-	-
			ICBVW45B	-	-	○	○	-	○	○	-	-	-	-	-	-	-
			ICBVW36B	-	-	-	-	○	-	-	○	-	○	-	○	○	-
	Gas Hob 煤氣煮食爐	Wolf	ICBMM15TF/S	○	○	-	-	-	-	-	-	○	-	-	-	-	○
			ICBCG152TF/S	○	○	-	-	-	-	-	-	○	-	-	-	-	○
		Gaggenau	VG231320HK	-	-	○	○	○	○	○	○	-	○	-	○	○	-
			VG232320HK	-	-	○	○	○	○	○	○	-	○	-	○	○	-
	Induction Hob 電磁煮食爐	Wolf	ICBCI152TF/S	○	○	-	-	-	-	-	-	○	-	-	-	-	○
		Gaggenau	VI232120	-	-	○	○	○	○	○	○	-	○	-	○	○	-
	BBQ Grill 燒烤爐	Wolf	ICBGM15TF/S	-	○	-	-	-	-	-	-	-	-	-	-	-	○
	Electric Oven 電焗爐	Wolf	ICBSO30PM/S/PH	○	○	-	-	-	-	-	-	○	-	-	-	-	○
			ICBSO24TE/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Steam Oven 蒸爐	Wolf	ICBCSO24TE/S/TH	○	○	-	-	-	-	-	-	○	-	-	-	-	○
		Gaggenau	BSP220110 or 或 BSP221110*	-	-	○	○	○	○	○	○	-	○	-	○	○	-
	Combi Oven with Microwave 微波焗爐	Gaggenau	BMP250110 or 或 BMP251110*	-	-	○	○	○	○	○	○	-	○	-	○	○	-
	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	○	○	-	-	-	-	-	-	○	-	-	-	-	○
	Warming Drawer 暖櫃	Gaggenau	WSP221110	○	○	-	-	-	-	-	-	○	-	-	-	-	○
	Refrigerator 雪櫃	Sub-Zero	ICBBI-48S/S/TH	○	○	-	-	-	-	-	-	○	-	-	-	-	○
			ICBBI-42S/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gaggenau	RB280303	-	-	○	○	○	○	○	○	-	○	-	○	○	-
			RY492304	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Sub-Zero	ICBIW-24	○	○	-	-	-	-	-	-	○	-	-	-	-	○
		Gaggenau	RW404261	-	-	-	-	○	-	-	○	-	○	-	-	○	-
		Vintec	V20SGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Gaggenau	CMP250111	○	○	-	-	-	-	-	-	○	-	-	-	-	○

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表" * "代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 1 第1座																	
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F,5/F-12/F,15/F-23/F & 25/F (Except Unit A at 15/F) 3樓、5樓至12樓、15樓至23樓及25樓 (15樓A單位除外)**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	**15/F 15樓**
				A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**	**A**
Kitchen 廚房	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WK14D321HK	-	○	○	○	-	○	○	-	-	-	-	-	-	○	○
	Dishwasher 洗碗碟機	Gaggenau	DF480162	○	○	-	-	-	-	-	-	○	-	-	-	-	○	-
		Gaggenau	DF250161	-	-	○	○	○	○	○	○	-	○	-	-	○	-	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	○	○	-	○	○	-	○	-	○	○	○	○	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	-	○	○	○	○	○	○	○	○	○	-	○	○	○	○
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	○	-	-	-	-	-	-	-	-	-	○	-	-	-	-
	Electric Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E24LCD	-	-	-	○	-	-	○	-	-	-	○	-	-	-	-
Living Room/ Dining Room 客廳/飯廳	Wine Cellar 酒櫃	Gaggeanu	RW404261	-	-	○	○	-	○	○	-	-	-	-	-	-	-	○
	Coffee Machine 咖啡機	Gaggeanu	CMP250111	-	-	○	○	-	○	○	-	-	-	-	-	-	-	○
	Television 電視機	Samsung 三星	QA75QN800BWXZW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
Utility Room 工作間	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WD14D366HK	-	-	-	-	○	-	-	○	-	○			○	-	-
	Washer 洗衣機	Gaggenau	WM260163	○	-	-	-	-	-	-	-	○	-			-	-	-
	Dryer 乾衣機	Gaggenau	WT260101	○	-	-	-	-	-	-	-	○	-			-	-	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol "／" as shown in the above table denotes "Not applicable".
4. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
5. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"／"代表不適用。
4. 上表"＊"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
5. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 2 第2座																	
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓 (複式)**	**2/F 2樓**			**3/F,5/F-12/F,15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**			**27/F 27樓**		**27/F & 28/F (Duplex) 27樓及28樓 (複式)**	**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	
				C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**	**A**	**B**	**C**
Kitchen 廚房	Cooker Hood 抽油煙機	Wolf	ICBPW602718	○	-	-	-	-	-	-	-	-	-	-	-	○	-	○
			ICBPW362418	-	-	-	-	-	-	-	-	-	-	-	-	-	○	-
			ICBVU30S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			ICBVW45B	-	○	○	-	○	○	-	○	○	-	○	-	-	○	-
			ICBVW36B	-	-	-	○	-	-	○	-	-	○	-	○	-	-	-
	Gas Hob 煤氣煮食爐	Wolf	ICBMM15TF/S	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
			ICBCG152TF/S	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
		Gaggenau	VG231320HK	-	○	○	○	○	○	○	○	○	○	○	○	-	-	-
			VG232320HK	-	○	○	○	○	○	○	○	○	○	○	○	-	-	-
	Induction Hob 電磁煮食爐	Wolf	ICBCI152TF/S	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
		Gaggenau	VI232120	-	○	○	○	○	○	○	○	○	○	○	○	-	-	-
	BBQ Grill 燒烤爐	Wolf	ICBGM15TF/S	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
	Electric Oven 電焗爐	Wolf	ICBSO30PM/S/PH	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
			ICBSO24TE/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Steam Oven 蒸爐	Wolf	ICBCSO24TE/S/TH	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
		Gaggenau	BSP220110 or 或 BSP221110*	-	○	○	○	○	○	○	○	○	○	○	○	-	-	-
	Combi Oven with Microwave 微波焗爐	Gaggenau	BMP250110 or 或 BMP251110*	-	○	○	○	○	○	○	○	○	○	○	○	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
	Warming Drawer 暖櫃	Gaggenau	WSP221110	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
	Refrigerator 雪櫃	Sub-Zero	ICBBI-48S/S/TH	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
			ICBBI-42S/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gaggenau	RB280303	-	○	○	○	○	○	○	○	○	○	○	○	-	-	-
			RY492304	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Sub-Zero	ICBIW-24	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
		Gaggenau	RW404261	-	-	○	○	-	○	○	-	○	○	○	○	-	-	-
		Vintec	V20SGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Gaggenau	CMP250111	○	-	○	-	-	○	-	-	○	-	○	-	○	○	○

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"＊"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 2 第2座																	
Location 位置	Appliance 設備	Brand Name 品牌	Model No. 型號	G/F & 1/F (Duplex) 地下及1樓 (複式)	2/F 2樓			3/F,5/F-12/F,15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓			26/F 26樓			27/F 27樓		27/F & 28/F (Duplex) 27樓及28樓 (複式)	28/F & 29/F (Duplex) 28樓及29樓 (複式)	
				C	A	B	C	A	B	C	A	B	C	B	C	A	B	C
Kitchen 廚房	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WK14D321HK	○	○	○	-	○	○	-	○	○	-	○	-	-	-	○
	Dishwasher 洗碗碟機	Gaggenau	DF480162	○	-	-	-	-	-	-	-	-	-	-	-	○	○	○
		Gaggenau	DF250161	-	○	○	○	○	○	○	○	○	○	○	○	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	○	○	○	○	○	○	○	○	○	○	○	-	○
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	-	-	-	-	-	○	-
	Electric Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E24LCD	-	-	○	-	-	○	-	-	-	-	○	-	-	-	-
Living Room/ Dining Room 客廳/飯廳	Wine Cellar 酒櫃	Gaggeanu	RW404261	-	○	-	-	○	-	-	○	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Gaggeanu	CMP250111	-	○	-	-	○	-	-	○	-	-	-	-	-	-	-
Utility Room 工作間	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WD14D366HK	-	-	-	○	-	-	○	-	-	○	-	○	-	-	-
	Washer 洗衣機	Gaggenau	WM260163	-	-	-	-	-	-	-	-	-	-	-	-	○	○	-
	Dryer 乾衣機	Gaggenau	WT260101	-	-	-	-	-	-	-	-	-	-	-	-	○	○	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表" * "代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 3 第3座																				
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F 2樓**				**3/F,5/F-12/F,15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F 26樓**			**27/F 27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**C**	**D**	**A**	**C**	**D**	**A**	**C**	**D**	**C**
Kitchen 廚房	Cooker Hood 抽油煙機	Wolf	ICBPW602718	-	-	-	-	-	-	-	-	○	-	-	○	-	-	-	-	-	-
			ICBPW362418	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
			ICBVU30S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			ICBVW45B	○	○	-	-	○	○	-	-	-	-	-	-	-	-	○	-	-	○
			ICBVW36B	-	-	○	○	-	-	○	○	-	○	○	-	○	○	-	○	○	-
	Gas Hob 煤氣煮食爐	Wolf	ICBMM15TF/S	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
			ICBCG152TF/S	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
		Gaggenau	VG231320HK	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	-
			VG232320HK	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	-
	Induction Hob 電磁煮食爐	Wolf	ICBCI152TF/S	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
		Gaggenau	VI232120	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	-
	BBQ Grill 燒烤爐	Wolf	ICBGM15TF/S	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-
	Electric Oven 電焗爐	Wolf	ICBSO30PM/S/PH	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-
			ICBSO24TE/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
	Steam Oven 蒸爐	Wolf	ICBCSO24TE/S/TH	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
		Gaggenau	BSP220110 or 或 BSP221110*	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	-
	Combi Oven with Microwave 微波焗爐	Gaggenau	BMP250110 or 或 BMP251110*	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	-
	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
	Warming Drawer 暖櫃	Gaggenau	WSP221110	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-
	Refrigerator 雪櫃	Sub-Zero	ICBBI-48S/S/TH	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
			ICBBI-42S/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gaggenau	RB280303	-	-	○	○	-	-	○	○	-	○	○	-	○	○	-	○	○	-
			RY492304	○	○	-	-	○	○	-	-	-	-	-	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Sub-Zero	ICBIW-24	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-
		Gaggenau	RW404261	○	○	-	-	○	○	-	-	-	-	-	-	-	-	-	-	-	○
		Vintec	V20SGE	-	-	○	○	-	-	○	○	-	○	○	-	○	○	-	○	○	-
	Coffee Machine 咖啡機	Gaggenau	CMP250111	○	○	-	-	○	○	-	-	○	-	-	○	-	-	○	-	-	○

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"＊"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 3 第3座																				
Location 位置	Appliance 設備	Brand Name 品牌	Model No. 型號	2/F 2樓				3/F,5/F-12/F,15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓				26/F 26樓			27/F 27樓			28/F & 29/F (Duplex) 28樓及29樓(複式)	28/F 28樓		29/F 29樓
				A	B	C	D	A	B	C	D	A	C	D	A	C	D	A	C	D	C
Kitchen 廚房	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WK14D321HK	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	-
	Dishwasher 洗碗碟機	Gaggenau	DF480162	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	○
		Gaggenau	DF250161	○	○	-	-	○	○	-	-	-	-	-	-	-	-	-	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	○	○	○	○	○	○	-	○	○	-	○	○	-	○	○	○
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-
	Electric Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E24LCD	○	○	-	-	○	○	-	-	-	-	-	-	-	-	-	-	-	-
Utility Room 工作間	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WD14D366HK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
	Washer 洗衣機	Gaggenau	WM260163	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-
	Dryer 乾衣機	Gaggenau	WT260101	-	-	-	-	-	-	-	-	○	-	-	○	-	-	○	-	-	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"*"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 5 第5座																	
Location 位置	Appliance 設備	Brand Name 品牌	Model No. 型號	2/F 2樓				3/F, 5/F-12/F & 15/F-18/F 3樓、5樓至12樓及15樓至18樓				19/F & 20/F (Duplex) 19樓及20樓 (複式)	19/F 19樓			20/F & 21/F (Duplex) 20樓及21樓 (複式)		
				A	B	C	D	A	B	C	D	A	B	C	D	B	C	D
Kitchen 廚房	Cooker Hood 抽油煙機	Wolf	ICBPW602718	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-
			ICBPW362418	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-
			ICBVU30S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			ICBVW45B	-	○	-	-	-	○	-	-	-	○	-	-	○	○	○
			ICBVW36B	○	-	○	○	○	-	○	○	-	-	○	○	-	-	-
	Gas Hob 煤氣煮食爐	Wolf	ICBMM15TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	○	○
			ICBCG152TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	○	○
		Gaggenau	VG231320HK	○	○	○	○	○	○	○	○	-	○	○	○	-	-	-
			VG232320HK	○	○	○	○	○	○	○	○	-	○	○	○	-	-	-
	Induction Hob 電磁煮食爐	Wolf	ICBCI152TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	○	○
		Gaggenau	VI232120	○	○	○	○	○	○	○	○	-	○	○	○	-	-	-
	BBQ Grill 燒烤爐	Wolf	ICBGM15TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-
	Electric Oven 電焗爐	Wolf	ICBSO30PM/S/PH	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-
			ICBSO24TE/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	○	○
	Steam Oven 蒸爐	Wolf	ICBCSO24TE/S/TH	-	-	-	-	-	-	-	-	○	-	-	-	○	○	○
		Gaggenau	BSP220110 or 或 BSP221110*	○	○	○	○	○	○	○	○	-	○	○	○	-	-	-
	Combi Oven with Microwave 微波焗爐	Gaggenau	BMP250110 or 或 BMP251110*	○	○	○	○	○	○	○	○	-	○	○	○	-	-	-
	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-
	Warming Drawer 暖櫃	Gaggenau	WSP221110	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-
	Refrigerator 雪櫃	Sub-Zero	ICBBI-48S/S/TH	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-
			ICBBI-42S/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	○	○
		Gaggenau	RB280303	○	○	○	○	○	○	○	○	-	○	○	○	-	-	-
			RY492304	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Sub-Zero	ICBIW-24	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-
		Gaggenau	RW404261	○	○	-	-	○	○	-	-	-	○	-	-	-	-	-
		Vintec	V20SGE	-	-	○	○	-	-	○	○	-	-	○	○	-	-	-
	Coffee Machine 咖啡機	Gaggenau	CMP250111	○	○	-	-	○	○	-	-	○	○	-	-	○	-	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表" * " 代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 5 第5座																		
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F 2樓**				**3/F, 5/F-12/F & 15/F-18/F (Except Unit A at 17/F) 3樓、5樓至12樓及15樓至18樓 (17樓A單位除外)**				**19/F & 20/F (Duplex) 19樓及20樓 (複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓 (複式)**			**17/F 17樓**
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**A**
Kitchen 廚房	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WK14D321HK	○	-	○	-	○	-	○	-	-	-	○	-	-	-	-	○
	Dishwasher 洗碗碟機	Gaggenau	DF480162	-	-	-	-	-	-	-	-	○	-	-	-	○	○	○	-
		Gaggenau	DF250161	○	○	-	-	○	○	-	-	-	○	-	-	-	-	-	○
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	○	○	○	○	○	○	○	○	○	○	-	○	○	○
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
	Electric Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E24LCD	○	-	-	-	○	-	-	-	-	-	-	-	-	-	-	○
Living Room/ Dining Room 客廳/飯廳	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	-	-	-	-	-	-	-	-	-	-	-	-	-	○	○	-
	Wine Cellar 酒櫃	Gaggeanu	RW404261	-	-	-	-	-	-	-	-	-	-	-	-	-	○	○	-
	Coffee Machine 咖啡機	Gaggeanu	CMP250111	-	-	-	-	-	-	-	-	-	-	-	-	-	○	○	-
	Wine Cellar 酒櫃	VINTEC	VWS035SBA-X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
	TV 電視機	Samsung 三星	ASAMQ65LS03D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
	Bioethanol Burners 火爐	Ecosmart Fire	XL900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
Utility Room 工作間	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WD14D366HK	-	○	-	○	-	○	-	○	-	○	-	○	-	○	○	-
	Washer 洗衣機	Gaggenau	WM260163	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	-
	Dryer 乾衣機	Gaggenau	WT260101	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	-
Master Bedroom 主人睡房	TV 電視機	Samsung 三星	ASAMQ55LS03D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表" * "代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 6 第6座																		
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F 2樓**				**3/F, 5/F-12/F & 15/F-18/F 3樓、5樓至12樓及15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓 (複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓 (複式)**	**20/F 20樓**		**21/F 21樓**
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Kitchen 廚房	Cooker Hood 抽油煙機	Wolf	ICBPW602718	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-
			ICBPW362418	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
			ICBVU30S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			ICBVW45B	○	○	-	-	○	○	-	-	-	○	-	-	○	-	-	○
			ICBVW36B	-	-	○	○	-	-	○	○	-	-	○	○	-	○	○	-
	Gas Hob 煤氣煮食爐	Wolf	ICBMM15TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
			ICBCG152TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
		Gaggenau	VG231320HK	○	○	○	○	○	○	○	○	-	○	○	○	-	○	○	-
			VG232320HK	○	○	○	○	○	○	○	○	-	○	○	○	-	○	○	-
	Induction Hob 電磁煮食爐	Wolf	ICBCI152TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
		Gaggenau	VI232120	○	○	○	○	○	○	○	○	-	○	○	○	-	○	○	-
	BBQ Grill 燒烤爐	Wolf	ICBGM15TF/S	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	-
	Electric Oven 電焗爐	Wolf	ICBSO30PM/S/PH	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	-
			ICBSO24TE/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
	Steam Oven 蒸爐	Wolf	ICBCSO24TE/S/TH	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
		Gaggenau	BSP220110 or 或 BSP221110*	○	○	○	○	○	○	○	○	-	○	○	○	-	○	○	-
	Combi Oven with Microwave 微波焗爐	Gaggenau	BMP250110 or 或 BMP251110*	○	○	○	○	○	○	○	○	-	○	○	○	-	○	○	-
	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	○
	Warming Drawer 暖櫃	Gaggenau	WSP221110	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
	Refrigerator 雪櫃	Sub-Zero	ICBBI-48S/S/TH	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
			ICBBI-42S/S/TH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gaggenau	RB280303	○	○	○	○	○	○	○	○	-	○	○	○	-	○	○	-
			RY492304	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Sub-Zero	ICBIW-24	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
		Gaggenau	RW404261	○	○	-	-	○	○	-	-	-	○	-	-	-	-	-	○
		Vintec	V20SGE	-	-	○	○	-	-	○	○	-	-	○	○	-	○	○	-
	Coffee Machine 咖啡機	Gaggenau	CMP250111	○	○	-	-	○	○	-	-	-	○	-	-	○	-	-	○

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"＊"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 6 第6座																		
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F 2樓**				**3/F, 5/F-12/F & 15/F-18/F 3樓、5樓至12樓及15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓 (複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓 (複式)**	**20/F 20樓**		**21/F 21樓**
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Kitchen 廚房	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WK14D321HK	-	-	○	○	-	-	○	○	-	-	○	○	-	○	○	-
	Dishwasher 洗碗碟機	Gaggenau	DF480162	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	○
		Gaggenau	DF250161	○	○	-	-	○	○	-	-	-	○	-	-	-	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	○	○	○	○	○	○	○	○	○	○	-	○	○	○
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	-	-	-	-	○	-	-	-
	Electric Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E24LCD	○	○	-	-	○	○	-	-	-	○	-	-	-	-	-	-
Living Room/ Dining Room 客廳/飯廳	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-
	Warming Drawer 暖櫃	Gaggenau	WSP221110	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Sub-Zero	ICBIW-24	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-
	Coffee Machine 咖啡機	Gaggeanu	CMP250111	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-
Utility Room 工作間	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WD14D366HK	○	○	-	-	○	○	-	-	-	○	-	-	-	-	-	○
	Washer 洗衣機	Gaggenau	WM260163	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	-
	Dryer 乾衣機	Gaggenau	WT260101	-	-	-	-	-	-	-	-	○	-	-	-	○	-	-	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"＊"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 7 第7座														
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F 2樓**			**3/F, 5/F-12/F & 15/F-18/F 3樓、5樓至12樓及15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓 (複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓 (複式)**	
				A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Kitchen 廚房	Cooker Hood 抽油煙機	Wolf	ICBPW602718	-	-	-	-	-	-	○	-	-	-	-
			ICBPW362418	-	-	-	-	-	-	-	-	-	○	-
			ICBVU30S	-	-	-	-	-	-	-	-	-	-	-
			ICBVW45B	○	○	-	○	○	-	-	○	-	○	○
			ICBVW36B	-	-	○	-	-	○	-	-	○	-	-
	Gas Hob 煤氣煮食爐	Wolf	ICBMM15TF/S	-	-	-	-	-	-	○	-	-	○	○
			ICBCG152TF/S	-	-	-	-	-	-	○	-	-	○	○
		Gaggenau	VG231320HK	○	○	○	○	○	○	-	○	○	-	-
			VG232320HK	○	○	○	○	○	○	-	○	○	-	-
	Induction Hob 電磁煮食爐	Wolf	ICBCI152TF/S	-	-	-	-	-	-	○	-	-	○	○
		Gaggenau	VI232120	○	○	○	○	○	○	-	○	○	-	-
	BBQ Grill 燒烤爐	Wolf	ICBGM15TF/S	-	-	-	-	-	-	○	-	-	○	-
	Electric Oven 電焗爐	Wolf	ICBSO30PM/S/PH	-	-	-	-	-	-	○	-	-	○	-
			ICBSO24TE/S/TH	-	-	-	-	-	-	-	-	-	-	○
	Steam Oven 蒸爐	Wolf	ICBCSO24TE/S/TH	-	-	-	-	-	-	○	-	-	○	○
		Gaggenau	BSP220110 or 或 BSP221110*	○	○	○	○	○	○	-	○	○	-	-
	Combi Oven with Microwave 微波焗爐	Gaggenau	BMP250110 or 或 BMP251110*	○	○	○	○	○	○	-	○	○	-	-
	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	-	-	-	-	-	-	○	-	-	○	○
	Warming Drawer 暖櫃	Gaggenau	WSP221110	-	-	-	-	-	-	○	-	-	○	-
	Refrigerator 雪櫃	Sub-Zero	ICBBI-48S/S/TH	-	-	-	-	-	-	○	-	-	○	-
			ICBBI-42S/S/TH	-	-	-	-	-	-	-	-	-	-	○
		Gaggenau	RB280303	○	○	○	○	○	○	-	○	○	-	-
			RY492304	-	-	-	-	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Sub-Zero	ICBIW-24	-	-	-	-	-	-	○	-	-	○	-
		Gaggenau	RW404261	-	-	-	-	-	-	-	-	-	-	○
		Vintec	V20SGE	-	-	○	-	-	○	-	-	○	-	-
	Coffee Machine 咖啡機	Gaggenau	CMP250111	-	-	-	-	-	-	○	-	-	○	○

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"*"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 7 第7座														
Location 位置	Appliance 設備	Brand Name 品牌	Model No. 型號	2/F 2樓			3/F, 5/F-12/F & 15/F-18/F 3樓、5樓至12樓及15樓至18樓			19/F & 20/F (Duplex) 19樓及20樓 (複式)	19/F 19樓		20/F & 21/F (Duplex) 20樓及21樓 (複式)	
				A	B	C	A	B	C	A	B	C	B	C
Kitchen 廚房	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WK14D321HK	○	○	○	○	○	○	-	○	○	-	-
	Dishwasher 洗碗碟機	Gaggenau	DF480162	-	-	-	-	-	-	○	-	-	○	○
		Gaggenau	DF250161	○	○	-	○	○	-	-	○	-	-	-
	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	○	○	○	○	○	○	○	○	○	○	○
	Exhaust Fan 抽氣扇	Gelec	DPT15-34H	○	○	○	○	○	○	○	○	○	-	○
	Exhaust Fan 抽氣扇	Ostberg	LPK160B1	-	-	-	-	-	-	-	-	-	○	-
	Electric Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E24LCD	○	-	-	○	-	-	-	-	-	-	-
Living Room/ Dining Room 客廳/飯廳	Microwave Oven w/ Grill 微波燒烤爐	Gaggenau	BMP224110 or 或 BMP225110*	-	-	-	-	-	-	-	-	-	-	-
	Warming Drawer 暖櫃	Gaggenau	WSP221110	-	-	-	-	-	-	-	-	-	-	-
	Wine Cellar 酒櫃	Gaggenau	RW404261	○	○	-	○	○	-	-	○	-	-	-
	Coffee Machine 咖啡機	Gaggeanu	CMP250111	○	○	-	○	○	-	-	○	-	-	-
Utility Room 工作間	2 in 1 Washer & Dryer 2 合1 洗衣乾衣機	Siemens 西門子	WD14D366HK	-	-	-	-	-	-	-	-	-	-	○
	Washer 洗衣機	Gaggenau	WM260163	-	-	-	-	-	-	○	-	-	○	-
	Dryer 乾衣機	Gaggenau	WT260101	-	-	-	-	-	-	○	-	-	○	-

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not provided".
3. The symbol " * " as shown in the above table denotes the model number of the right-hinged and left-hinged model of the appliances which are of comparable quality.
4. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"-"代表不提供。
3. 上表"＊"代表所列之型號為該設備之右鉸型號及左鉸型號，其品質相若。
4. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 1 第1座														
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓 (複式)**		**2/F, 3/F, 5/F-12/F, 15/F-23/F & 25/F 2樓、3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
				A	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Living Room / Dining Room, Master Bedroom, Bedroom 1, Bedroom 2, Bedroom 3, Bedroom 4, Bedroom 5, Bedroom 6, Bedroom 7, Bedroom 8, Family Room, Kitchen, Utility Room, Private Lift Lobby, Indoor Pool & Store (if any) 客廳/飯廳、主人睡房、睡房1、睡房2、睡房3、睡房4、睡房5、睡房6、睡房7、睡房8、家庭廳、廚房、工作間、私人升降機大堂、室內游泳池及儲物房 (如適用)	A/C Indoor Unit 室內冷氣機	Daikin/大金	FDXS25CVMA	/	/	○	○	○	/	○	/	○	○	/
			FDXS50CVMA	/	/	○	○	○	/	○	/	○	○	/
			FDXS60CVMA	/	/	○	○	/	/	/	/	○	/	/
			FXDP25QPVC	/	/	/	/	/	○	/	/	/	/	○
			FXDP36QPVC	○	○	/	/	/	○	/	○	/	/	○
			FXDP50QPVC	○	/	/	/	/	○	/	○	/	/	○
			FXDP63QPVC	○	○	/	/	/	/	/	○	/	/	○
			FXSP90CA	/	/	/	/	/	/	/	○	/	/	/
			FXAQ25PVE	○	○	/	/	/	○	/	○	/	/	○
			FXAQ32PVE	○	○	/	/	/	○	/	○	/	/	○
			FXAQ50PVE	○	/	/	/	/	○	/	○	/	/	/
			FXAQ63PVE	/	/	/	/	/	/	/	○	/	/	/
			FTXS25EVMA	/	/	○	○	○	/	○	/	○	○	/
			FTXS35EVMA	/	/	○	/	○	/	○	/	/	○	/
			RXS50FVMA	/	/	○	/	○	/	○	/	/	○	/
			RXS60FVMA	/	/	○	/	/	/	/	/	/	/	/
			RJZQ5AAV	/	/	/	/	/	○	/	/	/	/	/
			RJZQ9AAY	/	/	/	/	/	○	/	/	/	/	/
			RUXYQ14BA	/	○	/	/	/	/	/	/	/	/	/
	A/C Outdoor Unit 室外冷氣機		RUXYQ16BA	/	/	/	/	/	/	/	/	/	/	○
			RUXYQ18BA	○	/	/	/	/	/	/	○	/	/	/
			RUXYQ22BA	/	/	/	/	/	/	/	○	/	/	/
			3MXS52EVMA	/	/	○	○	○	/	○	/	○	○	/
			3MXS68EVMA	/	/	○	/	○	/	○	/	/	○	/
			4MXS80EVMA	/	/	○	○	○	/	○	/	○	○	/

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "／" as shown in the above table denotes "Not applicable" or "Not provided".
3. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"／"代表不適用或不提供。
3. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 2 第2座														
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**G/F & 1/F (Duplex) 地下及1樓 (複式)**	**2/F, 3/F, 5/F-12/F, 15/F-23/F & 25/F 2樓、3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**			**27/F & 28/F (Duplex) 27樓及28樓 (複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	
				C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Living Room / Dining Room, Master Bedroom, Bedroom 2, Bedroom 3, Bedroom 4, Bedroom 5, Family Room, Kitchen, Utility Room & Private Lift Lobby (if any) 客廳/飯廳、主人睡房、睡房2、睡房3、睡房4、睡房5、家庭廳、廚房、工作間及 私人升降機大堂 (如適用)	A/C Indoor Unit 室內冷氣機	Daikin/大金	FDXS25CVMA		○	○	○	○	○	○		○	○		
			FDXS50CVMA		○	○	○	○	○	○		○	○		
			FDXS60CVMA			○			○			○			
			FXDP25QPVC								○			○	○
			FXDP36QPVC	○							○			○	○
			FXDP50QPVC								○			○	○
			FXDP63QPVC	○							○			○	○
			FXAQ25PVE	○							○			○	○
			FXAQ32PVE	○										○	○
			FXAQ50PVE								○			○	
			FTXS25EVMA		○	○	○	○	○	○		○	○		
			FTXS35EVMA			○	○		○	○		○	○		
			FTXS50FVMA		○			○							
			RXS50FVMA		○		○	○		○			○		
	A/C Outdoor Unit 室外冷氣機		RJZQ5AAV								○				
			RJZQ6AAV								○				
			RJZQ9AAY								○				
			RUXYQ14BA	○											
			RUXYQ16BA												○
			RUXYQ20BA											○	
			3MXS52EVMA		○		○	○		○			○		
			3MXS68EVMA			○	○		○	○		○	○		
			4MXS80EVMA		○	○	○	○	○	○		○	○		

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "／" as shown in the above table denotes "Not applicable" or "Not provided".
3. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"／"代表不適用或不提供。
3. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 3 第3座														
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F, 3/F, 5/F-12/F, 15/F-23/F & 25/F 2樓、3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	**28/F 28樓**		**29/F 29樓**
				A	**B**	**C**	**D**	**A**	**C**	**D**	**A**	**C**	**D**	**C**
Living Room / Dining Room, Master Bedroom, Bedroom 2, Bedroom 3, Bedroom 4, Bedroom 5, Kitchen, Utility Room & Private Lift Lobby (if any) 客廳/飯廳、主人睡房、睡房2、睡房3、睡房4、睡房5、廚房、工作間及私人升降機大堂 (如適用)	A/C Indoor Unit 室內冷氣機	Daikin/大金	FDXS25CVMA	○	○		○			○			○	
			FDXS35CVMA	○		○	○		○	○		○	○	
			FDXS50CVMA	○	○									
			FXDP25QPVC			○		○	○		○	○		○
			FXDP36QPVC			○			○			○		
			FXDP50QPVC					○			○			
			FXDP63QPVC					○			○			○
			FXAQ25PVE					○			○			○
			FXAQ32PVE					○			○			○
			FXAQ50PVE					○			○			○
			FXAQ63PVE								○			
			FTXS25EVMA	○	○	○	○		○	○		○	○	
			FTXS35EVMA	○	○									
	A/C Outdoor Unit 室外冷氣機		RXS35EBVMA			○	○		○	○		○	○	
			RXS50FVMA	○	○									
			RJZQ5AAV			○			○			○		
			RJZQ9AAY					○						
			RUXYQ16BA											○
			RUXYQ20BA								○			
			3MXS52EVMA		○	○	○		○	○		○	○	
			3MXS68EVMA	○	○		○			○			○	
			4MXS80EVMA	○	○									

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "／" as shown in the above table denotes "Not applicable" or "Not provided".
3. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"／"代表不適用或不提供。
3. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 5 第5座														
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F, 3/F, 5/F-12/F, 15/F-18/F 2樓、3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓 (複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓 (複式)**		
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Living Room / Dining Room, Master Bedroom, Bedroom 2, Bedroom 3, Bedroom 4, Bedroom 5, Family Room, Kitchen, Utility Room, Private Lift Lobby & Store (if any) 客廳/飯廳、主人睡房、睡房2、睡房3、睡房4、睡房5、家庭廳、廚房、工作間、私人升降機大堂及儲物房 (如適用)	A/C Indoor Unit 室內冷氣機	Daikin/大金	FDXS25CVMA	○	○	○	○		○	○	○			
			FDXS35CVMA			○	○			○	○			
			FDXS50CVMA		○				○					
			FXDP25QPVC	○				○				○	○	○
			FXDP36QPVC									○	○	○
			FXDP50QPVC	○				○				○	○	○
			FXDP63QPVC					○				○	○	○
			FXDP71QPVC									○		
			FXAQ25PVE	○				○				○	○	○
			FXAQ32PVE	○				○				○	○	○
			FXAQ50PVE					○						○
			FXAQ63PVE									○		
			FTXS25EVMA	○	○	○	○		○	○	○			
			FTXS35EVMA		○	○	○		○	○	○			
			RXS35EBVMA			○	○			○	○			
			RJZQ5AAV	○				○						
			RUXYQ10BA										○	
			RUXYQ12BA											○
			RUXYQ20BA									○		
			3MXS52EVMA	○										
			3MXS68EVMA		○	○	○		○	○	○			
			4MXS80EVMA		○				○					

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "／" as shown in the above table denotes "Not applicable" or "Not provided".
3. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表 "○" 代表提供。
2. 上表 "／" 代表不適用或不提供。
3. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 6 第6座														
Location 位置	**Appliance 設備**	**Brand Name 品牌**	**Model No. 型號**	**2/F, 3/F, 5/F-12/F, 15/F-18/F 2樓、3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓 (複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓 (複式)**	**20/F 20樓**		**21/F 21樓**
				A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Living Room / Dining Room, Master Bedroom, Bedroom 2, Bedroom 3, Bedroom 4, Bedroom 5, Kitchen, Utility Room, Private Lift Lobby & Store (if any) 客廳/飯廳、主人睡房、睡房2、睡房3、睡房4、睡房5、廚房、工作間、私人升降機大堂及儲物房 (如適用)	A/C Indoor Unit 室內冷氣機	Daikin/大金	FDXS25CVMA	○	○	○	○		○	○	○		○	○	
			FDXS35CVMA			○	○			○	○		○	○	
			FDXS50CVMA	○	○				○						
			FXDP25QPVC					○				○			○
			FXDP36QPVC					○				○			○
			FXDP50QPVC					○				○			○
			FXDP63QPVC					○							
			FXDP71QPVC									○			
			FXAQ25PVE					○				○			○
			FXAQ32PVE					○				○			○
			FXAQ63PVE									○			
			FTXS25EVMA	○	○	○	○		○	○	○		○	○	
			FTXS35EVMA	○	○				○						
	A/C Outdoor Unit 室外冷氣機		RXS35EBVMA			○	○			○	○		○	○	
			RJZQ5AAV					○							
			RJZQ9AAY					○							
			RUXYQ12BA												○
			RUXYQ20BA									○			
			3MXS52EVMA			○	○			○	○		○	○	
			3MXS68EVMA	○	○	○	○		○	○	○		○	○	
			4MXS80EVMA	○	○				○						

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "／" as shown in the above table denotes "Not applicable" or "Not provided".
3. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表 "○" 代表提供。
2. 上表 "／" 代表不適用或不提供。
3. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Appliances Schedule 設備說明表

Tower 7 第7座											
Location 位置	Appliance 設備	Brand Name 品牌	Model No. 型號	2/F, 3/F, 5/F-12/F, 15/F-18/F 2樓、3樓、5樓至12樓、15樓至18樓			19/F & 20/F (Duplex) 19樓及20樓 (複式)	19/F 19樓		20/F & 21/F (Duplex) 20樓及21樓 (複式)	
				A	B	C	A	B	C	B	C
Living Room / Dining Room, Master Bedroom, Bedroom 2, Bedroom 3, Bedroom 4, Bedroom 5, Family Room, Kitchen, Utility Room & Private Lift Lobby (if any) 客廳/飯廳、主人睡房、睡房2、睡房3、睡房4、睡房5、家庭廳、廚房、工作間及私人升降機大堂(如適用)	A/C Indoor Unit 室內冷氣機	Daikin/大金	FDXS25CVMA	○	○	○		○	○		
			FDXS35CVMA			○			○		
			FDXS50CVMA	○	○			○			
			FDXS60CVMA	○	○			○			
			FXDP25QPVC				○				○
			FXDP36QPVC				○			○	
			FXDP50QPVC							○	○
			FXDP63QPVC				○			○	
			FXAQ25PVE				○			○	○
			FXAQ32PVE				○			○	○
			FXAQ50PVE				○			○	○
			FTXS25EVMA	○	○	○		○	○		
			RXS35EBVMA			○			○		
			RXS50FVMA	○	○			○			
	A/C Outdoor Unit 室外冷氣機		RXS60FVMA	○	○			○			
			RJZQ9AAY				○				
			RUXYQ12BA								○
			RUXYQ18BA							○	
			3MXS52EVMA	○	○	○		○	○		
			3MXS68EVMA			○			○		
			4MXS80EVMA	○	○			○			

Note:
1. The symbol "○" as shown in the above table denotes "Provided".
2. The symbol "／" as shown in the above table denotes "Not applicable" or "Not provided".
3. The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

備註：
1. 上表"○"代表提供。
2. 上表"／"代表不適用或不提供。
3. 賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座															
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F (Except Unit A at 15/F) 3樓、5樓至12樓、15樓至23樓及25樓 (15樓A單位除外)**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	**15/F 15樓**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**	**A**
Private Lift Lobby 私人升降機大堂	13A Single Socket Outlet 13安培單位電插座	0	0	1	1	1	1	1	1	1	1	1	0	1	2	1
	Lighting Point 燈位	0	0	4	4	4	4	4	4	5	4	3	0	4	4	5
	Door Bell Push Button 門鈴按鈕	0	0	1	1	1	1	1	1	1	1	1	0	1	1	1
	Intercom 對講機	0	0	1	1	1	1	1	1	1	1	1	0	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	1	1	1	1	1	1	1	1	1	0	1	1	1
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Private Garden 私人花園	Single Waterproof Socket Outlet 單位防水電插座	6	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	12	13	0	0	0	0	0	0	0	0	0	0	0	0	0
	IR Beam Motion Detector (Receiver) 紅外光束運動探測器(接收器)	7	8	0	0	0	0	0	0	0	0	0	0	0	0	0
	IR Beam Motion Detector (Emitter) 紅外光束運動探測器(發射器)	7	8	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type Isolator (For Air Conditioner) 防水隔離器(供冷氣機)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Entrance 門口	Lighting Point 燈位	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	0	0	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座															
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F (Except Unit A at 15/F) 3樓、5樓至12樓、15樓至23樓及25樓 (15樓A單位除外)**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	**15/F 15樓**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**	**A**
Living Room/ Dining Room 客廳/飯廳	13A Single Socket Outlet 13安培單位電插座	4	5	2	2	2	2	2	2	2	2	3	1	2	3	3
	13A Twin Socket Outlet 13安培雙位電插座	4	4	4	4	4	4	4	4	4	4	4	2	4	4	6
	Lighting Point 燈位	12	10	5	5	5	5	5	5	11	5	5	9	5	9	23
	TV/FM Outlet 電視/電台天線插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Data Outlet 數據插座	3	3	3	3	3	3	3	3	3	3	2	2	3	3	3
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	Access Point 無線接入點	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Single Socket Outlet (For Wine Cellar) 單位電插座(供酒櫃)	0	0	1	1	0	1	1	0	0	0	0	0	0	0	1
	Single Socket Outlet (For Coffee Machine) 單位電插座(供咖啡機)	0	0	1	1	0	1	1	0	0	0	0	0	0	0	1
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	11	10	6	6	6	6	6	6	9	6	4	4	6	8	8
	Video Door Phone 視像對講機	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	3	2	1	1	2	1	1	2	2	2	0	1	2	2	1
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	4	3	2	2	2	2	2	2	4	2	4	4	2	4	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	5	4	2	2	2	2	2	2	4	2	2	3	2	3	2

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座																
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F (Except Unit A at 15/F) 3樓、5樓至12樓、15樓至23樓及25樓 (15樓A單位除外)**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	**15/F 15樓**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**	**A**
Master Bedroom 主人睡房	13A Single Socket Outlet 13安培單位電插座	1	2	2	2	2	2	2	2	3	2	6	0	2	2	3
	13A Twin Socket Outlet 13安培雙位電插座	1	0	1	1	1	1	1	1	0	1	2	0	1	2	4
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	0	0	1	1	0
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	1	1	1	1	1	1	1	1	1	1	0	0	1	1	0
	Lighting Point 燈位	2	3	2	2	2	2	2	2	9	2	4	0	2	5	13
	Access Point 無線接入點	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Panic Alarm Button 緊急呼叫按鈕	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	1	2	2	0	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	0	1	1	0	1	1	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Double Pole Switch (For Floor Heating System) 雙極開關掣(供地暖系統)	0	1	0	0	0	0	0	0	1	0	1	0	0	1	0
	Lighting Switch 照明開關掣	3	1	3	3	3	3	3	3	3	3	4	0	3	2	5
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	1	2	2	2	2	2	2	2	2	4	0	2	2	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	2	1	1	1	1	1	1	1	1	1	2	0	1	2	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座															
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Master Bathroom 主人浴室	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	2	1	2	2	1	2	2	1	2	1	0	0	1	2
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Lighting Point 燈位	10	8	10	10	9	10	10	9	9	9	9	0	9	8
	Speaker 揚聲器	1	1	0	0	0	0	0	0	1	0	0	0	0	1
	Access Point 無線接入點	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	2	0	0	0	0	0	0	0	0	0	0	0	0
	TV/FM Outlet 電視/電台天線插座	1	1	0	0	0	0	0	0	0	0	1	0	0	1
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet 數據插座	1	1	0	0	0	0	0	0	0	0	1	0	0	1
	13A Single Socket Outlet (For Bathroom Television) 13安培單位電插座(供浴室電視機)	1	1	0	0	0	0	0	0	1	0	0	0	0	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	1	1	1	1	1	1	1	2	1	0	0	1	2
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	0	1	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	0	1	1
	Thermostat (For Floor Heating System) 溫度控制器(供地暖系統)	1	1	0	0	0	0	0	0	1	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Bedroom 1 睡房 1	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Bathroom 1 浴室 1	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	4	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Store 儲物房	13A Single Socket Outlet 13安培單位電插座	3	0	0	0	0	0	0	0	3	0	0	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	0	0	0	0	0	0	0	1	0	0	0	0	0
	Data Outlet 數據插座	1	0	0	0	0	0	0	0	1	0	0	0	0	0
	Lighting Point 燈位	2	1	0	0	0	0	0	0	1	0	0	1	0	1
	Lighting Switch 照明開關掣	1	1	0	0	0	0	0	0	1	0	0	1	0	1
	13A Fused Spur Unit (For Air Conditioner) 13安培保險絲單元(供冷氣機)	1	0	0	0	0	0	0	0	1	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Floor Heating System) 雙極開關掣(供地暖系統)	1	0	0	0	0	0	0	0	0	0	0	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座															
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F (Except Unit A at 15/F) 3樓、5樓至12樓、15樓至23樓及25樓 (15樓A單位除外)**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	**15/F 15樓**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**	**A**
Bedroom 2 睡房 2	13A Single Socket Outlet 13安培單位電插座	2	2	1	1	1	1	1	1	1	1	2	0	1	1	2
	13A Twin Socket Outlet 13安培雙位電插座	1	1	2	2	2	2	2	2	2	2	3	0	2	1	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	0	0	1	1	0
	Lighting Point 燈位	2	2	2	2	2	2	2	2	2	2	2	0	2	2	6
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	0	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	0	1	0	1
	Thermostat (For Floor Heating System) 溫度控制器(供地暖系統)	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	Lighting Switch 照明開關掣	2	2	2	3	2	2	3	2	2	2	3	0	2	1	3
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	2	0	1	1	1
Bathroom 2 浴室 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	2	0	1	0	1
	Lighting Point 燈位	8	6	7	5	6	7	5	6	7	6	6	0	6	0	7
	Access Point 無線接入點	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	0	1	0	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	0	1	0	1
	13A Single Socket Outlet (For Bathroom Television) 13安培單位電插座 (供浴室電視機)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	Thermostat (For Floor Heating System) 溫度控制器 (供地暖系統)	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座																
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F (Except Unit A at 15/F) 3樓、5樓至12樓、15樓至23樓及25樓 (15樓A單位除外)**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**	**15/F 15樓**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**	**A**
Bedroom 3 睡房 3	13A Single Socket Outlet 13安培單位電插座	2	2	1	1	1	1	1	1	1	1	2	0	1	1	2
	13A Twin Socket Outlet 13安培雙位電插座	1	1	2	2	2	2	2	2	2	2	2	0	2	2	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	0	0	1	1	0
	Lighting Point 燈位	1	2	2	2	1	2	2	1	2	1	3	0	1	2	3
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	0	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	0	1	1	0	1	1	0	1	0	0	0	0	0	1
	Lighting Switch 照明開關掣	2	1	3	3	2	3	3	2	2	2	2	0	2	2	4
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
Bathroom 3 浴室 3	13A Single Socket Outlet 13安培單位電插座	1	0	1	1	1	1	1	1	1	1	0	0	1	1	1
	Lighting Point 燈位	6	0	5	5	5	5	5	5	5	5	0	0	5	5	5
	Access Point 無線接入點	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	0	1	1	1	1	1	1	1	1	0	0	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Location 位置	Description 描述	Tower 1 第1座													
		G/F & 1/F (Duplex) 地下及1樓(複式)		2/F 2樓			3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓			26/F 26樓		27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)	27/F 27樓		28/F & 29/F (Duplex) 28樓及29樓 (複式)
		A	C	A	B	C	A	B	C	A	C	A	B	C	C
Bedroom 4 睡房 4	13A Single Socket Outlet 13安培單位電插座	2	2	0	0	0	0	0	0	1	0	3	0	0	1
	13A Twin Socket Outlet 13安培雙位電插座	1	1	0	0	0	0	0	0	2	0	0	0	0	2
	Lighting Point 燈位	1	2	0	0	0	0	0	0	1	0	1	0	0	2
	TV/FM Outlet 電視/電台天線插座	1	1	0	0	0	0	0	0	1	0	2	0	0	1
	Telephone Outlet 電話插座	1	1	0	0	0	0	0	0	1	0	2	0	0	1
	Data Outlet 數據插座	2	2	0	0	0	0	0	0	2	0	2	0	0	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	0	0	0	0	0	0	1	0	0	0	0	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	1	2	0	0	0	0	0	0	3	0	0	0	0	2
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	1	0	0	0	0	0	0	1	0	0	0	0	1
	Access Point 無線接入點	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	0	0	0	0	0	0	1	0	1	0	0	1
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	0	0	0	0	0	0	1	0	0	0	0	1
	MCCB Board 塑殼斷路器箱	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Bathroom 4 浴室 4	13A Single Socket Outlet 13安培單位電插座	0	1	0	0	0	0	0	0	1	0	0	0	0	1
	Lighting Point 燈位	0	4	0	0	0	0	0	0	5	0	0	0	0	5
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Bedroom 5 睡房 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	3	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bathroom 5 浴室 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	6	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Bedroom 6 睡房 6	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	3	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	3	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bathroom 6 浴室 6	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Bedroom 7 睡房 7	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Bathroom 7 浴室 7	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bedroom 8 睡房 8	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Air Conditioner) 保險絲接駁點(供冷氣機)	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Air Conditioner Platform 冷氣機平台	Waterproof Type Isolator (For Air Conditioner) 防水隔離器(供冷氣機)	0	0	5	4	5	5	4	5	3	5	0	4	5	0
Utility Platform 工作平台	Lighting Point 燈位	0	0	1	0	1	1	1	1	1	1	0	1	1	1
Utility Room 工作間	Single Socket Outlet (For Washing Machine) 單位電插座(供洗衣機)	1	0	0	0	1	0	0	1	1	1	0	0	1	0
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	1	0	0	0	1	0	0	1	1	1	0	0	1	0
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	1	0	0	0	1	0	0	1	1	1	0	0	1	0
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Lighting Switch 照明開關掣	2	1	2	2	2	2	2	2	2	2	0	0	2	2
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Miniature Circuit Breaker Board 微型斷路器箱	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Window Breakglass Control Panel 窗戶擊碎玻璃控制面板	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Window Breakglass Control Panel) 保險絲接駁點(供窗戶擊碎玻璃控制面板)	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	0	0	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Lavatory 洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	0	0	1	0	0	1	0	1	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	0	0	1	1
Powder Room 客廳洗手間	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Access Point 無線接入點	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	0	0	0	0	0	0	1	0	1	0	0	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	5	4	0	0	0	0	0	0	4	0	4	0	0	4

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Kitchen 廚房	Single Socket Outlet (For Refrigerator) 單位電插座(供雪櫃)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	13A Single Socket Outlet (For General Use) 13安培單位電插座(供一般用途)	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	13A Twin Socket Outlet (For General Use) 13安培雙位電插座(供一般用途)	2	2	4	4	4	4	4	4	3	4	1	2	4	3
	Lighting Point 燈位	10	12	6	4	6	6	4	6	7	6	1	6	6	7
	Video Door Phone 視像對講機	1	1	0	0	0	0	0	0	1	0	0	1	0	1
	Lighting Switch 照明開關掣	1	1	1	1	0	1	0	0	0	0	1	2	0	1
	Fused Connection Unit (For Gas Hob) 保險絲接駁點(供煤氣煮食爐)	2	2	2	2	2	2	2	2	1	2	0	2	2	2
	Double Pole Switch (For Microwave Oven) 雙極開關掣(供微波爐)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Connection Unit (For Microwave Oven) 接駁點(供微波爐)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Double Pole Switch (For Steam Oven) 雙極開關掣(供蒸爐)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Connection Unit (For Steam Oven) 接駁點(供蒸爐)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Double Pole Switch (For Induction Hob) 雙極開關掣(供電磁煮食爐)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Triple Pole and Neutral Isolator (For Electric Water Heater) 三相隔離器(供電熱水爐)	0	0	0	1	0	0	1	0	0	0	0	0	0	0
	Double Pole Switch (For BBQ Grill) 雙極開關掣(供燒烤爐)	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	1	1	0	1	1	0	1	0	1	0	0	1	2
	Single Socket Outlet (For Electrical Flip Door) 單位電插座(供電轉門)	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Single Socket Outlet (For Washing Machine) 單位電插座(供洗衣機)	1	1	1	1	0	1	1	0	0	0	0	0	0	1
	Single Socket Outlet (For Dishwasher) 單位電插座(供洗碗碟機)	1	1	1	1	1	1	1	1	1	1	0	0	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Kitchen 廚房	Single Socket Outlet (For Microwave Oven) 單位電插座(供微波爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Single Socket Outlet (For Coffee Machine) 單位電插座(供咖啡機)	1	1	0	0	0	0	0	0	0	0	0	0	0	1
	Single Socket Outlet (For Wine Cellar) 單位電插座(供酒櫃)	1	1	0	0	1	0	0	1	1	1	0	0	1	1
	Fused Spur Unit (For Cooker Hood) 保險絲單元(供抽油煙機)	2	1	1	1	1	1	1	1	2	1	0	0	1	1
	Single Socket Outlet (For Network Router) 單位電插座(供路由器)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Network Router 路由器	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Network Router) 保險絲單元(供路由器)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet (For Network Router) 數據插座(供路由器)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Telephone Outlet (For Network Router) 電話插座(供路由器)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Door Bell) 保險絲接駁點(供門鈴)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	0	1	1	1	0	1	1	0	0	0	0	0	0	1
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	0	1	1	1	0	1	1	0	0	0	0	0	0	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	Water Inlet Connection Point (For Dishwasher) 入水位連接點(供洗碗碟機)	1	1	1	1	1	1	1	1	1	1	0	0	1	1
	Water Outlet Connection Point (For Dishwasher) 出水位連接點(供洗碗碟機)	1	1	1	1	1	1	1	1	1	1	0	0	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 1 第1座														
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**		**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**			**26/F 26樓**		**27/F, 28/F & 29/F (Triplex) 27樓、28樓及29樓 (三層頂層單位)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓 (複式)**
		A	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**C**	**A**	**B**	**C**	**C**
Pool Deck 游泳池畔	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	5	0	0	0
	Fused Connection Unit (For Door Bell) 保險絲接駁點(供門鈴)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Filtration Plant Room 過濾機房	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Waterproof Type Triple Pole and Neutral Isolator 防水三相隔離器	0	0	0	0	0	0	0	0	0	0	2	0	0	0
Indoor Pool 室內游泳池	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flat Roof 平台	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Roof 天台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	5	0	0	2
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	14	0	0	11
	Waterproof Type Triple Pole and Neutral Isolator 防水三相隔離器	0	0	0	0	0	0	0	0	0	0	2	0	0	1
Balcony 露台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	1	1	1	1	1	1	1	1	0	1	1	1
	Lighting Point 燈位	0	0	2	2	2	2	2	2	2	2	0	2	2	1
Family Room 家庭廳	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	3	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	3	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	MCCB Board 塑殼斷路器箱	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	3	0	0	0
Closet 1 衣帽間 1	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Closet 2 衣帽間 2	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Private Lift Lobby 私人升降機大堂	13A Single Socket Outlet 13安培單位電插座	0	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	0	4	4	4	4	4	4	5	4	4	5	4
	Door Bell Push Button 門鈴按鈕	0	1	1	1	1	1	1	1	1	1	1	1
	Intercom 對講機	0	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	1	1	1	1	1	1	1	1	1	1	1
Private Garden 私人花園	13A Single Waterproof Socket Outlet 13安培單位防水電插座	2	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	12	0	0	0	0	0	0	0	0	0	0	0
	IR Beam Motion Detector (Receiver) 紅外光束運動探測器(接收器)	9	0	0	0	0	0	0	0	0	0	0	0
	IR Beam Motion Detector (Emitter) 紅外光束運動探測器(發射器)	9	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	1	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type Triple Pole Isolator (For Air Conditioner) 防水三極隔離器(供冷氣機)	1	0	0	0	0	0	0	0	0	0	0	0
Entrance 門口	Lighting Point 燈位	1	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	1	0	0	0	0	0	0	0	0	0	0	0
	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Living Room/Dining Room 客廳/飯廳	13A Single Socket Outlet 13安培單位電插座	3	2	2	2	2	2	2	4	2	2	3	3
	13A Twin Socket Outlet 13安培雙位電插座	4	4	4	4	4	4	4	3	4	4	3	3
	Lighting Point 燈位	8	5	4	4	5	4	4	8	4	4	12	14
	TV/FM Outlet 電視/電台天線插座	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2
	Data Outlet 數據插座	3	3	3	3	3	3	3	3	3	3	3	3
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	4	0	0	0	0	0	0	0	0	0	0	0
	Access Point 無線接入點	3	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	3	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	0	1	0	0	1	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	0	1	0	0	1	0	0	0	0	0	0	0
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	0	0	1	0	0	1	0	0	1	0	0	0
	Lighting Switch 照明開關掣	8	6	5	6	6	5	6	8	5	6	11	8
	Video Door Phone 視像對講機	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	2	1	1	2	2	1	2	2	2
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	3	2	2	2	2	2	2	2	2	2	4	4
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	3	2	2	2	2	2	2	3	2	2	3	2

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座													
Location 位置	Description 描述	G/F & 1/F (Duplex) 地下及1樓 (複式)	2/F 2樓			3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓			27/F & 28/F (Duplex) 27樓及28樓 (複式)	27/F 27樓		28/F & 29/F (Duplex) 28樓及29樓(複式)	
		C	A	B	C	A	B	C	A	B	C	B	C
Master Bedroom 主人睡房	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	2	2	2	2	2	3
	13A Twin Socket Outlet 13安培雙位電插座	0	1	1	1	1	1	1	0	1	1	0	1
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	1	1	1	1	1	1	1	2	1	1	1	1
	Lighting Point 燈位	3	2	2	2	2	2	2	8	2	2	8	4
	Access Point 無線接入點	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	0	0	0	0	0	0	0	0	0	0	0
	Panic Alarm Button 緊急呼叫按鈕	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	2	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	2	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	0	1	1	0	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	2	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Floor Heating System) 雙極開關掣(供地暖系統)	1	0	0	0	0	0	0	1	0	0	1	1
	Lighting Switch 照明開關掣	3	3	3	3	3	3	3	3	3	3	3	4
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	1	2	2	2	2	2	2	2	2	2	2	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	2	1	1	2	2

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座													
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓 (複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓 (複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Master Bathroom 主人浴室	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	2	2	1	2	2	1	1	2	1	2	2
	Lighting Point 燈位	8	10	10	9	10	10	9	5	10	9	11	8
	Speaker 揚聲器	1	0	0	0	0	0	0	1	0	0	1	1
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0
	Thermostat (For Floor Heating System) 溫度控制器(供地暖系統)	1	0	0	0	0	0	0	1	0	0	1	1
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	2	0	0	0	0	0	0	0	0	0	0	0
	TV/FM Outlet 電視/電台天線插座	1	0	0	0	0	0	0	1	0	0	1	1
	Data Outlet 數據插座	1	0	0	0	0	0	0	1	0	0	1	1
	13A Single Socket Outlet (For Bathroom Television) 13安培單位電插座(供浴室電視機)	1	0	0	0	0	0	0	1	0	0	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	0	0	1	0	0	1	0	0	1	1	2
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	1
Bathroom 1 浴室 1	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	7	0
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For For Thermo Ventilator) 雙極開關掣(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	1	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Bedroom 2 睡房 2	13A Single Socket Outlet 13安培單位電插座	2	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	1	2	2	2	2	2	2	2	2	2	2	2
	Lighting Point 燈位	2	2	2	2	2	2	2	2	2	2	3	2
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	0
	Lighting Switch 照明開關掣	2	3	2	2	3	2	2	2	2	2	2	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet with Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1
Bathroom 2 浴室 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	0
	Lighting Point 燈位	6	6	6	6	6	6	6	6	6	6	6	0
	Access Point 無線接入點	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	2	0	0	2	0	0	1	0	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Bedroom 3 睡房 3	13A Single Socket Outlet 13安培單位電插座	2	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	1	2	2	2	2	2	2	2	2	2	2	2
	Lighting Point 燈位	2	2	2	1	2	2	1	2	2	1	2	2
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	1	1	0	1	1	0	1	1	0	1	1
	Lighting Switch 照明開關掣	1	3	3	2	3	3	2	2	3	2	2	2
	Fused Connection Unit (For Thermo Ventilator) 保險絲接駁點(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet with Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1
Bathroom 3 浴室 3	13A Single Socket Outlet 13安培單位電插座	0	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	0	5	5	5	5	5	5	5	5	5	8	4
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	1	0	0	1	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	Description 描述	G/F & 1/F (Duplex) 地下及1樓 (複式)	2/F 2樓			3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓			27/F & 28/F (Duplex) 27樓及28樓 (複式)	27/F 27樓		28/F & 29/F (Duplex) 28樓及29樓(複式)	
		C	A	B	C	A	B	C	A	B	C	B	C
Bedroom 4 睡房 4	13A Single Socket Outlet 13安培單位電插座	2	0	0	0	0	0	0	1	0	0	1	1
	13A Twin Socket Outlet 13安培雙位電插座	1	0	0	0	0	0	0	2	0	0	2	2
	Lighting Point 燈位	2	0	0	0	0	0	0	2	0	0	2	2
	TV/FM Outlet 電視/電台天線插座	1	0	0	0	0	0	0	1	0	0	1	1
	Telephone Outlet 電話插座	1	0	0	0	0	0	0	1	0	0	1	1
	Data Outlet 數據插座	2	0	0	0	0	0	0	2	0	0	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	0	0	0	0	0	0	1	0	0	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	1	0	0	1	1
	Lighting Switch 照明開關掣	2	0	0	0	0	0	0	2	0	0	2	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	0	0	0	0	0	0	1	0	0	1	1
	13A Single Socket Outlet with Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	0	0	0	0	0	0	1	0	0	1	1
Bathroom 4 浴室 4	13A Single Socket Outlet 13安培單位電插座	1	0	0	0	0	0	0	1	0	0	1	1
	Lighting Point 燈位	6	0	0	0	0	0	0	6	0	0	6	5
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	1	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	0	0	0	0	0	0	1	0	0	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Bedroom 5 睡房 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	0	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet with Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	0
Bathroom 5 浴室 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0
	Access Point 無線接入點	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Air Conditioner Platform 冷氣機平台	Waterproof Type Isolator (For Air Conditioner) 防水隔離器(供冷氣機)	0	5	4	4	5	4	4	3	4	4	0	0
Roof 天台	Waterproof Type Triple Pole Isolator (For Air Conditioner) 防水三極隔離器(供冷氣機)	0	0	0	0	0	0	0	0	0	0	1	1
Utility Platform 工作平台	Lighting Point 燈位	0	1	1	1	1	1	1	1	1	1	1	1
Utility Room 工作間	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	0	0	0	1	0	0	1	1	0	1	1	0
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	0	0	0	1	0	0	1	1	0	1	1	0
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	0	0	0	1	0	0	1	1	0	1	1	0
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	2
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	1	2	2	2	2	2	2	2	2	2	2	3
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breaker Board 微型斷路器箱	1	1	1	1	1	1	1	1	1	1	1	1
	Window Breakglass Control Panel 窗戶擊碎玻璃控制面板	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Window Breakglass Control Panel) 保險絲接駁點(供窗戶擊碎玻璃控制面板)	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....."表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Lavatory 洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	1	0	0	1	0	0	1	0	1	0
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	1
Powder Room 客廳洗手間	Access Point 無線接入點	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Access Point) 保險絲單元(供無線接入點)	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	0	0	0	0	0	0	1	0	0	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	4	0	0	0	0	0	0	3	0	0	4	4

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Kitchen 廚房	13A Single Socket Outlet (For Refrigerator) 13安培單位電插座(供雪櫃)	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For General Use) 13安培單位電插座(供一般用途)	0	0	0	0	0	0	0	0	0	0	0	0
	13A Twin Socket Outlet (For General Use) 13安培雙位電插座(供一般用途)	2	4	4	4	4	4	4	4	4	4	3	2
	Lighting Point 燈位	12	6	7	6	6	7	6	6	7	6	9	8
	Video Door Phone 視像對講機	1	0	0	0	0	0	0	1	0	0	1	1
	Lighting Switch 照明開關掣	1	0	1	0	0	1	0	0	1	0	1	0
	Fused Connection Unit (For Gas Hob) 保險絲接駁點(供煤氣煮食爐)	2	2	2	2	2	2	2	2	2	2	2	2
	Connection Unit (For Microwave Oven) 接駁點(供微波爐)	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Microwave Oven) 雙極開關掣(供微波爐)	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Steam Oven) 雙極開關掣(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1
	Connection Unit (For Steam Oven) 接駁點(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Induction Hob) 雙極開關掣(供電磁煮食爐)	1	1	1	1	1	1	1	1	1	1	1	1
	Triple Pole and Neutral Isolator (For Electrical Water Heater) 三相隔離器(供電熱水爐)	0	0	1	0	0	1	0	0	1	0	0	0
	Double Pole Switch (For BBQ Grill) 雙極開關掣(供燒烤爐)	1	0	0	0	0	0	0	1	0	0	1	1
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	1	1	2	1	1	2	1	1	2	1	1
	13A Single Socket Outlet (For Electrical Flip Door) 13安培單位電插座(供電轉門)	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	1	1	1	0	1	1	0	0	1	0	0	1
	Single Socket Outlet (For Dishwasher) 單位電插座(供洗碗碟機)	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座												
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Kitchen 廚房	13A Single Socket Outlet (For Microwave Oven) 13安培單位電插座(供微波爐)	0	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	1	0	1	0	0	1	0	0	1	0	0	1
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	1	0	1	1	0	1	1	1	1	1	1	1
	Fused Spur Unit (For Cooker Hood) 保險絲單元(供抽油煙機)	1	1	1	1	1	1	1	1	1	1	2	1
	Single Socket Outlet (For Network Router) 單位電插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1
	Network Router 路由器	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Network Router) 保險絲單元(供路由器)	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet (For Network Router) 數據插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet (For Network Router) 電話插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1
	Window Breakglass Control System 窗戶擊碎玻璃控制系統	1	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Door Bell) 保險絲接駁點(供門鈴)	1	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	1	1	1	0	1	1	0	0	1	0	0	1
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	1	1	1	0	1	1	0	0	1	0	0	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Dishwasher) 入水位連接點(供洗碗碟機)	1	1	1	1	1	1	1	1	1	1	1	1
	Water Outlet Connection Point (For Dishwasher) 出水位連接點(供洗碗碟機)	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 2 第2座													
Location 位置	**Description 描述**	**G/F & 1/F (Duplex) 地下及1樓(複式)**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-23/F & 25/F-26/F 3樓、5樓至12樓、15樓至23樓及25樓至26樓**			**27/F & 28/F (Duplex) 27樓及28樓(複式)**	**27/F 27樓**		**28/F & 29/F (Duplex) 28樓及29樓(複式)**	
		C	**A**	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Family Room 家庭廳	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	1	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	1	0
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	2	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	1	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	1	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0
Balcony 露台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	0	2	2	2	2	2	2	2	2	2	2	1
Flat Roof 平台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	4	1
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	7	1
Roof 天台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	2	3
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	15	7
Pool Deck 游泳池畔	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	2	0
	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type Triple Pole and Neutral Isolator 防水三相隔離器	0	0	0	0	0	0	0	0	0	0	1	0
Outdoor Pool 室外游泳池	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Location 位置	Description 描述	Tower 3 第3座														
		2/F 2樓				3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓				26/F & 27/F 26樓及27樓			28/F & 29/F (Duplex) 28樓及29樓(複式)	28/F 28樓		29/F 29樓
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Private Lift Lobby 私人升降機大堂	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	6	6	5	5	6	6	5	5	5	5	5	5	4	5	5
	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Intercom 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Entrance 門口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room/Dining Room 客廳/飯廳	13A Single Socket Outlet 13安培單位電插座	2	2	2	1	2	2	2	1	3	2	1	3	2	1	3
	13A Twin Socket Outlet 13安培雙位電插座	4	4	4	4	4	4	4	4	3	4	4	3	4	4	3
	Lighting Point 燈位	4	4	3	3	4	4	3	3	13	3	3	10	3	3	12
	TV/FM Outlet 電視/電台天線插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Data Outlet 數據插座	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	5	5	4	4	5	5	4	4	9	4	4	11	4	4	10
	Video Door Phone 視像對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	1	1	0	0	1	1	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	2	1	1	2
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	2	2	2	2	2	4	2	2	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	2	2	2	2	2	2	2	2	3	2	2	4	2	2	4

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Master Bedroom 主人睡房	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2	2	2	2	2	2	2	6	2	2	4
	Panic Alarm Button 緊急呼叫按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1
	Double Pole Switch (For Floor Heating System) 雙極開關掣(供地暖系統)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Master Bathroom 主人浴室	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	2	1	1	2	1	1	2
	Speaker 揚聲器	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Lighting Point 燈位	10	9	9	9	10	9	9	9	8	9	9	8	9	9	8
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	13A Single Socket Outlet (For Bathroom Television) 13安培單位電插座(供浴室電視機)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	1	1	0	0	1	1	0	1	1	1	1	1	1
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Thermostat (For Floor Heating System) 溫度控制器(供地暖系統)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Bedroom 2 睡房 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2	2	2	2	2	2	2	3	2	2	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Lighting Switch 照明開關掣	3	2	3	2	3	2	3	2	2	3	2	2	3	2	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1
Bathroom 2 浴室 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	6	7	5	5	6	7	5	5	6	5	5	7	5	5	6
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	1	0	0	0	1	0	0	1	0	0	1	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Location 位置	Description 描述	Tower 3 第3座														
		2/F 2樓				3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓				26/F & 27/F 26樓及27樓			28/F & 29/F (Duplex) 28樓及29樓(複式)	28/F 28樓		29/F 29樓
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Bedroom 3 睡房 3	13A Single Socket Outlet 13安培單位電插座	0	1	0	0	0	1	0	0	1	0	0	2	0	0	1
	13A Twin Socket Outlet 13安培雙位電插座	3	2	0	0	3	2	0	0	2	0	0	2	0	0	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Lighting Point 燈位	2	2	0	0	2	2	0	0	4	0	0	3	0	0	1
	TV/FM Outlet 電視/電台天線插座	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Telephone Outlet 電話插座	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Data Outlet 數據插座	2	2	0	0	2	2	0	0	2	0	0	2	0	0	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Lighting Switch 照明開關掣	2	3	0	0	2	3	0	0	2	0	0	2	0	0	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
Bathroom 3 浴室 3	13A Single Socket Outlet 13安培單位電插座	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Lighting Point 燈位	5	5	0	0	5	5	0	0	6	0	0	8	0	0	6
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Location 位置	Description 描述	Tower 3 第3座														
		2/F 2樓				3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓				26/F & 27/F 26樓及27樓			28/F & 29/F (Duplex) 28樓及29樓(複式)	28/F 28樓		29/F 29樓
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Bedroom 4 睡房 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	2	0	0	2	0	0	2
	Lighting Point 燈位	0	0	0	0	0	0	0	0	3	0	0	2	0	0	2
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	2	0	0	2	0	0	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	2	0	0	2	0	0	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	13A Single Socket Outlet complete with Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
Bathroom 4 浴室 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Lighting Point 燈位	0	0	0	0	0	0	0	0	4	0	0	5	0	0	6
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座															
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Bedroom 5 睡房 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Single Socket Outlet complete with Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Bathroom 5 浴室 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Air Conditioner Platform 冷氣機平台	Waterproof Type Isolator (For Air Conditioner) 防水隔離器(供冷氣機)	5	3	3	4	5	3	3	4	2	3	4	0	3	4	0
Utility Platform 工作平台	Lighting Point 燈位	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1
Utility Room 工作間	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Lighting Switch 照明開關掣	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Miniature Circuit Breaker Board 微型斷路器箱	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Lavatory 洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Powder Room 客廳洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	2	0	0	3	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座															
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Kitchen 廚房	13A Single Socket Outlet (For Refrigerator) 13安培單位電插座(供雪櫃)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For General Use) 13安培單位電插座(供一般用途)	0	0	0	1	0	0	0	1	0	0	1	0	0	1	0
	13A Twin Socket Outlet (For General Use) 13安培雙位電插座(供一般用途)	4	2	2	4	4	2	2	4	2	2	4	1	2	4	3
	Lighting Point 燈位	7	4	4	5	7	4	4	5	8	4	5	8	4	5	6
	Lighting Switch 照明開關掣	1	1	0	1	1	1	0	1	1	0	1	1	0	1	1
	Fused Connection Unit (For Gas Hob) 保險絲接駁點(供煤氣煮食爐)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Double Pole Switch (For Microwave Oven) 雙極開關掣(供微波爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Connection Unit (For Microwave Oven) 接駁點(供微波爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Steam Oven) 雙極開關掣(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Connection Unit (For Steam Oven) 接駁點(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Induction Hob) 雙極開關掣(供電磁煮食爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Triple Pole and Neutral Isolator (For Electric Water Heater) 三相隔離器(供電熱水爐)	1	1	0	0	1	1	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	2	2	1	0	2	2	1	0	3	1	0	3	1	0	0
	13A Single Socket Outlet (For Electrical Flip Door) 13安培單位電插座(供電轉門)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	1	1	1	1	1	1	1	1	0	1	1	0	1	1	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座															
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓**				**26/F & 27/F 26樓及27樓**			**28/F & 29/F (Duplex) 28樓及29樓(複式)**	**28/F 28樓**		**29/F 29樓**
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Kitchen 廚房	13A Single Socket Outlet (For Dishwasher) 13安培單位電插座(供洗碗碟機)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Fused Spur Unit (For Cooker Hood) 保險絲單元(供抽油煙機)	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Network Router) 13安培單位電插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet (For Network Router) 數據插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet (For Network Router) 電話插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Video Door Phone 視像對講機	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Door Bell) 保險絲接駁點(供門鈴)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	1	1	1	1	1	1	1	1	0	1	1	0	1	1	0
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	1	1	1	1	1	1	1	1	0	1	1	0	1	1	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Water Inlet Connection Point (For Dishwasher) 入水位連接點(供洗碗碟機)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1
	Water Outlet Connection Point (For Dishwasher) 出水位連接點(供洗碗碟機)	1	1	0	0	1	1	0	0	1	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 3 第3座																
Location 位置	Description 描述	2/F 2樓				3/F, 5/F-12/F, 15/F-23/F & 25/F 3樓、5樓至12樓、15樓至23樓及25樓				26/F & 27/F 26樓及27樓			28/F & 29/F (Duplex) 28樓及29樓(複式)	28/F 28樓		29/F 29樓
		A	B	C	D	A	B	C	D	A	C	D	A	C	D	C
Pool Deck 游泳池畔	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type Triple Pole and Neutral Isolator 防水三相隔離器	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Outdoor Pool 室外游泳池	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Flat Roof 平台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0
Roof 天台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	3	0	0	2
	Waterproof Type Triple Pole and Neutral Isolator 防水三相隔離器	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	6	0	0	14
Balcony 露台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	1	1	2	2	1	1	2	1	1	2	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F (Except Unit A at 17/F) 3樓、5樓至12樓、15樓至18樓 (17樓A單位除外)**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**			**17/F 17樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**A**
Private Lift Lobby 私人升降機大堂	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	6	6	4	4	6	6	4	4	5	5	4	4	5	5	5	10
	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Intercom 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Electric lock & Face ID access control panel 電鎖及人面識別門禁系統機	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Entrance 門口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room/ Dining Room 客廳/飯廳	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	2	2	3	2	2	2	3	3	2	1
	13A Twin Socket Outlet 13安培雙位電插座	4	4	4	4	4	4	4	4	3	4	4	4	3	3	3	5
	Lighting Point 燈位	6	6	5	7	6	6	5	7	8	6	5	7	6	10	11	32
	TV/FM Outlet 電視/電台天線插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
	Data Outlet 數據插座	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
	Lighting Switch 照明開關掣	5	5	5	5	5	5	5	5	9	5	5	5	6	8	11	13
	Video Door Phone 視像對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	2	2	1	1	2	2	2	1	2	2	2	1	2	1
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	2	2	2	2	2	2	4	2	2	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	2	2	2	2	2	2	2	2	3	2	2	2	2	2	2	2

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F (Except Unit A at 17/F) 3樓、5樓至12樓、15樓至18樓 (17樓A單位除外)**				**19/F & 20/F (Duplex) 19樓及20 樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**			**17/F 17樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**A**
Master Bedroom 主人 睡房	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	2
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Lighting Point 燈位	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	22
	Panic Alarm Button 緊急呼叫按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	3	3	3	3	3	3	3	3	2	3	3	3	3	3	3	5
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Floor Heating System) 雙極開關掣(供地暖系統)	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**		
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Master Bathroom 主人浴室	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	2	2	1	1	2	2	1	1	2	2	1	1	2	2	2
	Lighting Point 燈位	10	10	7	8	10	10	7	8	9	9	7	8	9	8	7
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
	Speaker 揚聲器	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	0	0	1	1	0	0	1	2	0	0	1	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Bathroom Television) 13安培單位電插座(供浴室電視機)	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
	Thermostat (For Floor Heating System) 溫度控制器(供地暖系統)	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
Store 儲物房	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F (Except Unit A at 17/F) 3樓、5樓至12樓、15樓至18樓 (17樓A單位除外)**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**			**17/F 17樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**A**
Bedroom 2 睡房 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Lighting Point 燈位	2	2	1	1	2	2	1	1	2	2	1	1	1	2	2	18
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	3	2	2	3	3	2	2	3	2	2	2	3	2	2	2	5
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bathroom 2 浴室 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	6	6	5	5	6	6	5	5	5	6	5	5	7	5	4	6
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F (Except Unit A at 17/F) 3樓、5樓至12樓、15樓至18樓 (17樓A單位除外)**				**19/F & 20/F (Duplex) 19樓及20 樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**			**17/F 17樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**A**
Bedroom 3 睡房 3	13A Single Socket Outlet 13安培單位電插座	1	1	0	0	1	1	0	0	2	1	0	0	1	1	1	0
	13A Twin Socket Outlet 13安培雙位電插座	2	2	0	0	2	2	0	0	2	2	0	0	2	2	2	3
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	0
	Lighting Point 燈位	2	2	0	0	2	2	0	0	3	2	0	0	1	2	2	6
	TV/FM Outlet 電視/電台天線插座	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	0
	Telephone Outlet 電話插座	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	0
	Data Outlet 數據插座	2	2	0	0	2	2	0	0	2	2	0	0	2	2	2	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	1
	Lighting Switch 照明開關掣	3	3	0	0	3	3	0	0	2	3	0	0	2	2	2	3
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	1
Bathroom 3 浴室 3	13A Single Socket Outlet 13安培單位電插座	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	1
	Lighting Point 燈位	5	5	0	0	5	5	0	0	7	5	0	0	5	5	6	5
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**		
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Bedroom 4 睡房 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	2	0	0	0	2	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	2	0	0	0	2	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	2	0	0	0	2	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	3	0	0	0	4	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
Bathroom 4 浴室 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	6	0	0	0	6	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**		
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Bedroom 5 睡房 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Bathroom 5 浴室 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**		
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Air Conditioner Platform 冷氣機平台	Waterproof Type Isolator (For Air Conditioner) 防水隔離器(供冷氣機)	3	4	4	4	3	4	4	4	3	4	4	4	0	0	0
Utility Platform 工作平台	Lighting Point 燈位	1	0	1	1	1	1	1	1	1	1	1	1	0	1	0
Utility Room 工作間	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	0	1	0	1	0	1	0	1	1	1	0	1	1	1	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	0	1	0	1	0	1	0	1	1	1	0	1	1	1	1
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	0	1	0	1	0	1	0	1	1	1	0	1	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Miniature Circuit Breaker Board 微型斷路器箱	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Lavatory 洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Powder Room 客廳洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
	Lighting Point 燈位	0	0	0	0	0	0	0	0	4	0	0	0	3	4	4

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**		
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Kitchen 廚房	13A Single Socket Outlet (For Refrigerator) 13安培單位電插座(供雪櫃)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0
	13A Single Socket Outlet (For General Use) 13安培單位電插座(供一般用途)	0	0	0	1	0	0	0	1	0	0	0	1	0	0	0
	13A Twin Socket Outlet (For General Use) 13安培雙位電插座(供一般用途)	2	3	1	2	2	3	1	2	2	3	1	2	2	1	2
	Lighting Point 燈位	5	6	5	4	5	6	5	4	9	6	5	4	6	4	4
	Lighting Switch 照明開關掣	0	0	1	0	0	1	1	0	0	1	1	0	0	3	0
	Fused Connection Unit (For Gas Hob) 保險絲接駁點(供煤氣煮食爐)	2	2	2	2	2	2	2	2	3	2	2	2	2	2	2
	Double Pole Switch (For Microwave Oven) 雙極開關掣(供微波爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0
	Connection Unit (For Microwave Oven) 接駁點(供微波爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0
	Double Pole Switch (For Steam Oven) 雙極開關掣(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Connection Unit (For Steam Oven) 接駁點(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Induction Hob) 雙極開關掣(供電磁煮食爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Triple Pole and Neutral Isolator (For Electric Water Heater) 三相隔離器(供電熱水爐)	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座															
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**		
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Kitchen 廚房	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	3	2	1	1	3	2	1	1	3	2	1	2	2	2
	13A Single Socket Outlet (For Electrical Flip Door) 13安培單位電插座(供電轉門)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	1	0	1	0	1	0	1	0	0	0	1	0	0	0	0
	13A Single Socket Outlet (For Dishwasher) 13安培單位電插座(供洗碗碟機)	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1
	Fused Spur Unit (For Cooker Hood) 保險絲單元(供抽油煙機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Network Router) 13安培單位電插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet (For Network Router) 數據插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet (For Network Router) 電話插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Video Door Phone 視像對講機	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Door Bell) 保險絲接駁點(供門鈴)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (Washing Machine) 入水位連接點(供洗衣機)	1	0	1	0	1	0	1	0	0	0	1	0	0	0	0
	Water Outlet Connection Point (Washing Machine) 出水位連接點(供洗衣機)	1	0	1	0	1	0	1	0	0	0	1	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Dishwasher) 入水位連接點(供洗碗碟機)	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1
	Water Outlet Connection Point (For Dishwasher) 出水位連接點(供洗碗碟機)	1	1	0	0	1	1	0	0	1	1	0	0	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 5 第5座																
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**		
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**
Outdoor Pool 室外游泳池	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0
	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type Triple Pole and Neutral Isolator 防水三相隔離器	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Flat Roof 平台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0
Roof 天台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	9	8	8
Balcony 露台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	1	1	2	2	1	1	2	2	1	1	2	1	1
Family Room 家庭廳	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Private Lift Lobby 私人升降機大堂	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	6	6	4	5	6	6	4	5	5	4	4	5	5	4	5	6
	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Intercom 對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Entrance 門口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room/Dining Room 客廳/飯廳	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	2	2	2	2	2	2	4	2	2	3
	13A Twin Socket Outlet 13安培雙位電插座	4	4	4	4	4	4	4	4	3	4	4	4	3	4	4	3
	Lighting Point 燈位	6	6	6	6	6	6	6	6	4	6	6	6	6	6	6	5
	TV/FM Outlet 電視/電台天線插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Data Outlet 數據插座	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	5	5	4	4	5	5	4	4	9	5	4	4	6	4	4	8
	Video Door Phone 視像對講機	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	2	1	1	1	2	1	1	2
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	1	1	0	0	1	1	0	0	0	1	0	0	0	1	0	0
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	2	2	2	2	2	2	4	2	2	4
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	2	2	2	2	2	2	2	2	3	2	2	2	3	2	2	3
	Double Pole Switch (For Microwave Oven) 雙極開關掣(供微波爐)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	Connection Unit (For Microwave Oven) 接駁點(供微波爐)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Powder Room 客廳洗手間	Lighting Point 燈位	0	0	0	0	0	0	0	0	4	0	0	0	3	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Store 儲物房	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Panic Alarm Button 緊急呼叫按鈕	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Master Bedroom 主人睡房	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	2	2	1	2	2	2	2	2	2	2
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	4
	Panic Alarm Button 緊急呼叫按鈕	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 照明開關掣	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Floor Heating System) 雙極開關掣(供地暖系統)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Master Bathroom 主人浴室	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	2	2	1	1	2	2	1	1	2	2	1	1	2	2	2	2
	Lighting Point 燈位	10	10	7	8	10	10	7	8	8	10	7	8	8	7	8	8
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	1	1	0	0	1	1	0	0	1	1	0	1	1	1
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Speaker 揚聲器	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Bathroom Television) 13安培單位電插座(供浴室電視機)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Thermostat (For Floor Heating System) 溫度控制器(供地暖系統)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Bedroom 2 睡房 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	1	1	2	2	1	1	2	2	1	1	2	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
	Lighting Switch 照明開關掣	2	3	2	2	3	3	2	2	2	3	2	2	2	2	2	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bathroom 2 浴室 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	6	6	5	4	6	6	5	4	6	6	5	4	6	5	4	5
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Bedroom 3 睡房 3	13A Single Socket Outlet 13安培單位電插座	1	1	0	0	1	1	0	0	3	1	0	0	1	0	0	1
	13A Twin Socket Outlet 13安培雙位電插座	2	2	0	0	2	2	0	0	2	2	0	0	2	0	0	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Lighting Point 燈位	2	2	0	0	2	2	0	0	2	2	0	0	1	0	0	2
	TV/FM Outlet 電視/電台天線插座	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Telephone Outlet 電話插座	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Data Outlet 數據插座	2	2	0	0	2	2	0	0	2	2	0	0	2	0	0	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Lighting Switch 照明開關掣	3	3	0	0	3	3	0	0	2	3	0	0	3	0	0	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
Bathroom 3 浴室 3	13A Single Socket Outlet 13安培單位電插座	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Lighting Point 燈位	5	5	0	0	5	5	0	0	6	5	0	0	4	0	0	6
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Bedroom 4 睡房 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	2	0	0	0	2	0	0	1
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Lighting Point 燈位	0	0	0	0	0	0	0	0	2	0	0	0	2	0	0	2
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	3	0	0	0	2	0	0	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
Bathroom 4 浴室 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Lighting Point 燈位	0	0	0	0	0	0	0	0	6	0	0	0	5	0	0	6
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Bedroom 5 睡房 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Bathroom 5 浴室 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Air Conditioner Platform 冷氣機平台	Waterproof Type Isolator (For Air Conditioner) 防水隔離器(供冷氣機)	4	4	4	4	4	4	4	4	2	4	4	4	0	4	4	0
Utility Platform 工作平台	Lighting Point 燈位	0	1	0	0	1	1	1	1	1	1	1	1	0	1	1	1
Utility Room 工作間	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Miniature Circuit Breaker Board 微型斷路器箱	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Lavatory 洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Kitchen 廚房	13A Single Socket Outlet (For Refrigerator) 13安培單位電插座(供雪櫃)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For General Use) 13安培單位電插座(供一般用途)	1	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0
	13A Twin Socket Outlet (For General Use) 13安培雙位電插座(供一般用途)	1	1	4	4	1	1	4	4	1	1	4	4	2	4	4	3
	Lighting Point 燈位	7	7	7	7	7	7	7	7	8	7	7	7	6	7	7	6
	Video Door Phone 視像對講機	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
	Lighting Switch 照明開關掣	0	0	1	1	0	0	2	2	0	0	2	2	1	2	2	1
	Fused Connection Unit (For Gas Hob) 保險絲接駁點(供煤氣煮食爐)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Double Pole Switch (For Microwave Oven) 雙極開關掣(供微波爐)	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1
	Connection Unit (For Microwave Oven) 接駁點(供微波爐)	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1
	Double Pole Switch (For Steam Oven) 雙極開關掣 (供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Connection Unit (For Steam Oven) 接駁點(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Induction Hob) 雙極開關掣(供電磁煮食爐)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Triple Pole and Neutral Isolator (For Electric Water Heater) 三相隔離器(供電熱水爐)	1	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0
	Double Pole Switch (For BBQ Grill) 雙極開關掣(供燒烤爐)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	1	1	0	0	1	1	0	0	1	1	0	1	1	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	2	2	1	1	2	2	1	1	2	2	1	1	2	1	1	1
	Single Socket Outlet (For Electrical Flip Door) 單位電插座(供電轉門)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Kitchen 廚房	13A Single Socket Outlet (For Warming Drawer) 13安培單位電插座(供暖櫃)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	1	1	0	0	1	1	0	0	0	1	0	0	1	0	0	1
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	0	0	1	1	0	0	1	1	0	0	1	1	0	1	1	0
	13A Single Socket Outlet (For Dishwasher) 13安培單位電插座(供洗碗碟機)	1	1	0	0	1	1	0	0	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Cooker Hood) 保險絲單元(供抽油煙機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For Network Router) 13安培單位電插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet (For Network Router) 數據插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet (For Network Router) 電話插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Door Bell) 保險絲接駁點(供門鈴)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	0	0	1	1	0	0	1	1	0	0	1	1	0	1	1	1
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	0	0	1	1	0	0	1	1	0	0	1	1	0	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Dishwasher) 入水位連接點(供洗碗碟機)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1
	Water Outlet Connection Point (For Dishwasher) 出水位連接點(供洗碗碟機)	1	1	0	0	1	1	0	0	1	1	0	0	1	0	0	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 6 第6座																	
Location 位置	**Description 描述**	**2/F 2樓**				**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**				**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**			**20/F & 21/F (Duplex) 20樓及21樓(複式)**	**20/F 20樓**		**21/F 21樓**
		A	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**A**	**B**	**C**	**D**	**B**	**C**	**D**	**C**
Family Room 家庭廳	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	11	0	0	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0
Flat Roof 平台	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Roof 天台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	4
	Waterproof Type Triple Pole and Neutral Isolator (For Air Conditioner) 防水三相隔離器(供冷氣機)	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Outdoor Pool 室外游泳池	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Balcony 露台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	1	1	2	2	1	1	2	2	1	1	2	1	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Private Lift Lobby 私人升降機大堂	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	4	4	4	4	4	4	5	4	4	4	4
	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1
	Intercom 對講機	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1
Entrance 門口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1	1	1	1	1	1	1
Living Room/Dining Room 客廳/飯廳	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	4	2	2	3	3
	13A Twin Socket Outlet 13安培雙位電插座	4	4	4	4	4	4	3	4	4	3	3
	Lighting Point 燈位	8	8	5	8	8	5	7	8	6	7	8
	TV/FM Outlet 電視/電台天線插座	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2	2
	Data Outlet 數據插座	3	3	3	3	3	3	3	3	3	3	3
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0
	13A Single Socket Outlet (For Wine Cellar) 13安培單位電插座(供酒櫃)	1	1	0	1	1	0	0	1	0	0	0
	13A Single Socket Outlet (For Coffee Machine) 13安培單位電插座(供咖啡機)	1	1	0	1	1	0	0	1	0	0	0
	Lighting Switch 照明開關掣	6	6	5	6	6	5	9	6	5	8	8
	Video Door Phone 視像對講機	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	1	0	0	1	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	2	1	1	2	2	1	2	1	2
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	4	2	2	4	6
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	2	2	2	2	2	2	2	2	2	3	3

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Master Bedroom 主人睡房	13A Single Socket Outlet 13安培單位電插座	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	0	1	1	1	1
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	1	1	1	1	1	1	2	1	1	1	1
	Lighting Point 燈位	2	3	2	2	3	2	4	3	2	3	2
	Panic Alarm Button 緊急呼叫按鈕	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	2	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	2	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	0	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	3	3	3	3	3	3	3	3	3	3	3
	Fused Spur Unit (For Electric Curtain) 保險絲單元(供電窗簾)	2	2	2	2	2	2	2	2	2	4	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	2	1	1	2	1
	Double Pole Switch (For Floor Heating System) 雙極開關掣(供地暖系統)	0	0	0	0	0	0	1	0	0	1	1
Master Bathroom 主人浴室	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	2	2	1	2	2	1	2	2	1	2	2
	Thermostat (For Floor Heating System) 溫度控制器(供地暖系統)	0	0	0	0	0	0	1	0	0	1	1
	Lighting Point 燈位	9	10	6	9	10	6	9	10	6	6	8
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	1	0	1	1	0	1	1	0	1	0	1
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	1	1	1	1	1
	Speaker 揚聲器	0	0	0	0	0	0	1	0	0	1	1
	13A Single Socket Outlet (For Bathroom Television) 13安培單位電插座(供浴室電視機)	0	0	0	0	0	0	1	0	0	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Bathroom 1 浴室 1	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	1	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	6	0
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	1	0
Bedroom 2 睡房 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13安培雙位電插座	2	2	2	2	2	2	2	2	2	2	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	1	1	2	1	1	2	1	1	2	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	2	2	2	2	2	2	2	2	2	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	3	2	2	3	2	2	2	2	2	2	2
	Fused Connection Unit (For Thermo Ventilator) 保險絲接駁點(供浴室寶)	0	0	0	0	0	0	0	0	0	1	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1
Bathroom 2 浴室 2	13A Single Socket Outlet 13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	5	6	5	5	6	5	5	6	5	6	6
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	1	0	0	1	0	0	1	0	0	0
	Double Pole Switch (For Thermo Ventilator) 雙極開關掣(供浴室寶)	1	1	1	1	1	1	0	1	1	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Bedroom 3 睡房 3	13A Single Socket Outlet 13安培單位電插座	1	1	0	1	1	0	1	1	0	1	1
	13A Twin Socket Outlet 13安培雙位電插座	2	2	0	2	2	0	2	2	0	2	2
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	1	1	0	1	1	0	1	1	0	1	1
	Lighting Point 燈位	2	3	0	2	3	0	2	3	0	2	2
	TV/FM Outlet 電視/電台天線插座	1	1	0	1	1	0	1	1	0	1	1
	Telephone Outlet 電話插座	1	1	0	1	1	0	1	1	0	1	1
	Data Outlet 數據插座	2	2	0	2	2	0	2	2	0	2	2
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	0	1	1	0	1	1	0	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	0	1	1	0	1	1	0	1	1
	Lighting Switch 照明開關掣	2	3	0	3	3	0	2	3	0	2	2
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	0	1	1	0	1	1	0	1	1
Bathroom 3 浴室 3	13A Single Socket Outlet 13安培單位電插座	1	1	0	1	1	0	1	1	0	1	1
	Lighting Point 燈位	6	5	0	6	5	0	5	5	0	6	4
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	0	1	1	0	1	1	0	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Bedroom 4 睡房 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	1	0	0	1	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	2	0	0	2	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	1	0	0	1	0
	Lighting Point 燈位	0	0	0	0	0	0	2	0	0	2	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	1	0	0	1	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	1	0	0	1	0
	Data Outlet 數據插座	0	0	0	0	0	0	2	0	0	2	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	1	0	0	1	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	1	0	0	1	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	2	0	0	2	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	1	0	0	1	0
Bathroom 4 浴室 4	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	1	0	0	1	0
	Lighting Point 燈位	0	0	0	0	0	0	5	0	0	6	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	1	0	0	1	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Bedroom 5 睡房 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	1	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	2	0
	13A Single Socket Outlet Complete With Single USB Charging Outlet 13安培單位電插座連單USB充電位	0	0	0	0	0	0	0	0	0	1	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	1	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	1	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	1	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	2	0
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	0	0	0	0	0	0	0	0	0	1	0
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	0	0	0	0	0	0	0	0	0	0	0
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	0	0	0	0	0	0	0	0	0	1	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	2	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	1	0
Bathroom 5 浴室 5	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	1	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	5	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	0	0	0	1	0
Air Conditioner Platform 冷氣機平台	Waterproof Type Isolator (For Air Conditioner) 防水隔離器(供冷氣機)	5	5	4	5	5	4	0	5	4	0	0
Utility Platform 工作平台	Lighting Point 燈位	0	1	1	1	1	1	1	1	1	1	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Utility Room 工作間	13A Single Socket Outlet (For Washing Machine) 13安培單位電插座(供洗衣機)	0	0	0	0	0	0	1	0	0	1	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	0	0	0	0	0	0	1	0	0	1	1
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	0	0	0	0	0	0	1	0	0	1	1
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0
	13A Twin Socket Outlet 13安培雙位電插座	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1
	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Telephone Outlet) 空白面板(供後備電話插座)	1	1	1	1	1	1	1	1	1	1	1
	Blank Plate (For Spare Data Outlet) 空白面板(供後備數據插座)	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 照明開關掣	2	2	2	2	2	2	2	2	2	2	2
	Double Pole Switch (For Exhaust Fan) 雙極開關掣(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0
	Miniature Circuit Breaker Board 微型斷路器箱	1	1	1	1	1	1	1	1	1	1	1
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	2	1	1	1	1
Lavatory 洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1	1	1	1	1	1	1
Powder Room 客廳洗手間	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	0	0	0	0	0	0	1	0	0	0	1
	Fused Connection Unit (For Gas Water Heater) 保險絲接駁點(供煤氣熱水爐)	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	3	0	0	0	4

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Kitchen 廚房	13A Single Socket Outlet (For Refrigerator) 13安培單位電插座 (供雪櫃)	1	1	1	1	1	1	1	1	1	1	1
	13A Single Socket Outlet (For General Use) 13安培單位電插座(供一般用途)	0	0	0	0	0	0	0	0	0	0	0
	13A Twin Socket Outlet (For General Use) 13安培雙位電插座(供一般用途)	4	4	3	4	4	3	4	4	3	2	3
	Lighting Point 燈位	5	5	4	5	5	4	6	5	4	8	6
	Lighting Switch 照明開關掣	0	1	1	0	1	1	0	1	1	1	0
	Fused Connection Unit (For Gas Hob) 保險絲接駁點(供煤氣煮食爐)	2	2	2	2	2	2	2	2	2	2	2
	Double Pole Switch (For Microwave Oven) 雙極開關掣(供微波爐)	1	1	1	1	1	1	1	1	1	1	1
	Connection Unit (For Microwave Oven) 接駁點(供微波爐)	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Steam Oven) 雙極開關掣(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1
	Connection Unit (For Steam Oven) 接駁點(供蒸爐)	1	1	1	1	1	1	1	1	1	1	1
	Double Pole Switch (For Induction Hob) 雙極開關掣(供電磁煮食爐)	1	1	1	1	1	1	1	1	1	1	1
	Triple Pole and Neutral Isolator (For Electric Water Heater) 三相隔離器(供電熱水爐)	1	0	0	1	0	0	0	0	0	0	0
	Double Pole Switch (For Electric Water Heater) 雙極開關掣(供電熱水爐)	0	0	0	0	0	0	0	0	0	0	0
	Fused Connection Unit (For Exhaust Fan) 保險絲接駁點(供抽氣扇)	1	1	1	1	1	1	1	1	1	1	1
	13A Fused Connection Unit (For Gas Water Heater) 13安培保險絲接駁點(供煤氣熱水爐)	1	2	1	1	2	1	1	2	1	3	2
	13A Single Socket Outlet (For Electrical Flip Door) 13安培單位電插座(供電轉門)	1	1	1	1	1	1	1	1	1	1	1
	Single Socket Outlet (For Washing Machine) 單位電插座(供洗衣機)	1	1	1	1	1	1	0	1	1	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....."表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Kitchen 廚房	13A Single Socket Outlet (For Dishwasher) 13安培單位電插座(供洗碗碟機)	1	1	0	1	1	0	1	1	0	1	1
	Fused Spur Unit (For Cooker Hood) 保險絲單元(供抽油煙機)	1	1	1	1	1	1	1	1	1	2	1
	13A Single Socket Outlet (For Network Router) 13安培單位電插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1
	Data Outlet (For Network Router) 數據插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet (For Network Router) 電話插座(供路由器)	1	1	1	1	1	1	1	1	1	1	1
	Door Bell 門鈴	1	1	1	1	1	1	1	1	1	1	1
	Fused Connection Unit (For Door Bell) 保險絲接駁點(供門鈴)	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Washing Machine) 入水位連接點(供洗衣機)	1	1	1	1	1	1	0	1	1	0	0
	Water Outlet Connection Point (For Washing Machine) 出水位連接點(供洗衣機)	1	1	1	1	1	1	0	1	1	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	1	1	1	1	1	1	1	1	1	1	1
	Water Inlet Connection Point (For Dishwasher) 入水位連接點(供洗碗碟機)	1	1	0	1	1	0	1	1	0	1	1
	Water Outlet Connection Point (For Dishwasher) 出水位連接點(供洗碗碟機)	1	1	0	1	1	0	1	1	0	1	1

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....."表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置位置及數量說明表

Tower 7 第7座												
Location 位置	**Description 描述**	**2/F 2樓**			**3/F, 5/F-12/F, 15/F-18/F 3樓、5樓至12樓、15樓至18樓**			**19/F & 20/F (Duplex) 19樓及20樓(複式)**	**19/F 19樓**		**20/F & 21/F (Duplex) 20樓及21樓(複式)**	
		A	**B**	**C**	**A**	**B**	**C**	**A**	**B**	**C**	**B**	**C**
Family Room 家庭廳	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	5	0
	13A Single Socket Outlet 13安培單位電插座	0	0	0	0	0	0	0	0	0	1	0
	13A Twin Socket Outlet 13安培雙位電插座	0	0	0	0	0	0	0	0	0	1	0
	13A Twin Socket Outlet Complete With Dual USB Charging Outlet 13安培雙位電插座連雙USB充電位	0	0	0	0	0	0	0	0	0	0	0
	Fused Spur Unit (For Air Conditioner) 保險絲單元(供冷氣機)	0	0	0	0	0	0	0	0	0	2	0
	TV/FM Outlet 電視/電台天線插座	0	0	0	0	0	0	0	0	0	1	0
	Telephone Outlet 電話插座	0	0	0	0	0	0	0	0	0	1	0
	Data Outlet 數據插座	0	0	0	0	0	0	0	0	0	1	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	8	0
Balcony 露台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位	2	2	1	2	2	1	2	2	1	2	1
Flat Roof 平台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	2	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	4	0
Roof 天台	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	2	2
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	9	5
Pool Deck 游泳池畔	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0
	Waterproof Type Triple Pole and Neutral Isolator 防水三相隔離器	0	0	0	0	0	0	0	0	0	1	0
Outdoor Pool 室外游泳池	Waterproof Type 13A Single Socket Outlet 防水13安培單位電插座	0	0	0	0	0	0	0	0	0	0	0
	Lighting Point 燈位	0	0	0	0	0	0	0	0	0	0	0
	Lighting Switch 照明開關掣	0	0	0	0	0	0	0	0	0	0	0

Note:
1. 4/F, 13/F, 14/F and 24/F are omitted.
2. "1,2,…" denotes the quantity of such provision(s) provided in the residential unit.
3. The following items were excluded in this schedule: wall mounted lighting at private lift lobby, cabinet LED strip light & mirror light at bathroom and cabinet LED strip light at kitchen.

備註：
1. 不設4樓、13樓、14樓及24樓。
2. "1、2、....." 表示提供於該住宅單位內的裝置數量。
3. 以上項目不包括：私人升降機大堂內的掛牆燈，浴室內的鏡櫃燈帶及廚房內的廚櫃燈帶。

SERVICE AGREEMENTS 服務協議

Potable and flushing water is supplied by Water Supplies Department.
Electricity is supplied by CLP Power Hong Kong Limited.
Towngas is supplied by The Hong Kong and China Gas Company Limited.

食水及沖廁水由水務署供應。
電力由中華電力有限公司供應。
煤氣由香港中華煤氣有限公司供應。

GOVERNMENT RENT 地稅

The Vendor is liable for the Government rent payable for the specified residential property from the date of the Land Grant up to and including the date of the assignment of that specified residential property.

賣方有法律責任繳付指明住宅物業由批地文件之日期起計直至及包括該指明住宅物業之轉讓契日期之地稅。

MISCELLANEOUS PAYMENTS BY PURCHASER 買方的雜項付款

On the delivery of the vacant possession of the specified residential property to the purchaser, the purchaser is liable to reimburse the Vendor for the deposits for water, electricity and gas; and on that delivery, the purchaser is not liable to pay to the Vendor a debris removal fee.

Note:
Upon that delivery, the purchaser is liable to pay a debris removal fee to the Manager (not the Vendor) of the Development under the deed of mutual covenant, and where the Vendor has paid that debris removal fee, the purchaser shall reimburse the Vendor for the same.

在向買方交付指明住宅物業在空置情況下的管有權時，買方須負責向賣方補還水、電力及氣體的按金；及在交付時，買方不須向賣方支付清理廢料的費用。

註：
在交付時，買方須根據公契向發展項目的管理人（而非賣方）支付清理廢料的費用，而如賣方已支付清理廢料的費用，買方須向賣方補還清理廢料的費用。

DEFECT LIABILITY WARRANTY PERIOD 欠妥之處的保養責任期

The Vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the purchaser within 6 months after the date of completion of the sale and purchase of the specified residential property, remedy any defects to the residential property, or the fittings, finishes or appliances incorporated into the residential property as set out in the agreement for sale and purchase, caused otherwise than by the act or neglect of the purchaser.

凡住宅物業或於買賣合約列出裝設於住宅物業內的裝置、裝修物料或設備有欠妥之處，而該欠妥之處並非由買方行為或疏忽造成，則賣方在接獲買方在指明住宅物業之買賣成交日期後的6個月內送達的書面通知後，須於合理地切實可行的範圍內，盡快自費作出補救。

The Land Grant requires the owners of the residential properties in the Development to maintain slopes at their own cost.

A. Terms of the Requirement

Special Condition No.(30)(a) of the Land Grant stipulates that:

" Where there is or has been any cutting away, removal or setting back of any land, or any building-up or filling-in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the lot or any part thereof or any other works required to be done by the Purchaser under these Conditions, or for any other purpose, the Purchaser shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Purchaser shall at all times during the term hereby agreed to be granted maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director."

B. Each of the owners is obliged to contribute towards the costs of the maintenance works.

C. A plan showing the slope and the retaining wall or related structures constructed, or to be constructed, within or outside the land on which the Development is situated.

Please refer to the plan at page 283 of this Sales Brochure.

D. Under the Deed of Mutual Covenant, the manager of the Development has the owners' authority to carry out the maintenance works.

Clause (3:02:01)(ap) of the executed Deed of Mutual Covenant stipulates that:

" Save and except as otherwise expressly provided in this Deed and the provisions of the Ordinance, the Manager shall be responsible for and shall have full authority to do all such acts and things as may be necessary or requisite for and in connection with the proper and efficient management of the Development, including in particular but without in any way limiting the generality of the foregoing :-

(ap) to engage suitable qualified personnel to inspect, keep and maintain in good substantial repair and condition and carry out any necessary works in respect of the Slope and Retaining Structures in compliance with the Government Grant and in particular in accordance with the Geoguide 5 - Guide to Slope Maintenance issued by the Geotechnical Engineering Office (as amended or substituted from time to time) and the Maintenance Manual for the Slope and Retaining Structures and all guidelines issued from time to time by the appropriate Government department regarding the maintenance of the Slope and Retaining Structures. For this purpose, the Manager shall have the right to demand from the Owners, and the Owners shall be liable to pay, such contributions to all the costs lawfully incurred or to be incurred in carrying out such maintenance and repair and any other works in respect of the Slope and Retaining Structures by way of a lump sum or instalments or otherwise as the Manager shall decide but without prejudice to the Manager's right to apply the general or any parts of the Management Fund referred to in Clause (3:06) as the Manager may deem fit towards payment of the costs or any part thereof Provided that the Manager shall not be made personally liable for carrying out any such requirements in respect of the Slope and Retaining Structures under the conditions of the Government Grant which shall remain the responsibility of the Owners if, having used all reasonable endeavours, the Manager has not been able to collect the costs of the required works from all Owners. For the purpose of this Clause, the Manager shall include the Owners' Committee and the Corporation (if formed);"

根據批地文件的規定，該發展項目中的住宅物業的擁有人須自費維修斜坡。

A. 有關規定的條款

批地文件特別條款第(30)(a)條規定：

「如該地段或任何政府土地內現時或以往曾經進行過任何削土、移土或土地後移工程、或堆積或堆填或任何類型的斜坡處理工程，不論事前是否獲署長書面同意，而該等工程是為了或關乎該地段或其任何部分的形成、平整或發展的目的或買方按此等條款而須要完成的工程的目的或其他任何的目的，買方須自費進行及建造現時或將來不時需要的該等斜坡處理工程、護土牆或其他支撐、防護、排水或附屬或其他工程，以保護和支撐該地段內的土地及任何相鄰或毗鄰的政府土地或已批租土地，同時避免及防止其後發生滑土、山泥傾瀉或地陷。買方應時刻在批地文件協定的整個批租年期內自費保養上述土地、斜坡處理工程、護土牆或其他支撐、防護、排水或附屬或其他工程，以保持其良好充足的維修狀態，以使署長滿意。」

B. 每名擁有人均須分擔維修工程的費用。

C. 顯示該斜坡及已經或將會在該發展項目所位於的土地之內或之外建造的任何護土牆或有關構築物的圖則。

請參閱本售樓說明書第283頁之圖則。

D. 根據「公契」，該發展項目的管理人獲擁有人授權進行維修工程。

已簽立的公契第(3:02:01)(ap)條規定：

「除本公契或該條例另有明文規定外，管理人須負責並具有充分授權作出與妥善及有效管理發展項目所必要或需要的一切行為及事情，在任何方面不限制上述一般適用範圍的前提下，特別是包括：

(ap) 按批地文件，特別是按土力工程處印發的「岩土指南第五冊－斜坡維修指南」（並以不時的修訂或代替條文為準）及依據岩土指南第五冊編製的保養手冊和有關政府部門不時對保養斜坡及護土構築物發出的一切指引，聘請合適及合資格的人士視察、檢驗、妥善保持和保養斜坡及護土構築物並對其進行任何必要的工程。為了這個目的，管理人有權要求業主及業主有責任支付進行上述保養與維修斜坡構築物及任何其他有關工程所合法支出或將支出的分擔款項，該分擔款項須以整筆款項支付或分期付款或管理人決定的其他形式支付（但無損管理人一般應用第（3：06）條所述的管理基金或其任何管理人認爲適當的部份作支付該等支出或其任何部份的權利），惟如果管理人儘其一切合理努力，仍未能向全體業主收集所要求的工程費用，則管理人毋須對履行批地文件條款內有關斜坡及護土構築物的任何該等要求承擔個人責任，該等責任須由業主承擔。就本條款而言，管理人包括業主委員會及法團（如已成立）；」


R
R
TOWER 1
第1座
TOWER 2
第2座
TOWER 3
第3座
TOWER 5
第5座
TOWER 6
第6座
TOWER 7
第7座
SHEUNG SHING STREET
常盛街
R SLOPE STRUCTURE 斜坡構築物
Boundary of the Development
發展項目的界線
Scale 比例
Metre 米
0
10
20
30

There is no ongoing application to the Government for a modification of the land grant for the Development.

本發展項目現時並沒有向政府提出申請修訂批地文件。

1. External Wall Lighting

LED lighting will be installed on the external walls of the Development at the locations below and may be turned on during night time:

- At the periphery of the following floors of Tower 1:
  2/F to 26/F, 28/F, 29/F and Roof Floor to Upper Roof
- At the periphery of the following floors of Tower 2:
  2/F to 26/F, 28/F, 29/F and Roof Floor to Upper Roof
- At the periphery of the following floors of Tower 3:
  29/F and Roof Floor to Upper Roof
- At the periphery of the following floors of Towers 5 and 6:
  20/F, 21/F and Roof Floor to Upper Roof
- At the periphery of the following floors of Tower 7:
  2/F to 21/F and Roof Floor to Upper Roof

Prospective purchasers please note the impact (if any) of the illumination of the said LED lighting on individual units.

2. Noise Mitigation Measures

The following Noise Mitigation Measures to mitigate noise from road traffic are provided in the Development:

- Acoustic Fin
- Acoustic Balcony (Baffle Type)
- Acoustic Utility Platform (Baffle Type)
- Acoustic window (Baffle Type)

Please refer to "Floor Plans of Residential Properties in the Development" section of this sales brochure on pages 22 to 107 for locations of the Noise Mitigation Measures.

Under the Land Grant and the approved draft Deed of Mutual Covenant, no owner shall alter, interfere with or remove, or permit or suffer to alter, interfere with or remove any of the Noise Mitigation Measures.

3. Gondola System

During the necessary maintenance of the external walls of Tower 1, 2, 3, 5, 6 and 7 arranged by the Manager of the Development, gondola(s) will be operating in the airspace outside windows and above the roof(s)/flat roof(s)/parapet wall(s) of residential units and/or private garden(s) thereto.

Location of Gondola System:
Tower 1 Upper Roof;
Tower 2 Upper Roof;
Tower 3 Upper Roof;
Tower 5 Upper Roof;
Tower 6 Upper Roof;
Tower 7 Upper Roof;

The maintenance area within the private garden(s) of the unit(s) is/are designed for gondola access and designated as common areas of the Development and should not be occupied or obstructed:-

Location:
Tower 1: Unit A at G/F & 1/F (Duplex)

4. Floodlights at Outdoor Swimming Pool

Floodlights will be provided for lighting of the outdoor swimming pool of the Development in the evening at the following locations:

- At the top of 3 lamp poles reaching the height of 35.15mPD located at the common landscape garden/planting area near the outdoor swimming pool; and
- Floodlights reaching the height of 35.20mPD mounted at the external wall of the Residential Recreation Facilities (outdoor changing room) adjoining the outdoor swimming pool.

For the location of floodlights, please refer to the "Layout Plan of the Development" section of this sales brochure on page 21. Prospective purchasers should note the impact (if any) of the illumination of the floodlights on individual units.

5. Antenna/Lightning Rod

Prospective purchasers should note the impact (if any) of the antenna/lightning rod on individual units.

Location:
Tower 2: Upper Roof
Tower 5: Upper Roof

6. Maintenance Windows

Maintenance windows are openable for maintenance only.

Please refer to "Floor Plans of Residential Properties in the Development" section of this sales brochure on pages 22 to 107 for locations of the maintenance windows.

7. Street Lighting Pole

There will be one street lighting pole reaching the height of approximate 40.70mPD provided and installed at the main entrance of the Development on Sheung Shing Street. Please refer to the "Layout Plan of the Development" section of this sales brochure on page 21 for the location of the street lighting pole.

1. 外牆裝飾燈

發展項目外牆下列位置將裝設LED裝飾燈，而該等裝飾燈可能於晚上開啟 :-

- 第1座以下樓層外圍 ：
  2樓至26樓、28樓、29樓及天台至高層天台

- 第2座以下樓層外圍 ：
  2樓至26樓、28樓、29樓及天台至高層天台

- 第3座以下樓層外圍 ：
  29樓及天台至高層天台

- 第5座及第6座以下樓層外圍 ：
  20樓、21樓及天台至高層天台

- 第7座以下樓層外圍 ：
  2樓至21樓及天台至高層天台

準買家請注意上述LED裝飾燈之燈光對個別單位造成之影響（如有）。

2. 噪音緩解措施

發展項目將提供以下噪音緩解措施以緩解道路交通所造成之噪音：

- 隔聲鰭
- 減音露台（擋音式）
- 減音工作平台（擋音式）
- 減音窗（擋音式）

請參閱本售樓說明書第22至107頁之「發展項目的住宅物業的樓面平面圖」一節以了解噪音緩解措施的位置 。

根據批地文件及公契的經批准擬稿，任何業主不可更改、干擾或移除或准許或容忍他人更改、干擾或移除任何噪音緩解措施。

3. 吊船系統

在發展項目管理人安排之第1、2、3、5、6及7座外牆之必要維修進行期間，吊船將在住宅單位之窗戶外及天台/平台/護牆及/或私人花園上之空間運作。

吊船系統的位置：
第1座高層天台；
第2座高層天台；
第3座高層天台；
第5座高層天台；
第6座高層天台；
第7座高層天台；

以下單位私人花園內之維修地方指定為吊船可到達的地方，並為發展項目的公用地方；該等地方不得被佔用或阻塞：－

位置：
第1座：地下及1樓A單位（複式）

4. 室外游泳池之泛光燈

以下位置將提供泛光燈以供發展項目室外游泳池的晚間照明：

- 設置於室外游泳池附近之公用園景花園/花槽之3支燈柱之頂部（高度為香港主水平基準以上35.15米）；及
- 懸掛於毗鄰室外游泳池之住宅康樂設施（室外更衣室）外牆上之泛光燈（高度為香港主水平基準以上35.20米）。

有關泛光燈的位置，請參閱本售樓說明書第21頁之「發展項目的布局圖」一節。準買家應注意上述泛光燈之燈光對個別單位造成之影響（如有）。

5. 天線/避雷針

準買家應注意天線/避雷針對個別單位造成之影響（如有）：

位置：
第2座：高層天台
第5座：高層天台

6. 維修窗

維修窗只供維修用途開啓。

請參閱本售樓說明書第22至107頁之「發展項目的住宅物業的樓面平面圖」一節以了解維修窗的位置

7. 街燈燈柱

發展項目位於常盛街的主入口將裝設一支街燈燈柱，其高度達香港主水平基準以上約40.70米。有關上述街燈燈柱的位置，請參閱本售樓說明書第21頁之「發展項目的布局圖」一節。

The address of the website designated by the Vendor for the Development for the purposes of Part 2 of the Residential Properties (First-hand Sales) Ordinance is:

www.grandhomm.hk

賣方為施行《一手住宅物業銷售條例》第2部而就發展項目指定的互聯網網站的網址為：

www.grandhomm.hk

Breakdown of Gross Floor Area (GFA) Concessions Obtained for All Features
獲寬免總樓面面積的設施分項

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the Authorized Person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the Development.
於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有(#)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

		Area (m^2) 面積(平方米)
Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據《建築物(規劃)規例》第23(3)(b)條不計算的總樓面面積		
1(#)	Carpark and loading/unloading area excluding public transport terminus 停車場及上落客貨地方(公共交通總站除外)	12,865.959
2	**Plant rooms and similar services 機房及相類設施**	
2.1	Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting equipment (TBE) room, refuse storage and material recovery chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》(《作業備考》)或規例限制的強制性設施或必要機房，例如升降機機房、電訊及廣播設備室、垃圾及物料回收 房等	1,730.290
2.2(#)	Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc. 所佔面積不受任何《作業備考》或規例限制的強制性設施或必要機房，例如僅由消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等	1,182.540
2.3	Non-mandatory or non-essential plant room such as air-conditioning plant room, air handling unit (AHU) room, etc. 非強制性或非必要機房，例如空調機房、送風櫃房等	9.832
Green Features under Joint Practice Notes 1 and 2 根據聯合作業備考第1及第2號提供的環保設施		
3	Balcony 露台	877.824
4	Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂	Not Applicable 不適用
5	Communal sky garden 公用空中花園	Not Applicable 不適用
6	Acoustic fin 隔聲鰭	74.951
7	Wing wall, wind catcher and funnel 翼牆、捕風器及風斗	Not Applicable 不適用
8	Non-structural prefabricated external wall 非結構預製外牆	434.421
9	Utility platform 工作平台	320.250
10	Noise barrier 隔音屏障	Not Applicable 不適用

		Area (m^2) 面積 (平方米)
Amenity Features 適意設施		
11	Caretaker's quarters, counter, office, store, guard room and lavatory for watchman and management staff and owners' corporation office 管理員宿舍、供保安人員和管理處員工使用的櫃位、辦事處、貯物室、警衛室和廁所，以及業主立案法團辦事處	28.858
12	Residential recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway, etc. serving solely the recreational facilities 住戶康樂設施，包括僅供康樂設施使用的中空空間、機房、游泳池的濾水機房、有蓋人行道等	2,095.551
13	Covered landscaped and play area 有蓋園景區及遊樂場地	847.145
14	Horizontal screens/covered walkways and trellis 橫向屏障／有蓋人行道及花棚	Not Applicable 不適用
15	Larger lift shaft 擴大升降機槽	1,638.731
16	Chimney shaft 煙囪管道	Not Applicable 不適用
17	Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room 其他非強制性或非必要機房，例如鍋爐房、衞星電視共用天線房	Not Applicable 不適用
18(#)	Pipe duct, air duct for mandatory feature or essential plant room 強制性設施或必要機房所需的管槽及氣槽	524.529
19	Pipe duct, air duct for non-mandatory or non-essential plant room 非強制性設施或非必要機房所需的管槽及氣槽	Not Applicable 不適用
20	Plant room, pipe duct, air duct for environmentally friendly system and feature 環保系統及設施所需的機房、管槽及氣槽	65.260
21	Void in duplex domestic flat and house 複式住宅單位及洋房的中空空間	20.327
22	Sunshade and reflector 遮陽篷及反光罩	Not Applicable 不適用
23(#)	Minor projection such as A/C box, A/C platform, window cill and projecting window 小型伸出物，例如空調機箱、空調機平台、窗檻及伸出的窗台	Not Applicable 不適用
24	Other projection such as A/C box and platform not covered in paragraph 3(b) and (c) of PNAP APP-19 《作業備考》APP-19 第3(b)及(c)段沒有涵蓋的其他伸出物，如空調機箱及空調機平台	Not Applicable 不適用

Other Exempted Items 其他項目		
25(#)	Refuge floor including refuge floor cum sky garden 庇護層，包括庇護層兼空中花園	Not Applicable 不適用
26	Covered area under large projecting/ overhanging feature 大型伸出／外懸設施下的有蓋地方	Not Applicable 不適用
27	Public transport terminus 公共交通總站	Not Applicable 不適用
28(#)	Party structure and common staircase 共用構築物及公用樓梯	Not Applicable 不適用
29(#)	Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA 僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積	1,783.330
30	Public passage 公眾通道	Not Applicable 不適用
31	Covered set back area 有蓋的後移部分	Not Applicable 不適用
Bonus GFA 額外總樓面面積		
32	Bonus GFA 額外總樓面面積	Not Applicable 不適用
Additional Green Features under Joint Practice Note (No. 8) 根據聯合作業備考 (第 8 號)提供的額外環保設施		
33	Buildings adopting Modular Integrated Construction 採用「組裝合成」建築法的樓宇	Not Applicable 不適用

Note 附註:

The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程 師作業備考》ADM-2 規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

The Environmental Assessment of the Building
有關建築物的環境評估

Estimated Energy Performance or Consumption for the Common Parts of the Development
發展項目的公用部分的預計能量表現或消耗

Latest information on the estimated energy performance or consumption for the common parts of the Development as submitted to the Building Authority prior to the printing of the sales brochures:
於印製售樓說明書前呈交予建築事務監督發展項目的公用部份的預計能量表現或消耗的最近期資料：

Part I **第 I 部分**	
Provision of Central Air Conditioning 提供中央空調	Yes 是
Provision of Energy Efficient Features 提供具能源效益的設施	Yes 是
Energy Efficient Features proposed 擬安裝的具能源效益的設施	Insulated glazing unit with low-e coating 隔熱玻璃配以低輻射鍍膜

Part II: The predicted annual energy use of the proposed building / part of building (Note 1) **第 II 部 分：擬興建樓宇/部分樓宇預計每年能源消耗量**(註腳1)					
Location 位置	Internal Floor Area Served (m^2) 使用有關裝置的內部樓面面積(平方米)	Annual Energy Use of Baseline Building (Note 2) 基線樓宇 (註腳2) 每年能源消耗量		Annual Energy Use of Proposed Building 擬興建樓宇 每年能源消耗量	
		Electricity kWh/m^2/annum 電力 千瓦小時/平方米/年	Town Gas/LPG unit/m^2/annum 煤氣/石油氣 用量單位/平方米/年	Electricity kWh/m^2/annum 電力 千瓦小時/平方米/年	Town Gas/LPG unit/m^2/annum 煤氣/石油氣 用量單位/平方米/年
Area served by central building services installation (Note 3) 有使用中央屋宇裝備裝置(註腳3)的部份	16,440	79.47	N/A 不適用	79.47	N/A 不適用

Part III: The following installation(s) are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) **第 III 部分：以下裝置乃按機電工程署公布的相關實務守則設計**	
Type of Installations 裝置類型	
Lighting Installations 照明裝置	Yes 是
Air Conditioning Installations 空調裝置	Yes 是
Electrical Installations 電力裝置	Yes 是
Lift & Escalator Installations 升降機及自動梯的裝置	Yes 是
Performance-based Approach 以總能源為本的方法	N/A 不適用

Notes:

1. In general, the lower the estimated "Annual Energy Use" of the building, the more efficient of the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

   The predicted annual energy use, in terms of electricity consumption (kWh/m^2/annum) and town gas/LPG consumption (unit/m^2/annum), of the Development by the internal floor area served, where:

   (a) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Buildings (current version); and

   (b) "internal floor area", in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.

2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version).

3. "Central Building Services Installation" has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installations in Buildings (2015 edition).

註腳:

1. 一般而言，一棟樓宇的預計"每年能源消耗量"愈低，其節約能源的效益愈高。如一棟樓宇預計的"每年能源消耗量"低於該樓宇的"基線樓宇每年能源消耗量"，則代表預計該樓宇的能源應用較其基線樓宇有效，削減幅度愈大則代表有關樓宇能源節約的效益愈高。

   預計每年能源消耗量[以耗電量(千瓦小時/平方米/年)及煤氣/石油氣消耗量(用量單位/平方米/年)計算]，指將發展項目的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商，其中：－

   (a) "每年能源消耗量"與新建樓宇 BEAM Plus 標準(現行版本)第4節及附錄8中的「年能源消耗」具有相同涵義；及

   (b) 樓宇、空間或單位的"內部樓面面積"，指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。

2. "基準樓宇"與新建樓宇 BEAM Plus 標準(現行版本)第4節及附錄8中的"基準建築物模式(零分標準)"具有相同涵義。

3. "中央屋宇裝備裝置"與樓宇的屋宇裝備裝置能源效益實務守則(2015年版)中的涵義相同。

This page is left blank intentionally.
此頁保留空白。

POSSIBLE FUTURE CHANGES 日後可能出現的改變

There may be future changes to the Development and the surrounding areas.

發展項目及其周邊地區日後可能出現改變。

DATE OF PRINTING 印製日期

26th August 2019

2019年8月26日

Examination/Revision Date 檢視/修改日期	Page Number 頁數	Revision Made 所有修改
26th November 2019 2019年11月26日	9, 11, 13	"INFORMATION ON DESIGN OF THE DEVELOPMENT" is updated 更新「發展項目的設計的資料」
	23-24, 26, 28, 30-40, 42, 44, 46, 48, 50-56, 58, 60, 62, 64, 66-70, 72, 74, 76, 78-82, 84, 86, 88-94, 96, 98-100, 102, 104-106	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	109, 111, 113, 115, 117-119	"AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目中的住宅物業的面積」
	152-153, 159, 164	"ELEVATION PLAN" is updated 更新「立面圖」
	167-182, 184, 186-192, 209-280	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
26th February 2020 2020年2月26日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	127-133	"SUMMARY OF DEED OF MUTUAL COVENANT" is updated 更新「公契的摘要」
	152-164	"ELEVATION PLAN" is updated 更新「立面圖」
	165	"INFORMATION ON COMMON FACILITIES IN THE DEVELOPMENT" is updated 更新「發展項目中的公用設施的資料」
	168, 169, 177, 178, 204	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
	287	"INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING" is updated 更新「申請建築物總樓面面積寬免的資料」
26th May 2020 2020年5月26日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	21	"LAYOUT PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的布局圖」
	24, 42	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	120, 122-124	"FLOOR PLANS OF PARKING SPACES IN THE DEVELOPMENT" is updated 更新「發展項目中的停車位的樓面平面圖」
	144-151	"CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT" is updated 更新「發展項目中的建築物的橫截面圖」
	152-164	"ELEVATION PLAN" is updated 更新「立面圖」
	168-169, 177-178, 184, 186-187, 211-212, 214, 227-228, 239-240, 250-251, 261-262, 272	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
	283	"MAINTENANCE OF SLOPES" is updated 更新「斜坡維修」

Examination/Revision Date 檢視/修改日期	Page Number 頁數	Revision Made 所有修改
6th July 2020 2020年7月6日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	21	"LAYOUT PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的布局圖」
	203	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
25th September 2020 2020年9月25日	11	"INFORMATION ON DESIGN OF THE DEVELOPMENT" is updated 更新「發展項目的設計的資料」
	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	21	"LAYOUT PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的布局圖」
	24, 26, 28, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	113	"AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目中的住宅物業的面積」
	152-163	"ELEVATION PLAN" is updated 更新「立面圖」
	191, 193, 195, 197, 199, 201, 209-210, 222, 225, 238, 246, 249, 257, 260, 262, 268, 271-272, 278	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
29th October 2020 2020年10月29日	5	"INFORMATION ON THE DEVELOPMENT" is updated 更新「發展項目的資料」
	17	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
	21	"LAYOUT PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的布局圖」
29th January 2021 2021年1月29日	5	"INFORMATION ON THE DEVELOPMENT" is updated 更新「發展項目的資料」
	9	"INFORMATION ON DESIGN OF THE DEVELOPMENT" is updated 更新「發展項目的設計的資料」
	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	17	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
	19	"OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT" is updated 更新「關乎發展項目的分區計劃大綱圖」
	21	"LAYOUT PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的布局圖」
	24, 26, 28, 30, 38, 40, 42, 44, 46, 52, 56, 58, 60, 64, 68, 70, 72, 80, 82, 84, 86, 92, 94, 96, 98, 102, 106	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	115	"AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目中的住宅物業的面積」

Examination/Revision Date 檢視/修改日期	Page Number 頁數	Revision Made 所有修改
29th January 2021 2021年1月29日	120, 122, 124	"FLOOR PLANS OF PARKING SPACES IN THE DEVELOPMENT" is updated 更新「發展項目中的停車位的樓面平面圖」
	152-164	"ELEVATION PLAN" is updated 更新「立面圖」
	171, 180, 184, 186-190, 209-242, 245-249, 251-253, 256-264, 267-278	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
	283	"MAINTENANCE OF SLOPES" is updated 更新「斜坡維修」
29th April 2021 2021年4月29日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	17	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
	36, 78, 102, 104, 106	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	127 - 129, 131 - 132	"SUMMARY OF DEED OF MUTUAL COVENANT" is updated 更新「公契的摘要」
13th October 2022 2022年10月13日	1-4	"NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES" is updated 更新「一手住宅物業買家須知」
	5	"INFORMATION ON THE DEVELOPMENT" is updated 更新「發展項目的資料」
	6	"INFORMATION ON VENDOR AND OTHERS INVOLVED IN THE DEVELOPMENT" is updated 更新「賣方及有參與發展項目的其他人的資料」
	9	"INFORMATION ON DESIGN OF THE DEVELOPMENT" is updated 更新「發展項目的設計的資料」
	15	"INFORMATION ON PROPERTY MANAGEMENT" is updated 更新「物業管理的資料」
	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	17 &17a, 17b (加頁 additional pages)	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
	18-20	"OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT" is updated 更新「關乎發展項目的分區計劃大綱圖」
	26, 44, 68, 78, 104	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	167, 168, 172, 176, 177, 180, 212, 228, 233, 240, 251, 262, 272	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
	291	"INFORMATION REQUIRED BY THE DIRECTOR OF LANDS TO BE SET OUT IN THE SALES BROCHURE AS A CONDITION FOR GIVING THE PRE-SALE CONSENT" is deleted 刪除「地政總署署長作為給予預售樓花同意書的條件而規定列於售樓說明書的資料」

Examination/Revision Date 檢視/修改日期	Page Number 頁數	Revision Made 所有修改
2nd August 2023 2023年8月2日	2, 4	"NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES" is updated 更新「一手住宅物業買家須知」
	6	"INFORMATION ON VENDOR AND OTHERS INVOLVED IN THE DEVELOPMENT" is updated 更新「賣方及有參與發展項目的其他人的資料」
	15	"INFORMATION ON PROPERTY MANAGEMENT" is updated 更新「物業管理的資料」
	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	17, 17a	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
	17b	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is deleted 刪除「發展項目的鳥瞰照片」
	19, 20	"OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT" is updated 更新「關乎發展項目的分區計劃大綱圖」
	96, 98	"FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT" is updated 更新「發展項目的住宅物業的樓面平面圖」
	166	"INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT" is updated 更新「閱覽圖則及公契」
	188-189	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」
	282	"MAINTENANCE OF SLOPES" is updated 更新「斜坡維修」
	286	"WEBSITE OF THE DEVELOPMENT" is updated 更新「發展項目的互聯網網站」
2nd November 2023 2023年11月2日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	17, 17a	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
	19	"OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT" is updated 更新「關乎發展項目的分區計劃大綱圖」
	287 -288	"INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING" is updated 更新「申請建築物總樓面面積寬免的資料」
2nd February 2024 2024年2月2日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
2nd May 2024 2024年5月2日	17, 17a, 17b	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
2nd August 2024 2024年8月2日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	20	"OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT" is updated 更新「關乎發展項目的分區計劃大綱圖」

Examination/Revision Date 檢視/修改日期	Page Number 頁數	Revision Made 所有修改
1st November 2024 2024年11月1日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	17	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
	17a	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is deleted 刪除「發展項目的鳥瞰照片」
28th January 2025 2025年1月28日	17, 17a, 17b, 17c	"AERIAL PHOTOGRAPH OF THE DEVELOPMENT" is updated 更新「發展項目的鳥瞰照片」
28th April 2025 2025年4月28日	16	"LOCATION PLAN OF THE DEVELOPMENT" is updated 更新「發展項目的所在位置圖」
	167-168, 174, 176-177, 182, 192, 198, 209-211, 214-215, 249-250, 252-253	"FITTINGS, FINISHES AND APPLIANCES" is updated 更新「裝置、裝修物料及設備」