

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Legend of Terms and Abbreviations on Floor Plans: 樓面平面圖中的名稱及簡稱：


1. There are architectural features, metal grilles and/or exposed pipes on the external walls of some of the floors. For details, please refer to the latest approved building plans and/or approved drainage plans and/or other relevant plans.	ACOUSTIC DOOR (BAFFLE TYPE) ACOUSTIC WINDOW (BAFFLE TYPE) A.C. PLATFORM = AIR-CONDITIONER PLATFORM A.C. HOOD = AIR-CONDITIONER HOOD A.D. = AIR DUCT A.F. BAL. = BALCONY BATH = BATHROOM BATH 1 = BATHROOM 1 BATH 2 = BATHROOM 2 BATH 3 = BATHROOM 3 BR 1 = BEDROOM 1 BR 2 = BEDROOM 2 BR 3 = BEDROOM 3 C.D. = CABLE DUCT C.L. = CAT LADDER COMMON FLAT ROOF DOG HOUSE FOR PIPE VENT DN = DOWN E.A.D. = EXHAUST AIR DUCT ELV. = EXTRA LOW VOLTAGE ROOM E.M.R. = ELECTRIC METER ROOM FLAT ROOF F.H. = FIRE HYDRANT FULL HEIGHT GLASS SCREEN H.R. = HOSE REEL KIT = KITCHEN LAV = LAVATORY LIFT LIFT LOBBY LIFT OVERRUN LIV/DIN = LIVING ROOM / DINING ROOM MBR = MASTER BEDROOM M BATH = MASTER BATHROOM METAL PLATFORM O. KIT. = OPEN KITCHEN OPEN PIPE WELL OPEN PIPE WELL CORRIDOR P.D. = PIPE DUCT POTABLE WATER TANK AND PUMP ROOM POTABLE WATER TANK A POTABLE WATER TANK B PRIVATE FLAT ROOF REFUGE ROOF R.S.M.R.R. = REFUSE STORAGE AND MATERIAL RECOVERY ROOM STO. = STOREROOM TOP SLAB OF BAL., U.P. AND A.C. PLATFORM. = TOP SLAB OF BALCONY, UTILITY PLATFORM AND AIR-CONDITIONER PLATFORM TOWER 1A TOWER 1B TOWER 1C TOWER 2A TRS = TEMPORARY REFUGE SPACE UP U.P. = UTILITY PLATFORM UTI = UTILITY ROOM W.M.C. = WATER METER CABINET	擋音式減音門 擋音式減音窗 空調機平台 空調機遮簷 氣槽 建築裝飾 露台 浴室 浴室 1 浴室 2 浴室 3 睡房 1 睡房 2 睡房 3 電纜槽 豎梯 公共平台 通風管道 落 排氣槽 低電壓房 電錶房 平台 消防龍頭 全高玻璃屏幕 消防喉轆 廚房 洗手間 升降機 升降機大堂 升降機槽頂部 客/飯廳 主人睡房 主人浴室 金屬平台 開放式廚房 管井 光井走廊 管道槽 食水缸及泵房 食水缸 A 食水缸 B 私人平台 避難天台 垃圾及物料回收室 儲物房 露台、工作平台及 空調機平台上蓋 第1A座 第1B座 第1C座 第2A座 臨時庇護處 上 工作平台 工作間 水錶櫃
2. Common pipes exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or utility platform and/or flat roof and/or roof and/or air-conditioner platform and/or external wall of some residential properties. For details, please refer to the latest approved building plans and/ or approved drainage plans and/or other relevant plans.		
3. There are sunken slabs for drainage system and/or false ceiling/bulkheads for the air-conditioning fittings and/or mechanical and electrical services and/or drainage at some residential properties.		
4. There are exposed pipes installed in some bathrooms and lavatories.		
5. There are pipes enclosed by the fittings and finishes in some residential properties. For details, please refer to the latest approved drainage plans and/or other relevant plans.		
6. There are non-structural prefabricated external walls in some residential properties. The Saleable Area as defined in the formal Agreement for Sale and Purchase of a residential property has included the non-structural prefabricated external walls and is measured from the exterior of such non-structural prefabricated external walls.		
7. The ceiling height of some residential properties may vary due to structural, architectural and/or decoration design variations.		
8. Symbols of fittings and fitments such as bath tub, sink, water closet, shower, sink counter, etc. in the floor plans are prepared based on the latest approved building plans, do not reflect the exact dimensions and are for general indication only.		
1. 部分樓層外牆範圍設有建築裝飾、金屬格柵及/或外露喉管，詳細資料請參考最新經批准的建築圖則及/或經批准的排水設施圖則及/或其他相關圖則。		
2. 部分住宅物業的露台及/或工作平台及/或平台及/或天台及/或空調機平台及/或外牆上/附近設有外露及/或外牆覆蓋板內藏之公用喉管，詳細資料請參考最新經批准的建築圖則及/或經批准的排水設施圖則及/或其他相關圖則。		
3. 部分住宅物業有用以安裝排水系統的跌級樓板及/或用以裝置空調裝備及/或其他機電設備及/或排水設施的假天花/裝飾橫樑。		
4. 部分浴室及洗手間內裝有外露喉管。		
5. 部分住宅物業於裝置及裝修物料內設有喉管。詳細資料請參考經批准的排水設施圖則及/或其他相關圖則。		
6. 部分住宅物業有非結構預製外牆。正式買賣合約之實用面積之計算包括非結構預製外牆，並由非結構預製外牆之外圍起計。		
7. 部分住宅物業之天花高度將可能會因應結構、建築設計及/或裝修設計上的需要有所差異。		
8. 樓面平面圖上所顯示的裝置符號，如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃按最新的經批准的建築圖則繪製，並不代表真實尺寸及只作一般示意用途。		

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

TOWER 1A 第1A座 2/F 二樓

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	2/F 二樓	A	2600	3.300*, 3.350*, 3.400*, 3.450*, 3.625^, 3.700*
		B	2600	3.300*, 3.350*, 3.400*, 3.450*, 3.625^, 3.700*
		C	2600	3.350*, 3.450*, 3.625^, 3.700*
		D	2600	3.350*, 3.400*, 3.450*, 3.700*
		E	2600	3.350*, 3.400*, 3.450*, 3.700*
		F	2600	3.350*, 3.450*, 3.700*
		G	2600	3.350*, 3.450*, 3.625^, 3.700*
		H	2600	3.350*, 3.450*, 3.625^, 3.700*
		J	2600	3.350*, 3.450*, 3.625^, 3.700*

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- * Inclusive of the depth of mass concrete fill on the floor of this floor (550 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (550 毫米)
- ^ Inclusive of the depth of mass concrete fill on the floor of this floor (475 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (475 毫米)

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座 Unit A and Unit B on 2/F (As-is Floor Plan) 二樓A單位及B單位(現狀樓面平面圖)

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。
- (3) This plan is for showing the as-is layout of Unit A and Unit B on 2/F of Tower 1A. For the floor plans of the other units on 2/F of Tower 1A, please refer to page 23 of this sales brochure.
此圖旨在顯示第1A座二樓A單位及B單位的現狀布局。有關第1A座二樓其他單位的樓面平面圖請參閱本售樓說明書第23頁。

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Unit A and Unit B on 2/F of Tower 1A has been altered by way of exempted works or minor works under the Buildings Ordinance after completion of the Development. The approximate location of the alterations is indicated on the as-is floor plan and the details of the alterations are set out below (the below numbering refers to the marked alteration on the plan):

- a. Installation of new door.

第1A座第二樓A單位及B單位在發展項目落成後經獲《建築物條例》豁免工程或小型工程改動。該等改動的大約位置於現狀樓面平面圖中標出。該等改動詳情列出如下(下文編號對應圖中改動編號)：


- a. 安裝新門。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座
3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F
三樓、五樓至十二樓、十五樓至二十三樓、二十五樓至三十三樓

Tower 1B
第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 32/F 三樓、 五樓至十二樓、 十五至二十三樓、 二十五至三十二樓	A	150, 175	3.150
		B	150, 175	3.150
		C	150	3.150
		D	150	3.150
		E	150	3.150
		F	150	3.150
		G	150	3.150
		H	150	3.150
		J	150	3.150
	33/F 三十三樓	A	150, 175	3.100, 3.150, 3.200, 3.365, 3.500, 3.750, 3.850
		B	150, 175	3.100, 3.150, 3.365, 3.400, 3.500, 3.750, 3.850, 3.900
		C	150	3.100, 3.150, 3.225, 3.450, 3.500, 3.575, 3.750, 3.850
		D	150	3.500
		E	150	3.150
		F	150	3.150
		G	150	3.150
		H	150	3.500
		J	150	3.150, 3.250, 3.500, 3.575, 3.750, 3.850


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座 Unit A and Unit B on 17/F (As-is Floor Plan) 十七樓A單位及B單位(現狀樓面平面圖)

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。
- (3) This plan is for showing the as-is layout of Unit A and Unit B on 17/F of Tower 1A. For the floor plans of the other units on 17/F of Tower 1A, please refer to page 27 of this sales brochure.
此圖旨在顯示第1A座十七樓A單位及B單位的現狀布局。有關第1A座十七樓其他單位的樓面平面圖請參閱本售樓說明書第27頁。

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Unit A and Unit B on 17/F of Tower 1A has been altered by way of exempted works or minor works under the Buildings Ordinance after completion of the Development. The approximate location of the alterations is indicated on the as-is floor plan and the details of the alterations are set out below (the below numbering refers to the marked alteration on the plan):

- a. Removal of a part of non-load bearing wall and erection of new glass partition.
- b. Installation of new door.

第1A座十七樓A單位及B單位在發展項目落成後經獲《建築物條例》豁免工程或小型工程改動。該等改動的大約位置於現狀樓面 平面圖中標出。該等改動詳情列出如下(下文編號對應圖中改動編號)：

- a. 移除部份非承重牆及豎立新玻璃間隔。
- b. 安裝新門。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


期數的住宅物業的樓面平面圖

Tower 1A 第1A座

Unit A and Unit B on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F (As-is Floor Plan)

三樓、五樓至十二樓、十五樓至十六樓、十八樓至二十三樓、二十五樓至三十三樓A單位和B單位(現狀樓面平面圖)

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。
- (3) This plan is for showing the as-is layout of Unit A and Unit B on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F of Tower 1A.
For the floor plans of the other units on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F of Tower 1A, please refer to page 29 of this sales brochure.
此圖旨在顯示第1A座三樓、五樓至十二樓、十五樓至十六樓、十八樓至二十三樓、二十五樓至三十三樓A單位和B單位的現狀布局。
有關第1A座三樓、五樓至十二樓、十五樓至十六樓、十八樓至二十三樓、二十五樓至三十三樓其他單位的樓面平面圖請參閱本售樓說明書第29頁。

Scale 比例
Metre 米 0 1 5

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Unit A and Unit B on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F of Tower 1A has been altered by way of exempted works or minor works under the Buildings Ordinance after completion of the Development. The approximate location of the alterations is indicated on the as-is floor plan and the details of the alterations are set out below (the below numbering refers to the marked alteration on the plan):

a. Installation of new door.

第1A座三樓，五樓至十二樓，十五樓至十六樓，十八樓至二十三樓，二十五樓至三十三樓A單位及B單位在發展項目落成後經獲《建築物條例》豁免工程或小型工程改動。該等改動的大約位置於現狀樓面平面圖中標出。該等改動詳情列出如下(下文編號對應圖中改動編號)：


a. 安裝新門。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座 35/F 三十五樓

Tower 1B 第1B座



Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖


The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	35/F 三十五樓	A	150, 175	3.300, 3.550, 3.600, 3.650, 3.700
		D	150	3.300, 3.550, 3.600, 3.650
		E	150	3.650, 3.900, 3.950, 4.000
		F	150	3.650, 3.900, 4.000
		G	150	3.650, 3.900, 4.000
		H	150	3.300, 3.550, 3.650

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11

Tower 1A 第1A座
Roof 天台



(1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。

(3) The description of "Private Flat Roof" as shown on the floor plan corresponds to the description in the latest approved building plans of the Phase but such Private Flat Roof is for actual use as Roof. In this connection, such Private Flat Roof has been treated as part of the "Roof" specified in Part 1 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance (Cap.621) of Unit A on 35/F of Tower 1A.

樓面平面圖上顯示為「私人平台」之描述，與發展期數批准的最新建築圖則上所描述的一致，惟有關私人平台實際用途為天台。因此，有關私人平台已根據《一手住宅物業銷售條例》(第621章)附表2第1部份，計入第1A座35樓A單位所指明的「天台」。

Metre 米

Scale 比例



0 1 5

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	Roof 天台	A	Not Applicable 不適用	Not Applicable 不適用


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

TOWER 1B 第1B座 2/F 二樓

Tower 1C 第1C座



Tower 1A 第1A座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1B 第1B座	2/F 二樓	A	2600	3.350*, 3.450*, 3.700*
		B	2600	3.350*, 3.450*, 3.700*
		C	2600	3.300*, 3.350*, 3.450*, 3.700*
		D	2600	3.350*, 3.450*, 3.625^, 3.700*
		E	2600	3.350*, 3.450*, 3.700*
		F	2600	3.350*, 3.450*, 3.700*

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- * Inclusive of the depth of mass concrete fill on the floor of this floor (550 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (550 毫米)
- ^ Inclusive of the depth of mass concrete fill on the floor of this floor (475 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (475 毫米)

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1B 第1B座
3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F
三樓、五樓至十二樓、十五樓至二十三樓、二十五樓至三十三樓

Tower 1C 第1C座



Tower 1A 第1A座

Scale 比例
 Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：


Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1B 第1B座	3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F 三樓、 五樓至十二樓、 十五至二十三樓、 二十五至三十三樓	A	150	3.150
		B	150	3.150
		C	150	3.150
		D	150	3.150
		E	150	3.150
		F	150	3.150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

Tower 1B 第1B座
35/F 三十五樓

Tower 1C 第1C座



Tower 1A 第1A座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：


Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1B 第1B座	35/F 三十五樓	A	150	3.650, 3.900, 4.000
		B	150	3.650, 3.900, 4.000
		C	150	3.650, 3.900, 4.000, 4.050
		D	150	3.650, 3.900, 4.000
		E	150	3.650, 3.900, 4.000
		F	150	3.650, 3.900, 4.000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1C 第1C座 2/F 二樓



Tower 1B 第1B座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1C 第1C座	2/F 二樓	A	2600	3.350*, 3.700*
		B	2600	3.350*, 3.400*, 3.450*, 3.700*
		C	2600	3.350*, 3.450*, 3.625^, 3.700*
		D	2600	3.350*, 3.450*, 3.625^, 3.700*
		E	2600	3.350*, 3.450*, 3.625^, 3.700*
		F	2600	3.350*, 3.450*, 3.700*
		G	2600	3.350*, 3.450*, 3.700*

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- * Inclusive of the depth of mass concrete fill on the floor of this floor (550 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (550 毫米)
- ^ Inclusive of the depth of mass concrete fill on the floor of this floor (475 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (475 毫米)

11

期數的住宅物業的樓面平面圖

Tower 1C 第1C座

3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F

三樓、五樓至十二樓、十五樓至二十三樓、二十五樓至三十三樓

PART PLAN OF 21/F
二十一樓部分平面圖

Tower 1B
第1B座

Metre 米

Scale 比例

0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：


Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1C 第1C座	3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F 三樓、 五樓至十二樓、 十五至二十三樓、 二十五至三十三樓	A	150	3.150
		B	150	3.150
		C	150	3.150
		D	150	3.150
		E	150	3.150
		F	150	3.150
		G	150	3.150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1C 第1C座
35/F 三十五樓



Tower 1B
第1B座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1C 第1C座	35/F 三十五樓	A	150	3.650, 4.000
		B	150	3.650, 3.900, 3.950, 4.000
		C	150	3.650, 3.900, 4.000
		D	150	3.650, 3.900, 4.000
		E	150	3.650, 3.900, 4.000
		F	150	3.650, 3.900, 4.000
		G	150	3.650, 3.900, 4.000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。