


19

CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖

CROSS-SECTION PLAN A-A
橫截面圖A-A

Key Plan
索引圖



The part of Emergency Vehicular Access / Driveway adjacent to the building is 39.64 metres above the Hong Kong Principal Datum.



毗鄰建築物的一段緊急車輛通道 / 行車道為香港主水平基準以上39.64米。

The part of Emergency Vehicular Access / Footpath adjacent to the building is 44.97 metres above the Hong Kong Principal Datum.

毗鄰建築物的一段緊急車輛通道 / 人行道為香港主水平基準以上44.97米。

CROSS-SECTION PLAN B-B
橫截面圖B-B

Key Plan
索引圖





LEGEND 圖例

- · — · Dotted line denotes the level of the lowest residential floor of the building
虛線為該建築物最低住宅樓層水平
- Height in metres above the Hong Kong Principal Datum (m. P. D.)
香港主水平基準以上高度(米)
- - - Boundary of the Phase in Cross-section Plan
橫截面圖內期數的界線
- - - - - Red line denotes the boundary of the Phase in Key Plan
紅線為索引圖內期數的界線

The part of Emergency Vehicular Access / Footpath adjacent to the building is 39.90 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 行人道為香港主水平基準以上39.90米。

The part of Emergency Vehicular Access / Driveway adjacent to the building is 41.35 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 行車道為香港主水平基準以上41.35米。

The part of Footpath adjacent to the building is 41.40 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段行人道為香港主水平基準以上41.40米。

CROSS-SECTION PLAN C-C
橫截面圖C-CKey Plan
索引圖

LEGEND 圖例

- Dotted line denotes the level of the lowest residential floor of the building
虛線為該建築物最低住宅樓層水平
- ▽ Height in metres above the Hong Kong Principal Datum (m. P. D.)
香港主水平基準以上高度(米)
- Boundary of the Phase in Cross-section Plan
橫截面圖內期數的界線
- Red line denotes the boundary of the Phase in Key Plan
紅線為索引圖內期數的界線



The part of Emergency Vehicular Access / Footpath adjacent to the building is 40.92 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 人行道為香港主水平基準以上40.92米。

The part of Emergency Vehicular Access / Driveway adjacent to the building is 42.46 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 行車道為香港主水平基準以上42.46米。

The part of Footpath adjacent to the building is 42.75 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段人行道為香港主水平基準以上42.75米。

CROSS-SECTION PLAN D-D
橫截面圖D-D

Key Plan
索引圖



LEGEND 圖例



- Dotted line denotes the level of the lowest residential floor of the building
虛線為該建築物最低住宅樓層水平
- ▽ Height in metres above the Hong Kong Principal Datum (m. P. D.)
香港主水平基準以上高度(米)
- Boundary of the Phase in Cross-section Plan
橫截面圖內期數的界線
- Red line denotes the boundary of the Phase in Key Plan
紅線為索引圖內期數的界線

The part of Emergency Vehicular Access / Footpath adjacent to the building is 42.35 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 人行道為香港主水平基準以上42.35米。

The part of Emergency Vehicular Access / Driveway adjacent to the building is 44.26 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 行車道為香港主水平基準以上44.26米。

The part of Footpath adjacent to the building is 44.50 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段人行道為香港主水平基準以上44.50米。

The part of Footpath adjacent to the building is 44.50 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段人行道為香港主水平基準以上44.50米。

CROSS-SECTION PLAN E-E
橫截面圖E-EKey Plan
索引圖

LEGEND 圖例

- - - Dotted line denotes the level of the lowest residential floor of the building
虛線為該建築物最低住宅樓層水平
- ▽ Height in metres above the Hong Kong Principal Datum (m. P. D.)
香港主水平基準以上高度(米)
- - - Boundary of the Phase in Cross-section Plan
橫截面圖內期數的界線
- - - - - Red line denotes the boundary of the Phase in Key Plan
紅線為索引圖內期數的界線

The part of Emergency Vehicular Access / Footpath adjacent to the building is 43.15 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 人行道為香港主水平基準以上43.15米。

The part of Emergency Vehicular Access / Driveway adjacent to the building is 45.48 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段緊急車輛通道 / 行車道為香港主水平基準以上45.48米。

The part of Footpath adjacent to the building is 45.7 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段人行道為香港主水平基準以上45.7米。