Elize PARK

SALES BROCHURE 售樓說明書



一手住宅物業買家須知

You are advised to take the following steps before purchasing first-hand residential properties.

#### For all first-hand residential properties

#### 1. Important information

- Make reference to the materials available on the Sales of First-hand Residential Properties Electronic Platform (SRPE) (www.srpe.gov. hk) on the first-hand residential property market.
- Study the information on the website designated by the vendor for the development, including the sales brochure, price lists, documents containing the sales arrangements, and the register of transactions of a development.
- Sales brochure for a development will be made available to the general public at least 7 days immediately before a date of sale while price list and sales arrangements will be made available at least 3 days immediately before the date of sale.
- Information on transactions can be found on the register of transactions on the website designated by the vendor for the development and the SRPE.

#### 2. Fees, mortgage loan and property price

- Calculate the total expenses of the purchase, such as solicitors' fees, mortgage charges, insurance fees and stamp duties.
- Check with banks to find out if you will be able to obtain the needed mortgage loan, select the appropriate payment method and calculate the amount of the mortgage loan to ensure it is within your repayment ability.
- Check recent transaction prices of comparable properties for comparison.
- Check with the vendor or the estate agent the estimated management fee, the amount of management fee payable in advance (if any), special fund payable (if any), the amount of reimbursement of the deposits for water, electricity and gas (if any), and/or the amount of debris removal fee (if any) you have to pay to the vendor or the manager of the development.

#### 3. Price list, payment terms and other financial incentives

- Vendors may not offer to sell all the residential properties that are covered in a price list. To know which residential properties the vendors may offer to sell, pay attention to the sales arrangements which will be announced by the vendors at least 3 days before the relevant residential properties are offered to be sold.
- Pay attention to the terms of payment as set out in a price list. If there are discounts on the price, gift, or any financial advantage or benefit to be made available in connection with the purchase of the residential properties, such information will also be set out in the price list.
- If you intend to opt for any mortgage loan plans offered by financial institutions specified by the vendor, before entering into a preliminary agreement for sale and purchase (PASP), you must study the details of various mortgage loan plans<sup>1</sup> as set out in the price list concerned. If you have any questions about these mortgage loan plans, you should check with the financial institutions concerned direct before entering into a PASP.

#### 4. Property area and its surroundings

- Pay attention to the area information in the sales brochure and price list, and price per square foot/metre in the price list. According to the Residential Properties (First-hand Sales) Ordinance (Cap. 621) (the Ordinance), vendors can only present the area and price per square foot and per square metre of a residential property using saleable area. Saleable area, in relation to a residential property, means the floor area of the residential property, and includes the floor area of every one of the following to the extent that it forms part of the residential property (i) a balcony; (ii) a utility platform; and (iii) a verandah. The saleable area excludes the area of the following which forms part of the residential property air-conditioning plant room; bay window; cockloft; flat roof; garden; parking space; roof; stairhood; terrace and yard.
- Floor plans of all residential properties in the development have to be shown in the sales brochure. In a sales brochure, floor plans of residential properties in the development must state the external and internal dimensions of each residential property<sup>2</sup>. The external and internal dimensions of residential properties as provided in the sales

#### 一手住宅物業買家須知

brochure exclude plaster and finishes. You are advised to note this if you want to buy furniture before handing over of the residential property.

• Visit the development site and get to know the surroundings of the property (including transportation and community facilities). Check town planning proposals and decisions which may affect the property. Take a look at the location plan, aerial photograph, outline zoning plan and cross-section plan that are provided in the sales brochure.

#### 5. Sales brochure

- Ensure that the sales brochure obtained is the latest version. According to the Ordinance, the sales brochure made available to the public should be printed or examined, or examined and revised within the previous 3 months.
- In respect of an uncompleted development, the vendor may alter the building plans (if any) whenever the vendor considers necessary. To know the latest information of an uncompleted development, keep paying attention to any revised sales brochures made available by the vendor.
- Read through the sales brochure and in particular, check the following information in the sales brochure -
- -whether there is a section on "relevant information" in the sales brochure, under which information on any matter that is known to the vendor but is not known to the general public, and is likely to materially affect the enjoyment of a residential property will be set out. Please note that information contained in a document that has been registered with the Land Registry will not be regarded as "relevant information";
- -the cross-section plan showing a cross-section of the building in relation to every street adjacent to the building, and the level of every such street in relation to a known datum and to the level of the lowest residential floor of the building. This will help you visualize the difference in height between the lowest residential floor of a building and the street level, regardless of how that lowest residential floor is named;
- -interior and exterior fittings and finishes and appliances;
- -the basis on which management fees are shared;
- -whether individual owners have obligations or need to share the expenses for managing, operating and maintaining the public open

space or public facilities inside or outside the development, and the location of the public open space or public facilities; and

-whether individual owners have responsibility to maintain slopes.

#### 6. Government land grant and deed of mutual covenant (DMC)

- Read the Government land grant and the DMC (or the draft DMC). Information such as ownership of the rooftop and external walls can be found in the DMC. The vendor will provide copies of the Government land grant and the DMC (or the draft DMC) at the place where the sale is to take place for free inspection by prospective purchasers.
- Check the Government land grant on whether individual owners are liable to pay Government rent.
- Check the DMC on whether animals can be kept in the residential property.

## 7. Information on Availability of Residential Properties for Selection at Sales Office

- Check with the vendor which residential properties are available for selection. If a "consumption table" is displayed by the vendor at the sales office, you may check from the table information on the progress of sale on a date of sale, including which residential properties are offered for sale at the beginning of that date of sale and which of them have been selected and sold during that date of sale.
- Do not believe in rumours about the sales condition of the development and enter into a PASP rashly.

#### 8. Register of Transactions

- Pay attention to the register of transactions for a development. A vendor must, within 24 hours after entering into a PASP with a purchaser, enter transaction information of the PASP in the register of transactions. The vendor must, within 1 working day after entering into an agreement for sale and purchase (ASP), enter transaction information of the ASP in the register of transactions. Check the register of transactions for the concerned development to learn more about the sales condition of the development.
- Never take the number of registrations of intent or cashier orders a vendor has received for the purpose of registration as an indicator of the sales volume of a development. The register of transactions for a development is the most reliable source of information from

#### 一手住宅物業買家須知

which members of the public can grasp the daily sales condition of the development.

#### 9. Agreement for sale and purchase

- Ensure that the PASP and ASP include the mandatory provisions as required by the Ordinance.
- Pay attention that fittings, finishes and appliances to be included in the sale and purchase of the property are inserted in the PASP and ASP.
- Pay attention to the area plan annexed to the ASP which shows the total area which the vendor is selling to you. The total area which the vendor is selling to you is normally greater than the saleable area of the property.
- Pay attention to the vendor's right to alter the building plans (if any) for an uncompleted development. The mandatory provisions to be incorporated in an ASP for uncompleted development as required by the Ordinance include a provision requiring the vendor to notify the purchaser in writing of such alteration if the same affects in any way the property within 14 days after its having been approved by the Building Authority.
- A preliminary deposit of 5% of the purchase price is payable by you to the owner (i.e. the seller) on entering into a PASP.
- If you do not execute the ASP within **5 working days** (working day means a day that is not a general holiday or a Saturday or a black rainstorm warning day or gale warning day) after entering into the PASP, the PASP is terminated, the preliminary deposit (i.e. 5% of the purchase price) is forfeited, and the owner (i.e. the seller) does not have any further claim against you for not executing the ASP.
- If you execute the ASP within 5 working days after the signing of the PASP, the owner (i.e. the seller) must execute the ASP within 8 working days after entering into the PASP.
- The deposit should be made payable to the solicitors' firm responsible for stakeholding purchasers' payments for the property.

#### 10. Expression of intent of purchasing a residential property

• Note that vendors (including their authorized representative(s)) should not seek or accept any specific or general expression of intent of purchasing any residential property before the relevant price lists for such properties are made available to the public. You therefore should not make such an offer to the vendors or their authorized representative(s).

• Note that vendors (including their authorized representative(s)) should not seek or accept any specific expression of intent of purchasing a particular residential property before the sale of the property has commenced. You therefore should not make such an offer to the vendors or their authorized representative(s).

#### 11. Appointment of estate agent

- Note that if the vendor has appointed one or more than one estate agents to act in the sale of any specified residential property in the development, the price list for the development must set out the name of all the estate agents so appointed as at the date of printing of the price list.
- You may appoint any estate agent (not necessarily from those estate agency companies appointed by the vendor) to act in the purchase of any specified residential property in the development, and may also not appoint any estate agent to act on your behalf.
- Before you appoint an estate agent to look for a property, you should --find out whether the agent will act on your behalf only. If the agent also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest;
- -find out whether any commission is payable by you to the estate agent and, if so, its amount and the time of payment; and
- -note that only licensed estate agents or salespersons may accept your appointment. If in doubt, you should request the estate agent or salesperson to produce his/her Estate Agent Card, or check the Licence List on the Estate Agents Authority website: www.eaa.org.hk.

#### 12. Appointment of solicitor

- Consider appointing your own solicitor to protect your interests. If
  the solicitor also acts for the vendor, he/she may not be able to protect
  your best interests in the event of a conflict of interest.
- Compare the charges of different solicitors.

#### For first-hand uncompleted residential properties

#### 13. Pre-sale Consent

• For uncompleted residential property under the Lands Department Consent Scheme, seek confirmation from the vendor whether the

#### 一手住宅物業買家須知

"Pre-sale Consent" has been issued by the Lands Department for the development.

#### 14. Show flats

- While the vendor is not required to make any show flat available for viewing by prospective purchasers or the general public, if the vendor wishes to make available show flats of a specified residential property, the vendor must first of all make available an unmodified show flat of that residential property and that, having made available such unmodified show flat, the vendor may then make available a modified show flat of that residential property. In this connection, the vendor is allowed to make available more than one modified show flat of that residential property.
- If you visit the show flats, you should always look at the unmodified show flats for comparison with the modified show flats. That said, the Ordinance does not restrict the discretion of the vendor in arranging the sequence of the viewing of unmodified and modified show flats.
- Sales brochure of the development should have been made available to the public when the show flat is made available for viewing. You are advised to get a copy of the sales brochure and make reference to it when viewing the show flats.
- You may take measurements in modified and unmodified show flats, and take photographs or make video recordings of unmodified show flats, subject to reasonable restriction(s) which may be set by the vendor for ensuring safety of the persons viewing the show flat.

## For first-hand uncompleted residential properties and completed residential properties pending compliance

#### 15. Estimated material date and handing over date

- Check the estimated material date<sup>3</sup> for the development in the sales brochure.
- -The estimated material date for a development in the sales brochure is not the same as the date on which a residential property is handed over to purchaser. The latter is normally later than the former. However, the handing over date may be earlier than the estimated material date set out in the sales brochure in case of earlier completion of the development.
- Handing over date

- -The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring the vendor to apply in writing for an Occupation Document/a Certificate of Compliance or the Director of Lands' Consent to Assign (as the case may be) in respect of the development within 14 days after the estimated material date as stipulated in the ASP.
- > For development subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within one month after the issue of the Certificate of Compliance or the Consent to Assign, whichever first happens; or
- > For development not subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within 6 months after the issue of the Occupation Document including Occupation Permit.
- The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring completion of the sale and purchase within 14 days after the date of the notification aforesaid. Upon completion, the vendor shall arrange handover of the property to the purchaser.
- Authorized Person (AP) may grant extension(s) of time for completion of the development beyond the estimated material date.
- -The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision that the AP of a development may grant an extension of time for completion of the development beyond the estimated material date having regard to delays caused exclusively by any one or more of the following reasons:
- > strike or lock-out of workmen;
- > riots or civil commotion;
- > force majeure or Act of God;
- > fire or other accident beyond the vendor's control;
- > war; or
- > inclement weather.
- -The AP may grant more than once such an extension of time depending on the circumstances. That means handover of the property may be delayed.
- The mandatory provisions to be incorporated in an ASP as required by the Ordinance also include a provision requiring the vendor to,

#### 一手住宅物業買家須知

within 14 days after the issue of an extension of time granted by the AP, furnish the purchaser with a copy of the relevant certificate of extension.

• Ask the vendor if there are any questions on handing over date.

#### For first-hand completed residential properties

#### 16. Vendor's information form

• Ensure that you obtain the "vendor's information form(s)" printed within the previous 3 months in relation to the residential property/ properties you intend to purchase.

#### 17. Viewing of property

- Ensure that, before you purchase a residential property, you are arranged to view the residential property that you would like to purchase or, if it is not reasonably practicable to view the property in question, a comparable property in the development, unless you agree in writing that the vendor is not required to arrange such a comparable property for viewing for you. You are advised to think carefully before signing any waiver.
- You may take measurements, take photographs or make video recordings of the property, unless the property is held under a tenancy or reasonable restriction(s) is/are needed to ensure safety of the persons viewing the property.

For complaints and enquiries relating to the sales of first-hand residential properties by the vendors which the Ordinance applies, please contact the Sales of First-hand Residential Properties Authority -

Website : www.srpa.gov.hk Telephone : 2817 3313

Email : enquiry srpa@hd.gov.hk

: 2219 2220 Fax

#### Other useful contacts:

#### **Consumer Council**

Website : www.consumer.org.hk

2929 2222 Telephone:

Email cc@consumer.org.hk

Fax 2856 3611

#### **Estate Agents Authority**

Website : www.eaa.org.hk Telephone: 2111 2777

Email enquiry@eaa.org.hk

2598 9596 Fax

#### **Real Estate Developers Association of Hong Kong**

Telephone : 2826 0111 Fax : 2845 2521

Sales of First-hand Residential Properties Authority March 2023

<sup>&</sup>lt;sup>1</sup> The details of various mortgage loan plans include the requirements for mortgagors on minimum income level, the loan limit under the first mortgage and second mortgage, the maximum loan repayment period, the change of mortgage interest rate throughout the entire repayment period, and the payment of administrative fees.

<sup>&</sup>lt;sup>2</sup> According to section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance, each of the floor plans of the residential properties in the development in the sales brochure must state the following—
(i) the external dimensions of each residential property;

<sup>(</sup>ii) the internal dimensions of each residential property;

<sup>(</sup>iii) the thickness of the internal partitions of each residential property;

<sup>(</sup>iv) the external dimensions of individual compartments in each residential property. According to section 10(3) in Part 1 of Schedule 1 to the Ordinance, if any information required by section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance is provided in the approved building plans for the development, a floor plan must state the information as so provided.

<sup>&</sup>lt;sup>3</sup> Generally speaking, "material date" means the date on which the conditions of the land grant are complied with in respect of the development, or the date on which the development is completed in all respects in compliance with the approved building plans or the conditions subject to which the certificate of exemption is issued. For details, please refer to section 2 of the Ordinance.

一手住宅物業買家須知

您在購置一手住宅物業之前,應留意下列事項:

#### 適用於所有一手住宅物業

#### 1. 重要資訊

- · 瀏覽一手住宅物業銷售資訊網(下稱「銷售資訊網」)(網址: www.srpe.gov.hk),參考「銷售資訊網」內有關一手住宅物業的市場 資料。
- 閱覽賣方就該發展項目所指定的互聯網網站內的有關資訊,包 括售樓說明書、價單、載有銷售安排的文件,及成交紀錄冊。
- 發展項目的售樓說明書,會在該項目的出售日期前最少七日向公眾發布,而有關價單和銷售安排,亦會在該項目的出售日期前最少三日公布。
- 在賣方就有關發展項目所指定的互聯網網站,以及「銷售資訊網」內,均載有有關物業成交資料的成交紀錄冊,以供查閱。

#### 2. 費用、按揭貸款和樓價

- 計算置業總開支,包括律師費、按揭費用、保險費,以及印花稅。
- 向銀行查詢可否取得所需的按揭貸款,然後選擇合適的還款方式,並小心計算按揭貸款金額,以確保貸款額沒有超出本身的 負擔能力。
- 查閱同類物業最近的成交價格,以作比較。
- 向賣方或地產代理瞭解,您須付予賣方或該發展項目的管理人的預計的管理費、管理費上期金額 (如有)、特別基金金額(如有)、補還的水、電力及氣體按金(如有),以及/或清理廢料的費用(如有)。

#### 3. 價單、支付條款,以及其他財務優惠

- 賣方未必會把價單所涵蓋的住宅物業悉數推售,因此應留意 有關的銷售安排,以了解賣方會推售的住宅物業為何。賣方 會在有關住宅物業推售日期前最少三日公布銷售安排。
- 留意價單所載列的支付條款。倘買家可就購置有關住宅物業 而連帶獲得價格折扣、贈品,或任何財務優惠或利益,上述 資訊亦會在價單內列明。

 如您擬選用由賣方指定的財務機構提供的各類按揭貸款計劃, 在簽訂臨時買賣合約前,應先細閱有關價單內列出的按揭貸款 計劃資料<sup>1</sup>。如就該些按揭貸款計劃的詳情有任何疑問,應在 簽訂臨時買賣合約前,直接向有關財務機構查詢。

#### 4. 物業的面積及四周環境

- · 留意載於售樓說明書和價單內的物業面積資料,以及載於價單內的每平方呎/每平方米售價。根據《一手住宅物業銷售條例》 (第621章)(下稱「條例」),賣方只可以實用面積表達住宅物業的面積和每平方呎及平方米的售價。就住宅物業而言,實用面積指該住宅物業的樓面面積,包括在構成該物業的一部分的範圍內的以下每一項目的樓面面積:(i)露台;(ii)工作平台;以及(iii)陽台。實用面積並不包括空調機房、窗台、閣樓、平台、花園、停車位、天台、梯屋、前庭及庭院的每一項目的面積,即使該些項目構成該物業的一部分的範圍。
- 售樓說明書必須顯示發展項目中所有住宅物業的樓面平面圖。 在售樓說明書所載有關發展項目中住宅物業的每一份樓面平面 圖,均須述明每個住宅物業的外部和內部尺寸<sup>2</sup>。售樓說明書 所提供有關住宅物業外部和內部的尺寸,不會把批盪和裝飾物 料包括在內。買家收樓前如欲購置家具,應留意這點。
- 親臨發展項目的所在地實地視察,以了解有關物業的四周環境 (包括交通和社區設施);亦應查詢有否任何城市規劃方案和議 決,會對有關的物業造成影響;參閱載於售樓說明書內的位置 圖、鳥瞰照片、分區計劃大綱圖,以及橫截面圖。

#### 5. 售樓說明書

- 確保所取得的售樓說明書屬最新版本。根據條例,提供予公眾的售樓說明書必須是在之前的三個月之內印製或檢視、或檢視及修改。
- 如屬未落成發展項目,賣方在認為有需要時可改動建築圖則 (如有的話),因此應留意由賣方提供的任何經修改的售樓 說明書,以了解有關未落成發展項目的最新資料。
- 閱覽售樓說明書,並須特別留意以下資訊:

#### 一手住宅物業買家須知

- 售樓說明書內有否關於「有關資料」的部分,列出賣方知悉 但並非為一般公眾人士所知悉,關於相當可能對享用有關 住宅物業造成重大影響的事宜的資料。請注意,已在土地 註冊處註冊的文件,其內容不會被視為「有關資料」;
- 横截面圖會顯示有關建築物相對毗連該建築物的每條街道的 横截面,以及每條上述街道與已知基準面和該建築物最低的 一層住宅樓層的水平相對的水平。横截面圖能以圖解形式, 顯示出建築物最低一層住宅樓層和街道水平的高低差距,不 論該最低住宅樓層以何種方式命名;
- 室內和外部的裝置、裝修物料和設備;
- 管理費按甚麼基準分擔;
- 小業主有否責任或需要分擔管理、營運或維持有關發展項目 以內或以外的公眾休憩用地或公共設施的開支,以及有關公 眾休憩用地或公共設施的位置;以及
- 小業主是否須要負責維修斜坡。

#### 6. 政府批地文件和公契

- 閱覽政府批地文件和公契(或公契擬稿)。公契內載有天台和外 牆業權等相關資料。賣方會在售樓處提供政府批地文件和公契( 或公契擬稿)的複本,供準買家免費閱覽。
- 留意政府批地文件內所訂明小業主是否須要負責支付地稅。
- 留意公契內訂明有關物業內可否飼養動物。

#### 7. 售樓處內有關可供揀選住宅物業的資料

- 向賣方查詢清楚有哪些一手住宅物業可供揀選。若賣方在售樓 處內展示「消耗表」,您可從該「消耗表」得悉在每個銷售日 的銷售進度資料,包括在該個銷售日開始時有哪些住宅物業可 供出售,以及在該個銷售日內有哪些住宅物業已獲揀選及售出。
- 切勿隨便相信有關發展項目銷情的傳言,倉卒簽立臨時買賣合約。

#### 8. 成交紀錄冊

留意發展項目的成交紀錄冊。賣方須於臨時買賣合約訂立後的 24小時內,於紀錄冊披露該臨時買賣合約的資料,以及於買賣

- 合約訂立後一個工作天內,披露該買賣合約的資料。您可透過 成交紀錄冊得悉發展項目的銷售情況。
- 切勿將賣方接獲用作登記的購樓意向書或本票的數目視為銷情 指標。發展項目的成交紀錄冊才是讓公眾掌握發展項目每日銷 售情況的最可靠資料來源。

#### 9. 買賣合約

- 確保臨時買賣合約和買賣合約包含條例所規定的強制性條文。
- 留意有關物業買賣交易所包括的裝置、裝修物料和設備,須在 臨時買賣合約和買賣合約上列明。
- 留意夾附於買賣合約的圖則。該圖則會顯示所有賣方售予您的物業面積,而該面積通常較該物業的實用面積為大。
- 留意賣方有權改動未落成發展項目的建築圖則(如有的話)。
   如屬未落成發展項目,條例規定物業的買賣合約須載有強制性條文,列明如有關改動在任何方面對該物業造成影響,賣方須在改動獲建築事務監督批准後的14日內,將該項改動以書面通知買家。
- · 訂立臨時買賣合約時,您須向擁有人(即賣方)支付樓價**5%**的臨時訂金。
- 如您在訂立臨時買賣合約後五個工作日(工作日指並非公眾假日、星期六、黑色暴雨警告日或烈風警告日的日子)之內,沒有簽立買賣合約,該臨時買賣合約即告終止,有關臨時訂金(即樓價的5%)會被沒收,而擁有人(即賣方)不得因您沒有簽立買賣合約而對您提出進一步申索。
- 在訂立臨時買賣合約後的五個工作日之內,倘您簽立買賣合約,則擁有人(即賣方)必須在訂立該臨時買賣合約後的八個工作日之內簽立買賣合約。
- 有關的訂金,應付予負責為所涉物業擔任保證金保存人的律師 事務所。

#### 10. 表達購樓意向

· 留意在賣方(包括其獲授權代表)就有關住宅物業向公眾提供價單前,賣方不得尋求或接納任何對有關住宅物業的購樓意向(不論是否屬明確選擇購樓意向)。因此您不應向賣方或其授權代表提出有關意向。

一手住宅物業買家須知

 留意在有關住宅物業的銷售開始前,賣方(包括其獲授權代表) 不得尋求或接納任何對該物業的有明確選擇購樓意向。因此 您不應向賣方或其授權代表提出有關意向。

#### 11. 委託地產代理

- 留意倘賣方委任一個或多於一個地產代理,以協助銷售其 發展項目內任何指明住宅物業,該發展項目的價單必須列明 在價單印刷日期當日所有獲委任為地產代理的姓名/名稱。
- 您可委託任何地產代理(不一定是賣方所指定的地產代理),
   以協助您購置發展項目內任何指明住宅物業;您亦可不委託任何地產代理。
- 委託地產代理以物色物業前,您應該-
- 了解該地產代理是否只代表您行事。該地產代理若同時代表 賣方行事,倘發生利益衝突,未必能夠保障您的最大利益;
- 了解您須否支付佣金予該地產代理。若須支付,有關的佣金 金額和支付日期為何;以及
- 留意只有持牌地產代理或營業員才可以接受您的委託。如有疑問,應要求該地產代理或營業員出示其「地產代理證」,或瀏覽地產代理監管局的網頁(網址:www.eaa.org.hk),查閱牌照日錄。

#### 12. 委聘律師

- 考慮自行委聘律師,以保障您的利益。該律師若同時代表賣方 行事,倘發生利益衝突,未必能夠保障您的最大利益。
- 比較不同律師的收費。

#### 適用於一手未落成住宅物業

#### 13. 預售樓花同意書

#### 14. 示範單位

- 賣方不一定須設置示範單位供準買家或公眾參觀,但賣方如為 某指明住宅物業設置示範單位,必須首先設置該住宅物業的無 改動示範單位,才可設置該住宅物業的經改動示範單位,並可 以就該住宅物業設置多於一個經改動示範單位。
- 參觀示範單位時,務必視察無改動示範單位,以便與經改動示 範單位作出比較。然而,條例並沒有限制賣方安排參觀無改動 示範單位及經改動示範單位的先後次序。
- · 賣方設置示範單位供公眾參觀時,應已提供有關發展項目的售樓說明書。因此,緊記先行索取售樓說明書,以便在參觀示範單位時參閱相關資料。
- 您可以在無改動示範單位及經改動示範單位中進行量度,並在 無改動示範單位內拍照或拍攝影片,惟在確保示範單位參觀者 人身安全的前提下,賣方可能會設定合理的限制。

#### 適用於一手未落成住宅物業及尚待符合條件的已落成住宅物業

#### 15. 預計關鍵日期及收樓日期

- · 查閱售樓說明書中有關發展項目的預計關鍵日期<sup>3</sup>。
- 售樓說明書中有關發展項目的預計關鍵日期並不等同買家的「收樓日期」。買家的「收樓日期」一般會較發展項目的預計關鍵日期遲。然而,假若發展項目比預期早落成,「收樓日期」可能會較售樓說明書列出的預計關鍵日期為早。
- 收樓日期
- -條例規定買賣合約須載有強制性條文,列明賣方須於買賣合 約內列出的預計關鍵日期後的14日內,以書面為發展項目申 請佔用文件、合格證明書,或地政總署署長的轉讓同意(視屬 何種情況而定)。
- >如發展項目屬地政總署預售樓花同意方案所規管,賣方 須在合格證明書或地政總署署長的轉讓同意發出後的一個 月內(以較早者為準),就賣方有能力有效地轉讓有關物業 一事,以書面通知買家;或
- > 如發展項目並非屬地政總署預售樓花同意方案所規管, 賣方須在佔用文件(包括佔用許可證)發出後的六個月內, 就賣方有能力有效地轉讓有關物業一事,以書面通知買家。

一手住宅物業買家須知

- 條例規定買賣合約須載有強制性條文,列明有關物業的買賣 須於賣方發出上述通知的日期的14日內完成。有關物業的買 賣完成後,賣方將安排買家收樓事官。
- 認可人士可批予在預計關鍵日期之後完成發展項目
- -條例規定買賣合約須載有強制性條文,列明發展項目的認可 人士可以在顧及純粹由以下一個或多於一個原因所導致的延 遲後,批予在預計關鍵日期之後,完成發展項目:
- >工人罷工或封閉工地;
- > 暴動或內亂;
- > 不可抗力或天災;
- > 火警或其他賣方所不能控制的意外;
- > 戰爭;或
- > 惡劣天氣。
- 發展項目的認可人士可以按情況,多於一次批予延後預計關 鍵日期以完成發展項目,即收樓日期可能延遲。
- 條例規定買賣合約須載有強制性條文,列明賣方須於認可人士 批予延期後的14日內,向買家提供有關延期證明書的文本。
- 如對收樓日期有任何疑問,可向賣方查詢。

#### 適用於一手已落成住宅物業

#### 16. 賣方資料表格

• 確保取得最近三個月內印製有關您擬購買的一手已落成住宅物 業的「賣方資料表格」。

#### 17. 參觀物業

- 購置住宅物業前,確保已獲安排參觀您打算購置的住宅物業。 倘參觀有關物業並非合理地切實可行,則應參觀與有關物業相 若的物業,除非您以書面同意賣方無須開放與有關物業相若的 物業供您參觀。您應仔細考慮,然後才決定是否簽署豁免上述 規定的書面同意。
- 除非有關物業根據租約持有,或為確保物業參觀者的人身安全而 須設定合理限制,您可以對該物業進行量度、拍照或拍攝影片。

任何與賣方銷售受條例所規管的一手住宅物業有關的投訴和查詢, 請與一手住宅物業銷售監管局聯絡。

網址: www.srpa.gov.hk

電話: 2817 3313

電郵: enquiry\_srpa@hd.gov.hk

傳真: 2219 2220

#### 其他相關聯絡資料:

#### 消費者委員會

網址: www.consumer.org.hk

電話: 2929 2222

電郵: cc@consumer.org.hk

傳真: 2856 3611

#### 地產代理監管局

網址: www.eaa.org.hk

電話 : 2111 2777

電郵: enquiry@eaa.org.hk

傳真: 2598 9596

#### 香港地產建設商會

電話 : 2826 0111 傳真: 2845 2521

一手住宅物業銷售監管局 2023年3月

- 1 按揭貸款計劃的資料包括有關按揭貸款計劃對借款人的最低收入的要求、就第一按揭連同第 二按揭可獲得的按揭貸款金額上限、最長還款年期、整個還款期內的按揭利率變化,以及申 請人須繳付的手續費。
- <sup>2</sup> 根據條例附表1第1部第10(2)(d)條述明,售樓說明書內顯示的發展項目中的住宅物業的每一份 樓面平面圖須述明以下各項-
- (i) 每個住宅物業的外部尺寸;
- (ii) 每個住宅物業的內部尺寸;
- (iii) 每個住宅物業的內部間隔的厚度;

(iv) 每個住宅物業內個別分隔室的外部尺寸。 根據條例附表1第1部第10(3)條,如有關發展項目的經批准的建築圖則,提供條例附表1第1部 第10(2)(d)條所規定的資料,樓面平面圖須述明如此規定的該資料。

3 一般而言,「關鍵日期」指該項目符合批地文件的條件的日期,或該項目在遵照經批准的建 築圖則的情況下或按照豁免證明書的發出的條件在各方面均屬完成的日期。有關詳情請參閱 條例第2條。

# INFORMATION ON THE DEVELOPMENT 發展項目的資料

#### Name of the Development

Elize Park

Name of the street at which the Development is situated and the street number allocated by the Commissioner of Rating and Valuation for the purpose of distinguishing the Development 181 Sai Yee Street\*

#### The Development consists of 1 multi-unit building

#### **Total number of storeys**

22 storeys (excluding Transfer Plate, Roof, Upper Roof 1/F, Upper Roof 2/F and Top Roof)

## Floor numbering as provided in the approved building plans for the Development

G/F, 1/F - 3/F, 5/F - 12/F, 15/F - 23/F, 25/F and Roof

## Omitted floor numbers in the multi-unit building in which the floor numbering is not in consecutive order

4/F, 13/F, 14/F and 24/F are omitted

#### Refuge floor (if any) of the multi-unit building

No refuge floor is provided

#### The Development is an uncompleted development

Estimated material date for the Development as provided by the authorized person for the Development: 30th June 2024

The estimated material date is subject to any extension of time that is permitted under the Agreement for Sale and Purchase.

Under the land grant, the consent of the Director of Lands is not required to be given for the sale and purchase. For the purpose of the agreement for sale and purchase, the Development is deemed to be completed on the date on which an occupation permit for every building in the Development is issued.

\* The above provisional street number is subject to confirmation from the Rating and Valuation Department when the Development is completed.

#### 發展項目名稱

Elize Park

## 發展項目所位於的街道的名稱及由差餉物業估價署署長為識別發展項目的目的而編配的門牌號數

洗衣街181號\*

#### 發展項目包含1幢多單位建築物

#### 樓區總數

22 層(不包括轉換層、天台、上層天台1樓、上層天台2樓 及頂層天台)

#### 發展項目的經批准的建築圖則所規定的樓層號數

地下、1 樓至3 樓、5 樓至12樓、15 樓至23 樓、25樓及天台

#### **該幢有不依連續次序的樓層號數的多單位建築物內被略去的樓層號數** 不設4樓、13樓、14樓及24樓

#### 該幢多單位建築物內的庇護層(如有的話)

不設庇護層

#### 本發展項目屬未落成發展項目

由發展項目的認可人士提供的發展項目的預計關鍵日期: 2024年6月30日

預計關鍵日期是受到買賣合約所允許的任何延期所規限的。

根據批地文件,進行該項買賣,不需獲地政總署署長同意。為買賣 合約的目的,該發展項目當作在佔用許可證就該發展項目中的每幢 建築物發出的日期落成。

\*上述臨時門牌號數有待差餉物業估價署在本發展項目建成時確認。

# INFORMATION ON VENDOR AND OTHERS INVOLVED IN THE DEVELOPMENT 賣方及有參與發展項目的其他人的資料

Vendor

Silverwealth Land Development Limited

Holding companies of the Vendor

Silverwealth Land International Limited SWL Holding Limited

**Authorized Person for the Development** 

Mr. Cheung Kong Yeung

Firm or corporation of which the authorized person for the Development is a proprietor, director or employee in his or her professional capacity

Cheung Kong-yeung Architects Limited

**Building contractor for the Development** 

Ching Lee Engineering Limited

The firm of solicitors acting for the owner in relation to the sale of residential properties in the Development

King & Wood Mallesons

Any authorized institution that has made a loan, or has undertaken to provide finance, for the construction of the Development

Nanyang Commercial Bank, Limited

Any other person who has made a loan for the construction of the Development

Not Applicable

賣方

Silverwealth Land Development Limited

賣方的控權公司

Silverwealth Land International Limited SWL Holding Limited

發展項目的認可人士

張廣揚先生

發展項目的認可人士以其專業身分擔任經營人、董事或僱員的商號或法團

張廣揚建築師事務所有限公司

發展項目的承建商

正利工程有限公司

**就發展項目中的住宅物業的出售而代表擁有人行事的律師事務所** 金杜律師事務所

已為發展項目的建造提供貸款或已承諾為該項建造提供融資的認可機構

南洋商業銀行有限公司

已為發展項目的建造提供貸款的任何其他人

不適用

(a)	The Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of an Authorized Person for the Development;	Not Applicable
(b)	The Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of such an Authorized Person;	Not Applicable
(c)	The Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of such an Authorized Person;	No
(d)	The Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of an associate of such an Authorized Person;	Not Applicable
(e)	The Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of an associate of such an Authorized Person;	Not Applicable
(f)	The Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of an associate of such an Authorized Person;	No
(g)	The Vendor or a building contractor for the Development is an individual, and that Vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development;	Not Applicable
(h)	The Vendor or a building contractor for the Development is a partnership, and a partner of that Vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development;	Not Applicable
(i)	The Vendor or a building contractor for the Development is a corporation, and a director or the secretary of that Vendor or contractor (or a holding company of that Vendor) is an immediate family member of a proprietor of such a firm of solicitors;	No
(j)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a private company, and an Authorized Person for the Development, or an associate of such an Authorized Person, holds at least 10% of the issued shares in that Vendor, holding company or contractor;	No

(k)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a listed company, and such an Authorized Person, or such an associate, holds at least 1% of the issued shares in that Vendor, holding company or contractor;	Not Applicable
(1)	The Vendor or a building contractor for the Development is a corporation, and such an Authorized Person, or such an associate, is an employee, director or secretary of that Vendor or contractor or of a holding company of that Vendor;	No
(m)	The Vendor or a building contractor for the Development is a partnership, and such an Authorized Person, or such an associate, is an employee of that Vendor or contractor;	Not Applicable
(n)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a private company, and a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Development holds at least 10% of the issued shares in that Vendor, holding company or contractor;	No
(0)	The Vendor, a holding company of the Vendor, or a building contractor for the Development, is a listed company, and a proprietor of such a firm of solicitors holds at least 1% of the issued shares in that Vendor, holding company or contractor;	Not Applicable
(p)	The Vendor or a building contractor for the Development is a corporation, and a proprietor of such a firm of solicitors is an employee, director or secretary of that Vendor or contractor or of a holding company of that Vendor;	No
(q)	The Vendor or a building contractor for the Development is a partnership, and a proprietor of such a firm of solicitors is an employee of that Vendor or contractor;	Not Applicable
(r)	The Vendor or a building contractor for the Development is a corporation, and the corporation of which an Authorized Person for the Development is a director or employee in his or her professional capacity is an associate corporation of that Vendor or contractor or of a holding company of that Vendor;	No
(s)	The Vendor or a building contractor for the Development is a corporation, and that contractor is an associate corporation of that Vendor or of a holding company of that Vendor.	No

(a)	賣方或有關發展項目的承建商屬個人,並屬該項目的認可人士的家人;	不適用
(b)	賣方或該項目的承建商屬合夥,而該賣方或承建商的合夥人屬上述認可人士的家人;	不適用
(c)	賣方或該項目的承建商屬法團,而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的家人;	否
(d)	賣方或該項目的承建商屬個人,並屬上述認可人士的有聯繫人士的家人;	不適用
(e)	賣方或該項目的承建商屬合夥,而該賣方或承建商的合夥人屬上述認可人士的有聯繫人士的家人;	不適用
(f)	賣方或該項目的承建商屬法團,而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的有聯繫人士的家人;	否
(g)	賣方或該項目的承建商屬個人,並屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人;	不適用
(h)	賣方或該項目的承建商屬合夥,而該賣方或承建商的合夥人屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人;	不適用
(i)	賣方或該項目的承建商屬法團,而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述律師事務所的經營人的家人;	否
(j)	賣方、賣方的控權公司或有關發展項目的承建商屬私人公司,而該項目的認可人士或該認可人士的有聯繫人士持有該賣方、控權公司或承建商最少10%的已發行股份;	否

(k)	賣方、賣方的控權公司或該項目的承建商屬上市公司,而上述認可人士或上述有聯繫人士持有該賣方、 控權公司或承建商最少1%的已發行股份;	不適用
(1)	賣方或該項目的承建商屬法團,而上述認可人士或上述有聯繫人士屬該賣方、承建商或該賣方的控權公司的僱員、董事或秘書;	否
(m)	賣方或該項目的承建商屬合夥,而上述認可人士或上述有聯繫人士屬該賣方或承建商的僱員;	不適用
(n)	賣方、賣方的控權公司或該項目的承建商屬私人公司,而就該項目中的住宅物業的出售而代表擁有人行事的律師事務所的經營人持有該賣方、控權公司或承建商最少10%的已發行股份;	否
(0)	賣方、賣方的控權公司或該項目的承建商屬上市公司,而上述律師事務所的經營人持有該賣方、控權公司或承建商最少1%的已發行股份;	不適用
(p)	賣方或該項目的承建商屬法團,而上述律師事務所的經營人屬該賣方或承建商或該賣方的控權公司的僱員、董事或秘書;	否
(q)	賣方或該項目的承建商屬合夥,而上述律師事務所的經營人屬該賣方或承建商的僱員;	不適用
(r)	賣方或該項目的承建商屬法團,而該項目的認可人士以其專業身份擔任董事或僱員的法團為該賣方或承建商或該賣方的控權公司的有聯繫法團;	否
(s)	賣方或該項目的承建商屬法團,而該承建商屬該賣方或該賣方的控權公司的有聯繫法團。	否

## INFORMATION ON DESIGN OF THE DEVELOPMENT

發展項目的設計的資料

There will be no non-structural prefabricated external walls forming part of the enclosing walls in the Development.

There will be curtain walls forming part of the enclosing walls in the Development.

The thickness of the curtain walls is 200mm.

Area Schedule of Curtain Walls of Each Residential Property

發展項目將不會有構成圍封牆的一部分的非結構的預製外牆。

發展項目將會有構成圍封牆的一部分的幕牆。

幕牆的厚度範圍為200毫米。

每個住宅物業的幕牆的面積表

Floor 樓層	Flat 單位	The total area of the curtain walls of each residential property (sq.m.) 每個住宅物業的幕牆的總面積 (平方米)
	A	1.018
5/F 5樓	В	0.529
	С	1.009
6/F-12/F &	A	1.004
15/F-22/F 6樓至12樓及	В	0.529
15樓至22樓	С	0.858
23/F A	1.255	
23樓	В	1.073
25/F	A	1.484
25樓	В	1.266

Note 備註: 4/F, 13/F, 14/F and 24/F are omitted 不設4樓、13樓、14樓及24樓。

# INFORMATION ON PROPERTY MANAGEMENT 物業管理的資料

The person to be appointed as the manager of the Development under the latest draft Deed of Mutual Covenant:

諾亞物業管理有限公司

根據公契的最新擬稿,將獲委任為發展項目的管理人的人:

Noah Property Management Limited

#### LOCATION PLAN OF THE DEVELOPMENT

發展項目的所在位置圖

This Location Plan is prepared by the Vendor with reference to the Digital Topographic Map No. T11-NW-D dated 18th January 2024 from Survey and Mapping Office of the Lands Department, with adjustments where necessary.

此所在位置圖是參考地政總署測繪處於2024年1月18日出版之數碼地形圖,圖幅編號T11-NW-D,並由賣方擬備,有需要處經修正處理。



Location of the Development 發展項目的位置

Street name(s) not shown in full in the Location Plan of the Development

於發展項目的所在位置圖未能顯示之街道全名: # Sai Yeung Choi Street North 西洋菜北街 ^ Arran

^ Arran Street 鴉蘭街


¶ Lai Chi Kok Road 荔枝角道

@ Portland Street 砵蘭街

Δ Flower Market Path 花墟徑

π Yuen Nagi Street 園藝街

\* Luen Wan Street 聯運街



#### LOCATION PLAN OF THE DEVELOPMENT

發展項目的所在位置圖

#### Notation 圖例:

A Power Plant (Including electricity sub-stations) 發電廠(包括電力分站)

A Public Utility Installation 公用事業設施裝置

A Public Convenience 公廁

A School (including a kindergarten) 學校(包括幼稚園)

A Religious Institution (Including a church, a temple and a Tsz Tong) 宗教場所(包括教堂、廟宇及祠堂)

A Public Carpark (Including a lorry park) 公眾停車場(包括貨車停泊處)

Social Welfare Facilities (Including an elderly centre and a home for the mentally disabled) 社會福利設施(包括老人中心及弱智人士護理院) Sports Facilities (Including a sports ground and a swimming pool) 體育設施(包括運動場及游泳池)

A Public Park 公園

A Market (Including a wet market and a wholesale market) 市場(包括濕貨市場及批發市場)

A Public Transport Terminal (including a rail station) 公共交通總站(包括鐵路車站)

A Petrol Filling Station 油站

A Police Station

A Refuse Collection Point 垃圾收集站

The Map is provided by the Common Spatial Data Infrastructure Portal and DATA.GOV.HK and intellectual property rights are owned by the Government of the HKSAR and the relevant organizations.

地圖由空間數據共享平台入門網站及資料一線通提供,香港特別行政區政府及有關機構為知識產權擁有人。

- 1. Due to technical reasons that the boundary of the Development is irregular, this location plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
- 2. The Vendor advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.

- 1. 由於發展項目的邊界不規則的技術原因,此所在位置圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。 2. 賣方建議準買家到該發展地盤作實地考察,以對該發展地盤、其周邊地區環境及附近的


### AERIAL PHOTOGRAPH OF THE DEVELOPMENT

發展項目的鳥瞰照片

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of the Lands Department at a flying height of 6,900 feet, Photo No. E167348C, dated 8 December 2022.

摘錄自地政總署測繪處於2022年12月8日在6,900呎飛行高度拍攝之鳥瞰照片,編號為E167348C。

This blank area falls outside the coverage of the aerialphotograph 鳥瞰照片並 不覆蓋本 空白範圍



Location of the Development 發展項目的位置

The aerial photo is provided by the Common Spatial Data Infrastructure Portal and DATA.GOV.HK and intellectual property rights are owned by the Government of the HKSAR and the relevant organizations.

鳥瞰照片由空間數據共享平台入門網站及資料一線通提供,香港特別行政區政府及有關機構為知識產權擁有人。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only. 香港特別行政區政府地政總署測繪處版權所有,未經許可,不得複製。

Due to technical reasons, this aerial photograph has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.


因技術性問題,此鳥瞰照片所顯示的範圍超過《一手住宅物業銷售條例》的規定。

#### AERIAL PHOTOGRAPH OF THE DEVELOPMENT

發展項目的鳥瞰照片

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of the Lands Department at a flying height of 6,900 feet, Photo No. E167349C, dated 8 December 2022.

摘錄自地政總署測繪處於2022年12月8日在6,900呎飛行高度拍攝之鳥瞰照片,編號為E167349C。



The aerial photo is provided by the Common Spatial Data Infrastructure Portal and DATA.GOV.HK and intellectual property rights are owned by the Government of the HKSAR and the relevant organizations.

鳥瞰照片由空間數據共享平台入門網站及資料一線通提供,香港特別行政區政府及有關機構為知識產權擁有人。


Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only. 香港特別行政區政府地政總署測繪處版權所有,未經許可,不得複製。

Due to technical reasons, this aerial photograph has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.

因技術性問題,此鳥瞰照片所顯示的範圍超過《一手住宅物業銷售條例》的規定。

關乎發展項目的分區計劃大綱圖

Extracted from the Approved Mong Kok Outline Zoning Plan, Plan No. S/K3/36, gazetted on 9 June 2023, with adjustments where necessary. 摘錄自2023年6月9日刊憲之旺角分區計劃大綱核准圖,圖則編號為S/K3/36,經修正處理。



關乎發展項目的分區計劃大綱圖

#### Notation 圖例

ZONES		地帶
COMMERCIAL	С	商業
RESIDENTIAL (GROUP A)	R(A)	住宅(甲類)
RESIDENTIAL (GROUP E)	R(E)	住宅(戊類)
GOVERNMENT, INSTITUTION OR COMMUNITY	G/IC	政府、機構或社區
OPEN SPACE	0	休憩用地
OTHER SPECIFIED USES	OU	其他指定用途
COMMUNICATIONS		交通
RAILWAY AND STATION (UNDERGROUND)	- 一 <sub>車站</sub>	鐵路及車站(地下)
MAJOR ROAD AND JUNCTION	==	主要道路及路口
ELEVATED ROAD		高架道路
MISCELLANEOUS		其他
BOUNDARY OF PLANNING SCHEME	<b>—·—</b>	規劃範圍界線
BUILDING HEIGHT CONTROL ZONE BOUNDARY		建築物高度管制區界線
MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM)	115	最高建築物高度 (在主水平基準上若干米)
MAXIMUM BUILDING HEIGHT RESTRICTION AS STIPULATED ON THE NOTES	$\bigstar$	(註釋)內訂明最高建築物高度 限制
MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS)	8	最高建築物高度 (樓層數目)
PETROL FILLING STATION	PFS	加油站


- 1. The last updated Outline Zoning Plan and the attached schedule as at the date of printing of the sales
- The last updated Outline Zolling Plan and the attached schedule as at the date of printing of the Sales brochure is available for free inspection at the sales office during opening hours.
   The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.
   The plan may show more than the area required under the Residential Properties (First-hand Sales)
- Ordinance due to technical reason that the boundary of the Development is irregular.

  4. The plan, prepared by the Planning Department under the direction of the Town Planning Board, is reproduced with the permission of the Director of Lands. © The Government of Hong Kong SAR.

- 備註: 1.在印刷售樓說明書當日所適用的最近期分區計劃大綱圖及其附表,可於售樓處開放時間內 免費查閱。 2. 賣方建議準買家到有關發展地盤作實地考察,以對該發展地盤、其問邊地區環境及附近的 公共設施有較佳了解。 3. 由於發展項目的邊界不規則的技術原因,此大綱圖所顯示的範圍可能超過《一手住宅物業 銷售條例》所規定的範圍。 4. 此圖為規劃署遵照城市規劃委員會指示擬備,版權屬香港特別行政區政府,經地政總署准許 複印。

關乎發展項目的分區計劃大綱圖





Metre 米 0 100 200 300 400 500

關乎發展項目的分區計劃大綱圖

#### Notation 圖例

ZONES		地帶
RESIDENTIAL (GROUP C)	R(C)	住宅(丙類)
GOVERNMENT, INSTITUTION OR COMMUNITY	G/IC	政府、機構或社區
OPEN SPACE	0	休憩用地
OTHER SPECIFIED USES	OU	其他指定用途
COMMUNICATIONS		交通
RAILWAY AND STATION (UNDERGROUND)	— 一 <sub>車站</sub>	鐵路及車站(地下)
MAJOR ROAD AND JUNCTION	<del></del>	主要道路及路口
ELEVATED ROAD		高架道路
MISCELLANEOUS		其他
BOUNDARY OF PLANNING SCHEME	<b>—·—</b>	規劃範圍界線
MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS)	8	最高建築物高度 (樓層數目)
PETROL FILLING STATION	PFS	加油站


- 1. The last updated Outline Zoning Plan and the attached schedule as at the date of printing of the sales
- The last updated Outline Zolling Plan and the attached schedule as at the date of printing of the Sales brochure is available for free inspection at the sales office during opening hours.
   The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.
   The plan may show more than the area required under the Residential Properties (First-hand Sales)
- Ordinance due to technical reason that the boundary of the Development is irregular.

  4. The plan, prepared by the Planning Department under the direction of the Town Planning Board, is reproduced with the permission of the Director of Lands. © The Government of Hong Kong SAR.

- 備註: 1.在印刷售樓說明書當日所適用的最近期分區計劃大綱圖及其附表,可於售樓處開放時間內 免費查閱。 2. 賣方建議準買家到有關發展地盤作實地考察,以對該發展地盤、其問邊地區環境及附近的 公共設施有較佳了解。 3. 由於發展項目的邊界不規則的技術原因,此大綱圖所顯示的範圍可能超過《一手住宅物業 銷售條例》所規定的範圍。 4. 此圖為規劃署遵照城市規劃委員會指示擬備,版權屬香港特別行政區政府,經地政總署准許 複印。

關乎發展項目的分區計劃大綱圖

Extracted from the Approved Cheung Sha Wan Outline Zoning Plan, Plan No. S/K5/39, gazetted on 17 February 2023, with adjustments where necessary. 摘錄自2023年2月17日刊憲之長沙灣分區計劃大綱核准圖,圖則編號為S/K5/39,經修正處理。





Metre 米 Scale 比例
0 100 200 300 400 500

關乎發展項目的分區計劃大綱圖

#### Notation 圖例

ZONES		地帶
RESIDENTIAL (GROUP A)	R(A)	住宅(甲類)
OPEN SPACE	0	休憩用地
COMMUNICATIONS		交通
RAILWAY AND STATION (UNDERGROUND)	ー 一 <sub>車站</sub>	鐵路及車站(地下)
MAJOR ROAD AND JUNCTION	<del></del>	主要道路及路口
ELEVATED ROAD		高架道路
MISCELLANEOUS		其他
BOUNDARY OF PLANNING SCHEME	<b>—·—</b>	規劃範圍界線
MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM)	90	最高建築物高度 (在主水平基準上若干米)


- 1. The last updated Outline Zoning Plan and the attached schedule as at the date of printing of the sales
- The last updated Outline Zolling Plan and the attached schedule as at the date of printing of the Sales brochure is available for free inspection at the sales office during opening hours.
   The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.
   The plan may show more than the area required under the Residential Properties (First-hand Sales)
- Ordinance due to technical reason that the boundary of the Development is irregular.

  4. The plan, prepared by the Planning Department under the direction of the Town Planning Board, is reproduced with the permission of the Director of Lands. © The Government of Hong Kong SAR.

- 備註: 1.在印刷售樓說明書當日所適用的最近期分區計劃大綱圖及其附表,可於售樓處開放時間內 免費查閱。 2. 賣方建議準買家到有關發展地盤作實地考察,以對該發展地盤、其問邊地區環境及附近的 公共設施有較佳了解。 3. 由於發展項目的邊界不規則的技術原因,此大綱圖所顯示的範圍可能超過《一手住宅物業 銷售條例》所規定的範圍。 4. 此圖為規劃署遵照城市規劃委員會指示擬備,版權屬香港特別行政區政府,經地政總署准許 複印。

關乎發展項目的分區計劃大綱圖

Extracted from the Approved Ho Man Tin Outline Zoning Plan, Plan No. S/K7/24, gazetted on 18 September 2015, with adjustments where necessary. 摘錄自2015年9月18日刊憲之何文田分區計劃大綱核准圖,圖則編號為S/K7/24,經修正處理。



關乎發展項目的分區計劃大綱圖

#### Notation 圖例

ZONES		地帶
COMMERCIAL	С	商業
RESIDENTIAL (GROUP A)	R(A)	住宅(甲類)
RESIDENTIAL (GROUP B)	R(B)	住宅(乙類)
RESIDENTIAL (GROUP C)	R(C)	住宅(丙類)
GOVERNMENT, INSTITUTION OR COMMUNITY	G/IC	政府、機構或社區
OTHER SPECIFIED USES	OU	其他指定用途
COMMUNICATIONS		交通
MAJOR ROAD AND JUNCTION	<b>==</b>	主要道路及路口
MISCELLANEOUS		其他
BOUNDARY OF PLANNING SCHEME	<b>— · —</b>	規劃範圍界線
BUILDING HEIGHT CONTROL ZONE BOUNDARY		建築物高度管制區界線
MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM)	100	最高建築物高度 (在主水平基準上若干米)
MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS)	8	最高建築物高度 (樓層數目)
PETROL FILLING STATION	PFS	加油站


- 1. The last updated Outline Zoning Plan and the attached schedule as at the date of printing of the sales
- The last updated Outline Zolling Plan and the attached schedule as at the date of printing of the Sales brochure is available for free inspection at the sales office during opening hours.
   The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.
   The plan may show more than the area required under the Residential Properties (First-hand Sales)
- Ordinance due to technical reason that the boundary of the Development is irregular.

  4. The plan, prepared by the Planning Department under the direction of the Town Planning Board, is reproduced with the permission of the Director of Lands. © The Government of Hong Kong SAR.

- 備註: 1.在印刷售樓說明書當日所適用的最近期分區計劃大綱圖及其附表,可於售樓處開放時間內 免費查閱。 2. 賣方建議準買家到有關發展地盤作實地考察,以對該發展地盤、其問邊地區環境及附近的 公共設施有較佳了解。 3. 由於發展項目的邊界不規則的技術原因,此大綱圖所顯示的範圍可能超過《一手住宅物業 銷售條例》所規定的範圍。 4. 此圖為規劃署遵照城市規劃委員會指示擬備,版權屬香港特別行政區政府,經地政總署准許 複印。

關乎發展項目的分區計劃大綱圖

Extracted from the Approved Kowloon Tong Outline Zoning Plan, Plan No. S/K18/21, gazetted on 15 December 2017, with adjustments where necessary. 摘錄自2017年12月15日刊憲之九龍塘分區計劃大綱核准圖,圖則編號為S/K18/21,經修正處理。 G/IC(2)



Metre 米 0 100 200 300 400 500

關乎發展項目的分區計劃大綱圖

#### Notation 圖例


ZONES		地帶
RESIDENTIAL (GROUP C)	R(C)	住宅(丙類)
GOVERNMENT, INSTITUTION OR COMMUNITY	G/IC	政府、機構或社區
MISCELLANEOUS		其他
BOUNDARY OF PLANNING SCHEME	<b>— · —</b>	規劃範圍界線

- 1. The last updated Outline Zoning Plan and the attached schedule as at the date of printing of the sales
- The last updated Outline Zolling Plan and the attached schedule as at the date of printing of the Sales brochure is available for free inspection at the sales office during opening hours.
   The Vendor also advises prospective purchasers to conduct an on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.
   The plan may show more than the area required under the Residential Properties (First-hand Sales)
- Ordinance due to technical reason that the boundary of the Development is irregular.


  4. The plan, prepared by the Planning Department under the direction of the Town Planning Board, is reproduced with the permission of the Director of Lands. © The Government of Hong Kong SAR.

- 備註: 1.在印刷售樓說明書當日所適用的最近期分區計劃大綱圖及其附表,可於售樓處開放時間內 免費查閱。 2. 賣方建議準買家到有關發展地盤作實地考察,以對該發展地盤、其問邊地區環境及附近的 公共設施有較佳了解。 3. 由於發展項目的邊界不規則的技術原因,此大綱圖所顯示的範圍可能超過《一手住宅物業 銷售條例》所規定的範圍。 4. 此圖為規劃署遵照城市規劃委員會指示擬備,版權屬香港特別行政區政府,經地政總署准許 複印。

(This page is left blank intentionally. 此頁保留空白。)



The estimated date of completion of the uncompleted buildings and facilities as provided by the Authorized Person for the Development: 30th June 2024. 發展項目的認可人士提供的未落成建築物及設施的預計落成日期:2024年6月30日。





#### FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend of Terms And Abbreviations Used On Floor Plans:

平面圖中所使用名稱及簡稱之圖例:

AIR CONDITIONER PLATFORM (FLAT A & B)Air Conditioner Platform (Flat A & B)空調機平台 (單位A和B)AIR CONDITIONER PLATFORM (FLAT B)Air Conditioner Platform (Flat B)空調機平台 (單位B)AIR CONDITIONER PLATFORM (FLAT C)Air Conditioner Platform (Flat C)空調機平台 (單位C)AIR CONDITIONER METAL FRAME (FLAT C)Air Conditioner Metal Frame (Flat C)空調機金屬架 (單位C)

ALUMINIUM CLADDINGAluminium Cladding鋁質覆蓋層板ARCHITECTURAL FEATURE ABOVEArchitectural Feature Above上層建築装飾

 ARCHITECTURAL FEATURE BELOW
 Architectural Feature Below
 下層建築装飾

 ARCHITECTURAL FEATURE
 Architectural Feature
 建築装飾

ARCHITECTURAL FINArchitectural Fin建築裝飾鰭BALCONY露台

BALCONY ABOVEBalcony Above露台置上BALCONY TOPBalcony Top露台上蓋BATHBathroom浴室

BEDROOM Bedroom 睡房
BEDROOM 1 睡房1
BEDROOM 2 Bedroom 2 睡房2

 CABINET FOR H.R. NOZZLE
 Cabinet for Hose Reel Nozzle
 消防喉轆噴嘴櫃

 COMMON AREA FOR GONDOLA USE
 Common Area for Gondola Use
 吊船用的公用地方

COMMON FLAT ROOF Common Flat Roof (Common Area designated in DMC) 公用平台 (公契指定為公用地方)

 CURTAIN WALL TOP
 Curtain Wall Top

 玻璃幕牆蓋

D Down 落

#### Notes

- 1. There may be architectural features on external walls of some floors.
- 2. Common pipes exposed and/or enclosed in cladding are located at/adjacent to balcony and/or flat roof and/or roof of some residential units and/or airconditioner platform and/or external walls.
- 3. There are sunken slabs and/or ceiling bulkheads and/or false ceiling at living rooms & dining rooms, bedrooms, corridors, bathrooms, store rooms, kitchens and open kitchens of some residential units for the air-conditioning system and/or mechanical and electrical services.
- 4. The internal ceiling height within some units may vary due to structural, architectural and/or decoration design variations.
- 5. Balconies are non-enclosed areas.
- 6. Symbols of fittings and fitments shown on the floor plans, such as sink, water closets, shower, sink counter, cabinet, fittings etc, are architectural symbols extracted from the latest approved general building plans and are for general indication only and are not for showing their actual size, design and shape.
- 7. There are curtain walls forming part of the enclosing walls of the residential units. The Saleable Area as defined in the Formal Agreement for Sale and Purchase of a residential unit has included the curtain walls, and is measured from the exterior of such curtain walls.

#### 備註:

- 1. 部分樓層外牆或設有建築裝飾。
- 2. 部分住宅單位的露台及/或平台及/或天台及/或空調機平台及/或外牆或其鄰近地方設有外露及/或內藏於覆蓋層板的公用喉管。
- 3. 部分住宅單位客廳及飯廳、睡房、走廊、浴室、儲物室、廚房及開放式 廚房設有跌級樓板及/或天花假陣及/或假天花,用以裝置空調系統及/或機 電設備。
- 4. 部分單位之室內天花高度將會因應結構、建築及/或裝修設計上的需要而 有差異。
- 5. 露台為不可封閉的地方。
- 6.樓面平面圖上所顯示的形象裝置符號,例如洗滌盆、坐廁、淋浴間、 洗滌盆櫃、櫃、裝置等乃摘自最新的經批准的建築圖則的建築圖示, 只作一般性標誌,並非展示其實際大小、設計及形狀。
- 7.住宅單位有構成其圍封牆的一部分的幕牆。住宅單位之正式買賣合約內所定義之實用面積已包括幕牆,並由該幕牆之外圍起計。

發展項目的住宅物業的樓面平面圖

E.L.	Electricity Duct	電線槽
E.M.C.	Electricity Meter Cabinet	電錶櫃
FLAT ROOF	Flat Roof	平台
F.H.	Fire Hydrant	消防栓
H.R.	Hose Reel	消防喉轆
H.R. AT H/L	Hose Reel at High Level	消防喉轆在高位
KITCHEN	Kitchen	廚房
LIFT	Lift	升降機
LIFT LOBBY	Lift Lobby	升降機大堂
LIFT SHAFT	Lift Shaft	升降機槽
LIVING / DINING	Living Room & Dining Room	客廳及飯廳
M. BEDROOM	Master Bedroom	主人睡房
MAIN ROOF	Main Roof	主天台
MAX.	Maximum	最大值
OPEN KITCHEN	Open Kitchen	開放式廚房
P.D.	Pipe Duct	管道槽
POTABLE AND FLUSHING PUMP ROOM	Potable and Flushing Pump Room	食用及沖廁水泵房
SPK. PIPES	Sprinkler Pipes	花灑管
STORE	Store Room	儲物室
TOP OF E.L.	Top of Electricity Duct	電線槽上蓋
U	Up	上
WALCE CO.	W. M. G.11	T-1

Water Meter Cabinet

### Notes

W.M.C.

- 1. There may be architectural features on external walls of some floors.
- 2. Common pipes exposed and/or enclosed in cladding are located at/adjacent to balcony and/or flat roof and/or roof of some residential units and/or air-conditioner platform and/or external walls.
- 3. There are sunken slabs and/or ceiling bulkheads and/or false ceiling at living rooms & dining rooms, bedrooms, corridors, bathrooms, store rooms, kitchens and open kitchens of some residential units for the air-conditioning system and/or mechanical and electrical services.
- 4. The internal ceiling height within some units may vary due to structural, architectural and/or decoration design variations.
- 5. Balconies are non-enclosed areas.
- 6. Symbols of fittings and fitments shown on the floor plans, such as sink, water closets, shower, sink counter, cabinet, fittings etc, are architectural symbols extracted from the latest approved general building plans and are for general indication only and are not for showing their actual size, design and shape.
- 7. There are curtain walls forming part of the enclosing walls of the residential units. The Saleable Area as defined in the Formal Agreement for Sale and Purchase of a residential unit has included the curtain walls, and is measured from the exterior of such curtain walls.


### 備註:

- 1.部分樓層外牆或設有建築裝飾。
- 2. 部分住宅單位的露台及/或平台及/或天台及/或空調機平台及/或外牆或其鄰近地方設有外露及/或內藏於覆蓋層板的公用喉管。

水錶櫃

- 3. 部分住宅單位客廳及飯廳、睡房、走廊、浴室、儲物室、廚房及開放式 廚房設有跌級樓板及/或天花假陣及/或假天花,用以裝置空調系統及/或機 電設備。
- 4. 部分單位之室內天花高度將會因應結構、建築及/或裝修設計上的需要而 有差異。
- 5. 露台為不可封閉的地方。
- 6.樓面平面圖上所顯示的形象裝置符號,例如洗滌盆、坐廁、淋浴間、 洗滌盆櫃、櫃、裝置等乃摘自最新的經批准的建築圖則的建築圖示, 只作一般性標誌,並非展示其實際大小、設計及形狀。
- 7.住宅單位有構成其圍封牆的一部分的幕牆。住宅單位之正式買賣合約內所定義之實用面積已包括幕牆,並由該幕牆之外圍起計。

發展項目的住宅物業的樓面平面圖



發展項目的住宅物業的樓面平面圖

Floor 樓層	Flat 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)
	A	150	2950, 3100, 3300, 3350, 3650
5/F 5樓	В	175	3250, 3300
	С	150	3100, 3300

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. This situation and section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable for this Development. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。此情況及《一手住宅物業銷售條例》附表1第10(2)(e)條不適用於此發展項目。

- The dimensions of the floor plan are all structural dimensions in millimetres.
   Please refer to Pages 34 35 of this sales brochure for the legend of the terms and abbreviations shown on the floor plans and remarks that are applicable thereto.
   There may be architechtural features on external walls of some residential properties. For details,
- please refer to the latest approved building plans.


  4. "Floor-to-floor height" refers to the height between the top surface of the structural slab of floor and the top surface of the structural slab of its immediate upper floor.

- 附註: 1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。 2. 樓面平面圖中顯示之名詞及簡稱之圖例及其適用的附註,請參閱本售樓說明書第34至35頁。 3. 部分住宅物業外牆可能設有建築裝飾。詳情請參考最新批准之建築圖則。 4. "層與層之間的高度"指該樓層之石屎地台面與上一層石屎地台面之高度距離。

發展項目的住宅物業的樓面平面圖

6/F FLOOR PLAN 6樓 樓面平面圖





Built-in fittings provided in the flats 隨樓附送之嵌入式裝置



發展項目的住宅物業的樓面平面圖

Floor 樓層	Flat 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)
	A	150	
6/F 6樓	В	175	3300
	С	150	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. This situation and section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable for this Development. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。此情況及《一手住宅物業銷售條例》附表1第1部第10(2)(e)條不適用於此發展項目。

- The dimensions of the floor plan are all structural dimensions in millimetres.
   Please refer to Pages 34 35 of this sales brochure for the legend of the terms and abbreviations shown on the floor plans and remarks that are applicable thereto.
   There may be architechtural features on external walls of some residential properties. For details,
- please refer to the latest approved building plans.


  4. "Floor-to-floor height" refers to the height between the top surface of the structural slab of floor and the top surface of the structural slab of its immediate upper floor.

- 附註: 1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。 2. 樓面平面圖中顯示之名詞及簡稱之圖例及其適用的附註,請參閱本售樓說明書第34至35頁。 3. 部分住宅物業外牆可能設有建築裝飾。詳情請參考最新批准之建築圖則。 4. "層與層之間的高度"指該樓層之石屎地台面與上一層石屎地台面之高度距離。

發展項目的住宅物業的樓面平面圖

7/F - 12/F, 15/F - 17/F & 19/F - 22/F FLOOR PLAN 7樓至12樓,15樓至17樓及19樓至22樓 樓面平面圖





Built-in fittings provided in the flats 隨樓附送之嵌入式裝置



發展項目的住宅物業的樓面平面圖

Floor 樓層	Flat 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)			
7/F - 12/F,	A	150				
19/F - 21/F 7樓至12樓,	15/F - 17/F & 17/F & 17/5		3300			
	A	150	3300			
22/F 22樓	В	175	3300, 3350, 3550, 3650, 3700			
	С	150	3300			

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. This situation and section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable for this Development. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。此情況及《一手住宅物業銷售條例》附表1第1部第10(2)(e)條不適用於此發展項目。

- The dimensions of the floor plan are all structural dimensions in millimetres.
   Please refer to Pages 34 35 of this sales brochure for the legend of the terms and abbreviations shown on the floor plans and remarks that are applicable thereto.
   There may be architechtural features on external walls of some residential properties. For details,
- please refer to the latest approved building plans.


  4. "Floor-to-floor height" refers to the height between the top surface of the structural slab of floor and the top surface of the structural slab of its immediate upper floor.

- 附註: 1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。 2. 樓面平面圖中顯示之名詞及簡稱之圖例及其適用的附註,請參閱本售樓說明書第34至35頁。 3. 部分住宅物業外牆可能設有建築裝飾。詳情請參考最新批准之建築圖則。 4. "層與層之間的高度"指該樓層之石屎地台面與上一層石屎地台面之高度距離。

發展項目的住宅物業的樓面平面圖

18/F FLOOR PLAN 18樓 樓面平面圖





Built-in fittings provided in the flats 隨樓附送之嵌入式裝置



發展項目的住宅物業的樓面平面圖

Floor 樓層	Flat 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)
	A	150	
18/F 18樓	В	175	3300
	С	150	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. This situation and section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable for this Development. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。此情況及《一手住宅物業銷售條例》附表1第1部第10(2)(e)條不適用於此發展項目。

- The dimensions of the floor plan are all structural dimensions in millimetres.
   Please refer to Pages 34 35 of this sales brochure for the legend of the terms and abbreviations shown on the floor plans and remarks that are applicable thereto.
   There may be architechtural features on external walls of some residential properties. For details,
- please refer to the latest approved building plans.


  4. "Floor-to-floor height" refers to the height between the top surface of the structural slab of floor and the top surface of the structural slab of its immediate upper floor.

- 附註: 1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。 2. 樓面平面圖中顯示之名詞及簡稱之圖例及其適用的附註,請參閱本售樓說明書第34至35頁。 3. 部分住宅物業外牆可能設有建築裝飾。詳情請參考最新批准之建築圖則。 4. "層與層之間的高度"指該樓層之石屎地台面與上一層石屎地台面之高度距離。

發展項目的住宅物業的樓面平面圖

23/F FLOOR PLAN 23樓 樓面平面圖





Built-in fittings provided in the flats 隨樓附送之嵌入式裝置



發展項目的住宅物業的樓面平面圖

Floor 樓層	Flat 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)
23/F	A 150, 175		2200
23樓	В	150, 175	3300

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. This situation and section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable for this Development.
因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。此情況及《一手住宅物業銷售條例》附表1第1部第10(2)(e)條不適用於此發展項目。

- The dimensions of the floor plan are all structural dimensions in millimetres.
   Please refer to Pages 34 35 of this sales brochure for the legend of the terms and abbreviations shown on the floor plans and remarks that are applicable thereto.
   There may be architechtural features on external walls of some residential properties. For details,
- please refer to the latest approved building plans.


  4. "Floor-to-floor height" refers to the height between the top surface of the structural slab of floor and the top surface of the structural slab of its immediate upper floor.

- 附註: 1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。 2. 樓面平面圖中顯示之名詞及簡稱之圖例及其適用的附註,請參閱本售樓說明書第34至35頁。 3. 部分住宅物業外牆可能設有建築裝飾。詳情請參考最新批准之建築圖則。 4. "層與層之間的高度"指該樓層之石屎地台面與上一層石屎地台面之高度距離。

發展項目的住宅物業的樓面平面圖

25/F FLOOR PLAN 25樓 樓面平面圖





Built-in fittings provided in the flats 隨樓附送之嵌入式裝置



發展項目的住宅物業的樓面平面圖

Floor 樓層	Flat 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)
25/F	A	150, 175	3300, 3650, 3700, 4000
25樓	В	150, 175	3150, 3200, 3300, 3450, 3650

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. This situation and section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable for this Development.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。此情況及《一手住宅物業銷售條例》附表1第1部第10(2)(e)條不適用於此發展項目。

- The dimensions of the floor plan are all structural dimensions in millimetres.
   Please refer to Pages 34 35 of this sales brochure for the legend of the terms and abbreviations shown on the floor plans and remarks that are applicable thereto.
   There may be architechtural features on external walls of some residential properties. For details,
- please refer to the latest approved building plans.


  4. "Floor-to-floor height" refers to the height between the top surface of the structural slab of floor and the top surface of the structural slab of its immediate upper floor.

- 附註: 1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。 2. 樓面平面圖中顯示之名詞及簡稱之圖例及其適用的附註,請參閱本售樓說明書第34至35頁。 3. 部分住宅物業外牆可能設有建築裝飾。詳情請參考最新批准之建築圖則。 4. "層與層之間的高度"指該樓層之石屎地台面與上一層石屎地台面之高度距離。

發展項目的住宅物業的樓面平面圖

Roof FLOOR PLAN 天台 樓面平面圖







發展項目的住宅物業的樓面平面圖

Floor 樓層	Flat 單位	Thickness of the Floor Slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)
Roof	A	Not applicable 不適用	Not applicable
天台	В	Not applicable 不適用	不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. This situation and section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable for this Development.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。此情況及《一手住宅物業銷售條例》附表1第1部第10(2)(e)條不適用於此發展項目。

- The dimensions of the floor plan are all structural dimensions in millimetres.
   Please refer to Pages 34 35 of this sales brochure for the legend of the terms and abbreviations shown on the floor plans and remarks that are applicable thereto.
   There may be architechtural features on external walls of some residential properties. For details,
- please refer to the latest approved building plans.

  4. "Floor-to-floor height" refers to the height between the top surface of the structural slab of floor and the top surface of the structural slab of its immediate upper floor.

- 附註: 1. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。 2. 樓面平面圖中顯示之名詞及簡稱之圖例及其適用的附註,請參閱本售樓說明書第34至35頁。 3. 部分住宅物業外牆可能設有建築裝飾。詳情請參考最新批准之建築圖則。 4. "層與層之間的高度"指該樓層之石屎地台面與上一層石屎地台面之高度距離。

# AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目中的住宅物業的面積

Descript Reside Prope 物業的	ential erty	Saleable Area (including balcony, utility platform and verandah, if any)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Floor 樓層	Flat 單位	sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及 陽台(如有)) 平方米(平方呎)	Air- conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
	A	38.517 (415) Balcony 露台 : Utility Platform 工作平台 :				9.327 (100)						
5/F 5樓	В	20.479 (220) Balcony 露台 : Utility Platform 工作平台 :				6.092 (66)						
	С	38.431 (414) Balcony 露台 : Utility Platform 工作平台 :				42.919 (462)						
	A	29.559 (318) Balcony 露台 : Utility Platform 工作平台 :				6.587 (71)						
6/F 6樓	-   R	22.711 (244) Balcony 露台 : 1.990 (21) Utility Platform 工作平台 :										
	С	28.245 (304) Balcony 露台 : Utility Platform 工作平台 :				6.685 (72)						

- 1. The saleable area of each residential property and, the floor areas of balcony, utility platform and verandah (if any) are calculated in accordance with section 8 of the Residential Properties (Firsthand Sales) Ordinance; and the areas of other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales)
- 2. The areas as specified above in square feet are converted at a rate of 1 square metre=10.764 square feet and rounded up or down to the nearest whole square feet, which may be slightly different from that shown in square metre.
- 3. There is no verandah in the residential properties of the Development.
- 4. 4/F, 13/F, 14/F and 24/F are omitted.

  5. The symbol "--" as shown in the above table denotes "Not provided".

- 備註:
  1. 每個住宅物業的實用面積、露台、工作平台及陽台(如有)之樓面面積,是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積(不計算入實用面積),是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
  2. 上述所列之面積是以英制之平方呎列明,均以1平方米=10.764平方呎換算,並以四捨五入至整數平方呎,平方呎與平方米之數字可能有些微差異。
  3. 發展項目住宅物業並無陽台。
  4. 不詳以供表 1.24世 1.44世

- 4. 不設4樓、13樓、14樓及24樓。 5. 上表所顯示之「--」符號代表「不提供」。

# AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目中的住宅物業的面積

Description of Residential Property willity platform and verandah, if any)  Description of Saleable Area (including balcony, utility platform and verandah, if any)		Area of other specified items (Not included in the Saleable Area) sq. metre (sq. ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)										
Floor 樓層	Flat 單位	sq. metre (sq. ft.) 實用面積 (包括露台、工作平台及 陽台(如有)) 平方米(平方呎)	Air- conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
7/F to 12/F & 15/F	A	31.659 (341) Balcony 露台: 2.100 (23) Utility Platform 工作平台:										
to 22/F 7樓 至 12樓	В	22.579 (243) Balcony 露台: 1.990 (21) Utility Platform 工作平台:										
五 五 五 五 五 五 五 22樓	С	30.240 (326) Balcony 露台: 1.995 (21) Utility Platform 工作平台:										
23/F	A	40.715 (438) Balcony 露台 : 2.000 (22) Utility Platform 工作平台 :				1.361 (15)						
23樓						1.161 (12)						
25/F	A	40.715 (438) Balcony 露台: 2.000 (22) Utility Platform 工作平台:							31.572 (340)			
25樓	В	38.057 (410) Balcony 露台 : 1.995 (21) Utility Platform 工作平台 :							27.817 (299)			

- 1. The saleable area of each residential property and, the floor areas of balcony, utility platform and verandah (if any) are calculated in accordance with section 8 of the Residential Properties (Firsthand Sales) Ordinance; and the areas of other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales)
- 2. The areas as specified above in square feet are converted at a rate of 1 square metre=10.764 square feet and rounded up or down to the nearest whole square feet, which may be slightly different from that shown in square metre.
- 3. There is no verandah in the residential properties of the Development.
- 4. 4/F, 13/F, 14/F and 24/F are omitted.

  5. The symbol "--" as shown in the above table denotes "Not provided".

- 備註:
  1. 每個住宅物業的實用面積、露台、工作平台及陽台(如有)之樓面面積,是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積(不計算人實用面積),是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
  2. 上述所列之面積是以英制之平方呎列明,均以1平方米=10.764平方呎換算,並以四捨五入至整數平方呎,平方呎與平方米之數字可能有些微差異。
  3. 發展項目任宅物業並無陽台。

- 4. 不設4樓、13樓、14樓及24樓。 5. 上表所顯示之「--」符號代表「不提供」。

## FLOOR PLANS OF PARKING SPACES IN THE DEVELOPMENT

發展項目中的停車位的樓面平面圖

Not applicable 不適用

# SUMMARY OF PRELIMINARY AGREEMENT FOR SALE AND PURCHASE 臨時買賣合約的摘要

- 1. A preliminary deposit of 5% is payable on the signing of the preliminary agreement for sale and purchase.
- 2. The preliminary deposit paid by the purchaser on the signing of that preliminary agreement for sale and purchase will be held by a firm of solicitors acting for the owner, as stakeholders.
- 3. If the purchaser fails to execute the agreement for sale and purchase within 5 working days after the date on which the purchaser enters into that preliminary agreement
  - (i) that preliminary agreement is terminated;
  - (ii) the preliminary deposit is forfeited; and
  - (iii) the owner does not have any further claim against the purchaser for the failure.

- 1. 在簽署臨時買賣合約時須支付款額為5%的臨時訂金。
- 2. 買方在簽署該臨時買賣合約時支付的臨時訂金,會由代表擁有人行事的律師事務所以保證金保存人的身份持有。
- 3. 如買方沒有於訂立該臨時合約的日期之後5個工作日內簽立買賣合約 -
  - (i) 該臨時合約即告終止;
  - (ii) 有關的臨時訂金即予沒收;及
  - (iii) 擁有人不得就買方沒有簽立買賣合約而針對買方提出進一步 申索。

# The latest draft Deed of Mutual Covenant and Management Agreement of the Development ("DMC") provides that: -

### A. COMMON PARTS OF THE DEVELOPMENT

1. "Common Areas and Facilities" means, collectively, the Development Common Areas and Facilities, the Residential Common Areas and Facilities, the Commercial Common Areas and Facilities for Shop C and Shop D and all those parts and such of the areas and facilities (if any) of the Building designated as common areas and facilities by the First Owner (as defined in the DMC) in accordance with the provision of the DMC or by the relevant Owners in any Sub-Deed(s) (if any)

# 2. "Commercial Common Areas and Facilities for Shop C and Shop D" means and includes:-

- a. non-domestic lift lobby, lift, lift shaft, control panel and which are (if and where capable of being shown on plans) for identification purposes only shown coloured Yellow on the DMC Plans;
- b. such parts of the walls in the non-domestic lift lobby of the Building (including the external wall material) which are (if and where capable of being shown on plans) for identification purposes only shown coloured Yellow on the DMC Plans:
- c. such other areas and any other systems, services, devices and facilities provided for or installed in the Building intended for the common use and benefit of Shop C on 1/F and Shop D on 2/F as a whole and not just any individual Owner; and
- d. such other areas, systems, devices, services and facilities of and in the Land and the Building as may be designated as Commercial Common Areas and Facilities for Shop C and Shop D by the First Owner in accordance with the DMC or by the relevant Owners in any Sub-Deed (if any),

but excludes the Residential Common Areas and Facilities, the Development Common Areas and Facilities and such areas within the Building the exclusive right and privilege to hold, use, occupy and enjoy which belongs to any particular Owner and such facilities within the Building serving only any particular Owner.

### 3. "Development Common Areas and Facilities" means and includes :-

- a. the Setback Area, flat roofs (excluding those forming part of the Residential Common Areas and Facilities and those forming part of a Unit), electricity meter cabinets (E.M.C.), refuse storage and material recovery chamber (RS & MRC), cable riser room, fire services (F.S) inlet, sprinkler (SPR.) inlet & control valve, gas valve, flushing water upfeed pump & tank room, fire services (F.S.) water pump and tank room, sprinkler (SPR.) water pump and tank room, sprinkler (SPR.) water tank, potable & flushing pump room, flushing and potable water sump pump and tank room, potable water sump tank, flushing twin tank room, potable twin tank room, Transformer Room Facilities, telecommunications and broadcasting equipment (T.B.E.) room, low voltage (L.V.) switch room, emergency generator room, electrical duct (E.L.), electrical cabinet (E.L. cabinet), water meter cabinets (W.M.C.), pipe ducts (P.D.), hose reels (H.R.), architectural features, architectural feature with (w/) door, stone cladding, aluminum cladding, staircases and such other areas and any other systems, services, devices and facilities provided for or installed in the Building intended for the common use and benefit of the Building as a whole and not just any particular Unit and which are (if and where capable of being shown on plans) for identification purposes only shown coloured Orange and Orange Hatched Black on the DMC Plans;
- b. such parts of the external walls of the Building (including the Curtain Wall from 1/F to 2/F but excluding those external walls and Curtain Wall of the Building forming part of (i) the Residential Units; (ii) the Commercial Units; (iii) the Residential Common Areas and Facilities; and (iv) the Commercial Common Areas and Facilities for Shop C and Shop D) which are (if and where capable of being shown on plans) for identification purposes only shown coloured Orange on the DMC Plans;
- c. such other areas, systems, devices, services and facilities of and in the Land and the Building as may be designated as Development Common Areas and Facilities by the First Owner in accordance with the DMC or by the relevant Owners in any Sub-Deed; and
- d. to the extent not specifically provided in paragraphs (a), (b) and (c) above, such other parts of the Land and the Building as may fall within the definition of "common parts" as defined in the BMO,

but excludes the Residential Common Areas and Facilities, the Commercial Common Areas and Facilities for Shop C and Shop D and such areas within the Building the exclusive right and privilege to hold, use, occupy and enjoy which belongs to any particular Owner and such facilities within the Building serving only any particular Owner PROVIDED THAT, where appropriate, if

- (i) any parts of the Building covered by paragraph (a) of the definition of "common parts" set out in section 2 of the BMO; and/or
- (ii) any parts specified in the Schedule 1 to the BMO and included under paragraph (b) of the definition of "common parts" set out in section 2 of the BMO,

shall also be covered by the provisions hereinbefore provided, such parts shall be deemed to have been included as, and shall form part of, the Development Common Areas and Facilities.

### 4. "Residential Common Areas and Facilities" means and includes :-

- a. lifts, lift shafts, lift machine room, domestic entrance lobby, lift lobbies, caretaker counter area, air-conditioning (A/C) platforms, maintenance area, flat roofs (excluding those forming part of the Development Common Areas and Facilities and those forming part of a Unit), hose reels (H.R.), architectural features, aluminium cladding, external parapet(s) of the Residential Units (excluding the interior finishes of any part of the external parapet(s) enclosing and facing a Residential Unit and top of such external parapet(s), which interior finishes and top of such external parapet(s) shall form part of the Residential Unit), top of Curtain Wall (C.W.) and top of balconies which are (if and where capable of being shown on plans) for identification purposes only shown coloured Green on the DMC Plans;
- b. such parts of the external walls of the Building from 3/F and above (including the Curtain Wall and non-structural prefabricated external walls but excluding the windows, louvers, sliding door, French door and balustrades of the Residential Units and those external walls and Curtain Wall of the Building forming part of (i) the Residential Units; (ii) the Commercial Units; (iii) the Development Common Areas and Facilities; and (iv) the Commercial Common Areas and Facilities for Shop C and Shop D) which are (if and where capable of being shown on plans) for identification purposes only shown coloured Green on the Plans DMC;

- c. the Recreational Facilities;
- d. such other areas and any other systems, services, devices and facilities provided for or installed in the Building intended for the common use and benefit of all the Residential Units as a whole and not just any particular Residential Unit; and
- e. such other areas, systems, devices, services and facilities of and in the Land and the Building as may be designated as Residential Common Areas and Facilities by the First Owner in accordance with the DMC or by the relevant Owners in any Sub-Deed (if any),

but excludes the Development Common Areas and Facilities and Commercial Common Areas and Facilities for Shop C and Shop D and such areas within the Building the exclusive right and privilege to hold, use, occupy and enjoy which belongs to any particular Owner and such facilities within the Building serving only any particular Owner.

# B. NUMBER OF UNDIVIDED SHARES ASSIGNED TO EACH RESIDENTIAL PROPERTY IN THE DEVELOPMENT

Floor	Flat	Undivided Shares Per Residential Unit
	A	39
5/F	В	21
	С	43
	A	30
6/F	В	23
	С	29
7/F – 12/F,	A	32
15/F – 22/F	В	23
(14 storeys)	С	30
22 /E	A	41
23/F	В	38
25/E	A	44
25/F	В	41

# C. TERM OF YEARS FOR WHICH THE MANAGER OF THE DEVELOPMENT IS APPOINTED

The manager for the development shall be appointed from the date of the DMC for an initial period of not exceeding two (2) years and such appointment shall continue until terminated as provided in the DMC.

D. BASIS ON WHICH THE MANAGEMENT EXPENSES ARE SHARED AMONG THE OWNERS OF THE RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

Each Owner shall contribute towards the Management Expenses of the Building (including the Manager's remuneration) in such manner in such amount and in such proportion as provided in the DMC by reference to the Undivided Shares allocated to his Unit in accordance with the following principles:

- Each Owner shall contribute his due proportion of the budgeted Development Management Expenses which proportion shall be equal to the Undivided Shares of his Unit divided by the total Undivided Shares of all Units (excluding the Undivided Shares of the Common Areas and Facilities); and
- 2. Each Owner of a Residential Unit shall contribute his due proportion of the budgeted Residential Management Expenses which proportion shall be equal to the Undivided Shares of his Residential Unit divided by the total Undivided Shares of all Residential Units.

# E. BASIS ON WHICH THE MANAGEMENT FEE DEPOSIT IS FIXED

A sum as security equivalent to three (3) months' monthly management contribution towards the Management Expenses and such security amount shall be non-refundable but transferable.

F. AREA (IF ANY) IN THE DEVELOPMENT RETAINED BY THE OWNER FOR THAT OWNER'S OWN USE

There is no area in the Development which is retained by the Owner for that owners' use as referred to in section 14(2)(f), Part 1, Schedule 1 of the Residential Properties (First-hand Sales) Ordinance.

Note: For full details, please refer to the DMC. Full script of such DMC is available for inspection upon request at the sales office and copies of such DMC can be obtained upon paying necessary photocopying charges.

Unless otherwise defined in the sales brochure, capitalized terms used in the above shall have the same meaning of such terms in the DMC.

發展項目公契及管理協議的最新擬稿(「公契」)有下述條文:-

### A. 發展項目的公用部分

1. 「公用地方及設施」統指發展項目公用地方及設施、住宅公用地方及設施、C舖和D舖用的商業公用地方及設施及由第一業主(如公契所定義)根據公契的條文或由相關業主在任何分公契(如有)中指定作公用地方及設施的大廈的所有該等部分、地方及設施(如有)。

### 2. 「**C舖和 D 舖用的商業公用地方及設施**」指及包括:

- a. 非住宅升降機大堂、升降機、升降機槽、控制面板,(如果可以在圖則上顯示)在公契圖則上以黃色顯示,僅供識別;
- b. 大廈的非住宅升降機大堂的牆壁部分(包括外牆材料)(如果可以 在圖則上顯示)在公契圖則上以黃色顯示,僅供識別;
- c. 大廈內為一樓 C舖及二樓 D舖整體的共同使用及享用而不僅僅 是供任何個別業主使用及享用而提供或安裝的該等其他區域及 任何其他系統、服務、裝置及設施;及
- d. 第一業主根據公契或由相關業主在任何分公契(如有)中指定作 C舖和 D 舖用的商業公用地方及設施的該土地及大廈內的其他 區域、系統、設備、服務和設施,

但不包括住宅公用地方及設施、發展項目公用地方及設施以及大 廈內任何個別業主有權利和特權獨家持有、使用、佔用及享用的 地方和大廈內僅為任何個別業主服務的設施。

### 3. 「發展項目公用地方及設施」指及包括:

a. 後縮區、平台(不包括構成住宅公用地方及設施一部分及構成單位一部分的平台)、電錶櫃(E.M.C.)、垃圾收集和物料回收室(RS & MRC)、電纜立管室、消防(F.S)進水口、花灑(SPR.) 進水口及控制閥、燃氣閥、沖廁水上水泵及水箱房、消防(F.S.)水泵及水箱房、花灑(SPR.)水箱、食用及沖廁水泵房、沖廁及食用水污水泵及水箱房、食用水污水箱、食用及沖廁水泵房、沖廁及食用水污水泵及水箱房、食用水污水箱、沖廁水雙水箱房、食水雙水箱房、變壓器室設備、電訊和廣播設備(T.B.E.)室、低壓(L.V.)電掣房、緊急發電機房、電線槽(E.L.)、電氣櫃(E.L.櫃)、水錶櫃(W.M.C.)、管道槽(P.D.)、消防喉轆(H.R.)、建築裝飾、附設門之建築裝飾、石材覆層、鋁覆層、樓梯等以及在大廈內提供或安裝擬供大廈整體而不僅僅是任何個別單位共同使用和享用的任何其他系統、服務、設備及設施,(如果可以在圖則上顯示)在公契圖則上以橙色和橙色間黑斜線顯示,僅供識別;

- b. 大廈的外牆部分(包括一樓至二樓的幕牆,但不包括構成(i)住宅單位;(ii)商業單位;(iii)住宅公用地方及設施;及(iv) C舖和 D 舖用的商業公用地方及設施一部分的該等外牆及大廈幕牆),(如果可以在圖則上顯示)在公契圖則上以橙色顯示,僅供識別;
- c. 第一業主根據公契或由相關業主在任何分公契(如有)中指定作發展項目公用地方及設施的該土地及大廈內的其他區域、系統、設備、服務和設施,及
- d. 如果沒有在以上第(a)、(b)及(c)段特別指定,屬於《建築物管理條例》列明「公用部分」定義所涵蓋的該土地及大廈的其他部分,

但不包括住宅公用地方及設施、C舖和 D 舖用的商業公用地方及 設施以及大廈內任何個別業主有權利和特權獨家持有、使用、佔 用及享用的地方和大廈內僅為任何個別業主服務的設施。但是, 於適當情況下,如果

- (i) 大廈任何部分符合《建築物管理條例》第2條中「公用部分」第(a)段的定義;及/或
- (ii)《建築物管理條例》附表1訂明而符合《建築物管理條例》 第2條中「公用部分」第(b)段的定義,

此等部分將受制於前述的規定並被視為納入及屬於發展項目公用地方及設施一部分。

### 4. 「住宅公用地方及設施」指及包括:

- a. 升降機、升降機槽、升降機機房、住宅入口大堂、升降機大堂、管理員櫃檯區、空調機平台、保養範圍、平台(不包括構成發展項目公用地方及設施一部分的平台及構成單位一部分的平台)、消防喉轆(H.R.)、建築裝飾、鋁覆層、住宅單位的外部護牆(不包括包圍及面向住宅單位的外部護牆任何部分的內部飾面和外部護牆的頂部,該內部飾面和外部護牆的頂部應構成住宅單位的一部分)、幕牆頂部(C.W.)和露台頂部,(如果可以在圖則上顯示)在公契圖則上以綠色顯示,僅供識別;
- b. 大廈三樓及以上的外牆部分(包括幕牆及非結構預製外牆,但不包括住宅單位的窗戶、百葉窗、推拉門、落地窗及欄杆及構成 (i) 住宅單位; (ii) 商業單位; (iii) 發展項目公用地方及設施;及(iv) C舖和 D 舖用的商業公用地方及設施一部分的該等外牆及大廈幕牆),(如果可以在圖則上顯示)在公契圖則上以綠色顯示,僅供識別;

### c. 康樂設施;

- d 大廈內為所有住宅單位整體的共同使用及享用而不僅僅是供任何個別住宅單位使用及享用而提供或安裝的該等其他區域及任何其他系統、服務、裝置及設施;及
- e. 第一業主根據公契或由相關業主在任何分公契(如有)中指定作住宅公用地方及設施的在該土地及大廈內的其他區域、系統、設備、服務和設施,

但不包括發展項目公用地方及設施、C舖和 D 舖用的商業公用地方及設施以及大廈內任何個別業主有權利和特權獨家持有、使用、佔用及享用的地方和大廈內僅為任何個別業主服務的設施。

### B. 分配予發展項目中每個住宅物業的不分割份數數目

樓層	單位	每個住宅單位獲分配的 不分割份數的數目
	А	39
五樓	В	21
	С	43
	А	30
六樓	В	23
	С	29
七樓至十二樓,	А	32
十五樓至二十二樓	В	23
(共十四層)	С	30
→ I. → ##	А	41
二十三樓	В	38
一丁一曲	А	44
二十五樓	В	41

### C. 有關發展項目管理人的委任年期

發展項目管理人的委任年期為不超過公契之日起的初期2年並在 其後繼續任職至按公契規定終止。

D. 在發展項目的住宅物業的業主之間分擔管理開支的基準

每位業主須根據公契中規定的方式、金額和比例參考分配給他的單位的不分割份數按照下列原則分擔大廈的管理開支(包括管理人的酬金):

- 1. 每位業主須分擔預算發展項目管理開支中他的適當比例,該比例應等於他的單位的不分割份數除以所有單位的總不分割份數 (不包括公用地方及設施的不分割份數);及
- 2. 住宅單位的每位業主須分擔預算住宅管理開支中他的適當比例,該比例應等於他的住宅單位的不分割份數除以所有住宅單位的總不分割份數。

### E. 計算管理費按金的基準

一筆相當於三(3)個月的每月管理分擔款項作為保證金,該保證 金不可退還,但可轉讓。

F. 擁有人在發展項目中保留作為擁有人自用的地方(如有)

擁有人在發展項目中並無《一手住宅物業銷售條例》附表1第1部 第14(2)(f)條所述之保留作自用的範圍。

註:請參閱公契以了解全部詳情。公契的完整文本可在售樓處索取,並可在支付必要的複印費後獲取公契的副本。

除售樓說明書另有界定外,上述所用詞彙與公契中該等詞彙具有相同涵義。

# SUMMARY OF LAND GRANT 批地文件的摘要

1. The lot numbers of the land on which the Development is situated The Development is situate at The Remaining Portion of Subsection 1 of Section A of Kowloon Inland Lot No.2528 and The Remaining Portion of Section A of Kowloon Inland Lot No.2528 (collectively "the Land").

(Note: Kowloon Inland Lot No.2528 will be referred to as the "Lot".)

2. The term of years under the lease

The term of years shall be 75 years from 29 June 1931 and with a right of renewal for a further term of 75 years. The right of renewal was deemed to have been exercised under and by virtue of the Government Leases Ordinance (Cap. 40).

3. The user restrictions applicable to that land

According to the Government Lease in respect of the Land ("the Land Grant"):-

The Land or any part thereof shall not be used for the trade or business of a brazier slaughterman soap-maker sugar-baker fellmonger melter of tallow oilman butcher distiller victualler or tavern-keeper blacksmith nightman scavenger or any other noisy noisome or offensive trade or business whatsoever without the previous licence of the relevant Government Authority(ies).

A Licence dated 3 July 2023 registered at the Land Registry by Memorial No. 23081700470168 ("the Licence") has been granted by the Government to the owner to carry out the trade or business of sugar baker, oilman (excluding petrol filling station), butcher, victualler and tavern keeper prohibited in the Land Grant on the Land subject to the terms and conditions mentioned in the Licence.

- 4. The facilities that are required to be constructed and provided for the Government, or for public use Not applicable.
- 5. The grantee's obligations to lay, form or landscape any areas, or to construct or maintain any structures or facilities, within or outside that land

The grantee shall and will from time to time and at all times hereafter when where and as often as need or occasion shall be and require at his her or their own proper costs and charges well and sufficiently repair uphold support maintain pave purge scour cleanse empty amend and keep the messuage or tenement messuages or tenements and all other erections and buildings standing upon the Lot and all the walls banks cuttings hedges ditches rails lights pavements privies sinks drains and watercourses thereunto belonging and which shall in any-wise belong or appertain unto the same in by and with all and all manner of needful and necessary reparations cleansings and amendments whatsoever the whole to be done to the satisfaction of the Government.

- 6. The lease conditions that are onerous to a purchaser
  - (a) The Government has reserved rights to mines minerals mineral oils and quarries of stone in under or upon the Lot and all such earth soil marl clay chalk brick-earth gravel sand stone and stones and other earths or materials which at the time of the Land Grant

or thereafter during the continuance of the grant, shall be under or upon the Lot or any part or parts thereof as the Government may require for the roads public buildings or other public purposes of Hong Kong with full liberty of ingress egress and regress to and for the Government at reasonable times in the day during the continuance of the Land Grant with or without horses carts carriages and all other necessary things into upon from and out of all or any part of the Lot to view dig for convert and carry way the said excepted minerals stone earths and other things respectively or any parts thereof respectively thereby doing as little damage as possible to the grantee.

- (b) The Government has also reserved the power to make and conduct in through and under the Lot all and any public or common sewers drains or watercourses.
- (c) The grantee as often as need shall require bear pay and allow a reasonable share and proportion for and towards the costs and charges of making building repairing and amending all or any roads pavements channels fences and party walls draughts private or public sewers and drains requisite for or in or belonging to the Land or any part thereof in common with other premises near or adjoining thereto and that such proportion shall be fixed and ascertained by the Government and shall be recoverable in the nature of rent in arrear.
- (d) The Government may twice or oftener in every year at all reasonable times in the day enter into and upon the Lot to view, search and see the condition of same and of all decays defects and wants of reparation and amendment which upon every such view shall be found to give or leave notice in writing at or upon the Lot or some part thereof unto or for the grantee to repair and amend the same within three calendar months then next following within which time the grantee will repair and amend the same accordingly.
- (e) In case of the breach or non-performance of any covenant and condition on the part of the grantee to be performed in the Land Grant or a failure to pay the Government Rent by the grantee, it shall be lawful for the Government to re-enter, repossess and enjoy the Lot or any part thereof and expel the grantee and occupiers of the Lot.
- (f) The Government shall have full power to resume, enter into and re-take possession of the Land or any part thereof if required for the improvement of Hong Kong or for any other public purpose whatsoever by giving three calendar months' notice and paying a full and fair compensation at a valuation to be made by the Government.
- (g) See paragraph 5.

The expression "grantee" as mentioned in this section means the grantee under the Land Grant and where the context admits or requires includes his executors, administrators and assigns.

## SUMMARY OF LAND GRANT

批地文件的摘要

### 1. 發展項目所位於的土地的地段編號

該發展項目位於九龍內地段第2528號A分段1小段餘段及九龍內地段第2528號A分段餘段(統稱「該土地」)。

(註:九龍內地段第2528號稱作「該地段」。)

### 2. 有關租契規定的年期

年期為自1931年6月29日起75年,並有權續租75年。根據《政府租契條例》(第40章),續期權已視作被行使。

### 3. 適用於該土地的用途限制

根據該土地的政府租契(「批地文件」):

未經相關政府當局事先許可,不得使用該土地或其中任何部分從事銅工、屠宰、肥皂製造、製糖、獸皮、溶脂、油料、售肉、釀酒、食物供應或旅館、打鐵、掏糞、清理垃圾或任何產生噪音、有害或令人厭惡的行業或業務。

政府已向擁有人發出日期為2023年7月3日並在土地註冊處以註冊 摘要編號23081700470168登記的許可證(「許可證」),以進行批 地文件禁止在該土地上經營的製糖、油料(不包括加油站)、 售肉、食物供應或旅館的行業或業務,惟須遵守許可證中提及 的條款和條件。

- 4. 按規定須興建並提供予政府或供公眾使用的設施 不適用。
- 5. 有關承授人在該土地內外鋪設、塑造或作環境美化的任何範圍, 或興建或維持任何構築物或設施的責任

承授人須不時及此後的任何時候在情況需要時經常及隨時以適當及妥善的方式自費維修、維護、承托、保養、鋪設、清除、擦淨、清潔、排空、更改及保持該地段上的宅院、住房宅院、住房搭建物及建築物和屬於或附屬該地段或其之內或旁邊的一切牆壁、堤岸、路塹、樹籬、溝渠、路軌、照明、行人路、廁所、溝渠、排水渠、水道,並透過適當及必要的安排,進行整修、清潔及改善,在一切方面使政府滿意。

### 6. 對買方造成負擔的租用條件

- (a) 政府已就該地段之內、之下或之上的礦產、礦物、礦油、石礦及所有於批地文件發出之時或其後於批地存續時在地段或任何部分之下或之上、可能為道路、公共建築或其他香港之公共目的所需的土壤、泥土、泥灰岩、黏土、白堊、製磚土、礫石、砂、石頭及石堆、及其他土料或材料保留權利,而政府於批地文件存續時日間合理時間有完全自由出入和再出入該地段所有或任何部分,不論攜同馬匹、馬車、車輛和其他所需物件與否,以視察、挖掘、轉用及移走上述獲保之礦產、石、泥土和其他物件或其部分,唯須對承授人造成盡可能少的損害。
- (b) 政府亦保留權力,於地段內、地段下及穿過地段加置及接駁 所有及任何公共或公用排污渠、排水渠或水道。
- (c) 承授人必須根據情況需要承擔、支付及允許有關建造、建築、維修和更改在該土地或與毗鄰或毗連物業共用的任何部分之內或擁有的所有或任何道路、行人路、渠道、圍欄、共用牆、通風裝置、私家或公共污水渠及排水渠的費用及開支之合理部分及比例。有關比例由政府釐定與確認,如有欠交則作欠租追收。
- (d) 政府可每年兩次或以上於日間內的任何合理時間進入地段以 視察、搜索及檢查地段的狀況及所有變化、缺陷、失修及缺 乏改善之處,而每次視察有所發現,政府可在該地段或其某 部分或之上發出或留下書面通知要求承授人於其後三個公曆 月內按之修理及改善之。
- (e) 承授人若違反或不履行批地文件內其須履行之契諾或條件, 或未能繳付地租,政府可合法重收、重新管有及享用地段或 其任何部分及逐出承授人或地段的佔用人。
- (f) 倘若為改善香港或任何其他公共目的之需要,政府可全權收回、進入及重新管有該土地或其任何部分,但須提前三個月發出通知並根據政府的估價給予承授人全部及公平補償。
- (g) 見第5段。

本節中提述「承授人」一詞指根據批地文件中的承授人和如文意允許時包括其遺囑執行人、遺產管理人及承讓人。

## INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES

# 公共設施及公眾休憩用地的資料

- A. Facilities that are required under the land grant to be constructed and provided for the Government, or for public use Not Applicable
- B. Facilities that are required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Development Not Applicable
- C. Size of any open space that is required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Development Not Applicable
- D.Part of the land (on which the Development is situated) that is dedicated to the public for the purposes of regulation 22(1) of the Building (Planning) Regulations (Cap. 123 sub. leg. F of the Laws of Hong Kong)
  Not Applicable

- A. 根據批地文件規定須興建並提供予政府或供公眾使用的任何設施 不適用
- B. 根據批地文件規定須由發展項目中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的設施 不適用
- C. 根據批地文件規定須由發展項目中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何休憩用地的大小 不適用
- D. 發展項目所位於的土地中為施行《建築物(規劃)規例》(香港 法例第123章,附屬法例F)第22(1)條而撥供公眾用途的任何部分 不適用

# WARNING TO PURCHASERS 對買方的警告

- a. The purchaser is recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for the purchaser in relation to the transaction.
- b. If the purchaser instructs such separate firm of solicitors to act for the purchaser in relation to the transaction, that firm will be able to give independent advice to the purchaser.
- c. If the purchaser instructs the firm of solicitors acting for the owner to act for the purchaser as well, and a conflict of interest arises between the owner and the purchaser,
  - (i) that firm may not be able to protect the purchaser's interests; and
  - (ii) the purchaser may have to instruct a separate firm of solicitors.
- d. In the case of paragraph (c)(ii), the total solicitors' fees payable by the purchaser may be higher than the fees that would have been payable if the purchaser had instructed a separate firm of solicitors in the first place.


- a. 現建議買方聘用一間獨立的律師事務所(代表擁有人行事者除外),以在交易中代表買方行事。
- b. 如買方聘用上述的獨立的律師事務所,以在交易中代表買方 行事,該律師事務所將會能夠向買方提供獨立意見。
- c. 如買方聘用代表擁有人行事的律師事務所同時代表買方行事, 而擁有人與買方之間出現利益衝突 -
  - (i) 該律師事務所可能不能夠保障買方的利益;及
  - (ii) 買方可能要聘用一間獨立的律師事務所。
- d. 如屬(c)(ii)段的情況,買方須支付的律師費用總數,可能高於如買方自一開始即聘用一間獨立的律師事務所便須支付的費用。

(This page is left blank intentionally. 此頁保留空白。)

## CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT

發展項目中的建築物的橫截面圖






- 1. The part of Service Lane adjacent to the building is 6.20 to 6.41 metres above the Hong Kong Principal Datum.
- 2. The level of the lowest residential floor of the Development is 28.92 metres above the Hong Kong Principal Datum.
- 3. ∇ Denote height (in metres) above the Hong Kong Principal Datum (PD).
- 1. 毗連建築物的一段通道巷為香港主水平基準以上6.20米至6.41米。
- 2. 發展項目之最低住宅樓層為香港主水平基準以上28.92米。
- 3. ▽表示高於香港主要基準面(PD)的高度(以米為單位)。


## CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT


發展項目中的建築物的橫截面圖



- 1. The part of Sai Yee Street adjacent to the building is 6.41 to 6.43 metres above the Hong Kong Principal Datum.
- 2. The part of Service Lane adjacent to the building is 6.20 to 6.23 metres above the Hong Kong Principal Datum.
- 3. The level of the lowest residential floor of the Development is 28.92 metres above the Hong Kong Principal Datum.
- 4. ∇ Denote height (in metres) above the Hong Kong Principal Datum (PD).
- 1. 毗連建築物的一段洗衣街為香港主水平基準以上6.41米至6.43米。
- 2. 毗連建築物的一段通道巷為香港主水平基準以上6.20米至6.23米。
- 3. 發展項目之最低住宅樓層為香港主水平基準以上28.92米。
- 4. ▽表示高於香港主要基準面(PD)的高度(以米為單位)。

### ELEVATION PLAN A & B 立面圖 A & B







Boundary Line of the Development 為發展項目的界線

Authorized Person for the Development has certified that the elevations shown on these plans:

- (1) are prepared on the basis of the approved building plans for the Development as of 20 June 2023; and
- (2) are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖所示的立面:

- (1) 以2023年6月20日的情況為準的發展項目的經批准的建築圖則為 基礎擬備;及
- (2) 大致上與發展項目的外觀一致。


Key Plan

索引圖


立面圖

### ELEVATION PLAN C & D


立面圖 C & D



Boundary Line of the Development 為發展項目的界線



ELEVATION PLAN C 立面圖C



ELEVATION PLAN D 立面圖 D

Authorized Person for the Development has certified that the elevations shown on these plans:

- are prepared on the basis of the approved building plans for the Development as of 20 June 2023; and
   are in general accordance with the outward appearance of the Development.

發展項目的認可人士證明本圖所示的立面:

- (1) 以2023年6月20日的情況為準的發展項目的經批准的建築圖則為 基礎擬備;及
- (2) 大致上與發展項目的外觀一致。

# INFORMATION ON COMMON FACILITIES IN THE DEVELOPMENT

發展項目中的公用設施的資料

Common Facilities 公用設施		Covered 有蓋	Uncovered 露天	Total Area 總面積
Residents' clubhouse (including any recreational facilities for residents' use)	Area (sq. m.) 面積(平方米)	64.215	-	64.215
住客會所 (包括供住客使用的任何康樂設施)	Area (sq. ft.) 面積(平方呎)	691	-	691
Communal garden or play area for residents' use on the roof, or on any floor between the roof and the lowest residential floor, of a building in the Development	Area (sq. m.) 面積(平方米)	-	-	-
(whether known as a communal sky garden or otherwise) 位於發展項目中的建築物的天台或在天台和最低一層住宅樓層 之間的任何一層的、供住客使用的公用花園或遊樂地方 (不論是稱為公用空中花園或有其他名稱)	Area (sq. ft.) 面積(平方呎)	-	-	-
Communal garden or play area for residents' use below the lowest residential floor of a building in the Development (whether known as a covered and landscaped play area or otherwise)	Area (sq. m.) 面積(平方米)	0.536	46.522	47.058
位於發展項目中的建築物的最低一層住宅樓層以下的、 供住客使用的公用花園或遊樂地方 (不論是稱為有蓋及園景的遊樂場或有其他名稱)	Area (sq. ft.) 面積(平方呎)	6	501	507

### Note 備註:

Areas in square metres as specified in the above are based on the latest approved building plans. Areas in square feet are converted at a rate of 1 square metres to 10.764 square feet and rounded off to nearest square foot. 上述所列以平方米顯示之面積乃依據最新的批准建築圖則。以平方呎顯示之面積均依據1平方米=10.764平方呎換算,並以四拾五入至整數。

# INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT

閱覽圖則及公契

- 1. A copy of the outline zoning plan (OZP) relating to the development is available at www.ozp.tpb.gov.hk.
- 2. A copy of the latest draft of every deed of mutual covenant as at the date on which the specified residential properties are offered to be sold is available for inspection at the place at which the specified residential properties are offered to be sold.
- 3. The inspection is free of charge.

- 1. 備有關乎本發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為www.ozp.tpb.gov.hk。
- 2. 關於指明住宅物業的每一公契在將指明住宅物業提供出售的日期的最新擬稿存放在指明住宅物業的售樓處,以供閱覽。
- 3. 無須為閱覽付費。

1. E	1. Exterior finishes					
Iten	Item Description					
(a)	External wall	Type of finishes	Aluminium curtain wall, glass wall, natural stone, ceramic tiles, aluminium cladding, aluminium louvre, PVC louvre, glass balustrade, metal grilles and paint.			
(b)	Window	Material of frame	Aluminium			
		Material of glass	Insulated Glass Unit (IGU) with low-e coating is used for curtain wall windows. Tempered glass for bathrooms (if any window), kitchen, open kitchens (if any window) and bedrooms.			
(c)	Bay window	Material and window sill finishes	Not applicable			
(d)	Planter	Type of finishes	Not applicable			
(e)	Verandah or balcony	Type of finishes	Verandah Not applicable			
			Balcony			
			Balustrade	Floor	Wall	Ceiling
			Laminated glass and aluminum cladding with aluminum top rail	Ceramic tiles	Ceramic tiles	Paint
		Whether it is covered	Verandah	Not applicable		
		Verandah	Balcony	Covered		
(f)	Drying facilities for clothing	Type and material	Wall mounted aluminium drying rack (except Flat B on 18/F) Aluminium motorized drying rack (Flat B on 18/F)			

1. 夕	1. 外部裝修物料						
細項描述							
(a)	外牆	裝修物料的類型	鋁幕牆、玻璃牆、天然石、瓷磚、鋁面板、鋁百葉、 聚氣乙烯塑膠百葉、玻璃圍 欄、金屬欄杆及油漆				
(b)	窗	框的用料	鋁				
		玻璃的用料	幕牆窗採用雙層中空低輻射鍍膜玻璃 浴室(如有窗戶)、廚房、開放式廚房(如有窗戶)及睡房採用強化玻璃				
(c)	窗台	用料及窗台板的裝修物料	不適用				
(d)	花槽	裝修物料的類型	不適用				
(e)	陽台或露台	裝修物料的類型	陽台不適用				
露台							
			欄河	地板	牆壁	天花板	
			夾層玻璃及鋁面板 連鋁頂扶手	瓷磚	瓷磚	油漆	
		是否有蓋	陽台	不適用			
			露台	設有上蓋			
(f)	乾衣設施	類型及用料	掛牆鋁質乾衣架 (18樓B單位除外) 鋁質電動晾衣架 (18樓B單位)				

2. Interior finishes						
Iten	Item Description					
(a)	Lobby	Type of finishes	Wall	Floor	Ceiling	
		Main entrance lobby (G/F)	Ceramic tiles, aluminum panel, stainless steel, aluminum, mirror	Ceramic tiles	Gypsum board false ceiling finished with emulsion paint, plastic laminate, aluminum panel, stainless steel	
		Typical residential lift lobby (5/F-12/F, 15/F-23/F and 25/F)	Ceramic tiles, plastic laminate, artistic paint, tempered glass, stainless steel	Ceramic tiles	Gypsum board false ceiling finished with emulsion paint, stainless steel	
(b)	Internal wall	Type of finishes	Wall	Ceiling		
	and ceiling	Living and Dining Room (except Flat B on 18/F)	Emulsion paint	Emulsion paint, gypsum board bulkhead finished with emulsion paint		
		Living and Dining Room (Flat B on 18/F)	Emulsion paint, wood furring finished with wallpaper, stainless steel	Emulsion paint, gypsum board bulkhead finished with emulsion paint		
		Bedroom (except Flat B on 18/F)	Emulsion paint	Emulsion paint, gypsum board bulkhead finished with emulsion paint		
		Bedroom (Flat B on 18/F)	plastic laminate, wallpaper, stainless steel, emulsion paint	Gypsum board false ceiling finished with emulsion paint, plastic laminate		
(c)	Internal floor Material Floor Skirting					
		Living and Dining Room	Ceramic tiles	Timber skirting		
		Bedroom	Ceramic tiles	Timber skirting		

2. 室	2. 室内裝修物料					
細項	細項描述					
(a)	大堂	裝修物料的類型	牆壁	地板	天花板	
		主入口大堂(地下)	瓷磚,鋁板,不鏽鋼, 鋁,鏡	瓷磚	乳膠漆面石膏板假天花,膠板飾面, 鋁板,不鏽鋼	
		標準樓層住宅大堂 (5樓 - 12樓 ,	瓷磚,膠板飾面,藝術 油漆,強化玻璃,不鏽鋼	瓷磚	乳膠漆面石膏板假天花,不鏽鋼	
(b)	内牆及	15樓 - 23樓及25樓)   <b>裝修物料的類型</b>		天花板		
	天花板	客廳及飯廳 (18樓B單位除外)	乳膠漆	乳膠漆,乳膠漆面石膏板	装飾横樑 	
		客廳及飯廳 (18樓B單位)	乳膠漆,牆紙飾面木板, 不鏽鋼	乳膠漆,乳膠漆面石膏板	装飾横樑 	
		睡房 (18樓B單位除外)	乳膠漆	乳膠漆,乳膠漆面石膏板	装飾横樑 	
		睡房 (18樓B單位)	膠板飾面,牆紙,不鏽 鋼,乳膠漆	乳膠漆面石膏板假天花,膠板飾面		
(c)	內部地板	用料	地板	牆腳線		
		客廳及飯廳	瓷磚	木腳線		
		睡房	瓷磚	木腳線		

2. In	2. Interior finishes						
Iten	1	Description					
(d)	Bathroom	Type of finishes	Wall	Floor	Ceiling		
		Exposed surfaces	Ceramic tiles	Ceramic tiles (include floor inside shower cubicle)	Gypsum board false ceilin paint	g finished with emulsion	
		Wall finishes on expo	osed walls run up to level of fal	se ceiling			
(e)	Kitchen	Type of finishes	Wall	Floor	Ceiling	Cooking Bench	
		Exposed surfaces	Ceramic tiles and stainless steel (Flat A on 6/F-12/F, 15/F-23F & 25/F) Ceramic tiles (Flat A on 5/F, Flat B on 5/F - 12/F, 15/F-23/F & 25/F, Flat C on 5/F-12/F & 15/F-22/F) Wall behind kitchen cabinet finished with ceramic tiles (All Flats)	Ceramic tiles	Emulsion paint and Gypsum board false ceiling finished with emulsion paint	Solid surface	
		Wall finishes on expo	osed walls run up to level of fal	se ceiling			

3. In	3. Interior fittings							
Item		Description						
(a)	Doors	Location	Material	Finishes	Accessories			
		Flat main entrance door	Solid core fire rated timber door	Plastic laminate and stainless steel	Lockset, concealed door closer and eye viewer			
		Bedroom door (except Flat B on 18/F)	Hollow timber door	Plastic laminate	Lockset and door stopper			
		Store room door	Hollow timber door	Plastic laminate	Lockset and sliding track set			
		Bathroom door	Hollow timber door (with timber louvres in Flats B)	Plastic laminate	Lockset and door stopper			
		Kitchen Door	Solid core fire rated timber door	Plastic laminate	Lockset, concealed door closer, fire rated glass panel and door stopper			
		Balcony door	Aluminum frame with glass door	Fluorocarbon coating aluminum frame with Insulated Glass Unit (IGU) with low-e coating	Lockset and sliding track set			
		Flat roof swing door (Flat A & Flat C on 5/F, Flat C on 6/F)	Aluminum frame with glass door	Fluorocarbon coating aluminum frame with single pane glass	Lockset			
		Flat roof sliding door (Flat A, Flat B & Flat C on 5/F, Flat A & Flat C on 6/F and Flat A & Flat B on 23/F)	Aluminum frame with glass door	Fluorocarbon coating aluminum frame with Insulated Glass Unit (IGU) with low-e coating	Lockset			
		Roof door	Stainless steel door	Stainless steel	Lockset			

2. 室	2. 室内裝修物料						
細項	Į	描述					
(d)	浴室	裝修物料的類型	牆壁	地板	天花板		
		外露表面	瓷磚	瓷磚 (包括淋浴間内的 地板)	乳膠漆面石膏板假天花		
		牆壁外露位置的裝修物料鋪至假天花板底					
(e)	廚房	裝修物料的類型	牆壁	地板	天花板	灶台	
		外露表面	瓷磚及不鏽鋼 (6樓-12樓、 15樓-23樓及25樓A單位) 瓷磚 (5樓A單位,5樓-12樓、 15-23樓及25樓B單位, 5樓-12樓及15-22樓C單位) 廚櫃背牆壁為瓷磚飾面 (所有 單位)	瓷磚	乳膠漆及乳膠漆面石膏 板假天花	實心面材	
		牆壁外露位置的裝	修物料鋪至假天花板底				

3. 室	内裝置						
細項		描述					
(a)	門	位置	用料	装修物料	配件		
		單位入口大門	實心防火木門	膠板飾面及不鏽鋼	門鎖、暗氣鼓及防盗眼		
		睡房門 (18樓B單位除外)	空心木門	膠板飾面	門鎖及門擋		
		儲物室門	空心木門	膠板飾面	門鎖及趟門路軌套裝		
		浴室門	空心木門(B單位連木百葉)	膠板飾面	門鎖及門擋		
		廚房門	實心防火木門	膠板飾面	門鎖、暗氣鼓、防火玻璃嵌板 及門擋		
		露台門	鋁質框配玻璃門	氟碳塗層鋁質框配雙層中空低 輻射鍍膜玻璃	門鎖及趟門路軌套裝		
		平台掩門 (5樓A單位及 C單位,6樓C單位)	鋁質框配玻璃門	氟碳塗層鋁質框配單片玻璃	門鎖		
		平台趟門 (5樓A單位、B單位 及C單位,6樓A單位及C單位, 及23樓A單位及B單位)	鋁質框配玻璃門	氟碳塗層鋁質框配雙層中空低 輻射鍍膜玻璃	門鎖		
		天台門	不銹鋼門	不銹鋼	門鎖		

3. In	terior fittings	1			
Item		Description			
(b)	Bathroom		Fittings and equipment	Type	Material
			Cabinet	Countertop and basin	Solid surface
				Mirror cabinet	Timber cabinet with plastic laminate, stainless steel and mirror, with glass shelf
		(i) Type and material of fittings		Basin cabinet	Timber cabinet with plastic laminate and stainless steel (Flat A on 5/F-12/F, 15/F-23/F & 25/F, Flat B on 23/F & 25/F, Flat C on 5/F-12/F, 15-22/F) Timber cabinet with plastic laminate (Flat B on 5/F-12/F & 15/F-22/F)
		and equipment	Bathroom fittings	Shelf	Glass (All Flats) Cold-rolled steel (Flat B on 18/F)
				Wash basin mixer	Brushed plated
				Wash basin	Solid surface
				Water closet	Vitreous china
				Toilet paper holder	Chrome plated
				Robe hook	Chrome plated
				Towel ring	Chrome plated
			Bathroom appliances	For the appliances provision "Appliance Schedule"	n and brand name, please refer to the
				Туре	Material
		(ii) Type and material of water su	ınnly system	Cold water supply	Please refer to "3.(j)
		(ii) Type and material of water st	аррту зузсені	Hot water supply	Water supply" below Copper water pipes for both hot and cold water
		(iii) Type and material of bathing	g facilities	Shower compartment	Stainless steel frame with clear tempered glass
		(including shower or bath tub, if	applicable)	Shower mixer and Shower set	Brushed plated
		(iv) Size of bath tub (if applicable	e)	Not applicable	

3. 室	内裝置				
細項	į	描述			
(b)	浴室		裝置及設備	類型	用料
			櫃	枱面及洗手盤	實心面材
				鏡櫃	木製櫃連膠板飾面、不鏽鋼及 鏡面連玻璃層架
				洗手盆櫃	木製櫃連膠板飾面及不鏽鋼 (5樓-12樓、15樓-23樓及25樓 A單位,23樓及25樓B單位, 5樓-12樓及15樓-22樓C單位) 木製櫃連膠板飾面(5樓-12樓 及15樓-22樓B單位)
	(i)	(i) 裝置及設備的類型及用料	浴室裝置	層架	玻璃 (所有單位) 冷軋鋼 (18樓B單位)
				洗手盤水龍頭	拉絲鍍鉻
				洗手盤	實心面材
				座廁	陶瓷
				廁紙架	光面鍍鉻
				掛衣架	光面鍍鉻
				毛巾環	光面鍍鉻
			浴室設備	隨樓附送之設備及品牌,詢	請參閱〈設備說明表〉。
				類型	用料
		(ii) 供水系統的類型及用料		冷水供應	請參閱下文「3. (j)供水」一欄
				熱水供應	/ 冷熱水喉均為銅喉
		(iii) 沐浴設施 (包括花灑或浴缸	丁 <i>(計</i> 用:審田))	淋浴間	不鏽鋼框架及強化清玻璃
		(111)/小小台政儿心(巴拉尔尼以)/台山	L(X42四 <i>円))</i>	花灑龍頭及花灑套裝	拉絲鍍鉻
		(iv) 浴缸大小 (如適用的話)		不適用	

3. I	nterior fitting	s		
Iter	n	Description		
(c)	Kitchen	Location	Material	
		(i) Material of sink unit	Stainless steel	
		(ii) Material of water supply system	Copper water pipes for both hot	and cold water
			Material	Finishes
		(iii) Material and finishes of kitchen cabinet	Timber cabinets fitted with timber cabinet door panel and aluminium framed glass door, with timber and glass shelf	Plastic laminate and glass
		(iv) Type of all other fittings and equipment	Other fittings	Chrome plated sink mixer, sprinkler heads fitted in open kitchen and smoke detector with a sounder base fitted in living and dining room near open kitchen
			Other equipment	For the appliances provision and brand name, please refer to the "Appliance Schedule"
(d)	Bedroom	Type and material of fittings	Туре	Material
		(including built-in wardrobe) (except Flat B on 18/F)	Built-in wardrobe	Not applicable
			Other fittings	Not applicable
			Built-in wardrobe	Timber wardrobe finished with plastic laminate, stainless steel frame and glass door
		True and material of fittings	Raise platform	Timber platform finished with plastic laminate
		Type and material of fittings (including built-in wardrobe)	Built-in shelves and desk	Stainless steel shelves and timber desk finished with plastic laminate
		(Flat B on 18/F)	Headboard	Timber headboard finished with plastic laminate and fabric
			Curtain track	Aluminium
			Roller Blind	Aluminium & Farbic
(e)	Telephone	Location and number of connecti	on points	Please refer to the "Schedule of Mechanical and Electrical Provisions of Residential Flats"
(f)	Aerials	Location and number of connecti	on points	Please refer to the "Schedule of Mechanical and Electrical Provisions of Residential Flats"

3. 室内	3. 室内裝置					
細項		描述				
(c)	廚房	位置	用料			
		(i) 洗滌盆的用料	不銹鋼			
		(ii) 供水系統的用料	冷熱水喉均為銅喉			
			用料	裝修物料		
		(iii) 廚櫃的用料及裝修物料	木製廚櫃配木門及鋁框玻璃門 連木製及玻璃層架	膠板飾面及玻璃		
		(iv) 所有其他裝置及 設備的頖型	其他裝置	鍍鉻洗滌盆龍頭,消防花灑頭安裝在開放式廚房內及 設有聲響警報基座的煙霧探測器安裝在開放式廚房附近的 客廳及飯廳內		
			其他設備	隨樓附送之設備及品牌,請參閱〈 設備說明表〉。		
(d)	睡房		類型	用料		
		裝置 (包括嵌入式衣櫃)的類型及用料 (18樓B單位除外)	嵌入式衣櫃	不適用		
			其他裝置	不適用		
			嵌入式衣櫃	膠板飾面及不鏽鋼框玻璃門木製櫃		
			架空地台	膠板飾面木地台		
		裝置 (包括嵌入式衣櫃)的類型	嵌入式層架及書枱	不鏽鋼層架及膠板飾面木書枱		
		及用料 (18樓B單位)	床頭板	膠板及布飾面木製床頭板		
			窗簾路軌	鋁		
			捲簾	鋁及布		
(e)	電話	接駁點的位置及數目		請參閱〈住宅單位機電裝置位置及數量說明表〉		
(f)	天線	接駁點的位置及數目		請參閱〈住宅單位機電裝置位置及數量說明表〉		

3. In	3. Interior fittings					
Item Description						
(g)	Electrical installations	(i) Electrical fittings (including safety devices)	Electrical fittings	Faceplate for all switches and power sockets. Location and number of points, please refer to the "Schedule of Mechanical and Electrical Provisions of Residential Flats"		
			Safety devices	Three phase electricity supply with miniature circuit breaker distribution board		
		(ii) Whether conduits are conce	aled or exposed	Conduits are partly concealed and partly exposed <sup>1</sup>		
		(iii) Location and number of pov	ver points and air-conditioner points	Please refer to the "Schedule of Mechanical and Electrical Provisions of Residential Flats"		
(h)	Gas supply	Not applicable				
(i)	Washing	Location	Inside open kitchen and kitchen			
	machine connection point	Design	Drain point (diameter: 40mm) and water point (diameter: 22mm) are provided for washer dryer			
(j)	Water supply	(i) Material of water pipes	Cold water supply	Copper		
			Hot water supply	Copper		
			Flushing water supply	UPVC		
		(ii) Whether water pipes are concealed or exposed  Water pipes are partly concealed		and partly exposed <sup>1</sup>		
		(iii) Whether hot water is available	Hot water supply to kitchen, open kitchen and bathroom			

Note:

Other than those parts of the conduits and water pipes concealed within concrete, the rest of the conduits and water pipes are exposed. The exposed conduits and water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

3. 室	3. 室内裝置					
細項		描述				
(g)	電力裝置	(i) 供電附件 (包括安全裝置)	供電附件	提供電掣及電插座之面板。 接駁點的位置及數目,請參閱〈住宅單位機電裝置位置及數量說 明表〉		
			安全裝置	三相電力配電箱並安裝微型斷路器		
		(ii) 導管是隱藏或外露		導管是部分隱藏及部分外露1		
		(iii) 電插座及空調機接駁點的位	立置及數目 請參閱〈住宅單位機電裝置位置及數量說明表〉			
(h)	氣體供應	不適用				
(i)	洗衣機	位置	設於開放式廚房及廚房			
	接駁點	設計	設有洗衣乾衣機來水接駁喉位	(直徑22毫米)及去水接駁喉位 (直徑40毫米)		
(j)	供水	(i) 水管的用料	冷水喉	銅		
			熱水喉	銅		
			沖廁供水系統	低塑性聚氯乙烯		
		(ii)水管是隱藏或外露	水管是部分隱藏及部分外露口			
		(iii) 有否熱水供應	廚房、開放式廚房及浴室有熱	水供應		

備註: 「除部分隱藏於混凝土內之導管及水管外,其他部分的導管及水管均為外露。外露的導管及水管可能被假天花、假陣、貯存櫃、覆蓋層板、非混凝土間隔牆、指定之管道槽或其他物料遮蓋或掩藏。

Location of built-in

provisions

4. Miscellaneous

Item		Description					
(a)	Lifts		Residential Lift	Residential/fireman Lift	Non-domestic Lift		
		(i) Brand name	Hitachi	Hitachi	Hitachi		
		(ii) Model number	MCA-825-CO150	MCA-825-CO150	LCA-800-CO60		
		(iii) Number of lifts	1	1	1		
		(ii) Floor served by the lifts	G/F, 3/F, 5/F-12/F, 15/F-23/F & 25/F	G/F, 1/F-3/F, 5/F-12/F, 15/F-23/F & 25/F	G/F, 1/F-2/F		
(b)	Letter box	Material	Stainless steel	•			
(c)	Refuse collection	Means of refuse collection	Collection and removal of refuse by	y cleaners			
		Location of refuse room	Refuse storage and material recovery chamber is located on G/F				
(d)	Water meter, electricity meter and gas meter		Water meter	Electricity meter	Gas meter		
		i) Location	Water meter cabinet at respective floor	Electricity meter cabinet at respective floor	Not provided		
		ii) Whether they are separate or communal meters for residential properties	Separate meter	Separate meter	Not provided		
5. Se	ecurity Facilities						
Item	1	Description					
Security system and equipment (including details of built-in provisions and their locations)		Access control and security system	Visitor intercom panel with card and QR code reader for access control are provided at domestic entrance lobby on G/F, and connected to video door phone provided in each residential unit; Card and QR code reader for access control are provided at lobby of clubbo on 3/F and residential lifts				
		CCTV	CCTV system is provided at lifts, d and clubhouse. CCTV system is co	lomestic entrance lobby on G/I onnected to caretaker's counter	F, lift lobby on 1/F, 2/F & 3 on G/F		
		Details of built-in provisions	Video Door phone connecting to domestic entrance lobby on G/F is provided in all residenti				

6. Appliances	
Item	Description
Appliances	For brand name and model number, please refer to the "Appliance Schedule"

For the appliances provision and brand name, please refer to the "Appliance Schedule"

The Vendor undertakes that if lifts or appliances of specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

4. 辩	 <b>達項</b>				
細項		描述			
(a)	升降機		住宅升降機	住宅/消防升降機	非住宅用升降機
		(i) 品牌名稱	日立	日立	日立
		(ii) 產品型號	MCA-825-CO150	MCA-825-CO150	LCA-800-CO60
		(iii) 升降機數目	1部	1部	1部
		(ii) 到達的樓層	地下、3樓、5樓至12樓、15樓至 23樓及25樓	地下、1樓至3樓、5樓至 12樓、15樓至23樓及25樓	地下,1樓至2樓
(b)	信箱	用料	不鏽鋼		
(c)	垃圾收集	垃圾收集的方法	垃圾由清潔工人收集及運走		
		垃圾房的位置	垃圾收集及物料回收房設於地下		
(d)	水錶、電錶及氣體錶		水錶	電錶	氣體錶
		i) 位置	各樓層之水錶櫃	各樓層之電錶櫃	沒有提供
		ii) 就住宅單位而言是 獨立或公用的錶	獨立錶	獨立錶	沒有提供
5. 伢	安設施				
細項		描述			
(包抄	子系統及設備 舌嵌入式的裝備的細節 其位置)	入口通道控制及保安系統	用於入口通道控制的訪客對講機 接至每戶之視像對講機;用於入口 及住宅升降機		
		閉路電視	升降機、地下住宅入口大堂、1樓 連接至地下管理員櫃檯	。2樓及3樓升降機大堂及會戶	所均設有閉路電視系統並
		嵌入式裝置的細節	各住宅單位均裝設視像對講機並發	連接至地下住宅入口大堂	
		嵌入式裝置的位置	隨樓附送之設備及品牌,請參閱	〈設備說明表〉	
6. 該	· · · · · · · · · · · · · · · · · · ·				
細項	<b>(</b>	描述			
設備	<u> </u>	有關品牌名稱及產品型號,	請參閱「設備說明表」		

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

Appliance Schedule 設備說明表

Apphance Schedule	200027344			l Number 型號								
Location 位置	Appliance 設備	Brand Name 品牌	Indoor Unit 室内機	Outdoor Unit 室外機		5/F 5樓		1 6村	5/F-22/ 婁-12樓	F 及		
					A	В	С	A	В	C	A	В
		Daikin	FTXS50KAVMN	2MAY C 20 A A				-	-	-	-	-
		大金	FTXS50KAVMN	SIVIASOUAA	✓	_	<b>✓</b>	-	-	-	-	-
Living Room	- ··	Daikin 大金	FTXS50LVMN	RXS50LVMN	-	<b>√</b>	-	-	1	<b>√</b>	-	-
and Dining Room	Split-type Air Conditioner 分體式空調機	Daikin 大金	FTXS60LVMN	RXS60LVMN	-	-	-	1		-		
客廳及飯廳	刀腔八 <b>尘</b> 調(成	Daikin 大金	FTXS71LVMN	RXS71LVMN	世位 Outdoor Unit 室外機 A B C A  3MXS80AA	-	-	1	-			
		Daikin	FTXS35KVMN	3MXS68LVMA9#								
		大金	FTXS50KAVMN	3MXS80AA##	-	_	_	-	-	_	-	<b>\</b>
Store 儲物室	Split-type Air Conditioner 分體式空調機	Daikin 大金	FTXS25KVMN	3MXS80AA **	-	-	1	-	-	-	-	-
			FTXS25KVMN	3MXS68LVMA9 *	<b>\</b>	-	-	-	-	-	-	-
	G 174.4		FTXS25LVMN	RXS25LVMN	1	<b>√</b>	-	-	<b>√</b>	-	-	-
Bedroom 睡房	Split-type Air Conditioner 分體式空調機	Daikin 大金	FTXS25KVMN	3MXS80AA **	-	-	<b>√</b>	-	-	-	-	-
	// /短上\'工		FTXS25KVMN	3MXS68LVMA9 #	-	-	-	-	-	-	-	<b>√</b>
			FTXS25KVMN	3MXS52LVMA9 @@	-	-	-	1	-	1	-	-

The Vendor undertakes that if lifts and appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如該發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

Note:
1. The symbol "✓" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not Provided".
3. 3/F, 4/F, 13/F, 14/F and 24/F are omitted.
4. The same symbol "#", "##", "\*", "@", "@@" denotes "Connected to Same Outdoor Unit".

備註: 1. 上表"✓"代表"提供"。 2. 上表"-"代表"不提供"。 3. 不設3樓、4樓、13樓、14樓及24樓。 4. 上表"#"、"##"、"\*"、"\*\*"、"@"、"@@"代表"連接到同一室外機"。

Appliance Schedule 設備說明表

				Number 型號					lat 位			
Location 位置	Appliance 設備	Brand Name 品牌	Indoor Unit 室內機	Outdoor Unit 室外機		5/F 5樓		1 6 相	/F-12/F 5/F-22/ 婁-12樓, 5樓-22棹	F 及		& <b>25</b> /F 及25樓
					A	В	C	A	В	С	A	В
Bedroom 1 睡房 1	Split-type Air Conditioner 分體式空調機	Daikin 大金	FTXS25KVMN	4MXS115HV2C @	-	-	-	-	-	-	1	-
Bedroom 2 睡房 2	Split-type Air Conditioner 分體式空調機	Daikin 大金	FTXS25KVMN	4MXS115HV2C <sup>@</sup>	-	-	-	-	-	-	1	-
			FTXS35KVMN	3MXS68LVMA9 *	<b>√</b>	-	-	-	-	-	-	-
			FTXS25KVMN	3MXS80AA **	-	-	<b>√</b>	-	-	-	-	-
Master Bedroom 主人睡房	Split-type Air Conditioner	Daikin 大金	FTXS50KAVMN	3MXS80AA ##	-	-	-	-	-	-	-	✓
	王人睡房 分體式空調機 FTXS35KVMN 4MXS115HV2C @ -	-	-	-	-	-	-	1	-			
			FTXS25KVMN	3MXS52LVMA9 @@	-	-	-	1	-	1	-	-

The Vendor undertakes that if lifts and appliances of the specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如該發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

Note:
1. The symbol "✓" as shown in the above table denotes "Provided".
2. The symbol " - " as shown in the above table denotes "Not Provided".
3. 3/F, 4/F, 13/F, 14/F and 24/F are omitted.
4. The same symbol "#", "##", "\*\*", "@", "@@" denotes "Connected to Same Outdoor Unit".

備註: 1. 上表"✓"代表"提供"。 2. 上表"-"代表"不提供"。 3. 不設3樓、4樓、13樓、14樓及24樓。 4. 上表"#"、"##"、"\*"、"\*\*"、"@"、"@@"代表"連接到同一室外機"。

Annliance Schedule 設備設田表

Appliance Schedule 設備說明表	₹							
						Flat 單位		
Location 位置	Appliance 設備	Brand Name 品牌	Model Number 型號	5	2/F <b>&amp; 15/I</b> i樓-12樓及 15樓-22樓	支		& 25/F 及25樓
				A	В	С	A	В
Living Room and Dining Room 客廳及飯廳	Video Door Phone 視象對講機	Yoswit	YO191-VDP-007/R2	<b>√</b>	✓	<b>√</b>	✓	<b>✓</b>
	Steam Oven 蒸爐	Siemens 西門子	CD634GAS0	✓	✓	✓	✓	✓
	Induction Hob 電磁爐	Siemens 西門子	EH375FBB1E	1	<b>√</b>	<b>√</b>	1	<b>✓</b>
Kitchen / Open Kitchen	Cooker Hood 抽油煙機	Rosiere	RHT680IN	✓	✓	✓	✓	✓
廚房/開放式廚房	Washer / Dryer 洗衣 / 乾衣機	Rosiere	RILS14853TH1-UK	✓	✓	✓	✓	✓
	Refrigerator 雪櫃	Rosiere	RSOP122-1	✓	✓	✓	✓	✓
	Electric Water Heater 電熱水爐	Stiebel Eltron	DHM6	1	<b>√</b>	<b>√</b>	1	<b>√</b>
Bathroom 浴室	Electric Water Heater (with remote control panel) 電熱水爐連搖控板面	Stiebel Eltron	DHB-E 18/21/24 SLi	1	1	1	1	<b>√</b>
	Thermo Ventilator 浴室寶	Panasonic	FV-40BEN4H	✓	✓	✓	✓	✓

The Vendor undertakes that if lifts or appliances of specified brand name or model number are not installed in the Development, lifts or appliances of comparable quality will be installed.

賣方承諾如發展項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

Note:
1. The symbol "✓" as shown in the above table denotes "Provided".
2. The symbol "-" as shown in the above table denotes "Not Provided".
3. 3/F, 4/F, 13/F, 14/F and 24/F are omitted.
4. The same symbol "#", "##", "\*", "@", "@@" denotes "Connected to Same Outdoor Unit".

備註: 1. 上表"✓"代表"提供"。 2. 上表"-"代表"不提供"。 3. 不設3樓、4樓、13樓、14樓及24樓。 4. 上表"#"、"##"、"\*"、"\*\*"、"@"、"@@"代表"連接到同一室外機"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓			6/F 6樓		7/F-12 (Excep 7樓-12	/F &15/ pt 18/F ] 樓及15标 塿B室防	Flat B) 婁-22樓	18/F 18樓	23 23	J/F 樓		5/F 5樓
			A	В	С	A	В	С	A	В	C	В	A	В	A	В
Main Entrance 大門入口	Door Bell Push Button 門鐘掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Door Bell 門鐘	ı	1	-	-	1	1	-	1	1	1	-	1	-	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	TV / FM Connection Point 電視 / 收音機天線接駁點		2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Connection Point 電話接駁點		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A 雙位插座		5	4	4	3	4	4	3	4	4	3	2	3	2	3
Living Room and Dining Room 客廳及飯廳	13A Switched Twin Socket Outlet with USB 13A 雙位及USB電插座連開關掣		1	1	1	1	1	1	1	1	1	2	1	1	1	1
一日 用心人又以又用心	Lighting Switch 燈掣		3	2	2	2	2	3	2	2	2	2	2	2	2	2
	Smart Type Lighting Switch 智能型燈掣		3	1	3	3	1	3	3	1	3	1	3	3	3	3
	Lighting Point 燈位		2	2	3	2	2	2	2	2	2	3	2	3	2	3
	Fuse Spur Unit for LED Strip LED 燈帶接線座		-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Smart Type Fused Spur Unit for Air Conditioner Indoor Unit 智能型空調室內機接線座		2	1	2	1	1	1	1	1	1	1	1	2	1	2

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

佣註· 1. 上表之數字代表"提供的數量"。 2. 上表"-"代表"不提供"。 3. 上表"/"代表"不適用"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓			6/F 6樓		7/F-12 (Excep 7樓-12	/F &15/ pt 18/F ] 樓及15标 塿B室隊	Flat B) 婁-22樓	18/F 18樓	23 23			5/F 6樓
			A	В	С	A	В	С	A	В	С	В	A	В	A	В
	Switch for Electric Water Heater and Thermo Ventilator 電熱水爐及浴室寶開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room and Dining Room 客廳及飯廳		Miniature Circuit Breaker Distribution Board 微型斷路器配電箱	-	1	-	-	1	1	-	1	1	1	-	-	-	-
	Smoke Detector With Sounder Base 煙霧探測器連警報底座		1	1	-	1	1	1	1	1	1	1	1	1	1	1
	TV / FM Connection Point 電視 / 收音機天線接駁點		1	/	1	1	/	1	1	/	1	/	1	1	1	1
	Telephone Connection Point 電話接駁點		1	/	1	1	/	1	1	/	1	/	1	1	1	1
	13A Twin Socket Outlet 13A 雙位插座		1	/	1	1	/	1	1	/	1	/	1	1	1	1
Master Bedroom	13A Switched Twin Socket Outlet with USB 13A 雙位及USB電插座連開關掣		1	/	1	1	/	1	1	/	1	/	1	1	1	1
主人睡房	Lighting Switch 燈掣		-	/	-	-	/	-	-	/	-	/	1	1	ı	-
	Smart Type Lighting Switch 智能型燈掣		1	/	1	1	/	1	1	/	1	/	1	1	1	1
	Lighting Point 燈位		1	/	1	1	/	1	1	/	1	/	1	1	1	1
	Smart Type Fused Spur Unit for Air Conditioner Indoor Unit 智能型空調室內機接線座		1	/	1	1	/	1	1	/	1	/	1	1	1	1

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

備註: 1. 上表之數字代表"提供的數量"。 2. 上表"-"代表"不提供"。 3. 上表"/"代表"不適用"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓			6/F 6樓		7/F-12/ (Excep 7樓-12/	/F <b>&amp;</b> 15/ ot 18/F ] 樓及15标 婁B室除	Flat B) 婁-22樓	18/F 18樓	23 23			5/F 6樓
			A	В	С	A	В	С	A	В	С	В	A	В	A	В
	TV / FM Connection Point 電視 / 收音機天線接駁點		1	1	1	1	1	1	1	1	1	1	/	1	/	1
	Telephone Connection Point 電話接駁點		1	1	1	1	1	1	1	1	1	1	/	1	/	1
	13A Twin Socket Outlet 13A 雙位插座		1	1	1	1	1	1	1	1	1	1	/	1	/	1
	13A Switched Twin Socket Outlet with USB 13A 雙位及USB電插座連開關掣		1	1	1	1	1	1	1	1	1	1	/	1	/	1
Bedroom	Smart Type Lighting Switch 智能型燈掣		1	1	1	1	1	1	1	1	1	1	/	1	/	1
睡房	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	2	/	1	/	1
		Fuse Spur Unit for LED Strip LED燈帶接線座	1	1	-	-	-	ı	-	ı	-	2	/	-	/	-
	Smart Type Fused Spur Unit for Air Conditioner Indoor Unit 智能型空調室內機接線座		1	1	1	1	1	1	1	1	1	1	/	1	/	1
	Smoke Detector With Sounder Base 煙霧探測器連警報底座		-	-	-	-	-	-	-	-	-	1	/	-	/	-

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

佣註· 1. 上表之數字代表"提供的數量"。 2. 上表"-"代表"不提供"。 3. 上表"/"代表"不適用"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓			6/F 6樓		(Excep 7樓-12	/F &15/ pt 18/F ] 樓及15标 婁B室胬	Flat B) 婁-22樓	18/F 18樓	23 23			5/F i樓
			A	В	С	A	В	С	A	В	С	В	A	В	A	В
	TV / FM Connection Point 電視 / 收音機天線接駁點		/	/	/	/	/	/	/	/	/	/	1	/	1	/
	Telephone Connection Point 電話接駁點		/	/	/	/	/	/	/	/	/	/	1	/	1	/
	13A Twin Socket Outlet 13A 雙位插座		/	/	/	/	/	/	/	/	/	/	1	/	1	/
Bedroom 1 or Bedroom 2 睡房 1/睡房 2	13A Switched Twin Socket Outlet with USB 13A 雙位及USB電插座連開關掣		/	/	/	/	/	/	/	/	/	/	1	/	1	/
HL//J 17 HL//J 2	Smart Type Lighting Switch 智能型燈掣		/	/	/	/	/	/	/	/	/	/	1	/	1	/
	Lighting Point 燈位		/	/	/	/	/	/	/	/	/	/	1	/	1	/
	Smart Type Fused Spur Unit for Air Conditioner Indoor Unit 智能型空調室內機接線座		/	/	/	/	/	/	/	/	/	/	1	/	1	/

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

佣註· 1. 上表之數字代表"提供的數量"。 2. 上表"-"代表"不提供"。 3. 上表"/"代表"不適用"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓			6/F 6樓		7/F-12 (Excej 7樓-12	/F &15/ pt 18/F 樓及15/ 樓B室隙	Flat B) 婁-22樓	18/F 18樓		B/F 樓		5/F 6樓
			A	В	С	A	В	С	A	В	С	В	A	В	A	В
	13A Switched Twin Socket Outlet 13A 雙位插座連開關掣		1	1	/	1	1	1	1	1	1	1	1	1	1	1
		Door Bell 門鐘	1	-	/	1	-	-	1	-	-	-	1	-	1	-
	Lighting Point 燈位		2	1	/	2	1	1	2	1	1	1	2	1	2	1
		Fuse Spur Unit for Cabinet Lighting 櫃燈接線座	1	1	/	1	1	1	1	1	1	1	1	1	1	1
	Sprinkler Head 消防花灑頭		2	2	/	1	2	2	1	2	2	2	1	2	1	2
		Sprinkler Head 消防花灑頭	1	1	/	1	1	1	1	1	1	1	1	1	1	1
Open Kitchen 開放式廚房		Single socket outlet for Refrigerator 單位電插座供雪櫃	1	1	/	1	1	1	1	1	1	1	1	1	1	1
		Single socket outlet for Washer Dryer 單位電插座供洗衣乾衣機	1	1	/	1	1	1	1	1	1	1	1	1	1	1
		Single socket outlet for Steam Oven 單位電插座供蒸爐	1	1	/	1	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Telescopic Hood 抽油煙機接線座	1	1	/	1	1	1	1	1	1	1	1	1	1	1
		Power connection point for Induction Hob 電磁爐電接駁點	1	1	/	1	1	1	1	1	1	1	1	1	1	1
		Switch for Induction Hob 電磁爐開關掣	1	1	/	1	1	1	1	1	1	1	1	1	1	1

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

備註: 1. 上表之數字代表"提供的數量"。 2. 上表"-"代表"不提供"。 3. 上表"/"代表"不適用"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓			6/F 6樓		7/F-12 (Exce) 7樓-12	/F <b>&amp;</b> 15/ pt 18/F ] 樓及15村 塿B室隊	Flat B) 婁-22樓	18/F 18樓		B/F 樓		5/F i樓
			A	В	С	A	В	С	A	В	С	В	A	В	A	В
Open Kitchen 開放式廚房		20A TPN Isolator Switch for Electric Water Heater 20A 電熱水爐三極隔離開 關掣	1	1	/	1	1	1	1	1	1	1	1	1	1	1
州从八例方		Miniature Circuit Breaker Distribution Board 微型斷路器配電箱	1	-	/	1	-	-	1	-	-	-	1	1	1	1
	13A Switched Twin Socket Outlet 13A 雙位插座連開關掣		/	/	2	/	/	/	/	/	/	/	/	/	/	/
		Door Bell 門鐘	/	/	1	/	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		/	/	2	/	/	/	/	/	/	/	/	/	/	/
		Fuse Spur Unit for Cabinet Lighting 櫃燈接線座	/	/	1	/	/	/	/	/	/	/	/	/	/	/
		Single socket outlet for Refrigerator 單位電插座供雪櫃	/	/	1	/	/	/	/	/	/	/	/	/	/	/
Kitchen 厨房		Single socket outlet for Washer Dryer 單位電插座供洗衣乾衣機	/	/	1	/	/	/	/	/	/	/	/	/	/	/
		Single socket outlet for Steam Oven 單位電插座供蒸爐	/	/	1	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Telescopic Hood 抽油煙機接線座	/	/	1	/	/	/	/	/	/	/	/	/	/	/
		Power connection point for Induction Hob 電磁爐電接駁點	/	/	1	/	/	/	/	/	/	/	/	/	/	/
		Switch for Induction Hob 電磁爐開關掣	/	/	1	/	/	/	/	/	/	/	/	/	/	/

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

備註:
1. 上表之數字代表"提供的數量"。
2. 上表"-"代表"不提供"。
3. 上表"/"代表"不適用"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓			6/F 6樓		7/F-12 (Excep 7樓-12	/F &15/ pt 18/F 樓及15/ 樓B室院	Flat B) 婁-22樓	18/F 18樓	23 23	F/F 樓		5/F 樓
			A	В	С	A	В	С	A	В	C	В	A	В	A	В
Kitchen 廚房		20A TPN Isolator Switch for Electric Water Heater 20A 電熱水爐三極隔離開 關掣	/	/	1	/	/	/	/	/	/	/	/	/	/	/
四/万		"Miniature Circuit Breaker Distribution Board 微型斷路器配電箱"	/	/	1	/	/	/	/	/	/	/	/	/	/	/
	13A Single Socket Outlet 13A 單位插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		3	3	2	2	3	2	2	3	2	3	2	2	2	2
Bathroom		Fuse Spur Unit for Cabinet Lighting 櫃燈接線座	1	1	1	1	1	1	1	1	1	1	1	1	1	1
浴室		40A TPN Isolator Switch for Electric Water Heater 40A 電熱水爐三極隔離開 關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Thermo Ventilator 浴室寶接線座	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A 雙位插座		/	/	1	/	/	/	/	/	/	/	/	/	/	/
Store Room 儲物室	Smart Type Fused Spur Unit for Air Conditioner Indoor Unit 智能型空調室內機接線座		/	/	1	/	/	/	/	/	/	/	/	/	/	/
16日17月主	Smart Type Lighting Switch 智能型燈掣		/	/	1	/	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		/	/	1	/	/	/	/	/	/	/	/	/	/	/

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

佣註· 1. 上表之數字代表"提供的數量"。 2. 上表"-"代表"不提供"。 3. 上表"/"代表"不適用"。

Location 位置	Exposed Type 外露形	Non-exposed Type 非外露形		5/F 5樓		6/F 6樓		7/F-12/F &15/F-22/F (Except 18/F Flat B) 7樓-12樓及15樓-22樓 (18樓B室除外)		18/F 18樓	23 23	/F 樓		5/F 樓		
			A	В	С	A	В	С	A	В	C	В	A	В	A	В
	13A Waterproof Type Single Socket Outlet 13A單位防水插座		/	/	/	/	1	/	1	1	1	1	1	1	1	1
Balcony 露台	Lighting Point 燈位		/	/	/	/	1	/	1	1	1	1	1	1	1	1
	Fuse Spur Unit for drying rack 晾衣架接線座		/	/	/	/	-	/	-	-	-	1	ı	-	-	-
Flat Roof near Living Room and Dining Room / Master Bedroom 近客廳及飯廳/主 人睡房平台	13A Waterproof Type Single Socket Outlet 13A單位防水插座		2	2	2	2	/	2	/	/	/	/	1	1	/	/
	Lighting Point 燈位		2	1	2	1	/	1	/	/	/	/	1	1	/	/
Flat Roof near	13A Waterproof Type Single Socket Outlet 13A單位防水插座		1	/	2	/	/	1	/	/	/	/	/	/	/	/
Open Kitchen/ Kitchen	Lighting Point 燈位		1	/	5	/	/	1	/	/	/	/	/	/	/	/
近開放式廚房/ 廚房平台	20A Double Pole Isolator Switch for A/C Outdoor Unit 20A 空調室外機雙極隔離開關掣		1	/	2	/	/	2	/	/	/	/	/	/ /	/	/
	13A Waterproof Type Single Socket Outlet 13A單位防水插座		/	/	/	/	/	/	/	/	/	/	/	/	2	2
	Waterproof Type Lighting Switch 防水燈掣		/	/	/	/	/	/	/	/	/	/	/	/	1	1
Main Roof 主天台	Lighting Point 燈位		/	/	/	/	/	/	/	/	/	/	/	/	6	7
	32A Double Pole Waterproof Type Isolator Switch 32A 雙極防水隔離開關掣		/	/	/	/	/	/	/	/	/	/	/	/	1	1
	Miniature Circuit Breaker Distribution Board 微型斷路器配電箱		/	/	/	/	/	/	/	/	/	/	/	/	1	1
A/C Platform 冷氣機平台	20A Double Pole Isolator Switch for A/C Outdoor Unit 20A 空調室外機雙極隔離開關掣		2	2	/	2	2	/	2	2	2	2	2	2	2	2

Note:
1. The numbers as shown in the above table denotes "the numbers provided".
2. The symbol " - " as shown in the above table denotes "not provided".
3. The symbol " / " as shown in the above table denotes "not applicable".

佣註: 1. 上表之數字代表"提供的數量"。 2. 上表"-"代表"不提供"。 3. 上表"/"代表"不適用"。

# **SERVICE AGREEMENTS**

服務協議

- Potable and flushing water is supplied by Water Supplies Department.
- Electricity is supplied by CLP Power Hong Kong Limited.
- No gas supply.

- 食水及沖廁水由水務署供應。
- 電力由中華電力有限公司供應。
- 無氣體供應。

# GOVERNMENT RENT 地稅

The Vendor is liable for the Government rent payable for a specified residential property up to and including the date of completion of the sale and purchase of that specified residential property to the purchaser (i.e. the date of assignment of that property).

擁有人有法律責任繳付住宅物業直至並包括該住宅物業買賣完成日 (即該物業轉讓契日期)之地稅。

# MISCELLANEOUS PAYMENTS BY PURCHASER 買方的雜項付款

- 1. On the delivery of the vacant possession of the residential property to the purchaser, the purchaser is liable to reimburse the owner for the deposits for water, electricity and gas.
- 2. On that delivery, the purchaser is not liable to pay to the owner a debris removal fee.
- 3. The amount of deposits for water, electricity and debris removal fee is yet to be ascertained at the date on which the sales brochure is printed.
- 1. 在向買方交付住宅物業在空置情況下的管有權時,買方須負責向 擁有人補還水、電力及氣體的按金。
- 2. 在交付時,買方無須向擁有人支付清理廢料的費用。
- 3. 水及電力的按金及清理廢料的費用的款額於售樓說明書印製日期尚未決定。

### Note:

- 1. On that delivery, the purchaser is liable to pay a debris removal fee to the manager of the Development. Where the owner has paid that debris removal fee, the purchaser shall reimburse the owner for the same.
- 2. No gas supply is provided to the residential properties.

### 備註:

- 1. 在交付時,買方須向發展項目的管理人支付清理廢料的費用。如擁有人已支付清理廢料的費用,買方須向擁有人補還清理廢料的費用。
- 2. 住宅物業不設氣體供應。

# DEFECT LIABILITY WARRANTY PERIOD 欠妥之處的保養責任期

The Vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the Purchaser within 6 months after the date of completion of the sale and purchase, remedy any defects to the Property, or the fittings, finishes or appliances incorporated into the Property as set out in the agreement for sale and purchase, caused otherwise than by the act or neglect of the Purchaser.

凡物業或於買賣合約列出裝設於物業內的裝置、裝修物料或設備有欠妥之處,而該欠妥之處並非由買方行為或疏忽造成,則賣方在接獲買方在買賣成交日期後的6個月內送達的書面通知後,須於合理地切實可行的範圍內,盡快自費作出補救。

# MAINTENANCE OF SLOPES 斜坡維修

Not applicable 不適用

# MODIFICATION 修訂

No application to the Government for a modification of the Land Grant for the Development is underway.

本發展項目現時並沒有向政府提出申請修訂批地文件。

## RELEVANT INFORMATION 有關資料

### ARCHITECTURAL FEATURES

Some architectural features are installed outside some Residential Units. The views of some Residential Units may be affected by these architectural features. For the locations of the architectural features, please refer to the "Floor Plans of Residential Properties in the Development" in this sales brochure.

### **EXHAUST LOUVRES**

There may be exhaust louvers connecting from the shops/restaurants (if any) on G/F, 1/F and 2/F for exhaust from air-conditioning system or in connection with the business (including restaurant, if any) to be carried on at the shops/restaurants on G/F, 1/F and 2/F. The alignment and position of the exhaust louvers may be changed from time to time and are subject to compliance with the relevant statutory requirements and/or directions from the relevant government authorities. Prospective purchasers please note the possible impact (if any) of such exhaust louvers on individual Residential Unit.

## <u>LIGHTING AT THE EXTERNAL WALL OF THE DEVELOPMENT</u>

There may be decorative lighting at the external wall on G/F, 3/F, and 5/F of the Development. Prospective purchasers should note the possible impact (if any) of the said features on the individual Residential Unit.

### PLACING OF OUTDOOR AIR-CONDITIONING UNITS

Outdoor air-conditioning units (either serving its own Residential Unit or other Residential Unit(s)) are placed on the air-conditioner platform(s) adjacent to/adjoining some Residential Units. The placing of outdoor air-conditioning units on the air-conditioner platform(s) may affect the enjoyment of the relevant Residential Units of the Development in terms of heat and noise or other aspects. For the locations of the outdoor air-conditioning units, please refer to the "Floor Plans of Residential Properties in the Development" in this sales brochure.

### OPERATION OF BUILDING MAINTENANCE UNIT

According to the Deed of Mutual Covenant and Management Agreement, in respect of any flat roof, main roof and balcony forming part of a residential unit, the Manager shall have the right at all times to extend, maintain, operate, move and have access to, over and/or into or partly into the portion of airspace above the flat roof, main roof and balcony or the parapet walls of the roof or flat roof, the building maintenance unit to service, cleanse, enhance, maintain, etc., any part of any exterior of the Development, and to remain temporarily over and/or on the said airspace for such period as may be necessary for the purpose of inspecting, rebuilding, repairing, etc., all or any part of the Common Areas and Facilities.

The Manager shall have power to enter and access to any part of the Residential Units and to enter into all parts of the Development with or without workmen and equipment for the purpose of cleaning, painting, repairing, etc. the curtain wall, windows, external walls, flat roofs and the Common Areas and Facilities including without limitation, the right to affix and dock any building maintenance unit(s) for the aforesaid purposes. In respect of any roof or flat roof forming part of a Residential Unit, the Manager shall have the right to enter into all or any parts of such roof or flat roof for the purposes of carrying out all necessary cleaning maintenance and/or repair works (whether or not such works are ad-hoc in nature).

### NO GAS SUPPLY TO ALL RESIDENTIAL UNITS

No gas pipes for the supply of town gas will be installed in the Residential Units. Flame cooking is not allowed in the Residential Units in the Development.

### 建築裝飾

有些住宅單位的外部安裝了一些建築裝飾。 部分住宅單位的景觀可能 會受到這些建築裝飾的影響。有關建築裝飾的位置,請參閱本售樓說 明書的「發展項目的住宅物業的樓面平面圖」。

## 排氣百葉窗

地下、一樓及二樓的商店/餐廳(如有)可能設有排氣百葉窗,以排出空調系統或於地下、一樓及二樓的商店/餐廳所進行的業務(包括餐廳,如有)有關的廢氣。排氣百葉窗的排列和位置可能會不時改變,並須遵守相關監管要求和/或相關政府機構的指示。準買家請留意該等排氣百葉窗對個別住宅單位可能產生的影響(如有)。

### 發展項目外牆的照明

發展項目地下、三樓及五樓的外牆可能設有裝飾照明。準買家應注意上述照明對個別住宅單位可能產生的影響(如有)。

## 室外空調機的放置

室外空調機(不論為業主自己的住宅單位或其他住宅單位服務)放置在毗鄰州連某些住宅單位的空調機平台上。 在空調機平台設置室外空調機可能對發展項目相關住宅單位的享用造成熱浪、噪音或其他方面之影響。有關室外空調機的位置,請參閱本售樓說明書的「發展項目的住宅物業的樓面平面圖」。

### 建築物維護設備的操作

根據公契及管理協議,就構成住宅單位部分之任何平台、主天台及露台,管理人有權在任何時候延伸、維持、運作、移動建築物維護設備及有權通行、越過及/或進入平台、主天台及露台或天台或平台的矮牆的上空或部份上空,以進行發展項目任何部分外牆的檢修、清潔、加強、維修等,及暫時性地停留在該上空一段必要時間作任何公用地方及設施或其部分的檢查、重建、維修等。

管理人有權聯同或不聯同工人、帶備或不帶備器具,為幕牆、窗戶、外牆、平台以及公用地方及設施之清潔、髹油、維修等的目的進入本住宅物業的任何部分及進入發展項目的所有部分,包括但不限於有權為了前述目的裝嵌並放置任何建築物維護設備。就任何屬住宅物業一部分的平台或天台而言,管理人有權進出該等平台或天台所有或任何部分以進行所有必需之清潔、保養及/或維修工程(不論該等工程是否屬臨時性質)。

## 所有住宅單位均不供應煤氣

住宅單位不會安裝煤氣管道供應煤氣。發展項目的住宅單位不允許明火烹調。

# WEBSITE OF THE DEVELOPMENT

發展項目的互聯網網站

The website address designated by the Vendor for the Development for purposes of Part 2 of the Residential Properties (First-hand Sales) Ordinance:

www.elizepark.hk

賣方為施行《一手住宅物業銷售條例》第2部就發展項目指定的互聯網網站的網址:

www.elizepark.hk

# INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

### **Breakdown of GFA Concessions Obtained for All Features**

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the development.

## 獲寬免總樓面面積的設施分項

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料,請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督,則有(#)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前,以下分項資料仍可能有所修改。

	Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據《建築物(規劃)規例》第23(3)(b)條不計算的總樓面面積	Area (m²) 面積(平方米)			
1(#)	Carpark and loading/unloading area excluding public transport terminus 停車場及上落客貨地方(公共交通總站除外)	N/A 不適用			
2	Plant rooms and similar services 機房及相類設施	Area (m²) 面積(平方米)			
2.1	Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, refuse storage and material recovery chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》(《作業備考》)或規例限制的強制性設施或必要機房,例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等	64.986			
2.2(#)	Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc.  所佔面積不受任何《作業備考》或規例限制的強制性設施或必要機房,例如僅由消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等	482.665			
2.3	Non-mandatory or non-essential plant room such as air-conditioning A/C plant room, air handling unit (AHU) room, etc. 非強制性或非必要機房,例如空調機房、送風櫃房等	N/A 不適用			
	Green Features under Joint Practice Notes 1 and 2 根據聯合作業備考第1及第2號提供的環保設施				
3	Balcony 露台	52.870			
4	Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂	N/A 不適用			
5	Communal sky garden 公用空中花園	N/A 不適用			
6	Acoustic fin 隔聲鰭	N/A 不適用			
7	Wing wall, wind catcher and funnel 翼牆、捕風器及風斗	N/A 不適用			
8	Non-structural prefabricated external wall 非結構預製外牆	18.792			
9	Utility platform 工作平台	N/A 不適用			
10	Noise barrier 隔音屏障	N/A 不適用			
	Amenity Features 適意設施	Area (m²) 面積(平方米)			
11	Caretaker's quarters, counter, office, store, guard room and lavatory for watchman and management staff and owners' corporation office 管理員宿舍、供保安人員和管理處員工使用的櫃位、辦事處、貯物室、警衛室和廁所,以及業主立案法團辦事處	1.873			

# INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

12	Residential recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway, etc. serving solely the recreational facilities 住戶康樂設施,包括僅供康樂設施使用的中空空間、機房、游泳池的濾水器機房、有蓋人行道等	64.215
13	Covered landscaped and play area 有蓋園景區及遊樂場地	0.536
14	Horizontal screen/covered walkways and trellis 横向屏障/有蓋人行道及花棚	N/A 不適用
15	Larger lift shaft 擴大升降機槽	78.503
16	Chimney shaft 煙囱管道	N/A 不適用
17	Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room 其他非強制性或非必要機房,例如鍋爐房、衞星電視共用天線房	N/A 不適用
18(#)	Pipe duct, air duct for mandatory feature or essential plant room 強制性設施或必要機房所需的管槽及氣槽	16.243
19	Pipe duct, air duct for non-mandatory or non-essential plant room 非強制性設施或非必要機房所需的管槽及氣槽	N/A 不適用
20	Plant room, pipe duct, air duct for environmentally friendly system and feature 環保系統及設施所需的機房、管槽及氣槽	N/A 不適用
21	Void in duplex domestic flat and house 複式住宅單位及洋房的中空空間	N/A 不適用
22	Sunshade and reflector 遮陽篷及反光罩	N/A 不適用
23(#)	Minor projection such as A/C box, A/C platform, window cill and projecting window 小型伸出物,例如空調機箱、空調機平台、窗檻及伸出的窗台	N/A 不適用
24	Other projection such as A/C box and platform not covered in paragraph 3(b) and (c) of PNAP APP-19 《作業備考》 APP-19 第 3(b)及 (c)段沒有涵蓋的其他伸出物,如空調機箱及空調機平台	N/A 不適用
	Other Exempted Items 其他項目	Area (m²) 面積(平方米)
25(#)	Refuge floor including refuge floor cum sky garden 庇護層,包括庇護層兼空中花園	N/A 不適用
26	Covered area under large projecting/ overhanging feature 大型伸出/外懸設施下的有蓋地方	N/A 不適用
27	Public transport terminus 公共交通總站	N/A 不適用
28(#)	Party structure and common staircase 共用構築物及公用樓梯	N/A 不適用
29(#)	Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA 僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積	53.798
30	Public passage 公眾通道	N/A 不適用
31	Covered set back area 有蓋的後移部分	N/A 不適用
	Bonus GFA 額外總樓面面積	Area (m²) 面積(平方米)
32	Bonus GFA 額外總樓面面積	N/A 不適用

	Additional Green Features under Joint Practice Note (No. 8) 根據聯合作業備考 (第 8 號 )提供的額外環保設施		
33	Buildings adopting Modular Integrated Construction 採用「組裝合成」建築法的樓宇	N/A 不適用	

### Note:

The above table is based on requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

# Environment Assessment of the Building 建築物的環境評估

## **Green Building Certification**

Assessment result under the **BEAM Plus** certification conferred / issued by Hong Kong Green Building Council Limited (HKGBC) for the building prior to the printing of the sales brochure or its addenda.

Provisional GOLD

Application no.: PAG0117/22

PROVISIONAL GOLD

IB V2.0 2022

HIKGBC

BEMM Plus

## 綠色建築認證

在印刷此售樓說明書或其附頁前,本物業根據香港綠色建築 議會有限公司頒授/發出的綠建環評認證評級。

# 暫定評級 金級

申請事號: PAG0117/22



暫定 金級 NB V2.0 2022 HKGBC 級建環評

Estimated Energy Performance or Consumption for the Common Parts of the Development 發展項目的公用部分的預計能量表現或消耗

Latest information on the estimated energy performance or consumption for the common parts of the Development as submitted to the Building Authority prior to the printing of the sales brochures:

於印製售樓說明書前呈交予建築事務監督發展項目的公用部份的預計能量表現或消耗的最近期資料:

Part I 第 I 部分	
Provision of Central Air Conditioning	No
提供中央空調	否
Provision of Energy Efficient Features	Yes
提供具能源效益的設施	是
Energy Efficient Features proposed: 擬安裝的具能源效益的設施:	1. High efficiency air conditioner 2. Use of energy saving light fittings for common area 1. 使用高效能冷氣機 2. 於公共空間使用節能照明配件

# INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

Part II: The predicted annual energy use of the proposed building/ part of building (Note 1) 第Ⅱ部分:擬興建樓宇/部分樓宇預計每年能源消耗量 <sup>(註順1)</sup>								
Location 位置	Internal Floor Area Served (m <sup>2</sup> )	基線樓宇(註腳))每年能源消耗量		Annual Energy Use of 擬興建樓宇每年能源》				
	使用有關裝置的內部樓面面積 (平方米)	Electricity kWh/m²/annum 電力 千瓦小時/平方米/年	Town Gas / LPG unit/m²/annum 煤氣/石油氣 用量單位/平方米/年	Electricity kWh/m²/annum 重力 千瓦小時/平方米/年	Town Gas / LPG unit/m²/annum 煤氣/石油氣 用量單位/平方米/年			
Area served by central building services installation (Note 3) 有使用中央屋宇裝備裝置(註腳3) 的部份	1,600.662	95.84	N/A 不適用	55.73	N/A 不適用			

Part III: The following installations are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) 第 Ⅲ 部分:以下裝置乃按機電工程署公布的相關實務守則設計							
Type of Installations 裝置類型	YES 是	NO 否	N/A 不適用				
Lighting Installations 照明裝置	<b>√</b>						
Air Conditioning Installations 空調裝置	✓						
Electrical Installations 電力裝置	✓						
Lift & Escalator Installations 升降機及自動梯的裝置	✓						
Performance-based Approach 以總能源為本的方法			✓				

- 1. In general, the lower the estimated "Annual Energy Use" of the building, the more efficient of the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency. The predicted annual energy use, in terms of electricity consumption (kWh/m²/annum) and town gas/LPG consumption (unit/m²/annum), of the development by the internal floor area served, where:-
- (a) "total annual energy use" has the same meaning of "annual energy use" in the BEAM Plus for New Buildings (current version); and

- (b) "internal floor area", in relation to a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.

  2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" in the BEAM Plus New Buildings (current version).

  3. "Central Building Services Installation" has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation issued by the Electrical and Mechanical Services Department.

- 1. 一般而言,一棟樓宇的預計"每年能源消耗量"愈低,其節約能源的效益愈高。如一棟樓宇預計的"每年能源消耗量"低於該樓宇的"基線樓宇每年能源消耗量",則代表預計該樓宇的能源應用 較其基線樓宇有效,削減幅度愈大則代表有關樓宇能源節約的效益愈高。
  - 預計每年能源消耗量[以耗電量(千瓦小時/平方米/年)及煤氣/石油氣消耗量(用量單位/平方米/年)計算],指將發展項目的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商,其中:-
  - (a) "每年能源消耗量"與新建樓宇 BEAM Plus 標準 (現行版本) 中的「年能源消耗」具有相同涵義;及
- (b) 樓字、空間或單位的"內部樓面面積",指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。
- 2. "基準樓宇" 與新建樓宇 BEAM Plus 標準 (現行版本) 中的"基準建築物模式 (零分標準)"具有相同涵義。
- 3. "中央屋宇裝備裝置"與機電工程署發出的《屋宇裝備裝置能源效益實務守則》中的涵義相同。

# POSSIBLE FUTURE CHANGES

日後可能出現的改變

There may be future changes to the Development and the surrounding areas.

發展項目及其周邊地區日後可能出現改變。

# DATE OF PRINTING 印製日期

Date of printing of this Sales Brochure: 10th January 2024

本售樓說明書印製日期:2024年1月10日

Examination/Revision Date 檢視/修改日期	Page Number 頁數	Revision Made 所有修改
6 <sup>th</sup> February 2024 2024年2月6日	18	Updated the "Location Plan of the Development''. 更新「發展項目的所在位置圖」。
	33	Updated the "Layout Plan of the Development". 更新「發展項目的布局圖」。
	34, 35, 36, 38, 40, 42, 44, 46	Updated the "Floor Plans of Residential Properties in the Development". 更新「發展項目的住宅物業的樓面平面圖」。
	65	Updated the "Elevation Plan". 更新「立面圖」。
	72, 73	Updated the "Fittings, Finishes and Appliances". 更新「裝置、裝修物料及設備」。
	104	Updated the "Examination Records''. 更新「檢視紀錄」。